#### **NEVADA DEPARTMENT OF BUSINESS & INDUSTRY** Division of Industrial Relations **MECHANICAL COMPLIANCE** SECTION

Building Name:



4600 Kietzke Lane, Suite F-151 Reno, Nevada 89502 Telephone: (775) 688-3750 Fax: (775)688-1664 MCS.Reno@Business.nv.gov 1301 N. Green Valley ,Suite 200 Henderson, Nevada 89074 Telephone: (702) 486-9054

Fax: (702) 486-9176 MCS.Henderson@Business.nv.gov

# Category 1 Periodic Escalator & Moving Walk Test Record ASME A17.1 Section 8.6.8.15

Owners Name:

Building Name:		Owners Name:			State Number:		
Street Address:		Mailing Address:			NV		
City, State, Zip		City, State, Zip					
Type:	Escalator: Moving Walk:		Normal direction	of travel:	Up: 🔲 🛚 I	Down:	
							•
8.6.8.15 Periodic Inspection and Test Requirements: Category 1			Is test satisfact		tory?	Date of Test:	
1	8.6.8.15.1 Machine Space (Items 8.1 & 10	0.1)		Yes:	No:	n/a: 🗌	
2	8.6.8.15.2 Stop Switch (Items 8.2 & 10.2)			Yes:	☐ No: ☐	n/a: 🗌	
3	8.6.8.15.3 Controller and Wiring (Items 8.3 & 10.3)		Yes:	No:	n/a: 🗌		
4	8.6.8.15.4 Drive Machine and Brake (Items 8.4 & 10.4)		Yes:	No:	n/a: 🗌		
5	8.6.8.15.5 Speed Governor (Items 8.5 & 10.5)		Yes:	No:	n/a: 🗌		
6	8.6.8.15.6 Broken Drive Chain Device (Items 8.6 & 10.6)		Yes:	No:	n/a: 🗌		
7	8.6.8.15.7 Reversal Stop Switch (Items 8.7 & 10.7)		Yes:	☐ No: ☐	n/a: 🗌		
8	8.6.8.15.8 Broken Step Chain or Treadway Device (Items 8.8 & 10.8)		Yes:	☐ No: ☐	n/a: 🗌		
9	8.6.8.15.9 Step Upthrust Device (Items 7.9 & 8.9)		Yes:	☐ No: ☐	n/a: 🗌		
10	8.6.8.15.10 Missing Step or Pallet Device			Yes:	No:	n/a: 🗌	
11	8.6.8.15.11 Step or Pallet Level Device (It	tems 8.11 & 10.11	)	Yes:	No:	n/a: 🗌	
12	8.6.8.15.12 Steps, Pallet, Step or Pallet C	hain, and Trusses		Yes:	No:	n/a: 🗌	
12*	(Items 8.12 & 10.12) Total Number of Steps/Pallets Removed?		Quantity:			← answer required	
13	8.6.8.15.13 Handrail Safety Systems (Items 8.13 & 10.13) (Items 7.3 & 9.3)		Yes:	No:	n/a: 🗌		
14	8.6.8.15.14 Heaters – Outdoor Units (Items 8.3 & 10.3)		Yes:	No:	n/a: 🗌		
15	8.6.8.15.15 Permissible Stretch in Escalat	tor Chains (Item 7	.9)	Yes:	No:	n/a: 🗌	
16	8.6.8.15.16 Disconnected Motor Safety De	· · · · · · · · · · · · · · · · · · ·		Yes:	No:	n/a: 🗌	
17	8.6.8.15.17 Response to Smoke Detectors (Items 8.15 & 10.15)		).15)	Yes:	No:	n/a: 🗌	
18	8.6.8.15.18 Comb-Step or Comb-Pallet Impact Device (Items 7.7.2 & 9.7.2)		Yes:	No:	n/a: 🗌		
19	8.6.8.15.19 Step/Skirt Performance Index (Page 3 of 3)		Yes:	No:	n/a: 🗌		
20	8.6.8.15.20 Clearance Between Step & Skirt (Loaded Gap) (Page 3 of 3)		Yes:	No:	n/a: 🗌		
21	8.6.8.15.21 Inspection Control Devices		Yes:	No:	n/a: 🗌		
22	8.6.8.15.22 Step Lateral Displacement Device		Yes:	No:	n/a: 🗌		
23	8.6.8.15.23 Seismic Risk Zones 2 or Greater (Items 7.20.2 & 9.20.2)		Yes:	No:	n/a: 🗌		
24	8.6.8.15.24 Maintenance of Seismic Devices		Yes:	No:	n/a: 🗌		
	Is test satisfactory and in accordance with the code in effect at time of		Ye	s: No:			
*		o etato reacon:		original installation and/or alteration? If no, state reason:			
	original installation and/or alteration? If no	o, state reason:					
* Notes:	original installation and/or alteration? If no	o, state reason:					
	original installation and/or alteration? If no	o, state reason:					
	original installation and/or alteration? If no	o, state reason:					
	original installation and/or alteration? If no	o, state reason:					

#### NEVADA DEPARTMENT OF BUSINESS & INDUSTRY Division of Industrial Relations MECHANICAL COMPLIANCE SECTION



4600 Kietzke Lane, Suite F-151 Reno, Nevada 89502 Telephone: (775) 688-3750 Fax: (775)688-1664 MCS.Reno@Business.nv.gov 1301 N. Green Valley ,Suite 200 Henderson, Nevada 89074 Telephone: (702) 486-9054

Fax: (702) 486-9176 MCS.Henderson@Business.nv.gov

## Periodic Inspection and Test for Escalator & Moving Walk ASME A17.1 Section 8.11.4.1

	8.11.4.1 Periodic Inspection and Test Requirements:	Is test satisfactory?	Date of Test:
а	General Fire Protection (Items 7.1 and 9.1)	Yes: No: n/a:	
b	Geometry (Items 7.2 and 9.2)	Yes: No: n/a:	
С	Handrails (Items 7.3 and 9.3)	Yes: No: n/a:	
d	Entrance and Egress (Items 7.4 and 9.4)	Yes: No: n/a:	
е	Lighting (Items 7.5 and 9.5)	Yes: No: n/a:	
f	Caution Signs (Items 7.6 and 9.6)	Yes: No: n/a:	
g	Combplate (Items 7.7 and 9.7)	Yes: No: n/a:	
h	Deck Barricade Guard and Antislide Devices (Items 7.8 and 9.8)	Yes: No: n/a:	
i	Steps and Treadway (Items 7.9 and 9.9)	Yes: No: n/a:	
j	Operating Devices (Items 7.10 and 9.10)	Yes: No: n/a:	
k	Skirt Obstruction Devices (Item 7.11)	Yes: No: n/a:	
I	Handrail Entry Device (Items 8.13 and 10.13)	Yes: No: n/a:	
m	Egress Restriction Device (Items 7.13 and 9.13)	Yes: No: n/a:	
n	Speed (Items 7.14 and 9.14)	Yes: No: n/a:	
0	Balustrades (Items 7.15 and 9.15)	Yes: No: n/a:	
р	Ceiling Intersection Guards (Items 7.16 and 9.16)	Yes: No: n/a:	
q	Skirt Panels (Items 7.17 and 9.17)	Yes: No: n/a:	
r	Outdoor Protection (Items 7.18 and 9.18)	Yes: No: n/a:	
S	Machine Space Access, Lighting, Receptacle, and Condition (for remote machine rooms only) (Items 8.1 & 10.1)	Yes: No: n/a:	
t	Additional Stop Switch(es) (Items 8.2 and 10.2)	Yes: No: n/a:	
u	Controller and Wiring (Items 8.3 and 10.3)	Yes: No: n/a:	
v	Code Data Plate (2.23.2) (Items 8.14 and 10.14)	Yes: No: n/a:	
*	Section 8.6.1.7.2 (Periodic test record in the form of tags)	Yes: No: n/a:	
*	Is test satisfactory and in accordance with the code in effect at time of original installation and/or alteration? If no, state reason:	Yes: No: n/a:	
I	f test(s) proved unsatisfactory, indicate the reason and provide a writtee  The statement must be filed with the MCS in  *** THE UNIT MAY NOT RETURN TO SERVICE IF ANY SA	nmediately.	failed.

The Above Tests Were Performed In Compliance With ASME A17.1 and NAC455C. 400-528 & Section 2 to 14					
Firm Performing Tests	Date of Test				
Print Name / License No./ Signature of Person	Print Name / License No./ Signature of Person Witnessing				
Performing Tests	Tests				

Unless the device was repaired and successfully re-tested.

This report shall be filed with the Mechanical Compliance Section within ten (10) days of completion of all test.

This report shall be submitted every twelve (12) months.

NEVADA DEPARTMENT OF BUSINESS & INDUSTRY Division of Industrial Relations MECHANICAL COMPLIANCE SECTION



4600 Kietzke Lane, Suite F-151 Reno, Nevada 89502 Telephone: (775) 688-3750 Fax: (775)688-1664 MCS.Reno@Business.nv.gov 1301 N. Green Valley ,Suite 200 Henderson, Nevada 89074 Telephone: (702) 486-9054 Fay: (702) 486-9176

Fax: (702) 486-9176 MCS.Henderson@Business.nv.gov

### ASME A17.1 – 8.6.15.19 & 8.6.8.3 Step/Skirt Performance Index And 8.6.8.15.20 Clearance between Step and Skirt (Loaded Gap)

State of Nevada Number: NV	Rated Speed: fpm
Capacity: Ibs	Normal Direction of Travel: Up: Down:
1 ASME A17.1 8.6.8.15.19 Step/Skirt Performa	nce Index:
The escalator skirt shall not be cleaned, lubricated, or ot	herwise modified in preparation for testing. The escalator
	ecorded at intervals no larger than 150 mm (6 in.) from each
	escalator, where the steps are fully extended. Test steps shall
be separated by a minimum of 8 steps.	
Step 1:	Step 2:
Left: Right:	Left: Right:
2 ASME A17.1 8.6.8.15.20 Clearance between	
	ot exceeding 300 mm (12 in.) in transition region (8.6.8.2 &
· · · · · · · · · · · · · · · · · · ·	neasurements shall be made independently on each side of
the escalator.	
Top Landing:	Bottom Landing:
Left: Right:	Left: Right:
3 Skirt deflector brushes to be installed?	Yes: No:
Notes:	
The Above Tests Were Performed In Compliance V	
Firm Performing Tests	
	Date of Test
	Date of Test
Print Name / License No./ Signature of Person	Date of Test  Print Name / License No./ Signature of Person Witnessing
Print Name / License No./ Signature of Person Performing Tests	Date of Test