## **NOTICE OF NON-COMPLIANCE**

(To Be Used With One Object Only)

## This Report Must be Filed Within 10 Days per NAC 455C.522

1. Location Name	2. Location Address	3. Page No.			
		1 of			
4. Owner	5. Inspection Date(s)	6. Date Rec'd by MCS			
7. Equipment Type and State NV#:					
EL- Elevator; ESC- Escalator; M	W- Moving Walk; DW- Dumbwaiter; WCL- Wheel Chai	r Lift; CL- Chair Lift; X- Other			

The following items are found to be in Non-Compliance with Chapter 455C of the NRS and/or NAC. In the interest of safety and economy and to conform to the applicable statutes and regulations, these items should receive your prompt attention. Once corrected IT IS IMPORTANT that you or your Authorized Agent notify the issuing AIA/Special Inspector in writing.

8. Item No.	9. Standard, Regulation or Section of the Act of Non-Compliance and Description	10. Abatement Date (Max – 30 Days)	11. Completed Date

14. Failure to correct by the specified date may subject the owner to regulatory penalties.

12. Total Item Count for This Page: 15. If you need additional time to correct, please contact the Mechanical Compliance Section

13. Date Issued on Site:

listed below for your area prior to the Abatement Date indicated on this form.

16. Notice of Non-Compliance: Received by Owner or Authorized Agent: (Print, Sign with Title and Telephone Number)

/	/	/	
Print	Sign	Title	Phone
17. Issued by Special Inspector: (Print, Sign with State	ID# and Office Phone)		
Print /	Sign	////////	Phone
Northern Office: 4600 Kietzke Lane Bldg F, Suite 151 Reno, NV 89502 (775) 688-3750	State of Nevada Department of Business and Industry Division of Industrial Relations Mechanical Compliance Section	Southern Office: 1301 N. Green Valley Parkway Suite 160 Henderson, NV 89074 (702) 486-9054	