

**DEPARTMENT OF BUSINESS AND INDUSTRY/DIVISION OF INDUSTRIAL RELATIONS**

***MINE SAFETY AND TRAINING SECTION***

400 West King Street, #210, Carson City, NV 89703

Phone (775) 684-7085 Fax (775) 687-8259

Email: [mines@business.nv.gov](mailto:mines@business.nv.gov) Web Page: <http://dir.nv.gov/MSATS/Home/>

**Technical Assistance Request Form\***

Date: \_\_\_\_\_ Mine Inspector: \_\_\_\_\_ County: \_\_\_\_\_

Company Name: \_\_\_\_\_ Mine Name: \_\_\_\_\_

Mine ID: \_\_\_\_\_ Email: \_\_\_\_\_

Contact Person: \_\_\_\_\_ Phone: \_\_\_\_\_ Fax: \_\_\_\_\_

**Mine Inspection Request:**

Regular Inspection       Courtesy Inspection       Last Inspection Date: \_\_\_\_\_  
 New Inspection

**Ground Resistivity Request**

Re-Grounding       Number of Groundings Needed: \_\_\_\_\_       Date of Last Ground Test: \_\_\_\_\_  
 New Grounding       Number of Groundings Needed: \_\_\_\_\_

**Boiler/Pressure Vessel Inspection Request:**

Pressure Vessel(s)      Number: \_\_\_\_\_      Date Last Inspected: \_\_\_\_\_  
 Boiler(s)      Number: \_\_\_\_\_      Date Last Inspected: \_\_\_\_\_

**Industrial Hygiene Request for monitoring materials:**

Dust/Silica Cassettes      Number: \_\_\_\_\_      Date Needed: \_\_\_\_\_  
 Metal Cassettes      Number: \_\_\_\_\_      Date Needed: \_\_\_\_\_  
 Other      Number: \_\_\_\_\_      Date Needed: \_\_\_\_\_

**Industrial Hygiene Request for Survey:**

Dust/Silica       Noise       Other (explain): \_\_\_\_\_

**Industrial Hygiene Request for Information:**

Status of monitoring results (Description): \_\_\_\_\_ Date Conducted: \_\_\_\_\_  
 Exposure/TLV Calculations: \_\_\_\_\_  
 Substance Information (Identify the Substance): \_\_\_\_\_  
 Monitoring/Analytical Methods: \_\_\_\_\_  
 Personal Protective Equipment Information: \_\_\_\_\_  
 Monitoring Equipment: \_\_\_\_\_  
 Other (noise, engineering, ventilation, etc.): \_\_\_\_\_

**Request for Printed Material:** \_\_\_\_\_

**Note:** Please mail, email or fax this request to our office (also maintain a copy for MSHA verification if needed)