Table 1. Number of nonfatal occupational injuries and illnesses involving days away from work1 by selected worker characteristics and major industry sector, 2009

			Goods pr	oducing					S	ervice provid	ling			
Characteristic	State and Local government 2, 3, 4	Total goods producing	Natural resources and mining 2,3	Construc- tion	Manufac- turing	Total service providing	Trade, transport- ation, and utilities ⁴	Informa- tion	Financial activities	Profes- sional and business services	Education and health services	Leisure and hospitality	Other services	Public Administra- tion
Total	. 1,450													
Gender:														
Male	950													
Female	. 490													
Age:														
14 to 15														
16 to 19														
20 to 24														
25 to 34														
35 to 44	. 480													
45 to 54	. 370													
55 to 64	. 380													
65 and over	. 30													
Length of service with employer:														
Less than 3 months														
3 to 11 months	. 80													
1 to 5 years														
More than 5 years	. 920													
Race or ethnic origin:														
White only	. 340													
Black only														
Hispanic or Latino only														
Asian only														
Native Hawaiian or other Pacific Islander only														
American Indian or Alaskan Native only														
Hispanic or Latino and other race														
Multi-race														
Not reported	. 990													

¹ Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

in other industries.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

² Excludes farms with fewer than 11 employees.

³ Data for mining (Sector 21 in the *North American Industry Classification System* -- United States, 2007) include establishments not governed by the Mine Safety and Health Administration (MSHA) rules and reporting, such as those in oil and gas extraction and related support activities. Data for mining operators in coal, metal, and nonmetal mining are provided to BLS by the Mine Safety and Health Administration, U.S. Department of Labor. Independent mining contractors are excluded from the coal, metal, and nonmetal mining industries. These data do not reflect the changes the Occupational Safety and Health Administration made to its recordkeeping requirements effective January 1, 2002; therefore estimates for these industries are not comparable to estimates

⁴ Data for employers in rail transportation are provided to BLS by the Federal Railroad Administration, U.S. Department of Transportation.

Table 2. Percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker characteristics and major industry sector, 2009

Nevada--state and local government

			Goods pr	oducing					Se	ervice provic	ding			
Characteristic	State and Local government 2, 3, 4	Total goods producing	Natural resources and mining 2,3	Construc- tion	Manufac- turing	Total service providing	Trade, transport- ation, and utilities ⁴	Informa- tion	Financial activities	Profes- sional and business services	Education and health services	Leisure and hospitality	Other services	Public Administra- tion
Total [1,450 cases]	100.0													
Gender: MaleFemale		 		 	 			 	 	 		 	 	
Age: 14 to 15 16 to 19					 							 		
20 to 2425 to 34	. 1.4 . 11.0													
35 to 44	. 25.5	 	 	 	 	 		 	 	 		 	 	
65 and over Length of service with employer:														
Less than 3 months	. 5.5	 		 	 	 		 	 	 			 	
1 to 5 years More than 5 years Race or ethnic origin:												-		
White only Black only				 	 			 	 				 	
Hispanic or Latino onlyAsian only	3.4	 		 	 	 		 	 				 	
Native Hawaiian or other Pacific Islander only American Indian or Alaskan Native only Hispanic or Latino and other race		 	 	 	 			 	 	 				
Multi-raceNot reported		 				 		 	 	 			 	

¹ Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

in other industries.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

² Excludes farms with fewer than 11 employees.

³ Data for mining (Sector 21 in the *North American Industry Classification System* -- United States, 2007) include establishments not governed by the Mine Safety and Health Administration (MSHA) rules and reporting, such as those in oil and gas extraction and related support activities. Data for mining operators in coal, metal, and nonmetal mining are provided to BLS by the Mine Safety and Health Administration, U.S. Department of Labor. Independent mining contractors are excluded from the coal, metal, and nonmetal mining industries.
These data do not reflect the changes the Occupational Safety and Health Administration made to its recordkeeping requirements effective January 1, 2002; therefore estimates for these industries are not comparable to estimates

⁴ Data for employers in rail transportation are provided to BLS by the Federal Railroad Administration, U.S. Department of Transportation.

Table 3. Number of nonfatal occupational injuries and illnesses involving days away from work' by major occupational group and major industry sector, 2009

			Goods pr	oducing					S	ervice provid	ding			
Occupation	State and Local government 2, 3, 4	Total goods producing	Natural resources and mining 2,3	Construc- tion	Manufac- turing	Total service providing	Trade, transport- ation, and utilities ⁴	Informa- tion	Financial activities	Profes- sional and business services	Education and health services	Leisure and hospitality	Other services	Public Administra- tion
Total	1,450													
Management occupations	20													
Business and financial operations occupations	20													
Computer and mathematical occupations														
Architecture and engineering occupations	60													
Life, physical, and social science occupations	20													
Community and social services occupations	30													
Legal occupations														
Education, training, and library occupations	210													
Arts, design, entertainment, sports,														
and media occupations														
Healthcare practitioners and technical occupations	50													
Healthcare support occupations	30													
Protective service occupations	460													
Food preparation and serving related occupations														
Building and grounds cleaning														
and maintenance occupations	150													
Personal care and service occupations	20													
Office and administrative support occupations	40													
Farming, fishing, and forestry occupations														
Construction and extraction occupations	190													
Installation, maintenance, and repair occupations	50													
Production occupations														
Transportation and material moving occupations	100													
тапъропацоп апо тавена тюмпу оссорацотѕ	100								-		-			

¹ Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

in other industries.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

² Excludes farms with fewer than 11 employees.

³ Data for mining (Sector 21 in the *North American Industry Classification System* -- United States, 2007) include establishments not governed by the Mine Safety and Health Administration (MSHA) rules and reporting, such as those in oil and gas extraction and related support activities. Data for mining operators in coal, metal, and nonmetal mining are provided to BLS by the Mine Safety and Health Administration, U.S. Department of Labor. Independent mining contractors are excluded from the coal, metal, and nonmetal mining industries. These data do not reflect the changes the Occupational Safety and Health Administration made to its recordkeeping requirements effective January 1, 2002; therefore estimates for these industries are not comparable to estimates

⁴ Data for employers in rail transportation are provided to BLS by the Federal Railroad Administration, U.S. Department of Transportation.

Table 4. Number of nonfatal occupational injuries and illnesses involving days away from work1 by selected worker occupations and major industry sector, 2009

			Goods pr	oducing					S	ervice provi	ding		
Occupation	State and Local government 2, 3, 4	Total	Natural resources and mining 2,3		Manufac- turing	Total service providing	Trade, transport- ation, and utilities ⁴	Informa- tion	Financial activities	Profes- sional and business services	Education and health services	Other services	Public Administra- tion
Total	1,450											 	
Police and sheriff's patrol officers		 										 	
Janitors and cleaners, except maids and housekeeping cleaners												 	
Elementary school teachers, except special education												 	
Teacher assistants Correctional officers and jailers	. 70											 	
Security guards Construction and building inspectors												 	
Bus drivers, school Nursing aides, orderlies, and attendants	. 50 30											 	
ElectriciansRegistered nurses	. 30											 	
Landscaping and groundskeeping workers	20											 	
Recreation workers Highway maintenance workers												 	

¹ Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

in other industries.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

² Excludes farms with fewer than 11 employees.

³ Data for mining (Sector 21 in the *North American Industry Classification System* -- United States, 2007) include establishments not governed by the Mine Safety and Health Administration (MSHA) rules and reporting, such as those in oil and gas extraction and related support activities. Data for mining operators in coal, metal, and nonmetal mining are provided to BLS by the Mine Safety and Health Administration, U.S. Department of Labor. Independent mining contractors are excluded from the coal, metal, and nonmetal mining industries.

These data do not reflect the changes the Occupational Safety and Health Administration made to its recordkeeping requirements effective January 1, 2002; therefore estimates for these industries are not comparable to estimates

⁴ Data for employers in rail transportation are provided to BLS by the Federal Railroad Administration, U.S. Department of Transportation.

Table 5. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by selected injury or illness characteristics and major industry sector, 2009

			Goods pr	oducing					S	ervice provid	ling			
Characteristic	State and Local government 2, 3, 4	Total goods producing	Natural resources and mining 2,3	Construc- tion	Manufac- turing	Total service providing	Trade, transport- ation, and utilities ⁴	Informa- tion	Financial activities	Profes- sional and business services	Education and health services	Leisure and hospitality	Other services	Public Administra- tion
Total	. 1,450													
Nature of injury, illness:														
Sprains, strains	.] 710													
Bruises, contusions														
Cuts, lacerations														
Punctures														
Fractures														
Heat burns														
Carpal tunnel syndrome														
Tendonitis														
Chemical burns														
Amputations														
Multiple traumatic injuries														
	.]													
Part of body affected:	00													
Head								-						
Eye														
Neck						-		-						
Trunk														-
Shoulder														-
Back														-
Upper extremities						-		-						-
Arm														
Wrist														
Hand, except finger														
Finger						-								
Lower extremities						-								
Knee														
Ankle														
Foot, except toe	40					-								
Toe								-						
Body systems														
Multiple parts	230													

See footnotes at end of table.

Table 5. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by selected injury or illness characteristics and major industry sector, 2009 -- Continued

Nevada--state and local government

			Goods pr	oducing					S	ervice provic	ling			
Characteristic	State and Local government 2, 3, 4	Total goods producing	Natural resources and mining 2,3	Construc- tion	Manufac- turing	Total service providing	Trade, transport- ation, and utilities ⁴	Informa- tion	Financial activities	Profes- sional and business services	Education and health services	Leisure and hospitality	Other services	Public Administra- tion
Source of injury, illness:														
Chemicals, chemical products														
Containers	. 50													
Furniture, fixtures	. 40													
Machinery	. 50													
Parts and materials														
Person, injured or ill worker	. 260													
Worker motion or position	. 260													
Floor, ground surfaces	. 350													
Tools, instruments, and equipment	. 250													
Vehicles														
Person, other than worker	. 100													
Health care patient	. 40													
Event or exposure:														
Contact with object, equipment	. 280													
Struck by object														
Struck against object	. 150													
Caught in object, equipment, material														
Fall to lower level														
Fall on same level	. 220													
Slips, trips														
Overexertion	. 320													
Overexertion in lifting	. 100													
Repetitive motion	. 20													
Exposed to harmful substance	. 20													
Transportation accidents	. 160													
Highway accident	. 90													
Fires, explosions														
Assault, violent act														
by person	. 70													
by animal														

¹ Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

effective January 1, 2002: therefore estimates for these industries are not comparable to estimates in other industries.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

² Excludes farms with fewer than 11 employees.

³ Data for mining (Sector 21 in the *North American Industry Classification System* -- United States, 2007) include establishments not governed by the Mine Safety and Health Administration (MSHA) rules and reporting, such as those in oil and gas extraction and related support activities. Data for mining operators in coal, metal, and nonmetal mining are provided to BLS by the Mine Safety and Health Administration, U.S. Department of Labor. Independent mining contractors are excluded from the coal, metal, and nonmetal mining industries. These data do not reflect the changes the Occupational Safety and Health Administration made to its recordkeeping requirements

⁴ Data for employers in rail transportation are provided to BLS by the Federal Railroad Administration, U.S. Department of Transportation.

Table 6. Percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by selected injury or illness characteristics and major industry sector, 2009

			Goods pr	oducing					Se	ervice provid	ling			
Characteristic	State and Local government 2, 3, 4	Total goods producing	Natural resources and mining 2,3	Construc- tion	Manufac- turing	Total service providing	Trade, transport- ation, and utilities ⁴	Informa- tion	Financial activities	Professional and business services	Education and health services	Leisure and hospitality	Other services	Public Administra- tion
Total [1,450 cases]	100.0													
Nature of injury, illness:														
Sprains, strains	49.0													
Bruises, contusions														
Cuts, lacerations														
Punctures														
Fractures	2.8													
Heat burns														
Carpal tunnel syndrome														
Tendonitis														
Chemical burns														
Amputations														
Multiple traumatic injuries														
Part of body affected:														
Head	5.5													
Eye														
Neck														
Trunk														
Shoulder	16.6													
Back	15.9													
Upper extremities														
Arm														
Wrist	6.2													
Hand, except finger														
Finger														
Lower extremities														
Knee														
Ankle														
Foot, except toe														
Toe														
Body systems														
Multiple parts						l	I							I

See footnotes at end of table.

Table 6. Percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by selected injury or illness characteristics and major industry sector, 2009 -- Continued

			Goods pr	oducing					S	ervice provid	ding			
Characteristic	State and Local government 2, 3, 4	Total goods producing	Natural resources and mining 2,3	Construc- tion	Manufac- turing	Total service providing	Trade, transport- ation, and utilities ⁴	Informa- tion	Financial activities	Profes- sional and business services	Education and health services	Leisure and hospitality	Other services	Public Administra- tion
Source of injury, illness:														
Chemicals, chemical products														
Containers	3.4													
Furniture, fixtures	2.8													
Machinery														
Parts and materials	3.4													
Person, injured or ill worker	. 17.9													
Worker motion or position	17.9													
Floor, ground surfaces	24.1													
Tools, instruments, and equipment														
Vehicles														
Person, other than worker														
Health care patient	2.8													
Event or exposure:														
Contact with object, equipment	19.3													
Struck by object														
Struck against object	. 10.3													
Caught in object, equipment, material														
Fall to lower level	6.9													
Fall on same level	15.2													
Slips, trips	9.0													
Overexertion														
Overexertion in lifting	6.9													
Repetitive motion	1.4													
Exposed to harmful substance														
Transportation accidents														
Highway accident	6.2													
Fires, explosions														
Assault, violent act	1													
by person														
by animal														

¹ Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

effective January 1, 2002: therefore estimates for these industries are not comparable to estimates in other industries.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

² Excludes farms with fewer than 11 employees.

³ Data for mining (Sector 21 in the *North American Industry Classification System* -- United States, 2007) include establishments not governed by the Mine Safety and Health Administration (MSHA) rules and reporting, such as those in oil and gas extraction and related support activities. Data for mining operators in coal, metal, and nonmetal mining are provided to BLS by the Mine Safety and Health Administration, U.S. Department of Labor. Independent mining contractors are excluded from the coal, metal, and nonmetal mining industries. These data do not reflect the changes the Occupational Safety and Health Administration made to its recordkeeping requirements

⁴ Data for employers in rail transportation are provided to BLS by the Federal Railroad Administration, U.S. Department of Transportation.

Table 7. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers for selected characteristics and major industry sector, 2009

			Goods pr	oducing					S	Service provi	ding			
Characteristic	State and Local government 2, 3, 4	Total goods producing	Natural resources and mining 3,4	Construc- tion	Manufac- turing	Total service providing	Trade, transport- ation, and utilities ⁵	Informa- tion	Financial activities	Profes- sional and business services	Education and health services	Leisure and hospitality	Other services	Public Administra- tion
Total [1,450 cases]	132.1													
Nature of injury, illness:														
Sprains, strains	64.8													
Bruises, contusions	5.1													
Cuts, lacerations														
Punctures														
Fractures														
Heat burns														
Carpal tunnel syndrome														
Tendonitis														
Chemical burns														
Amputations														
Multiple traumatic injuries	8.7													
Part of body affected:														
Head	7.0													
Eye	-													
Neck														
Trunk														
Shoulder														
Back														
Upper extremities														
Arm														
Wrist														
Hand, except finger														
Finger														
Lower extremities														
Knee														
Ankle														
Foot, except toe														
Toe														
Body systems														
Multiple parts														

See footnotes at end of table.

Table 7. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers for selected characteristics and major industry sector, 2009 --- Continued

			Goods pr	oducing					S	ervice provi	ding			
Characteristic	State and Local government 2, 3, 4	Total goods producing	Natural resources and mining 3,4	Construc- tion	Manufac- turing	Total service providing	Trade, transport- ation, and utilities ⁵	Informa- tion	Financial activities	Profes- sional and business services	Education and health services	Leisure and hospitality	Other services	Public Administra- tion
Source of injury, illness:														
Chemicals, chemical products														
Containers	. 4.8													
Furniture, fixtures	3.4													
Machinery	5.0													
Parts and materials														
Person, injured or ill worker														
Worker motion or position														
Floor, ground surfaces														
Tools, instruments, and equipment														
Vehicles														
Person, other than worker														
Health care patient	. 3.6													
Event or exposure:														
Contact with object, equipment	. 25.8													
Struck by object	9.6													
Struck against object	. 13.7													
Caught in object, equipment, material	2.2													
Fall to lower level	8.8													
Fall on same level														
Slips, trips														
Overexertion														
Overexertion in lifting														
Repetitive motion														
Exposed to harmful substance														
Transportation accidents														
Highway accident														
Fires, explosions						-								
Assault, violent act														l
by person														l
by animal						-								

 $^{^{1}}$ Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: (N/EH) x 20,000,000 where

N = number of injuries and illnesses

EH = total hours worked by all employees during calendar year

 $20,\!000,\!000 \qquad \text{= base for 10,000 equivalent full-time workers (working 40 hours per week,} \\$

50 weeks per year).

reporting, such as those in oil and gas extraction and related support activities. Data for mining operators in coal, metal, and nonmetal mining are provided to BLS by the Mine Safety and Health Administration, U.S. Department of Labor. Independent mining contractors are excluded from the coal, metal, and nonmetal mining industries. These data do not reflect the changes the Occupational Safety and Health Administration made to its recordkeeping requirements effective January 1, 2002; therefore estimates for these industries are not comparable to estimates in other industries.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

² Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

³ Excludes farms with fewer than 11 employees.

⁴ Data for mining (Sector 21 in the *North American Industry Classification System --* United States, 2007) include establishments not governed by the Mine Safety and Health Administration (MSHA) rules and

⁵ Data for employers in rail transportation are provided to BLS by the Federal Railroad Administration, U.S. Department of Transportation.

Table 8. Percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker characteristics and number of days away from work, 2009

				Percent of ca	ases involving				
Characteristic	Total cases	1 day	2 days	3 to 5 days	6 to 10 days	11 to 20 days	21 to 30 days	31 days or more	Median days away from work
Total [1,450 cases]	100.0	15.9	8.3	20.7	13.8	14.5	11.0	15.9	7
Gender:									
Male	100.0	12.6	6.3	20.0	14.7	18.9	11.6	16.8	8
Female	100.0	22.4	12.2	22.4	12.2	6.1	10.2	14.3	5
Age:									
14 to 15									
16 to 19									
20 to 24	100.0								2
25 to 34	100.0	12.5		43.8		12.5		12.5	5
35 to 44	100.0	8.3	8.3	16.7	10.4	10.4	25.0	22.9	14
45 to 54	100.0	27.0	16.2	8.1	24.3	10.8	5.4	10.8	6
55 to 64	100.0	18.4		28.9	13.2	21.1		13.2	5
65 and over	100.0								15
Length of service with employer: Less than 3 months									
3 to 11 months	100.0			25.0				25.0	5
1 to 5 years		25.6	4.7	32.6	14.0	11.6	4.7	7.0	5
More than 5 years	100.0	10.9	10.9	14.1	14.1	16.3	14.1	18.5	10
	100.0	10.5	10.5	14.1	14.1	10.0	14.1	10.5	10
Race or ethnic origin:	400.0	47.0	447	447	0.0	447	5.0	00.0	_
White only		17.6	14.7	14.7	8.8	14.7	5.9	20.6	5
Black only		40.0							26
Hispanic or Latino only						40.0			12
Asian only									
Native Hawaiian or other Pacific Islander only									
American Indian or Alaskan Native only Hispanic or Latino and other race									
Multi-race									
IVIUILITI aut									

¹ Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Table 9. Percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by major occupational group and number of days away from work, 2009

				Percent of ca	ases involving				
Occupation	Total cases	1 day	2 days	3 to 5 days	6 to 10 days	11 to 20 days	21 to 30 days	31 days or more	Median days away from work
Total [1,450 cases]	100.0	15.9	8.3	20.7	13.8	14.5	11.0	15.9	7
Management occupations	100.0	 	 	 	 	 	 	 	3 1 18 5
Community and social services occupations Legal occupations	100.0							 	5
Education, training, and library occupations Arts, design, entertainment, sports,	100.0	28.6		28.6				14.3	5
and media occupations Healthcare practitioners and technical occupations	100.0			40.0					4
Healthcare support occupations Protective service occupations Food preparation and serving related occupations	100.0	 10.9 	13.0 	 17.4	 13.0	13.0	 19.6	10.9	7 8
Building and grounds cleaning and maintenance occupations		-	-	13.3	26.7	20.0	20.0		11
Personal care and service occupations Office and administrative support occupations	100.0 100.0	 	 	 			 	 	12 2
Farming, fishing, and forestry occupations Construction and extraction occupations		 	 	 31.6	 21.1	 10.5	 	 31.6	 6
Installation, maintenance, and repair occupations Production occupations Transportation and material moving occupations		 30.0	 20.0	 	 	 	 	 	7 2

¹ Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Table 10. Percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by selected occupations and number of days away from work, 2009

				Percent of ca	ases involving				
Occupation	Total cases	1 day	2 days	3 to 5 days	6 to 10 days	11 to 20 days	21 to 30 days	31 days or more	Median days away from work
Total [1,450 cases]	100.0	15.9	8.3	20.7	13.8	14.5	11.0	15.9	7
Police and sheriff's patrol officersFire fightersJanitors and cleaners, except	100.0 100.0	18.8 14.3	 	12.5 35.7	 28.6	 	 	 	27 5
maids and housekeeping cleaners	100.0			16.7	25.0	16.7	25.0		12
Elementary school teachers, except special education Teacher assistants	100.0 100.0	 33.3	 	 33.3	 	 	 	 33.3	3 5
Correctional officers and jailers	100.0								12
Security guards			42.9						14
Construction and building inspectors Bus drivers, school	100.0 100.0								3
Nursing aides, orderlies, and attendants	100.0								7
Electricians	100.0				100.0				6
Registered nurses									8
Landscaping and groundskeeping workers									17
Recreation workers Highway maintenance workers	100.0 100.0								12 2

¹ Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Table 11. Percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by selected injury or illness characteristics and number of days away from work, 2009

				Percent of ca	ises involving				
Characteristic	Total cases	1 day	2 days	3 to 5 days	6 to 10 days	11 to 20 days	21 to 30 days	31 days or more	Median days away from work
Total [1,450 cases]	100.0	15.9	8.3	20.7	13.8	14.5	11.0	15.9	7
Nature of injury, illness:									
Sprains, strains	100.0	5.6	11.3	21.1	5.6	16.9	16.9	22.5	15
Bruises, contusions	100.0	33.3							4
Cuts, lacerations									
Punctures									
Fractures								50.0	13
Heat burns							<u></u>		
Carpal tunnel syndrome							<u></u>		
Tendonitis							<u></u>		
Chemical burns									
Amputations									
Multiple traumatic injuries		22.2			22.2		<u></u>	22.2	8
	100.0	22.2			22.2			22.2	
Part of body affected:									
Head		25.0		50.0					3
Eye									4
Neck									
Trunk		11.1	7.4	16.7	9.3	18.5	18.5	20.4	14
Shoulder			12.5	8.3	12.5	29.2	33.3		18
Back		21.7		17.4		8.7	8.7	39.1	15
Upper extremities		10.0	10.0	40.0	20.0			10.0	3
Arm		50.0							6
Wrist	100.0			66.7					3
Hand, except finger									
Finger									5
Lower extremities	100.0	10.8	13.5	10.8	13.5	21.6	13.5	16.2	11
Knee	100.0	20.0				20.0		33.3	12
Ankle	100.0					28.6	57.1		22
Foot, except toe	100.0								2
Toe									
Body systems									
Multiple parts		34.8		21.7	17.4	8.7		13.0	5

See footnotes at end of table.

Table 11. Percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by selected injury or illness characteristics and number of days away from work, 2009 -- Continued

				Percent of ca	ases involving				
Characteristic	Total cases	1 day	2 days	3 to 5 days	6 to 10 days	11 to 20 days	21 to 30 days	31 days or more	Median days away from work
Source of injury, illness:									
Chemicals, chemical products									
Containers	100.0							40.0	2
Furniture, fixtures	100.0			50.0					5
Machinery	100.0		60.0						2
Parts and materials	100.0	40.0							5
Person, injured or ill worker	100.0		7.7	42.3	19.2	7.7	15.4		5
Worker motion or position	100.0		7.7	42.3	19.2	7.7	15.4		5
Floor, ground surfaces		14.3	5.7	20.0	28.6	8.6		20.0	7
Tools, instruments, and equipment	100.0	20.0			8.0	24.0	8.0	36.0	18
Vehicles	100.0	23.8		14.3		19.0		9.5	14
Person, other than worker	100.0			30.0		20.0			5
Health care patient	100.0								2
Event or exposure:									
Contact with object, equipment	100.0	21.4	14.3	14.3	10.7	17.9		21.4	8
Struck by object		20.0	30.0	30.0					2
Struck against object		26.7				26.7		33.3	14
Caught in object, equipment, material					100.0				8
Fall to lower level				40.0	40.0				7
Fall on same level		18.2	9.1	18.2	31.8	9.1		13.6	7
Slips, trips				53.8			23.1		3
Overexertion		18.8	12.5			28.1	6.3	31.3	18
Overexertion in lifting		20.0				20.0		30.0	15
Repetitive motion									8
Exposed to harmful substance	100.0								4
Transportation accidents		25.0		18.8					27
Highway accident									27
Fires, explosions									
Assault, violent act				42.9		28.6			5
by person	100.0			42.9		28.6			5
by animal									

¹ Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Table 12. Percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by major industry sector and number of days away from work, 2009

Nevada--state and local government

				Percent of ca	ases involving				
Industry sector	Total cases	1 day	2 days	3 to 5 days	6 to 10 days	11 to 20 days	21 to 30 days	31 days or more	Median days away from work
State and Local Government ^{2, 3, 4} [1,450 cases]	100.0	15.9	8.3	20.7	13.8	14.5	11.0	15.9	7.0
Goods producing									
Natural resources and mining ^{2,3}									
Construction									
Manufacturing									
Service providing									
Trade, transportation, and utilities 4									
Information									
Financial activities									
Professional and business services									
Education and health services									
Leisure and hospitality									
Other services									
Public Administration									

¹ Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

and Health Administration made to its recordkeeping requirements effective January 1, 2002: therefore estimates for these industries are not comparable to estimates in other industries.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

² Excludes farms with fewer than 11 employees.

³ Data for mining (Sector 21 in the *North American Industry Classification System* -- United States, 2007) include establishments not governed by the Mine Safety and Health Administration (MSHA) rules and reporting, such as those in oil and gas extraction and related support activities. Data for mining operators in coal, metal, and nonmetal mining are provided to BLS by the Mine Safety and Health Administration, U.S. Department of Labor. Independent mining contractors are excluded from the coal, metal, and nonmetal mining industries. These data do not reflect the changes the Occupational Safety

⁴ Data for employers in rail transportation are provided to BLS by the Federal Railroad Administration, U.S. Department of Transportation.

Table 13. Number of nonfatal occupational injuries and illnesses involving days away from work1 by time, hours on the job, and day of week and major industry sector, 2009

			Goods pr	oducing					S	ervice provid	ding		
Characteristic	State and Local government 2, 3, 4	Total goods producing	Natural resources and mining ^{2,3}		Manufac- turing	Total service providing	Trade, transport- ation, and utilities ⁴	Informa- tion	Financial activities	Profes- sional and business services	Education and health services	Other services	Public Administra- tion
Total	1,450											 	
Time of event:													
12:01 A.M. to 4:00 A.M	. 20											 	
4:01 A.M. to 8:00 A.M												 	
8:01 A.M. to 12:00 noon												 	
12:01 P.M. to 4:00 P.M												 	
4:01 P.M. to 8:00 P.M												 	
8:01 P.M. to 12:00 midnight												 	
Not reported	210											 	
Hours on the job before event occurred:													
Before shift began	20											 	
Less than 1 hour												 	
1 hour to less than 2 hours												 	
2 hours to less than 4 hours												 	
4 hours to less than 6 hours	140											 	
6 hours to less than 8 hours	160											 	
8 hours to less than 10 hours	200											 	
10 hours to less than 12 hours	. 20											 	
12 hours to less than 16 hours	. 30											 	
More than 16 hours												 	
Not reported	220											 	
Day of week:													
Sunday	20											 	
Monday												 	
Tuesday												 	
Wednesday												 	
Thursday												 	
Friday	. 200											 	
Saturday	110											 	

¹ Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

in other industries.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

² Excludes farms with fewer than 11 employees.

³ Data for mining (Sector 21 in the *North American Industry Classification System* -- United States, 2007) include establishments not governed by the Mine Safety and Health Administration (MSHA) rules and reporting, such as those in oil and gas extraction and related support activities. Data for mining operators in coal, metal, and nonmetal mining are provided to BLS by the Mine Safety and Health Administration, U.S. Department of Labor. Independent mining contractors are excluded from the coal, metal, and nonmetal mining industries.

These data do not reflect the changes the Occupational Safety and Health Administration made to its recordkeeping requirements effective January 1, 2002; therefore estimates for these industries are not comparable to estimates

⁴ Data for employers in rail transportation are provided to BLS by the Federal Railroad Administration, U.S. Department of Transportation.

Table 14. Percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by time, hours on the job, and day of week and major industry sector, 2009

Nevada--state and local government

			Goods pr	oducing					S	ervice provid	ling			
Characteristic	State and Local government 2, 3, 4	Total goods producing	Natural resources and mining ^{2,3}		Manufac- turing	Total service providing	Trade, transport- ation, and utilities ⁴	Informa- tion	Financial activities	Profes- sional and business services	Education and health services	Leisure and hospitality	Other services	Public Administra- tion
Total [1,450 cases]	. 100.0													
Time of event:														
12:01 A.M. to 4:00 A.M	1.4													
4:01 A.M. to 8:00 A.M														
8:01 A.M. to 12:00 noon	31.7													
12:01 P.M. to 4:00 P.M	. 24.8													
4:01 P.M. to 8:00 P.M														
8:01 P.M. to 12:00 midnight	9.0													
Not reported														
Hours on the job before event occurred:														
Before shift began	1.4													
Less than 1 hour														
1 hour to less than 2 hours														
2 hours to less than 4 hours	20.7													
4 hours to less than 6 hours	9.7													
6 hours to less than 8 hours	11.0													
8 hours to less than 10 hours	13.8													
10 hours to less than 12 hours	1.4													
12 hours to less than 16 hours	2.1													
More than 16 hours														
Not reported														
Day of week:														
Sunday	1.4													
Monday														
Tuesday														
Wednesday	-													
Thursday														
Friday														
Saturday														

¹ Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

in other industries.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

² Excludes farms with fewer than 11 employees.

³ Data for mining (Sector 21 in the *North American Industry Classification System* -- United States, 2007) include establishments not governed by the Mine Safety and Health Administration (MSHA) rules and reporting, such as those in oil and gas extraction and related support activities. Data for mining operators in coal, metal, and nonmetal mining are provided to BLS by the Mine Safety and Health Administration, U.S. Department of Labor. Independent mining contractors are excluded from the coal, metal, and nonmetal mining industries.

These data do not reflect the changes the Occupational Safety and Health Administration made to its recordkeeping requirements effective January 1, 2002; therefore estimates for these industries are not comparable to estimates

⁴ Data for employers in rail transportation are provided to BLS by the Federal Railroad Administration, U.S. Department of Transportation.

Table 15. Percent distribution of nonfatal occupational injuries and illnesses involving days away from work by time, hours on the job, and day of week and number of days away from work, 2009

15

				Percent of ca	ises involving				
Characteristic	Total cases	1 day	2 days	3 to 5 days	6 to 10 days	11 to 20 days	21 to 30 days	31 days or more	Median days away from work
Total [1,450 cases]	100.0	15.9	8.3	20.7	13.8	14.5	11.0	15.9	7
Time of event: 12:01 A.M. to 4:00 A.M	100.0 100.0 100.0 100.0 100.0 100.0	 17.6 19.6 22.2 	 19.6 	 11.8 15.2 27.8 22.2 23.1 33.3	23.5 10.9 22.2 33.3 	35.3 6.5 8.3 22.2 28.6	 8.7 8.3 	 19.6 11.1 22.2 33.3	24 6 4 5 8 27 18
Hours on the job before event occurred: Before shift began. Less than 1 hour. 1 hour to less than 2 hours. 2 hours to less than 4 hours. 4 hours to less than 6 hours. 6 hours to less than 8 hours. 8 hours to less than 10 hours. 10 hours to less than 12 hours. 12 hours to less than 16 hours. More than 16 hours. Not reported.	100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 	37.5 14.3 13.3 28.6 12.5 20.0	 14.3 16.7 14.3 	 14.3 20.0 43.8 10.0 66.7 31.8	 14.3 13.3 21.4 18.8 15.0 	25.0 17.9 6.7 15.0 27.3	 10.7 13.3 	14.3 13.3 21.4 12.5 31.8	7 4 6 5 7 5 12 95 5
Day of week: Sunday Monday Tuesday. Wednesday. Thursday. Friday. Saturday.	100.0 100.0 100.0 100.0 100.0 100.0 100.0	17.9 15.0 23.1 16.7 18.2	7.1 7.5 19.2 	7.1 22.5 30.8 11.1 35.0 18.2	21.4 10.0 16.7 15.0 27.3	25.0 17.5 7.7 16.7 18.2	10.7 16.7 35.0	14.3 25.0 11.5 16.7 	9 9 6 4 11 7 8

¹ Days-away-from-work cases include those which result in days away from work with or without job transfer or restriction.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Table 16. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by selected worker occupation and selected parts of body, Nevada and local government, Nevada, 2009

		Part of body affected by the injury or illness										
	State and Local	He	ad			Trunk			U	pper extremiti	es	
Occupation	Government	Total	Eyes	Neck	Total	Back	Shoulder	Total	Arm	Finger	Hand, except fingers	Wrist
Total	132.1	7.0	1.5		49.6	20.6	22.1	18.3	3.4	1.9		8.6
Management occupations (11-0000)												
Architecture and engineering occupations (17-0000) Life, physical, and social science occupations												
(19-0000)	 -	 										-
(25-0000)										-		-
Healthcare support occupations (31-0000) Protective service occupations (33-0000)	 	 						 			 	-
Building and grounds cleaning and maintenance occupations (37-0000)	 	 						 				-
Office and administrative support occupations (43-0000)												
Construction and extraction occupations (47-0000) Installation, maintenance, and repair occupations (49-0000)		==		-						-		-
Transportation and material moving occupations (53-0000)												-

Table 16. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by selected worker occupation and selected parts of body, Nevada and local government, Nevada, 2009

				Part of body af	fected by the i	injury or illness	3	
	State and Local		Lower ex	tremities			NA IC I	A.II
Occupation	Government	Total	Knee	Ankle	Foot, Toe	Body systems	Multiple parts	All other body parts
Total	132.1	33.9	13.7	6.5	3.8		21.4	
Management occupations (11-0000)								
(13-0000)	 							
Community and social services occupations (21-0000) Education, training, and library occupations	 							
(25-0000)								
Healthcare support occupations (31-0000) Protective service occupations (33-0000)	 	 	 	 	 	 	 	
Building and grounds cleaning and maintenance occupations (37-0000)								
Personal care and service occupations (39-0000) Office and administrative support occupations (43-0000)								
Construction and extraction occupations (47-0000) Installation, maintenance, and repair								
occupations (49-0000)								
(53-0000)	-	_		-	_		_	-

¹ Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: (N/EH) x 20,000,000 where N = number of injuries and illnesses

EH = total hours worked by all employees during calendar year

20,000,000 = base for 10,000 equivalent full-time workers

(working 40 hours per week, 50 weeks per year).

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U. S. Department of Labor, Survey of

Occupational Injuries and Illnesses in cooperation with participating State agencies.

² Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

Table 17. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by selected worker occupation and selected natures of injury or illness, Nevada and local government, Nevada, 2009

					ture of injury or ill	ness				
	State and Local			Cuts,	lacerations, punc	tures				
Occupation	Government	Sprains, strains	Fractures	Total	Cuts, lacerations	Punctures	Bruises	Heat burns	Chemical burns	Amputations
Total	132.1	64.8	4.0	4.8	4.8		5.1			
Management occupations (11-0000)		 		 	 			 		
Architecture and engineering occupations (17-0000) Life, physical, and social science occupations (19-0000)			_				-			
Community and social services occupations (21-0000) Education, training, and library occupations	 		-	 		 				
(25-0000)										
Healthcare support occupations (31-0000)	 	 	 	 	 	 	 	 		-
occupations (37-0000)	 	 	 	 	 	 	 			-
Office and administrative support occupations (43-0000)	 	 	 	 	 	 	 	 		- -
Installation, maintenance, and repair occupations (49-0000)										-
(53-0000)										- -

Table 17. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by selected worker occupation and selected natures of injury or illness, Nevada and local government, Nevada, 2009

					Nature of inj	ury or illness			
					Multiple injuries		Sorene	ss Pain	
Occupation	State and Local Government	Carpal tunnel syndrome	Tendonitis	Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	All other natures
Total	132.1	-		8.7	1.8	4.5	7.9	1.5	34.6
Management occupations (11-0000)							-		
(13-0000)	 	 	 	 		 			
(19-0000)	 	 	 	 		 	 		
Education, training, and library occupations (25-0000)									
Healthcare practitioners and technical occupations (29-0000)									
Healthcare support occupations (31-0000)	 	 	 			 			
occupations (37-0000)		 	 	 		 			
Office and administrative support occupations (43-0000)							-		_
Construction and extraction occupations (47-0000) Installation, maintenance, and repair occupations (49-0000)									
Transportation and material moving occupations (53-0000)									
(

¹ Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: (N/EH) x 20,000,000 where

EH = total hours worked by all employees during calendar year

20,000,000 = base for 10,000 equivalent full-time workers

(working 40 hours per week, 50 weeks per year).

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U. S. Department of Labor, Survey of

Occupational Injuries and Illnesses in cooperation with participating State agencies.

Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

Table 18. Incidence rates for nonfatal occupational injuries and illnesses involving days away from work per 10,000 full-time workers by selected worker occupation and selected sources of injury or illness, Nevada and local government, Nevada, 2009

		Source of injury or illness												
Occupation	State and Local Government	Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials	Person, other than worker	Health care patient	Person, injured or ill worker	Worker motion or position	Floors, walkways, or ground surfaces	Handtools	Vehicles	All other sources
Total	132.1		4.8	3.4	5.0	4.4	9.5	3.6	23.9	23.4	32.1	11.4	19.5	17.4
Management occupations (11-0000)														
(13-0000)		 								 			 	
(19-0000)	 	 		 	 									
(25-0000)			-					-						-
occupations (29-0000)		 			 				 	 	 		 	
Building and grounds cleaning and maintenance occupations (37-0000)														
Personal care and service occupations (39-0000) Office and administrative support occupations														
(43-0000)		 	 	 	 				 	 	 	 	 	
occupations (49-0000)														
(53-0000)	-			-								-		_

¹ Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: (N/EH) x 20,000,000 where

EH = total hours worked by all employees during calendar year

20,000,000 = base for 10,000 equivalent full-time workers

(working 40 hours per week, 50 weeks per year).

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U. S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.

² Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

Table 19. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by selected worker occupation and selected events or exposures leading to injury or illness, Nevada and local government, Nevada, 2009

					Event or expo	sure leading to	injury or illness			
			Contact w	ith objects	•	l	l .		Overe	xertion
Occupation	State and Local Government	Total	Struck by object	Struck against object	Caught in or compressed or crushed	Fall to lower level	Fall on same level	Slips or trips without fall	Total	In lifting
Total	132.1	25.8	9.6	13.7	2.2	8.8	20.4	11.9	29.3	9.2
Management occupations (11-0000)										
(13-0000)						 	 	 	 	
(19-0000)	 	 				 	 		 	
(25-0000)										
Healthcare support occupations (31-0000) Protective service occupations (33-0000)						 				
Building and grounds cleaning and maintenance occupations (37-0000)										
Personal care and service occupations (39-0000) Office and administrative support occupations										
(43-0000)		 	 			 	 	 	 	
Installation, maintenance, and repair occupations (49-0000)			-							
(53-0000)										

Table 19. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by selected worker occupation and selected events or exposures leading to injury or illness, Nevada and local government, Nevada, 2009

					Fvent	or exposure lea	ding to injury or	illness			
			F	T		1	l		d violent acts		
0	State and Local	Repetitive	Exposure to harmful	Transportati	on accidents	Fires and		7 toodatto and	VIOIOTIL GOLO		All other
Occupation	Government	motion			Highway accidents	explosions	Total	Assaults, by person	Assaults, by other	Assault, by animal	events
Total	132.1	2.1	2.2	14.6	8.3		6.8	6.4	==		10.3
Management occupations (11-0000)											
Architecture and engineering occupations (17-0000) Life, physical, and social science occupations (19-0000)				 	 	-		 	 	 	
Community and social services occupations (21-0000) Education, training, and library occupations (25-0000)											
Healthcare practitioners and technical occupations (29-0000)											
Healthcare support occupations (31-0000) Protective service occupations (33-0000)					 						
Building and grounds cleaning and maintenance occupations (37-0000)											
Personal care and service occupations (39-0000) Office and administrative support occupations											
(43-0000)					 	-		 	 	 	
occupations (49-0000)						-					
(53-0000)											

¹ Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: (N/EH) x 20,000,000 where

EH = total hours worked by all employees during calendar year

20,000,000 = base for 10,000 equivalent full-time workers

(working 40 hours per week, 50 weeks per year).

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U. S. Department of Labor, Survey of

Occupational Injuries and Illnesses in cooperation with participating State agencies.

² Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

Table 20. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by selected worker characteristic, major occupational group, and selected parts of body, Nevada and local government, Nevada, 2009

	Part of body affected by the injury or illness											
	State and Local	He	ad			Trunk			Uį	oper extremitie	es	
Characteristic	Government	Total	Eyes	Neck	Total	Back	Shoulder	Total	Arm	Finger	Hand, except fingers	Wrist
Total	132.1	7.0	1.5		49.6	20.6	22.1	18.3	3.4	1.9		8.6
Gender:												
Male	204.0	7.0			97.6	40.3	49.7	33.8	6.0	4.3		14.7
Female	78.5	7.0			13.7	5.9		6.7				4.1
Age:												
14 to 15												
16 to 19												
20 to 24	55.1											
25 to 34	65.0				24.9	12.8	9.6					
35 to 44	181.0	7.8			95.3	38.8	45.1	28.3	10.3			
45 to 54		7.0			44.0	21.7	12.7	10.4				6.4
55 to 64	234.3	24.6			56.0	14.3	37.3	45.1				38.5
65 and over	33.5											
Major occupational group:												
Management occupations												
Business and financial operations occupations												
Computer and mathematical occupations												
Architecture and engineering occupations												
Life, physical, and social science occupations												
Community and social services occupations												
Legal occupations												
Education, training, and library occupations												
Arts, design, entertainment, sports,												
and media occupations												
Healthcare practitioners and technical occupations												
Healthcare support occupations												
Protective service occupations												
Food preparation and serving related occupations												
Building and grounds cleaning												
and maintenance occupations												
Personal care and service occupations												
Sales and related occupations												
Office and administrative support occupations												
Farming, fishing, and forestry occupations												
Construction and extraction occupations							[
Installation, maintenance, and repair occupations												
Production occupations												
Transportation and material moving occupations	-]						[
rransportation and material moving occupations												

Table 20. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by selected worker characteristic, major occupational group, and selected parts of body, Nevada and local government, Nevada, 2009

				Part of body af	fected by the i	njury or illness	3	
	State and Local		Lower ex	tremities				
Characteristic	Government	Total	Knee	Ankle	Foot, Toe	Body systems	Multiple parts	All other body parts
Total	132.1	33.9	13.7	6.5	3.8	-	21.4	
Gender:								
Male	204.0	47.4	19.2				15.9	
Female	78.5	23.8	9.5	6.0	5.7		25.5	
Age:								
14 to 15								
16 to 19								
20 to 24	55.1							
25 to 34	65.0	15.0	6.5				17.1	
35 to 44	181.0	37.6		17.6			9.9	
45 to 54	123.3	48.2	19.1		9.7		16.3	
55 to 64	234.3	34.8	25.4				69.9	
65 and over	33.5	20.9	19.5					
Major occupational group:								
Management occupations								
Business and financial operations occupations								
Computer and mathematical occupations								
Architecture and engineering occupations								
Life, physical, and social science occupations								
Community and social services occupations								
Legal occupations								
Education, training, and library occupations								
Arts, design, entertainment, sports,								
and media occupations								
Healthcare practitioners and technical occupations								
Healthcare support occupations								
Protective service occupations								
Food preparation and serving related occupations								
Building and grounds cleaning								
and maintenance occupations								
Personal care and service occupations								
Sales and related occupations								
Office and administrative support occupations								
Farming, fishing, and forestry occupations								
Construction and extraction occupations								
Installation, maintenance, and repair occupations								
Production occupations								
Transportation and material moving occupations								

Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: (N/EH) x 20,000,000 where

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

N = number of injuries and illnesses

EH = total hours worked by all employees during calendar year

^{20,000,000 =} base for 10,000 equivalent full-time workers (working 40 hours per week, 50 weeks per year).

Days away from work cases include those that result in days away from work with or without job transfer or restriction.

Table 21. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by selected worker characteristic, major occupational group, and selected natures of injury or illness, Nevada and local government, Nevada, 2009

	Nature of injury or illness											
	State and Local			Cuts,	lacerations, punc	tures						
Characteristic	Government	Sprains, strains	Fractures	Total	Total Cuts, lacerations		Bruises	Heat burns	Chemical burns	Amputations		
Total	132.1	64.8	4.0	4.8	4.8		5.1					
Gender:												
Male	204.0	122.8	7.0	9.7	9.7		7.0					
Female	78.5	21.5					3.7					
Age:												
14 to 15												
16 to 19												
20 to 24	55.1											
25 to 34	65.0	47.0										
35 to 44	181.0	96.1		12.8	12.8		7.8					
45 to 54	123.3	38.4	6.8									
55 to 64	234.3	124.8										
65 and over	33.5											
Major occupational group:												
Management occupations												
Business and financial operations occupations												
Computer and mathematical occupations												
Architecture and engineering occupations												
Life, physical, and social science occupations												
Community and social services occupations												
Legal occupations												
Education, training, and library occupations	-											
Arts, design, entertainment, sports,												
and media occupations												
Healthcare practitioners and technical occupations												
Healthcare support occupations	-											
Protective service occupations Food preparation and serving related occupations	-											
Building and grounds cleaning												
and maintenance occupations												
Personal care and service occupations												
Sales and related occupations												
Office and administrative support occupations												
Farming, fishing, and forestry occupations												
Construction and extraction occupations												
Installation, maintenance, and repair occupations									[
Production occupations												
Transportation and material moving occupations												

Table 21. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by selected worker characteristic, major occupational group, and selected natures of injury or illness, Nevada and local government, Nevada, 2009

					Nature of inj	ury or illness			
					Multiple injuries		Sorene	ss Pain	
Characteristic	State and Local Government	Carpal tunnel syndrome	Tendonitis	Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	All other natures
Total	132.1			8.7	1.8	4.5	7.9	1.5	34.6
Gender:									
Male	204.0			9.2	3.9		14.2		29.6
Female	78.5			8.3		6.1	3.3		38.4
Age:									
14 to 15									
16 to 19									
20 to 24	55.1								
25 to 34									
35 to 44	181.0			14.0					41.8
45 to 54				11.4		6.9	26.1		32.1
55 to 64	234.3					0.0	20.1		90.6
65 and over	33.5								
Major occupational group:									
Management occupations									
Business and financial operations occupations									
Computer and mathematical occupations									
Architecture and engineering occupations									
Life, physical, and social science occupations									
Community and social services occupations									
Legal occupations									
Education, training, and library occupations									
Arts, design, entertainment, sports,									
and media occupations									
Healthcare practitioners and technical occupations									
Healthcare support occupations									
Protective service occupations									
Food preparation and serving related occupations									
Building and grounds cleaning									
and maintenance occupations									
Personal care and service occupations									
Sales and related occupations									
Office and administrative support occupations									
Farming, fishing, and forestry occupations									
Construction and extraction occupations									
Installation, maintenance, and repair occupations									
Production occupations									
Transportation and material moving occupations									

^{&#}x27; Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: (N/EH) x 20,000,000 where

EH = total hours worked by all employees during calendar year

20,000,000 = base for 10,000 equivalent full-time workers

(working 40 hours per week, 50 weeks per year).

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U. S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.

Days away from work cases include those that result in days away from work with or without job transfer or restriction.

Table 22. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by selected worker characteristic, major occupational group, and selected sources of injury or illness, Nevada and local government, Nevada, 2009

							Sour	ce of injury or	illness					
Characteristic	State and Local Government	Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials	Person, other than worker	Health care patient	Person, injured or ill worker	Worker motion or position	Floors, walkways, or ground surfaces	Handtools	Vehicles	All other sources
Total	132.1		4.8	3.4	5.0	4.4	9.5	3.6	23.9	23.4	32.1	11.4	19.5	17.4
Gender:														
Male	204.0		9.8	5.4	3.8	10.0	10.4	4.9	40.6	39.9		26.0	33.3	33.6
Female	78.5				5.9		8.8	2.5	11.5	11.0	33.6		9.1	5.4
Age:														
14 to 15														
16 to 19														
20 to 24	55.1													
25 to 34	65.0		6.5				7.9		13.5	13.5	16.3		11.5	
35 to 44	181.0		10.0	7.9		6.5	22.6		21.4	21.0	12.6	21.2	45.4	32.4
45 to 54	123.3				10.4	8.5	6.1	5.4	20.0	19.7	38.8		6.5	25.3
55 to 64	234.3								58.9	56.7	93.7	35.9	23.6	
65 and over	33.5													
Major occupational group:														
Management occupations														
Business and financial operations occupations														
Computer and mathematical occupations														
Architecture and engineering occupations														
Life, physical, and social science occupations														
Community and social services occupations														
Legal occupations														
Education, training, and library occupations														
Arts, design, entertainment, sports,														
and media occupations														
Healthcare practitioners and technical occupations														
Healthcare support occupations														
Protective service occupations														
Food preparation and serving related occupations														
Building and grounds cleaning														
and maintenance occupations														
Personal care and service occupations														
Sales and related occupations														
Office and administrative support occupations														
Farming, fishing, and forestry occupations														
Construction and extraction occupations														
Installation, maintenance, and repair occupations														
Production occupations														
Transportation and material moving occupations														

¹ Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: (N/EH) x 20,000,000 where

EH = total hours worked by all employees during calendar year

20,000,000 = base for 10,000 equivalent full-time workers

(working 40 hours per week, 50 weeks per year).

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U. S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.

² Days away from work cases include those that result in days away from work with or without job transfer or restriction.

Table 23. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by selected worker characteristic, major occupational group, and selected events or exposures leading to injury or illness, Nevada and local government, Nevada, 2009

	Event or exposure leading to injury or illness												
			Contact w	ith objects					Overex	certion			
Characteristic	State and Local Government	Total	Struck by object	Struck against object	Caught in or compressed or crushed	Fall to lower level	Fall on same level	Slips or trips without fall	Total	In lifting			
Total	132.1	25.8	9.6	13.7	2.2	8.8	20.4	11.9	29.3	9.2			
Gender:													
Male	204.0	38.2	14.8	18.8	4.4	12.1	16.8	18.3	61.8	19.6			
Female	78.5	16.5	5.6	9.9		6.3	23.0	7.2	5.0				
Age:													
14 to 15													
16 to 19													
20 to 24	55.1												
25 to 34	65.0	12.1		6.2			13.5						
35 to 44	181.0	44.7	17.2	19.8	7.3		9.7	11.8	49.9	13.6			
45 to 54	123.3	26.9	12.7	12.5		13.3	24.0		29.5	12.4			
55 to 64	234.3	25.8		22.1		25.3	52.1	49.6	48.4	11.2			
65 and over	33.5												
Major occupational group:													
Management occupations													
Business and financial operations occupations													
Computer and mathematical occupations													
Architecture and engineering occupations													
Life, physical, and social science occupations													
Community and social services occupations													
Legal occupations													
Education, training, and library occupations													
Arts, design, entertainment, sports,													
and media occupations													
Healthcare practitioners and technical occupations Healthcare support occupations													
Protective service occupations													
Food preparation and serving related occupations													
Building and grounds cleaning													
and maintenance occupations													
Personal care and service occupations													
Sales and related occupations													
Office and administrative support occupations													
Farming, fishing, and forestry occupations													
Construction and extraction occupations													
Installation, maintenance, and repair occupations													
Production occupations													
Transportation and material moving occupations													

Table 23. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by selected worker characteristic, major occupational group, and selected events or exposures leading to injury or illness, Nevada and local government, Nevada, 2009

					Event of	or exposure lea	ding to injury or	illness			
	State and Local		Exposure to	Transportation	on accidents			Assaults and	violent acts		
Occupation	Government	Repetitive motion	harmful substance or environment	Total	Highway accidents	Fires and explosions	Total	Assaults, by person	Assaults, by other	Assault, by animal	All other events
Total	132.1	2.1	2.2	14.6	8.3	-	6.8	6.4	-		10.3
Gender:											
Male	204.0	4.8	3.3	23.3	17.8		7.3	7.3			18.1
Female	78.5			8.1			6.4	5.7			4.4
Ago:											
Age:											
14 to 15											
20 to 24	55.1										
25 to 34	65.0			11.1							14.3
35 to 44	181.0			28.5	28.2		20.4	20.4			14.5
45 to 54	123.3			5.5			20.1	20.1			17.1
55 to 64	234.3			21.1							
65 and over	33.5										
Major occupational group:											
Management occupations											
Business and financial operations occupations											
Computer and mathematical occupations											
Architecture and engineering occupations											
Life, physical, and social science occupations											
Community and social services occupations											
Legal occupations											
Education, training, and library occupations											
Arts, design, entertainment, sports,											
and media occupations											
Healthcare practitioners and technical occupations											
Healthcare support occupations											
Protective service occupations											
Food preparation and serving related occupations Building and grounds cleaning											
and maintenance occupations											
Personal care and service occupations	-										
Sales and related occupations	-										
Office and administrative support occupations											
Farming, fishing, and forestry occupations]]						
]]						
Construction and extraction occupations	-]]						
Production occupations	-]]						
Transportation and material moving occupations]]				[[
Transportation and material moving occupations											

^{&#}x27; Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: (N/EH) x 20,000,000 where

EH = total hours worked by all employees during calendar year

20,000,000 = base for 10,000 equivalent full-time workers

(working 40 hours per week, 50 weeks per year).

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U. S. Department of Labor, Survey of

Occupational Injuries and Illnesses in cooperation with participating State agencies.

Days away from work cases include those that result in days away from work with or without job transfer or restriction.