Table 1. Number of nonfatal occupational injuries and illnesses involving days away from work1 by selected worker characteristics and major industry sector, 2010

			Goods pr	oducing					S	ervice provid	ling			
Characteristic	Local government 2, 3, 4	Total goods producing	Natural resources and mining 2,3	Construc- tion	Manufac- turing	Total service providing	Trade, transport- ation, and utilities <sup>4</sup>	Informa- tion	Financial activities	Profes- sional and business services	Education and health services	Leisure and hospitality	Other services	Public Administra- tion
Total	1,290					1,290					700			550
Gender:  Male Female	700 580	 		 	 	700 580		 	 		260 440		 	420 130
Age: 14 to 15														
16 to 19	90 160	 		  	 	90 160		  	  	 	40 50	  	 	30 100
35 to 44	420	  	  	  	  	390 420 160	  	  	  	  	180 270 100	  	  	210 140 60
65 and overLength of service with employer:	60					60					60			
Less than 3 months	40	 				20 40 440					20			
1 to 5 years						780					250 430			190 350
White only  Black only						240 30			 		60 			160 30
Hispanic or Latino onlyAsian only	50 	 				50 					20			20 
Native Hawaiian or other Pacific Islander only  American Indian or Alaskan Native only  Hispanic or Latino and other race		  		  	  	20  			  	  	20  	  	  	
Multi-race Not reported						 930			1 1	 	 600	 	 	330

<sup>&</sup>lt;sup>1</sup> Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

in other industries.

<sup>&</sup>lt;sup>2</sup> Excludes farms with fewer than 11 employees.

<sup>&</sup>lt;sup>3</sup> Data for mining (Sector 21 in the *North American Industry Classification System* -- United States, 2007) include establishments not governed by the Mine Safety and Health Administration (MSHA) rules and reporting, such as those in oil and gas extraction and related support activities. Data for mining operators in coal, metal, and nonmetal mining are provided to BLS by the Mine Safety and Health Administration, U.S. Department of Labor. Independent mining contractors are excluded from the coal, metal, and nonmetal mining industries. These data do not reflect the changes the Occupational Safety and Health Administration made to its recordkeeping requirements effective January 1, 2002; therefore estimates for these industries are not comparable to estimates

<sup>&</sup>lt;sup>4</sup> Data for employers in rail transportation are provided to BLS by the Federal Railroad Administration, U.S. Department of Transportation.

<sup>&</sup>lt;sup>5</sup> Race and ethnicity data do not add to total. Some cases may be counted as both "Multi-rac NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Table 2. Percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker characteristics and major industry sector, 2010

Nevada--local government

			Goods pr	oducing					Se	ervice provid	ling			
Characteristic	Local government 2, 3, 4	Total goods producing	Natural resources and mining 2,3	Construc- tion	Manufac- turing	Total service providing	Trade, transport- ation, and utilities <sup>4</sup>	Informa- tion	Financial activities	Profes- sional and business services	Education and health services	Leisure and hospitality	Other services	Public Administra- tion
Total [1,290 cases]	100.0					100.0					100.0			100.0
Gender: Male Female	54.3 45.0	 			 	54.3 45.0		 	 	 	37.1 62.9		 	76.4 23.6
Age: 14 to 15														
16 to 19	7.0 12.4	  		  	  	7.0 12.4	  	  	  	  	5.7 7.1		  	5.5 18.2
35 to 44	30.2 32.6 12.4	  		 	  	30.2 32.6 12.4	  	  	  	  	25.7 38.6 14.3	 	  	38.2 25.5 10.9
65 and over	4.7	-				4.7					8.6			
Less than 3 months		 				1.6 3.1					2.9			
1 to 5 years		 				34.1 60.5					35.7 61.4			34.5 63.6
Race or ethnic origin:  White only  Black only		 				18.6 2.3				 	8.6			29.1 5.5
Hispanic or Latino only	3.9	 			 	3.9			 		2.9 			3.6
Native Hawaiian or other Pacific Islander only  American Indian or Alaskan Native only	1.6 	 				1.6 					2.9 	-		
Hispanic or Latino and other race	  72.1	  	  	 	  	  72.1	 	  	  	  	  85.7	 		  60.0

<sup>&</sup>lt;sup>1</sup> Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

in other industries.

<sup>&</sup>lt;sup>2</sup> Excludes farms with fewer than 11 employees.

<sup>&</sup>lt;sup>3</sup> Data for mining (Sector 21 in the *North American Industry Classification System* -- United States, 2007) include establishments not governed by the Mine Safety and Health Administration (MSHA) rules and reporting, such as those in oil and gas extraction and related support activities. Data for mining operators in coal, metal, and nonmetal mining are provided to BLS by the Mine Safety and Health Administration, U.S. Department of Labor. Independent mining contractors are excluded from the coal, metal, and nonmetal mining industries. These data do not reflect the changes the Occupational Safety and Health Administration made to its recordkeeping requirements effective January 1, 2002; therefore estimates for these industries are not comparable to estimates

<sup>&</sup>lt;sup>4</sup> Data for employers in rail transportation are provided to BLS by the Federal Railroad Administration, U.S. Department of Transportation.

<sup>&</sup>lt;sup>5</sup> Race and ethnicity data do not add to total. Some cases may be counted as both "Multi-rac NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Table 3. Number of nonfatal occupational injuries and illnesses involving days away from work' by major occupational group and major industry sector, 2010

			Goods pr	oducing					S	ervice provid	ding			
Occupation	Local government 2, 3, 4	Total goods producing	Natural resources and mining 2,3	Construc- tion	Manufac- turing	Total service providing	Trade, transport- ation, and utilities <sup>4</sup>	Informa- tion	Financial activities	Profes- sional and business services	Education and health services	Leisure and hospitality	Other services	Public Administra- tion
Total	1,290					1,290					700			550
Management occupations	30					30								20
Business and financial operations occupations														
Community and social services occupations	40					40								40
Education, training, and library occupations	100					100					90			
Healthcare practitioners and technical occupations	40					40					30			
Healthcare support occupations														
Protective service occupations	370					370								330
Food preparation and serving related occupations Building and grounds cleaning	140					140					130			
and maintenance occupations	250					250					220			20
Personal care and service occupations														
Sales and related occupations														
Office and administrative support occupations	40					40								30
Construction and extraction occupations	60					60								20
Installation, maintenance, and repair occupations						130					90			40
Production occupations	20					20								
Transportation and material moving occupations	40					40					20			20

<sup>&</sup>lt;sup>1</sup> Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

in other industries.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

<sup>&</sup>lt;sup>2</sup> Excludes farms with fewer than 11 employees.

<sup>&</sup>lt;sup>3</sup> Data for mining (Sector 21 in the *North American Industry Classification System* -- United States, 2007) include establishments not governed by the Mine Safety and Health Administration (MSHA) rules and reporting, such as those in oil and gas extraction and related support activities. Data for mining operators in coal, metal, and nonmetal mining are provided to BLS by the Mine Safety and Health Administration, U.S. Department of Labor. Independent mining contractors are excluded from the coal, metal, and nonmetal mining industries.

These data do not reflect the changes the Occupational Safety and Health Administration made to its recordkeeping requirements effective January 1, 2002; therefore estimates for these industries are not comparable to estimates

<sup>&</sup>lt;sup>4</sup> Data for employers in rail transportation are provided to BLS by the Federal Railroad Administration, U.S. Department of Transportation.

Table 4. Number of nonfatal occupational injuries and illnesses involving days away from work1 by selected worker occupations and major industry sector, 2010

			Goods pr	oducing					S	Service provi	ding			
Occupation	Local government 2, 3, 4	Total goods producing	Natural resources and mining 2,3		Manufac- turing	Total service providing	Trade, transport- ation, and utilities <sup>4</sup>	Informa- tion	Financial activities	Profes- sional and business services	Education and health services	Leisure and hospitality	Other services	Public Administra- tion
Total	1,290					1,290					700			550
Police and sheriff's patrol officers	200					200								160
maids and housekeeping cleaners  Dining room and cafeteria attendants	170					170					150			20
and bartender helpers						130					130			
Maintenance and repair workers, general	120					120					90			30
Fire fighters	80					80								80
Landscaping and groundskeeping workers Special education teachers, preschool,	60					60					50			
kindergarten, and elementary school	40					40					40			
Registered nursesFirst-line supervisors/managers						30					20			
of police and detectives	30					30								30
Social and human service assistants Elementary school teachers, except	20					20								20
special education	20					20					20			1
Teacher assistants	20					20					20			
Maids and housekeeping cleaners						20					20			1
Office clerks, general						20								1
Bus drivers, school	20					20					20			

<sup>&</sup>lt;sup>1</sup> Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

in other industries.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

<sup>&</sup>lt;sup>2</sup> Excludes farms with fewer than 11 employees.

<sup>&</sup>lt;sup>3</sup> Data for mining (Sector 21 in the *North American Industry Classification System* -- United States, 2007) include establishments not governed by the Mine Safety and Health Administration (MSHA) rules and reporting, such as those in oil and gas extraction and related support activities. Data for mining operators in coal, metal, and nonmetal mining are provided to BLS by the Mine Safety and Health Administration, U.S. Department of Labor. Independent mining contractors are excluded from the coal, metal, and nonmetal mining industries. These data do not reflect the changes the Occupational Safety and Health Administration made to its recordkeeping requirements effective January 1, 2002; therefore estimates for these industries are not comparable to estimates

<sup>&</sup>lt;sup>4</sup> Data for employers in rail transportation are provided to BLS by the Federal Railroad Administration, U.S. Department of Transportation.

Table 5. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by selected injury or illness characteristics and major industry sector, 2010

#### Goods producing Service providing Local Natural Trade, Profes-Characteristic government Total Total Education Leisure Public resources Manufactransport-Financial Other Construc-Informasional and 2, 3, 4 goods service and health and Administraation, and and mining activities tion turing tion business services providing hospitality producing services tion 2.3 utilities 4 services Total..... 1.290 1.290 700 550 Nature of injury, illness: Sprains, strains..... 390 390 130 250 --Bruises, contusions..... 90 90 30 60 Cuts. lacerations..... 110 110 100 Punctures..... Fractures..... 40 --40 30 Heat burns..... Carpal tunnel syndrome..... Tendonitis..... Chemical burns..... Amputations..... ------90 20 70 Multiple traumatic injuries..... 90 Part of body affected: Head..... 110 110 50 60 Eye..... 40 40 30 20 Neck..... 20 Trunk..... 470 470 280 170 Shoulder..... 130 130 90 40 ----Back..... 250 250 150 100 Upper extremities..... 190 190 130 70 Arm..... 30 30 20 Wrist..... ----Hand, except finger..... 20 20 Finger..... 90 30 130 ----130 --Lower extremities..... 370 370 220 140 Knee..... 220 220 110 100 ----60 60 50 Ankle..... Foot, except toe..... --Toe..... Body systems..... 130 130 20 100 Multiple parts.....

Nevada--local government

See footnotes at end of table.

Table 5. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by selected injury or illness characteristics and major industry sector, 2010 -- Continued

			Goods pr	oducing					Se	ervice provid	ding			
Characteristic	Local government 2, 3, 4	Total goods producing	Natural resources and mining 2,3	Construc- tion	Manufac- turing	Total service providing	Trade, transport- ation, and utilities <sup>4</sup>	Informa- tion	Financial activities	Profes- sional and business services	Education and health services	Leisure and hospitality	Other services	Public Administra- tion
Source of injury, illness:														
Chemicals, chemical products														
Containers	90					90					60			40
Furniture, fixtures	70					70					60			
Machinery														
Parts and materials						20								20
Person, injured or ill worker	330					330					240			80
Worker motion or position	320					320					240			70
Floor, ground surfaces	180					180					60			120
Tools, instruments, and equipment	230					230					170			60
Vehicles	110					110					30			80
Person, other than worker	160					160					80			80
Health care patient	30					30					20			
Event or exposure:														
Contact with object, equipment	280					280					160			110
Struck by object	160					160					140			20
Struck against object	90					90					30			60
Caught in object, equipment, material														
Fall to lower level	40					40					20			20
Fall on same level	140					140					40			90
Slips, trips	100					100					90			
Overexertion	300					300					220			70
Overexertion in lifting	100					100					60			40
Repetitive motion														
Exposed to harmful substance	40					40								40
Transportation accidents	70					70								70
Highway accident						40								40
Fires, explosions														
Assault, violent act						80								70
by person	80					80								60
by animal														

<sup>&</sup>lt;sup>1</sup> Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

effective January 1, 2002: therefore estimates for these industries are not comparable to estimates in other industries.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

<sup>&</sup>lt;sup>2</sup> Excludes farms with fewer than 11 employees.

<sup>&</sup>lt;sup>3</sup> Data for mining (Sector 21 in the *North American Industry Classification System* -- United States, 2007) include establishments not governed by the Mine Safety and Health Administration (MSHA) rules and reporting, such as those in oil and gas extraction and related support activities. Data for mining operators in coal, metal, and nonmetal mining are provided to BLS by the Mine Safety and Health Administration, U.S. Department of Labor. Independent mining contractors are excluded from the coal, metal, and nonmetal mining industries. These data do not reflect the changes the Occupational Safety and Health Administration made to its recordkeeping requirements

<sup>&</sup>lt;sup>4</sup> Data for employers in rail transportation are provided to BLS by the Federal Railroad Administration, U.S. Department of Transportation.

Table 6. Percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by selected injury or illness characteristics and major industry sector, 2010

			Goods pr	oducing					Se	ervice provic	ding			
Characteristic	Local government 2, 3, 4	Total goods producing	Natural resources and mining 2,3	Construc- tion	Manufac- turing	Total service providing	Trade, transport- ation, and utilities <sup>4</sup>	Informa- tion	Financial activities	Profes- sional and business services	Education and health services	Leisure and hospitality	Other services	Public Administra- tion
Total [1,290 cases]	100.0					100.0					100.0			100.0
Nature of injury, illness:														
Sprains, strains	30.2					30.2					18.6			45.5
Bruises, contusions	7.0					7.0					4.3			10.9
Cuts, lacerations	8.5					8.5					14.3			
Punctures														
Fractures	3.1					3.1								5.5
Heat burns														
Carpal tunnel syndrome														
Tendonitis														
Chemical burns														
Amputations														
Multiple traumatic injuries						7.0					2.9			12.7
Part of body affected:														
Head	8.5					8.5					7.1			10.9
Eye						3.1								5.5
Neck	1.6					1.6								
Trunk	36.4					36.4					40.0			30.9
Shoulder	10.1					10.1					12.9			7.3
Back						19.4					21.4			18.2
Upper extremities						14.7					18.6			12.7
Arm	2.3					2.3					2.9			
Wrist														
Hand, except finger	1.6					1.6								
Finger						10.1					12.9			5.5
Lower extremities						28.7					31.4			25.5
Knee	-					17.1					15.7			18.2
Ankle	4.7					4.7					7.1			
Foot, except toe														
Toe														
Body systems														
Multiple parts						10.1					2.9			18.2

See footnotes at end of table.

Table 6. Percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by selected injury or illness characteristics and major industry sector, 2010 -- Continued

			Goods pr	oducing					S	ervice provid	ding			
Characteristic	Local government 2, 3, 4	Total goods producing	Natural resources and mining 2,3		Manufac- turing	Total service providing	Trade, transport- ation, and utilities <sup>4</sup>	Informa- tion	Financial activities	Profes- sional and business services	Education and health services	Leisure and hospitality	Other services	Public Administra- tion
Source of injury, illness:														
Chemicals, chemical products														
Containers						7.0					8.6			7.3
Furniture, fixtures	5.4					5.4					8.6			
Machinery														
Parts and materials	1.6					1.6								3.6
Person, injured or ill worker	25.6					25.6					34.3			14.5
Worker motion or position	24.8					24.8					34.3			12.7
Floor, ground surfaces	14.0					14.0					8.6			21.8
Tools, instruments, and equipment	17.8					17.8					24.3			10.9
Vehicles	8.5					8.5					4.3			14.5
Person, other than worker	12.4					12.4					11.4			14.5
Health care patient	2.3					2.3					2.9			
Event or exposure:														
Contact with object, equipment	21.7					21.7					22.9			20.0
Struck by object						12.4					20.0			3.6
Struck against object						7.0					4.3			10.9
Caught in object, equipment, material														
Fall to lower level						3.1					2.9			3.6
Fall on same level	10.9					10.9					5.7			16.4
Slips, trips						7.8					12.9			
Overexertion	23.3					23.3					31.4			12.7
Overexertion in lifting						7.8					8.6			7.3
Repetitive motion														
Exposed to harmful substance						3.1								7.3
Transportation accidents						5.4								12.7
Highway accident	-					3.1								7.3
Fires, explosions														
Assault, violent act						6.2								12.7
by person						6.2								10.9
by animal														

<sup>&</sup>lt;sup>1</sup> Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

effective January 1, 2002: therefore estimates for these industries are not comparable to estimates in other industries.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

<sup>&</sup>lt;sup>2</sup> Excludes farms with fewer than 11 employees.

<sup>&</sup>lt;sup>3</sup> Data for mining (Sector 21 in the *North American Industry Classification System --* United States, 2007) include establishments not governed by the Mine Safety and Health Administration (MSHA) rules and reporting, such as those in oil and gas extraction and related support activities. Data for mining operators in coal, metal, and nonmetal mining are provided to BLS by the Mine Safety and Health Administration, U.S. Department of Labor. Independent mining contractors are excluded from the coal, metal, and nonmetal mining industries. These data do not reflect the changes the Occupational Safety and Health Administration made to its recordkeeping requirements

<sup>&</sup>lt;sup>4</sup> Data for employers in rail transportation are provided to BLS by the Federal Railroad Administration, U.S. Department of Transportation.

Table 7. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers for selected characteristics and major industry sector, 2010

					aiocai gov	1								
			Goods pr	oducing					S	ervice provid	ding			
Characteristic	Local government 2, 3, 4	Total goods producing	Natural resources and mining 3,4	Construc- tion	Manufac- turing	Total service providing	Trade, transport- ation, and utilities <sup>5</sup>	Informa- tion	Financial activities	Profes- sional and business services	Education and health services	Leisure and hospitality	Other services	Public Administra- tion
Total [1,290 cases]	158.3					158.3					147.4			175.8
Nature of injury, illness:														
Sprains, strains	48.0					48.0					27.9			79.2
Bruises, contusions						11.7					6.2			18.8
Cuts, lacerations						13.3					20.0			
Punctures														
Fractures						4.4								8.1
Heat burns														
Carpal tunnel syndrome														
Tendonitis														
Chemical burns														
Amputations														
Multiple traumatic injuries	10.7					10.7					3.5			21.9
Part of body affected:														
Head	13.8					13.8					10.8			18.6
Eve						4.4								10.2
Neck						2.2								
Trunk						57.2					58.8			55.2
Shoulder	_					16.2					18.8			13.2
Back						30.8					30.6			31.8
Upper extremities						23.9					26.3			20.9
Arm						3.5					3.7			
Wrist														
Hand, except finger						2.0								
Finger						16.2					19.7			11.1
Lower extremities						45.1					45.5			44.9
Knee						27.2					23.0			33.3
Ankle						7.7					10.6			
Foot, except toe														
Toe														
Body systems														
Multiple parts						15.5					4.5			32.0

See footnotes at end of table.

Table 7. Incidence rates for nonfatal occupational injuries and illnesses involving days away from work per 10,000 full-time workers for selected characteristics and major industry sector, 2010 --- Continued

			Goods pr	oducing					S	ervice provic	ling			
Characteristic	Local government 2, 3, 4	Total goods producing	Natural resources and mining 3,4	Construc- tion	Manufac- turing	Total service providing	Trade, transport- ation, and utilities <sup>5</sup>	Informa- tion	Financial activities	Profes- sional and business services	Education and health services	Leisure and hospitality	Other services	Public Administra- tion
Source of injury, illness:														
Chemicals, chemical products														
Containers	11.3					11.3					11.6			11.5
Furniture, fixtures	8.4					8.4					11.8			
Machinery														
Parts and materials	2.9					2.9								6.4
Person, injured or ill worker						40.1					51.2			24.8
Worker motion or position	39.0					39.0					50.9			22.4
Floor, ground surfaces	22.6					22.6					12.2			36.7
Tools, instruments, and equipment	28.7					28.7					36.3			17.7
Vehicles						14.0					5.9			26.4
Person, other than worker						19.8					16.2			25.9
Health care patient	3.6					3.6					4.7			
Event or exposure:														
Contact with object, equipment	34.1					34.1					34.5			33.4
Struck by object	19.6					19.6					28.5			7.2
Struck against object						11.5					5.8			19.5
Caught in object, equipment, material														
Fall to lower level	4.8					4.8					3.4			6.5
Fall on same level	17.8					17.8					9.3			28.7
Slips, trips	12.5					12.5					19.5			
Overexertion						36.5					46.0			23.0
Overexertion in lifting	12.2					12.2					13.2			11.3
Repetitive motion														
Exposed to harmful substance	5.1					5.1								12.5
Transportation accidents	8.3					8.3								21.4
Highway accident						5.4								13.9
Fires, explosions														
Assault, violent act	9.6					9.6								21.0
by person	9.4					9.4								20.3
by animal														

 $<sup>^{1}</sup>$  Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: (N/EH) x 20,000,000 where

N = number of injuries and illnesses

EH = total hours worked by all employees during calendar year

20,000,000 = base for 10,000 equivalent full-time workers (working 40 hours per week,

50 weeks per year).

reporting, such as those in oil and gas extraction and related support activities. Data for mining operators in coal, metal, and nonmetal mining are provided to BLS by the Mine Safety and Health Administration, U.S. Department of Labor. Independent mining contractors are excluded from the coal, metal, and nonmetal mining industries. These data do not reflect the changes the Occupational Safety and Health Administration made to its recordkeeping requirements effective January 1, 2002; therefore estimates for these industries are not comparable to estimates in other industries.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

<sup>&</sup>lt;sup>2</sup> Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

<sup>&</sup>lt;sup>3</sup> Excludes farms with fewer than 11 employees.

<sup>&</sup>lt;sup>4</sup> Data for mining (Sector 21 in the *North American Industry Classification System --* United States, 2007) include establishments not governed by the Mine Safety and Health Administration (MSHA) rules and

Data for employers in rail transportation are provided to BLS by the Federal Railroad Administration, U.S. Department of Transportation.

Table 8. Percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker characteristics and number of days away from work, 2010

				Percent of ca	ases involving				
Characteristic	Total cases	1 day	2 days	3 to 5 days	6 to 10 days	11 to 20 days	21 to 30 days	31 days or more	Median days away from work
Total [1,290 cases]	100.0	17.8	10.1	17.1	24.0	14.7	2.3	13.2	6
Gender:									
Male	100.0	12.9	8.6	14.3	34.3	11.4		18.6	7
Female		25.9	12.1	20.7	12.1	19.0	3.4	5.2	4
Age:									
14 to 15									
16 to 19									
20 to 24		44.4		22.2					1
25 to 34			18.8	37.5		12.5		12.5	5
35 to 44		15.4	5.1	23.1	23.1	20.5		10.3	7
45 to 54	100.0	9.5	9.5	7.1	33.3	19.0		19.0	7
55 to 64	100.0	18.8	18.8		31.3	12.5			6
65 and over	100.0	83.3							1
Length of service with employer:									
Less than 3 months	100.0								5
3 to 11 months									5
1 to 5 years		31.8	11.4	22.7	18.2	6.8		6.8	4
More than 5 years		10.3	10.3	14.1	28.2	20.5		15.4	7
Race or ethnic origin <sup>2</sup> :									
White only	100.0	20.8	12.5	16.7	16.7	12.5		20.8	5
Black only									12
Hispanic or Latino only	100.0	40.0							3
Asian only									
Native Hawaiian or other Pacific Islander only									2
American Indian or Alaskan Native only									
Hispanic or Latino and other race									
Multi-race									

<sup>&</sup>lt;sup>1</sup> Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

<sup>&</sup>lt;sup>2</sup> Race and ethnicity data do not add to total. Some cases may be counted as both Multi-race and "Hispanic and other" race.

Table 9. Percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by major occupational group and number of days away from work, 2010

				Percent of ca	ases involving				
Occupation	Total cases	1 day	2 days	3 to 5 days	6 to 10 days	11 to 20 days	21 to 30 days	31 days or more	Median days away from work
Total [1,290 cases]	100.0	17.8	10.1	17.1	24.0	14.7	2.3	13.2	6
Management occupations	100.0  100.0 100.0 100.0  100.0 100.0	  60.0   13.5 28.6	 100.0    5.4	     13.5	     29.7	     16.2	     	     21.6	2  2 1 3  8 6
Building and grounds cleaning and maintenance occupations  Personal care and service occupations  Sales and related occupations  Office and administrative support occupations  Construction and extraction occupations  Installation, maintenance, and repair occupations  Production occupations  Transportation and material moving occupations		8.0   75.0   	     	40.0    15.4 	20.0    61.5 	24.0     	     	8.0   83.3  	5  1 42 7 15

<sup>&</sup>lt;sup>1</sup> Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Table 10. Percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by selected occupations and number of days away from work, 2010

				Percent of ca	ses involving				
Occupation	Total cases	1 day	2 days	3 to 5 days	6 to 10 days	11 to 20 days	21 to 30 days	31 days or more	Median days away from work
Total [1,290 cases]	100.0	17.8	10.1	17.1	24.0	14.7	2.3	13.2	6
Police and sheriff's patrol officers	100.0			10.0	35.0	20.0		20.0	9
maids and housekeeping cleaners  Dining room and cafeteria attendants	100.0	-	-	52.9		29.4	-	11.8	5
and bartender helpers	100.0								6
Maintenance and repair workers, general	100.0			16.7	66.7				7
Fire fighters	100.0	37.5						37.5	5
Landscaping and groundskeeping workers	100.0				66.7				6
Special education teachers, preschool,									
kindergarten, and elementary school	100.0	100.0							1
Registered nurses	100.0								3
First-line supervisors/managers									
of police and detectives	100.0								8
Social and human service assistants	100.0								2
Elementary school teachers, except									
special education	100.0								2
Teacher assistants	100.0								5
Maids and housekeeping cleaners	100.0								5
Office clerks, general	100.0								1
Bus drivers, school	100.0	1	1	-		-			11

<sup>&</sup>lt;sup>1</sup> Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Table 11. Percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by selected injury or illness characteristics and number of days away from work, 2010

				Percent of ca	ses involving				
Characteristic	Total cases	1 day	2 days	3 to 5 days	6 to 10 days	11 to 20 days	21 to 30 days	31 days or more	Median days away from work
Total [1,290 cases]	. 100.0	17.8	10.1	17.1	24.0	14.7	2.3	13.2	6
Nature of injury, illness:									
Sprains, strains	100.0	17.9	12.8	17.9	12.8	10.3	5.1	23.1	6
Bruises, contusions				33.3				22.2	4
Cuts, lacerations					45.5	45.5			8
Punctures									
Fractures								50.0	13
Heat burns									
Carpal tunnel syndrome									
Tendonitis									
Chemical burns									
Amputations									
Multiple traumatic injuries			55.6						2
Part of body affected:									
Head	100.0	27.3		36.4					4
Eye		50.0							1
Neck									13
Trunk		31.9	6.4	19.1	14.9	14.9	4.3	6.4	5
Shoulder		30.8		30.8					5
Back		40.0	12.0	16.0	24.0				2
Upper extremities			10.5		31.6	31.6		10.5	10
Arm									2
Wrist									
Hand, except finger									10
Finger					46.2	38.5		15.4	10
Lower extremities		5.4		16.2	43.2	8.1		24.3	8
Knee				18.2	31.8	9.1		36.4	10
Ankle									8
Foot, except toe									
Toe									
Body systems									
Multiple parts		15.4	53.8						2

See footnotes at end of table.

Table 11. Percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by selected injury or illness characteristics and number of days away from work, 2010 -- Continued

				Percent of ca	ases involving				
Characteristic	Total cases	1 day	2 days	3 to 5 days	6 to 10 days	11 to 20 days	21 to 30 days	31 days or more	Median days away from work
Source of injury, illness:									
Chemicals, chemical products									
Containers		77.8							1
Furniture, fixtures	100.0			71.4					5
Machinery									
Parts and materials									12
Person, injured or ill worker		6.1		9.1	39.4	21.2		21.2	8
Worker motion or position		6.3		9.4	40.6	18.8		18.8	8
Floor, ground surfaces	100.0	16.7	33.3	11.1	11.1			16.7	2
Tools, instruments, and equipment				26.1	39.1	21.7			6
Vehicles	. 100.0		27.3	18.2	18.2	18.2			6
Person, other than worker	. 100.0	31.3	12.5	12.5	25.0			12.5	3
Health care patient									3
Event or exposure:									
Contact with object, equipment	. 100.0	10.7		25.0	25.0	21.4		10.7	7
Struck by object		12.5		25.0	25.0				7
Struck against object				33.3	22.2	22.2			5
Caught in object, equipment, material									
Fall to lower level	100.0		50.0						2
Fall on same level	100.0	21.4	35.7	14.3					2
Slips, trips	. 100.0				80.0				6
Overexertion	. 100.0	40.0		23.3	20.0	6.7			5
Overexertion in lifting	. 100.0	50.0							1
Repetitive motion									
Exposed to harmful substance		50.0							1
Transportation accidents	. 100.0			28.6					4
Highway accident	100.0								3
Fires, explosions									
Assault, violent act					37.5				6
by person	100.0				25.0				6
by animal									

<sup>&</sup>lt;sup>1</sup> Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Table 12. Percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by major industry sector and number of days away from work, 2010

Nevada--local government

	140	vada 100ai gove	, i i i i i i i i i i i i i i i i i i i					
			Percent of ca	ases involving				
Total cases	1 day	2 days	3 to 5 days	6 to 10 days	11 to 20 days	21 to 30 days	31 days or more	Median days away from work
100.0	17.8	10.1	17.1	24.0	14.7	2.3	13.2	6.0
100.0	17.8	10.1	17.1	24.0	14.7	2.3	13.2	6.0
100.0	18.6	4.3	18.6	32.9	15.7		10.0	6.0
100.0	18.2	18.2	16.4	14.5	14.5		18.2	5.0
	100.0 100.0 100.0 100.0	Total cases 1 day  100.0 17.8  100.0 17.8  100.0 18.6 100.0 18.6	Total cases 1 day 2 days  100.0 17.8 10.1	Total cases 1 day 2 days 3 to 5 days  100.0 17.8 10.1 17.1	Total cases	Total cases   1 day   2 days   3 to 5 days   6 to 10 days   11 to 20 days   100.0   17.8   10.1   17.1   24.0   14.7   1.5	Total cases   1 day   2 days   3 to 5 days   6 to 10 days   11 to 20 days   21 to 30 days   100.0   17.8   10.1   17.1   24.0   14.7   2.3   2.3   2.5   2	Total cases 1 day 2 days 3 to 5 days 6 to 10 days 21 to 30 days or more  100.0 17.8 10.1 17.1 24.0 14.7 2.3 13.2

<sup>&</sup>lt;sup>1</sup> Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

and Health Administration made to its recordkeeping requirements effective January 1, 2002: therefore estimates for these industries are not comparable to estimates in other industries.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

<sup>&</sup>lt;sup>2</sup> Excludes farms with fewer than 11 employees.

<sup>&</sup>lt;sup>3</sup> Data for mining (Sector 21 in the *North American Industry Classification System* -- United States, 2007) include establishments not governed by the Mine Safety and Health Administration (MSHA) rules and reporting, such as those in oil and gas extraction and related support activities. Data for mining operators in coal, metal, and nonmetal mining are provided to BLS by the Mine Safety and Health Administration, U.S. Department of Labor. Independent mining contractors are excluded from the coal, metal, and nonmetal mining industries. These data do not reflect the changes the Occupational Safety

<sup>&</sup>lt;sup>4</sup> Data for employers in rail transportation are provided to BLS by the Federal Railroad Administration, U.S. Department of Transportation.

Table 13. Number of nonfatal occupational injuries and illnesses involving days away from work' by time, hours on the job, and day of week and major industry sector, 2010

			Goods pr	oducing					S	ervice provi	ding			
Characteristic	Local government 2, 3, 4	Total goods producing	Natural resources and mining 2,3		Manufac- turing	Total service providing	Trade, transport- ation, and utilities <sup>4</sup>	Informa- tion	Financial activities	Profes- sional and business services	Education and health services	Leisure and hospitality	Other services	Public Administra- tion
Total	1,290					1,290					700			550
Time of event:														
12:01 A.M. to 4:00 A.M	60					60								50
4:01 A.M. to 8:00 A.M						150					70			80
8:01 A.M. to 12:00 noon						520					390			110
12:01 P.M. to 4:00 P.M						190					50			140
4:01 P.M. to 8:00 P.M	240					240					150			80
8:01 P.M. to 12:00 midnight	80					80					30			50
Not reported	50					50								30
Hours on the job before event occurred:														
Before shift began														
Less than 1 hour						270					190			80
1 hour to less than 2 hours						60					20			40
2 hours to less than 4 hours						400					290			100
4 hours to less than 6 hours	230					230					120			120
6 hours to less than 8 hours	130					130					30			100
8 hours to less than 10 hours	80					80								60
10 hours to less than 12 hours	30					30					20			
12 hours to less than 16 hours														
More than 16 hours														
Not reported	50					50					20			40
Day of week:														
Sunday	60					60					20			40
Monday						190					80			100
Tuesday	230					230					130			100
Wednesday	250					250					170			80
Thursday	210					210					110			100
Friday	290					290					200			90
Saturday	70					70								50

<sup>&</sup>lt;sup>1</sup> Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

in other industries.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

<sup>&</sup>lt;sup>2</sup> Excludes farms with fewer than 11 employees.

<sup>&</sup>lt;sup>3</sup> Data for mining (Sector 21 in the *North American Industry Classification System* -- United States, 2007) include establishments not governed by the Mine Safety and Health Administration (MSHA) rules and reporting, such as those in oil and gas extraction and related support activities. Data for mining operators in coal, metal, and nonmetal mining are provided to BLS by the Mine Safety and Health Administration, U.S. Department of Labor. Independent mining contractors are excluded from the coal, metal, and nonmetal mining industries. These data do not reflect the changes the Occupational Safety and Health Administration made to its recordkeeping requirements effective January 1, 2002; therefore estimates for these industries are not comparable to estimates

<sup>&</sup>lt;sup>4</sup> Data for employers in rail transportation are provided to BLS by the Federal Railroad Administration, U.S. Department of Transportation.

Table 14. Percent distribution of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by time, hours on the job, and day of week and major industry sector, 2010

Nevada--local government

			Goods pr	oducing					Se	ervice provid	ding			
Characteristic	Local government 2, 3, 4	Total goods producing	Natural resources and mining 2,3	Construc- tion	Manufac- turing	Total service providing	Trade, transport- ation, and utilities <sup>4</sup>	Informa- tion	Financial activities	Profes- sional and business services	Education and health services	Leisure and hospitality	Other services	Public Administra- tion
Total [1,290 cases]	100.0					100.0					100.0			100.0
Time of event:														
12:01 A.M. to 4:00 A.M	4.7					4.7								9.1
4:01 A.M. to 8:00 A.M						11.6					10.0			14.5
8:01 A.M. to 12:00 noon						40.3					55.7			20.0
12:01 P.M. to 4:00 P.M	14.7					14.7					7.1			25.5
4:01 P.M. to 8:00 P.M						18.6					21.4			14.5
8:01 P.M. to 12:00 midnight	6.2					6.2					4.3			9.1
Not reported	3.9					3.9								5.5
Hours on the job before event occurred:														
Before shift began														
Less than 1 hour						20.9					27.1			14.5
1 hour to less than 2 hours	4.7					4.7					2.9			7.3
2 hours to less than 4 hours	31.0					31.0					41.4			18.2
4 hours to less than 6 hours	17.8					17.8					17.1			21.8
6 hours to less than 8 hours	10.1					10.1					4.3			18.2
8 hours to less than 10 hours	6.2					6.2								10.9
10 hours to less than 12 hours	2.3					2.3					2.9			
12 hours to less than 16 hours														
More than 16 hours														
Not reported	3.9					3.9					2.9			7.3
Day of week:														
Sunday	4.7					4.7					2.9			7.3
Monday	14.7					14.7					11.4			18.2
Tuesday						17.8					18.6			18.2
Wednesday						19.4					24.3			14.5
Thursday	16.3					16.3					15.7			18.2
Friday	22.5					22.5					28.6			16.4
Saturday	5.4					5.4								9.1

<sup>&</sup>lt;sup>1</sup> Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

in other industries.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

<sup>&</sup>lt;sup>2</sup> Excludes farms with fewer than 11 employees.

<sup>&</sup>lt;sup>3</sup> Data for mining (Sector 21 in the *North American Industry Classification System* -- United States, 2007) include establishments not governed by the Mine Safety and Health Administration (MSHA) rules and reporting, such as those in oil and gas extraction and related support activities. Data for mining operators in coal, metal, and nonmetal mining are provided to BLS by the Mine Safety and Health Administration, U.S. Department of Labor. Independent mining contractors are excluded from the coal, metal, and nonmetal mining industries.

These data do not reflect the changes the Occupational Safety and Health Administration made to its recordkeeping requirements effective January 1, 2002; therefore estimates for these industries are not comparable to estimates

<sup>&</sup>lt;sup>4</sup> Data for employers in rail transportation are provided to BLS by the Federal Railroad Administration, U.S. Department of Transportation.

Table 15. Percent distribution of nonfatal occupational injuries and illnesses involving days away from work by time, hours on the job, and day of week and number of days away from work, 2010

				Percent of ca	ses involving				_
Characteristic	Total cases	1 day	2 days	3 to 5 days	6 to 10 days	11 to 20 days	21 to 30 days	31 days or more	Median days away from work
Total [1,290 cases]	100.0	17.8	10.1	17.1	24.0	14.7	2.3	13.2	6
Time of event:  12:01 A.M. to 4:00 A.M		 13.3 26.9 26.3  	50.0 26.7   12.5 25.0	13.3 13.5 21.1 29.2 25.0	33.3 28.8 10.5 20.8	 13.5 10.5 25.0  40.0	-	  15.4 21.1  	3 4 6 4 7 5
Hours on the job before event occurred:  Before shift began	100.0 100.0 100.0 100.0 100.0 100.0 100.0	 40.7  10.0  23.1 25.0  	 11.1   13.0  37.5  	7.4 33.3 15.0 26.1 23.1  	 14.8  50.0 13.0 15.4   	 22.2  12.5 13.0     40.0		  7.5 30.4 15.4   	 2 3 7 6 4 2 3 
Day of week: Sunday Monday Tuesday Wednesday Thursday Friday Saturday	100.0 100.0 100.0 100.0 100.0 100.0 100.0	21.1 43.5 8.0 28.6 	   20.7 42.9	15.8 8.7 24.0 19.0 20.7	33.3 31.6 26.1 40.0  17.2	10.5 8.7 16.0 28.6 17.2	   	10.5 8.7 12.0 9.5 20.7	6 8 4 7 4 6 2

<sup>&</sup>lt;sup>1</sup> Days-away-from-work cases include those which result in days away from work with or without job transfer or restriction.

SOURCE: Bureau of Labor Statistics, U. S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Table 16. Incidence rates<sup>1</sup> for nonfatal occupational injuries and illnesses involving days away from work<sup>2</sup> per 10,000 full-time workers by selected worker occupation and selected parts of body, local government, Nevada, 2010

					F	Part of body a	ffected by the i	njury or illness	3			
	Local	He	ad			Trunk			Ul	pper extremitie	es	
Occupation	Government	Total	Eyes	Neck	Total	Back	Shoulder	Total	Arm	Finger	Hand, except fingers	Wrist
Total	158.3	13.8	4.4	2.2	57.2	30.8	16.2	23.9	3.5	16.2	2.0	
Management occupations (11-0000)		 	 	 	 	 	 	 	 	 	 	 
(25-0000)												
occupations (29-0000)	 							-	 		 	
occupations (35-0000)												
occupations (37-0000)												
Construction and extraction occupations (47-0000)								-				
occupations (49-0000)								 			 	
Transportation and material moving occupations (53-0000)												

Table 16. Incidence rates<sup>1</sup> for nonfatal occupational injuries and illnesses involving days away from work<sup>2</sup> per 10,000 full-time workers by selected worker occupation and selected parts of body, local government, Nevada, 2010

			F	Part of body af	fected by the	injury or illness	S	
	Local		Lower ex	tremities				A.II
Occupation	Government	Total	Knee	Ankle	Foot, Toe	Body systems	Multiple parts	All other body parts
Total	158.3	45.1	27.2	7.7			15.5	
Management occupations (11-0000)	 	  	  	  	  	  	  	  
Healthcare practitioners and technical occupations (29-0000)						==		
Protective service occupations (33-0000)								
occupations (35-0000)								
Office and administrative support occupations (43-0000)		 	 	 				
Construction and extraction occupations (47-0000) Installation, maintenance, and repair								
occupations (49-0000)	 			 		 		 
Transportation and material moving occupations (53-0000)								

Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: (N/EH) x 20,000,000 where N = number of injuries and illnesses
EH = total hours worked by all employees during calendar year 20,000,000 = base for 10,000 equivalent full-time workers

(working 40 hours per week, 50 weeks per year).

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics LLS Department of Labor Survey of

<sup>&</sup>lt;sup>2</sup> Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

Table 17. Incidence rates<sup>1</sup> for nonfatal occupational injuries and illnesses involving days away from work<sup>2</sup> per 10,000 full-time workers by selected worker occupation and selected natures of injury or illness, local government, Nevada, 2010

					Na	iture of injury or ill	ness			
				Cuts,	lacerations, punc	tures				
Occupation	Local Government	Sprains, strains	Fractures	Total	Cuts, lacerations	Punctures	Bruises	Heat burns	Chemical burns	Amputations
Total	158.3	48.0	4.4	13.4	13.3		11.7			
Management occupations (11-0000)  Community and social services occupations (21-0000)  Education, training, and library occupations (25-0000)  Healthcare practitioners and technical occupations (29-0000)  Protective service occupations (33-0000)  Food preparation and serving related occupations (35-0000)  Building and grounds cleaning and maintenance occupations (37-0000)  Office and administrative support occupations (43-0000)  Construction and extraction occupations (47-0000)  Installation, maintenance, and repair occupations (49-0000)  Production occupations (51-0000)  Transportation and material moving occupations (53-0000)		-								

Table 17. Incidence rates<sup>1</sup> for nonfatal occupational injuries and illnesses involving days away from work<sup>2</sup> per 10,000 full-time workers by selected worker occupation and selected natures of injury or illness, local government, Nevada, 2010

					Nature of inj	ury or illness			
					Multiple injuries		Sorene	ss Pain	
Occupation	Local Government	Carpal tunnel syndrome	Tendonitis	Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	All other natures
Total	158.3	-		10.7		6.6	19.6	11.4	48.7
Management occupations (11-0000)	 	 	 	 		 	 	 	
Education, training, and library occupations (25-0000)									
Healthcare practitioners and technical occupations (29-0000)									
Food preparation and serving related occupations (35-0000)									
Building and grounds cleaning and maintenance occupations (37-0000)							<u>-</u>		_
Office and administrative support occupations (43-0000)				-					_
Construction and extraction occupations (47-0000) Installation, maintenance, and repair									-
occupations (49-0000)		 	 	 			 	 	-
Transportation and material moving occupations (53-0000)									-

<sup>&</sup>lt;sup>1</sup> Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: (N/EH) x 20,000,000 where

EH = total hours worked by all employees during calendar year

20,000,000 = base for 10,000 equivalent full-time workers

(working 40 hours per week, 50 weeks per year).

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U. S. Department of Labor, Survey of

<sup>&</sup>lt;sup>2</sup> Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

Table 18. Incidence rates for nonfatal occupational injuries and illnesses involving days away from work per 10,000 full-time workers by selected worker occupation and selected sources of injury or illness, local government, Nevada, 2010

		1					Sourc	e of injury or	illness					
Occupation	Local Government	Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials	Person, other than worker	Health care patient	Person, injured or ill worker	Worker motion or position	Floors, walkways, or ground surfaces	Handtools	Vehicles	All other sources
Total	158.3		11.3	8.4		2.9	19.8	3.6	40.1	39.0	22.6	16.7	14.0	20.2
Management occupations (11-0000)														
Community and social services occupations (21-0000)														
Education, training, and library occupations (25-0000)														
occupations (29-0000)							<u>.</u> .							
Protective service occupations (33-0000)														
Food preparation and serving related														
occupations (35-0000)														
occupations (37-0000)														
Office and administrative support occupations														
(43-0000)			-				-			-				
occupations (49-0000)														
Production occupations (51-0000)														
(53-0000)												-		

<sup>&</sup>lt;sup>1</sup> Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: (N/EH) x 20,000,000 where

EH = total hours worked by all employees during calendar year

20,000,000 = base for 10,000 equivalent full-time workers

(working 40 hours per week, 50 weeks per year).

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U. S. Department of Labor, Survey of

<sup>&</sup>lt;sup>2</sup> Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

Table 19. Incidence rates<sup>1</sup> for nonfatal occupational injuries and illnesses involving days away from work<sup>2</sup> per 10,000 full-time workers by selected worker occupation and selected events or exposures leading to injury or illness, local government, Nevada, 2010

					Event or expo	sure leading to	injury or illness			
			Contact v	ith objects					Overe	xertion
Occupation	Local Government	Total	Struck by object	Struck against object	Caught in or compressed or crushed	Fall to lower level	Fall on same level	Slips or trips without fall	Total	In lifting
Total	158.3	34.1	19.6	11.5		4.8	17.8	12.5	36.5	12.2
Management occupations (11-0000)										
Education, training, and library occupations										
(25-0000)			<del></del>							
occupations (29-0000)										
Protective service occupations (33-0000)										
occupations (35-0000)										
occupations (37-0000)			<del></del>							
(43-0000)										
Construction and extraction occupations (47-0000) Installation, maintenance, and repair			<del></del>							
occupations (49-0000)										
Production occupations (51-0000)										
(53-0000)	-		-					-	-	

Table 19. Incidence rates for nonfatal occupational injuries and illnesses involving days away from work per 10,000 full-time workers by selected worker occupation and selected events or exposures leading to injury or illness, local government, Nevada, 2010

					Event	or exposure lea	ding to injury or	illness			
			Exposure to	Transportati	on accidents	·		Assaults and	d violent acts		
Occupation	Local Government	Repetitive motion	harmful substance or environment	Total	Highway accidents	Fires and explosions	Total	Assaults, by person	Assaults, by other	Assault, by animal	All other events
Total	158.3		5.1	8.3	5.4		9.6	9.4			28.9
Management occupations (11-0000)		 		 		 	 	 		 	 
(25-0000)					 						
Protective service occupations (33-0000)			-								
Building and grounds cleaning and maintenance occupations (37-0000)			-								
Office and administrative support occupations (43-0000)											
Construction and extraction occupations (47-0000) Installation, maintenance, and repair											
occupations (49-0000)				 	 	 	 	 		 	 
Transportation and material moving occupations (53-0000)											

<sup>&</sup>lt;sup>1</sup> Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: (N/EH) x 20,000,000 where

EH = total hours worked by all employees during calendar year

20,000,000 = base for 10,000 equivalent full-time workers

(working 40 hours per week, 50 weeks per year).

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U. S. Department of Labor, Survey of

<sup>&</sup>lt;sup>2</sup> Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

Table 20. Incidence rates<sup>1</sup> for nonfatal occupational injuries and illnesses involving days away from work<sup>2</sup> per 10,000 full-time workers by selected worker characteristic, major occupational group, and selected parts of body, local government, Nevada, 2010

					ı	Part of body af	fected by the i	njury or illness	3			
	Local	He	ad			Trunk			U	pper extremitie	s	
Characteristic	Government	Total	Eyes	Neck	Total	Back	Shoulder	Total	Arm	Finger	Hand, except fingers	Wrist
Total	158.3	13.8	4.4	2.2	57.2	30.8	16.2	23.9	3.5	16.2	2.0	
Gender: MaleFemale	200.9 126.0	11.0 16.0	 5.0	 	60.1 55.1	39.7 24.1	9.8 21.1	28.2 20.6	 4.1	21.1 12.5	 	
Age:  14 to 15	 276.9 103.7 165.4 199.2 125.8 162.9	   31.7 8.1 	   10.2 		 138.8 61.9 56.7 49.4 35.2 108.2	 138.8 27.9 24.1 36.7 22.7	  32.6 10.5  	  11.4 33.4 36.4 	     	  10.0 27.6 22.7 	     	
Major occupational group:  Management occupations  Business and financial operations occupations  Computer and mathematical occupations  Architecture and engineering occupations  Life, physical, and social science occupations  Community and social services occupations  Legal occupations  Education, training, and library occupations  Arts, design, entertainment, sports, and media occupations  Healthcare practitioners and technical occupations  Healthcare support occupations  Protective service occupations  Food preparation and serving related occupations  Building and grounds cleaning and maintenance occupations  Personal care and service occupations  Personal care and service occupations  Office and administrative support occupations  Farming, fishing, and forestry occupations  Construction and extraction occupations  Installation. maintenance. and repair occupations	     							            			            	
Farming, fishing, and forestry occupations		   	   	   	  	  	   	   	   	   	   	

Table 20. Incidence rates<sup>1</sup> for nonfatal occupational injuries and illnesses involving days away from work<sup>2</sup> per 10,000 full-time workers by selected worker characteristic, major occupational group, and selected parts of body, local government, Nevada, 2010

		3						
			Lower ex	tremities				
Characteristic	Local Government	Total	Knee	Ankle	Foot, Toe	Body systems	Multiple parts	All other body parts
Total	. 158.3	45.1	27.2	7.7			15.5	
Gender:								
Male	. 200.9	75.8	52.7	15.9			21.7	
Female	. 126.0	21.9	7.9				10.8	
Age:								
14 to 15								
16 to 19	.							
20 to 24	. 276.9	120.4	109.0					
25 to 34		11.3					12.9	
35 to 44	. 165.4	27.7	18.4				10.5	
45 to 54	. 199.2	81.6	56.0				21.2	
55 to 64		48.7		36.6			25.7	
65 and over	. 162.9							
Major occupational group:								
Management occupations								
Business and financial operations occupations								
Computer and mathematical occupations								
Architecture and engineering occupations								
Life, physical, and social science occupations								
Community and social services occupations								
Legal occupations								
Education, training, and library occupations								
Arts, design, entertainment, sports,								
and media occupations								
Healthcare practitioners and technical occupations								
Healthcare support occupations								
Protective service occupations								
Food preparation and serving related occupations								
Building and grounds cleaning								
and maintenance occupations								
Personal care and service occupations								
Sales and related occupations								
Office and administrative support occupations								
Farming, fishing, and forestry occupations								
Construction and extraction occupations								
Installation, maintenance, and repair occupations								
Production occupations								
Transportation and material moving occupations								

Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: (N/EH) x 20,000,000 where

EH = total hours worked by all employees during calendar year 20,000,000 = base for 10,000 equivalent full-time workers (working 40 hours per week, 50 weeks per year).

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U. S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.

Days away from work cases include those that result in days away from work with or without job transfer or restriction.

Table 21. Incidence rates<sup>1</sup> for nonfatal occupational injuries and illnesses involving days away from work<sup>2</sup> per 10,000 full-time workers by selected worker characteristic, major occupational group, and selected natures of injury or illness, local government, Nevada, 2010

					Na	ture of injury or illr	ness			
				Cuts,	lacerations, punc	tures				
Characteristic	Local Government	Sprains, strains	Fractures	Total	Cuts, lacerations	Punctures	Bruises	Heat burns	Chemical burns	Amputations
Total	158.3	48.0	4.4	13.4	13.3		11.7			
Gender:										
Male	200.9	72.6	7.8	16.8	16.5		17.0			
Female	126.0	29.3		10.9	10.9		7.6			
Age:										
14 to 15										
16 to 19										
20 to 24	276.9						71.5			
25 to 34	103.7	46.7								
35 to 44	165.4	61.8	6.4	23.8	23.3					
45 to 54		54.8		22.9	22.9		12.7			
55 to 64	125.8	30.9								
65 and over	162.9									
Major occupational group:										
Management occupations										
Business and financial operations occupations										
Computer and mathematical occupations										
Architecture and engineering occupations										
Life, physical, and social science occupations										
Community and social services occupations										
Legal occupations										
Education, training, and library occupations										
Arts, design, entertainment, sports,										
and media occupations										
Healthcare practitioners and technical occupations					]					
Healthcare support occupations										
Protective service occupations										
Food preparation and serving related occupations										
Building and grounds cleaning										
and maintenance occupations										
Personal care and service occupations										
Sales and related occupations										
Office and administrative support occupations					]					
Farming, fishing, and forestry occupations										
Construction and extraction occupations										
Installation, maintenance, and repair occupations										
Production occupations										
Transportation and material moving occupations										

Table 21. Incidence rates<sup>1</sup> for nonfatal occupational injuries and illnesses involving days away from work<sup>2</sup> per 10,000 full-time workers by selected worker characteristic, major occupational group, and selected natures of injury or illness, local government, Nevada, 2010

		Nature of injury or illness											
					Multiple injuries		Sorene	ss Pain					
Characteristic	Local Government	Carpal tunnel syndrome	Tendonitis	Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	All other natures				
Total	158.3		-	10.7		6.6	19.6	11.4	48.7				
Gender:													
Male	200.9			13.9		11.2	17.5	13.4	52.2				
Female	126.0			8.3			21.3						
Age:													
14 to 15													
16 to 19													
20 to 24							139.9						
25 to 34		]							37.4				
35 to 44							21.1		43.8				
45 to 54	199.2			17.1		15.7	25.6	20.9	57.8				
55 to 64	125.8			22.8					47.4				
65 and over									108.1				
Major occupational group:													
Management occupations													
Business and financial operations occupations													
Computer and mathematical occupations													
Architecture and engineering occupations													
Life, physical, and social science occupations													
Community and social services occupations													
Legal occupations													
Education, training, and library occupations													
Arts, design, entertainment, sports,													
and media occupations													
Healthcare practitioners and technical occupations													
Healthcare support occupations													
Protective service occupations													
Food preparation and serving related occupations													
Building and grounds cleaning													
and maintenance occupations													
Personal care and service occupations													
Sales and related occupations													
Office and administrative support occupations		]											
Farming, fishing, and forestry occupations		]											
Construction and extraction occupations		]											
Installation, maintenance, and repair occupations													
Production occupations													
Transportation and material moving occupations													

<sup>&#</sup>x27; Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: (N/EH) x 20,000,000 where

EH = total hours worked by all employees during calendar year

20,000,000 = base for 10,000 equivalent full-time workers

(working 40 hours per week, 50 weeks per year).

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U. S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.

Days away from work cases include those that result in days away from work with or without job transfer or restriction.

Table 22. Incidence rates for nonfatal occupational injuries and illnesses involving days away from work per 10,000 full-time workers by selected worker characteristic, major occupational group, and selected sources of injury or illness, local government, Nevada, 2010

		Source of injury or illness												
Characteristic	Local Government	Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials	Person, other than worker	Health care patient	Person, injured or ill worker	Worker motion or position	Floors, walkways, or ground surfaces	Handtools	Vehicles	All other sources
Total	158.3		11.3	8.4		2.9	19.8	3.6	40.1	39.0	22.6	16.7	14.0	20.2
Gender: Male	. 200.9 126.0		10.4 12.0	5.3 10.7		6.6	17.3 21.7		60.0 25.1	58.2 24.5			19.1 10.1	24.3 17.1
Female	120.0		12.0	10.7			21.7	3.3	20.1	24.5	10.9	10.2	10.1	17.1
Age: 14 to 15 16 to 19			 											
20 to 24				 28.3			171.1 13.0		 11.1	 10.2	 12.8		 28.9	75.2
35 to 44	165.4		10.2				21.1		36.1	35.7	13.8		13.9	43.8
45 to 5455 to 64	125.8		8.1 				12.3 		77.7 42.3	75.7 40.6	32.3 36.9	40.9 	8.4 13.2	7.7 
65 and over	162.9		108.9											
Major occupational group:														
Management occupations														
Business and financial operations occupations														
Computer and mathematical occupations  Architecture and engineering occupations														
Life, physical, and social science occupations														
Community and social services occupations								1						
Logal accupations	1 -													
Legal occupations Education, training, and library occupations	1													
Arts, design, entertainment, sports,	1		-					· -						
and media occupations														
Healthcare practitioners and technical occupations														
Healthcare support occupations														
Protective service occupations														
Food preparation and serving related occupations														
Building and grounds cleaning														
and maintenance occupations														
Personal care and service occupations														
Sales and related occupations														
Office and administrative support occupations														
Farming, fishing, and forestry occupations														
Construction and extraction occupations														
Installation, maintenance, and repair occupations														
Production occupations														
Transportation and material moving occupations														

<sup>&</sup>lt;sup>1</sup> Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: (N/EH) x 20,000,000 where

EH = total hours worked by all employees during calendar year

20,000,000 = base for 10,000 equivalent full-time workers

(working 40 hours per week, 50 weeks per year).

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U. S. Department of Labor, Survey of

<sup>&</sup>lt;sup>2</sup> Days away from work cases include those that result in days away from work with or without job transfer or restriction.

Table 23. Incidence rates<sup>1</sup> for nonfatal occupational injuries and illnesses involving days away from work<sup>2</sup> per 10,000 full-time workers by selected worker characteristic, major occupational group, and selected events or exposures leading to injury or illness, local government, Nevada, 2010

					Event or expo	sure leading to	injury or illness			1
			Contact w	ith objects					Overex	ertion
Characteristic	Local Government	Total	Struck by object	Struck against object	Caught in or compressed or crushed	Fall to lower level	Fall on same level	Slips or trips without fall	Total	In lifting
Total	158.3	34.1	19.6	11.5		4.8	17.8	12.5	36.5	12.2
Gender:										
Male	200.9	44.0	19.1	19.7		5.9	21.2	15.0	35.3	9.9
Female	126.0	26.6	19.9	5.2		4.0	15.2	10.7	37.4	13.9
Age:										
14 to 15										
16 to 19										
20 to 24	276.9	98.8		91.2					143.2	
25 to 34	103.7	16.6							33.2	
35 to 44	165.4	53.5	39.2	9.6					24.1	7.3
45 to 54	199.2	36.4	22.4	11.1			30.9	20.3	30.9	9.1
55 to 64	125.8						37.8	36.4	28.2	
65 and over	162.9								108.9	
Major occupational group:										
Management occupations										
Business and financial operations occupations										
Computer and mathematical occupations										
Architecture and engineering occupations										
Life, physical, and social science occupations										
Community and social services occupations										
Legal occupations										
Education, training, and library occupations										
Arts, design, entertainment, sports,										
and media occupations										
Healthcare practitioners and technical occupations										
Healthcare support occupations										
Protective service occupations										
Food preparation and serving related occupations										
Building and grounds cleaning										
and maintenance occupations										
Personal care and service occupations										
Sales and related occupations										
Office and administrative support occupations										
Farming, fishing, and forestry occupations										
Construction and extraction occupations										
Installation, maintenance, and repair occupations										
Production occupations		]		]						
Transportation and material moving occupations										

Table 23. Incidence rates<sup>1</sup> for nonfatal occupational injuries and illnesses involving days away from work<sup>2</sup> per 10,000 full-time workers by selected worker characteristic, major occupational group, and selected events or exposures leading to injury or illness, local government, Nevada, 2010

	Event or exposure leading to injury or illness										
			Exposure to	Transportation	ī			Assaults and	violent acts		
Occupation	Local Government	Repetitive motion	harmful substance or environment	Total	Highway accidents	Fires and explosions	Total	Assaults, by person	Assaults, by other	Assault, by animal	All other events
Total	158.3		5.1	8.3	5.4		9.6	9.4			28.9
Gender:											
Male	200.9		5.2	11.6	5.8		13.2	13.2			49.4
Female	126.0		5.0	5.8	5.0		6.9	6.5			13.5
Age:											
14 to 15											
16 to 19											
20 to 24	276.9										
25 to 34	103.7			23.1	19.2		10.2	10.2			
35 to 44			12.3	8.9			15.8	15.4			35.3
45 to 54	199.2						10.7	10.2			57.0
55 to 64	125.8										
65 and over	162.9										
Major occupational group:											
Management occupations											
Business and financial operations occupations											
Computer and mathematical occupations											
Architecture and engineering occupations											
Life, physical, and social science occupations											
Community and social services occupations											
Legal occupations											
Education, training, and library occupations											
Arts, design, entertainment, sports,											
and media occupations											
Healthcare practitioners and technical occupations											
Healthcare support occupations											
Protective service occupations  Food preparation and serving related occupations											
Building and grounds cleaning											
and maintenance occupations											
Personal care and service occupations											
Sales and related occupations											
Office and administrative support occupations			[								
Farming, fishing, and forestry occupations											
Construction and extraction occupations											
Installation, maintenance, and repair occupations					]						
Production occupations											
Transportation and material moving occupations											

<sup>&#</sup>x27; Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: (N/EH) x 20,000,000 where

EH = total hours worked by all employees during calendar year

20,000,000 = base for 10,000 equivalent full-time workers

(working 40 hours per week, 50 weeks per year).

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U. S. Department of Labor, Survey of

Days away from work cases include those that result in days away from work with or without job transfer or restriction.