



**THE FOLLOWING ITEMS WILL BE INSPECTED AND VERIFIED AS A PART OF THIS INSTALLATION. IN ORDER FOR AN OPERATING PERMIT TO BE ISSUED, ALL FOLLOWING ITEMS MUST BE IN CONFORMANCE WITH APPLICABLE SAFETY CODES.**

- **No refrigeration equipment is installed in the same room as the water heater system.**
- **Rooms over 500 square feet must have at least two means of exit, remotely located from one another. If such a room has more than one elevation, each elevation must have two means of exit, remotely located from one another.**
- **Emergency shut off switches must be located at each exit. These switches must interrupt the flow of gas into the room.**
- **Room must have appropriate ventilation.**
- **Floor drain and water supply lines in the room must meet code requirements.**
- **Carbon monoxide detection/warning systems must be in place and fully operational.**
- **Water heater systems may not be interconnected with boiler systems.**

<b>Installer:</b>	<b>NV Contractor License:</b>	
<b>Subcontractors (if any):</b>	<b>NV Contractor License(s):</b>	
<b>Installer Mailing Address:</b> (Street, City, State, Zip)		
<b>Name of Person Submitting Application:</b>	<b>Title:</b>	<b>Date:</b>
<b>Phone:</b>	<b>Email:</b>	