



**DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF INDUSTRIAL RELATIONS**

**NOTICE OF PUBLIC MEETING
of the
ADVISORY COUNCIL OF THE DIVISION OF INDUSTRIAL RELATIONS
July 10, 2024
10:00 a.m.**

You are hereby given notice that the Advisory Council of the Division of Industrial Relations of the Department of Business and Industry, State of Nevada (Advisory Council) will conduct a public meeting on Wednesday, July 10, 2024, at 10:00 a.m. This meeting will be held at the following location, via WebEx, and by phone:

Division of Industrial Relations
3360 West Sahara Ave, Suite 250
Las Vegas, NV 89102

Division of Industrial Relations
1886 College Parkway
Carson City, NV 89706

WebEx Access:

<https://nvbusinessandindustry.webex.com/nvbusinessandindustry/j.php?MTID=m7c0901c59962cd20c20e70a9a0250af4>

To Join by Phone:

1-415-655-0001
Access Code: 2634 587 2595
Meeting Password: YXmVmpjY583

NOTICE

1. Items listed on the Agenda may be taken out of order;
2. Two or more items on the Agenda may be combined;
3. Items of the Agenda may be removed or delayed at any time; and
4. Public comment may be limited to two (2) minutes per speaker in the discretion of the chair. No action may be taken on any matter raised during public comment. Public comment will not be restricted based on viewpoint, but must be relevant to, and within, the authority of the Advisory Council.

AGENDA

1. Call to Order; Roll Call; Introduction of Advisory Council members (Secretary); and establishment of a quorum.
2. Public Comment (*see* Notice 4) (Secretary)
3. **FOR POSSIBLE ACTION:** Approval of Minutes from the April 2, 2024, meeting (Chair)
4. **FOR DISCUSSION:** Division of Industrial Relations Activity Update: FY 2024 Accomplishments and FY 2025 Goals
 - a) Administrator's Update (Victoria Carreón)
 - b) Deputy Administrator's Update (Jodie Tonkin)
 - c) Mechanical Compliance Section-MCS (Brennan Paterson)
 - d) Mine Safety and Training Section-MSATS (Rodney Neils)
 - e) Occupational Safety and Health Administration (William Gardner)
 - f) Safety Consultation and Training Section-SCATS (Stephen Rodgers)
 - g) Workers' Compensation Section-WCS (Jodi McCollins)
5. **FOR DISCUSSION:** Regulations Update (Christopher Eccles)
 - a) Regulations pursuant to Executive Order [2023-008](#)
 - 1) [R025-23A](#) – Revisions to Mechanical Compliance Section NAC 455C
 - 2) [R026-23P1](#) – Revisions to Mine Safety and Health NAC 512
 - b) Regulation implementing legislation:
 - 1) [R076-23RP1](#) – Workers' Compensation- implementation of SB274 and AB244 changes from 2023 Legislative Session
 - c) [R131-24I](#) – Heat Illness
6. **FOR DISCUSSION:** Review and comments on OSHA quarterly complaint reports January – March 2024 (NRS 618.336 and NRS 232.600) (William Gardner)
7. **FOR DISCUSSION:** Review of OSHA quarterly reports on violations of NRS 618.375 January – March 2024 (NRS 618.347) (William Gardner)
8. **FOR DISCUSSION:** Presentation on enforcement issues related to elevators, boilers and pressure vessels regulated under NAC 455C. (Brennan Paterson)
9. **FOR DISCUSSION:** Agenda items for next scheduled meeting. (Chair)
10. **FOR POSSIBLE ACTION:** Discussion on possible investigations or studies to be conducted (NRS 232.600). (Chair)
11. Public Comment (*see* Notice 4) (Chair)
12. Adjournment. (Chair)

Any person with a disability as defined by the Americans with Disabilities Act who requires special assistance to participate in the meeting may contact, at least five (5) business days prior to the meeting, Marisa Santizo by emailing ADACoordinator@dir.nv.gov, or by calling (702) 486-9100 to arrange for reasonable accommodations.

Copies of the supporting (not privileged and confidential) material may be obtained upon request by emailing MSantizo@dir.nv.gov, calling Marisa Santizo at (702) 486-9100, or mailing a request to the Division of Industrial Relations, 3360 West Sahara Avenue, Suite 250, Las Vegas, NV 89102, Attention Marisa Santizo.

This Notice and Agenda has been posted at the following locations:

- Division of Industrial Relations, 3360 West Sahara Avenue, Suite 250, Las Vegas, Nevada 89102
- Division of Industrial Relations, 1886 College Parkway, Carson City, Nevada 89706

This Notice and Agenda has also been posted at the following website addresses:

- Division of Industrial Relations Notice of Meeting at <http://dir.nv.gov/meetings/meetings>
- Nevada Public Notices at <https://notice.nv.gov>

DIVISION OF INDUSTRIAL RELATIONS ADVISORY COUNCIL
Minutes of the Meeting, Tuesday, April 02, 2024

1. Call to Order and Roll Call

At 10:07 a.m. on April 02, 2024, the meeting of the Advisory Council for the Division of Industrial Relations (DIR) was called to order by Chairman Paul McKenzie. Roll Call was taken by Marisa Santizo. Paul McKenzie, Robert Benner, Jeff Seavey, Susan Martinez, Vincent Saavedra, and Maureen Ostby attended via WebEx. It was determined a quorum was present. DIR staff present at the Las Vegas Office were Victoria Carreon, Jodi McCollins, Todd Schultz, Christopher Eccles, Brennan Paterson, William Gardner and Marisa Santizo. Jodie Tonkin, and Rodney Neils attended the meeting via WebEx. Sam Taylor from the Attorney General's Office attended via WebEx.

2. Public Comment on items to which actions may be taken

No items for public comment were raised.

3. Approval of Minutes of Previous Meeting – January 09, 2024.

Susan Martinez made a motion to approve the minutes of the January 09, 2024, meeting as presented. Jeff Seavy seconded the motion. The motion was approved unanimously.

4. FOR DISCUSSION: Division of Industrial Relations Activity Update

a. Administrator's Update (Victoria Carreon)

Administrator Carreon announced that the Las Vegas Office will be moving to a new location approximately in May 2024. Administrator Carreon also discussed Strategic plan development and budget priorities for FY 2026 and FY 2027.

b. Deputy Administrators Update (Jodie M. Tonkin)

Deputy Administrator Tonkin provided a few CARDS enhancement updates. Ms. Tonkin stated that \$2.1 million dollars was provided by Legislature to upgrade the database used by the Workers' Compensation Section. She also discussed enhancement priorities such as creating the capability to make online payments.

c. Mechanical Compliance Section-MCS (Brennan Paterson)

Brennan Paterson shared that at the end of February 2023, Nevada had 15,578 active elevators and 23,279 active boilers and pressure vessels. Mr. Patterson also discussed that recent enforcement activities at area hospitals have resulted in the discovery of boilers and pressure vessels installed illegally and in substandard fashion, as well as elevators being altered without permit and with poor workmanship and how working with the hospitals dangers have been averted and contractors have been penalized.

d. Mine Safety and Training Section-MSATS (Rodney Neils)

Rodney Neils gave an update on the Mine Safety and Training Section and discussed that 402 safety/health inspections were completed. Mr. Neils also highlighted that they have provided 424 hours of training to approximately 1100 participants.

e. Occupational Safety and Health Administration-OSHA (William Gardner)

William Gardner shared that Nevada OSHA completed the agency's response to Federal OSHA's FAME audit on 3/14/2024. Mr. Gardner also discussed OSHA's enforcement compared to national averages such as higher average penalties per violation and having higher retention of penalties after issuance.

f. Safety Consultation and Training Section-SCATS (Todd Schultz)

Todd Schultz shared that SCATS has completed a total of 544 Safety and Health Consultations. Mr. Schultz also shared that SCATS provided 758 hours of safety and health training with 3,738 participants trained.

g. Worker's Compensation-WCS (Jodi McCollins)

Jodi McCollins discussed a few accomplishments within the Workers Compensation Unit such as policy cancellations being investigated increased by 4% in 2023 to 28,264 statewide. Another accomplishment was that three new positions were approved by the IFC to support SB274 and they are actively recruiting for those positions.

5. Regulations Update (Christopher Eccles)

a. Proposals to repeal, streamline, and clarify regulations pursuant to Executive Order 2023-008

Senior Attorney Chris Eccles explained that regulation drafts for executive order 2023-008 were sent to LCB on 7/27/23 and they have until 7/27/25 to adopt the regulations. R025-23P has an adoption hearing scheduled for 4/08/24. For R026-23I, the Legislative Counsel Bureau is still working on the proposed draft. For R027-23AP and R028—23AP both these regulations were approved by the Legislative Counsel Bureau and became law on February 27, 2024.

b. Regulation Implementing Legislation

Senior Attorney Chris Eccles explained that R076-23P makes changes related to SB274 and AB244. DIR staff are currently working with LCB on an amended proposed draft.

c. Heat Illness

Senior Attorney Chris Eccles discussed that DIR had a heat regulation that did not pass. They are currently working with stakeholders to develop a regulation. A stakeholder meeting is being held on 4/08/24.

6. Review and comments on OSHA quarterly complaint report for October –December 2023 (NRS 618.336 and NRS 232.600) (William Gardner)

No questions or comments.

7. Review of OSHA quarterly report on violations of NRS 618.375 for October –December 2023 (NRS 618.347) (William Gardner)

No questions or comments.

8. Agenda items for next scheduled meeting. (Chair)

Chairman Paul McKenzie asked if the Mechanical Compliance Unit can provide more information on laws and NACs and how they work with employers.

9. Discussion on possible investigations or studies to be conducted (NRS 232.600). (Chair)

No recommendations at this time.

10. Public Comment (Chair)

No items for public comment were raised.

11. Adjournment:

Motion to adjourn at 11:08 am by Susan Martinez and seconded by Robert Benner.

DRAFT



State of Nevada Division of Industrial Relations

Division of Industrial Relations Advisory Council

Quarterly Meeting

July 10, 2024


Item 4: Administrator's Update- Victoria Carreon

- **Major Accomplishments FY 2024**

- Strategic Plan and Action Plans created for FY 2025-FY 2027
 - Improve compliance with statutes and grant requirements.
 - Improve processes through innovation and technology.
 - Provide training and outreach to stakeholders to improve outcomes.
- Development of budget priorities for next biennium
 - Technology enhancements and process improvements
 - Right-sizing staffing


- **Goals for FY 2025**

- Complete implementation of legislation and initiatives funded in FY 2024-FY 2025
- Process improvements and digitalization



Item 4: Deputy Administrator's Update – Jodie Tonkin

- **Major Accomplishments FY 2024**
 - Carson City Relocation
 - New Positions Hired from 2023 Legislative Session
 - Hired Workers' Compensation Compliance Specialist RN
- **Goals for FY 2025**
 - Completion of CARDS Enhancement Project
 - Workers' Compensation Safety Fund Assessment- DIR Oversight
 - Software Solution for OSHA and Mechanical Compliance Section



Item 4: Mechanical Compliance Section Activity Update - Brennan Paterson

- **Major Accomplishments FY 2024**
 - Completion of transition to all paperless inspections.
 - Successful enforcement programs bringing several serial offenders into compliance.
- **Goals for FY 2025**
 - Contract approval and implementation of The Compliance Engine for boiler and pressure vessel tracking and enforcement.
 - Implement electronic payment system.
 - Develop Request for Proposals for licensing and construction management system.



Item 4: Mine Safety and Training Section Activity Update - Rodney Neils

- **Major Accomplishments FY 2024**

- Enforcement efforts resulted in 550 Safety & Health Inspections, a 23% increase from FY23
- Provided 6,400 consultations/technical assistance, exceeding performance objective goal of 3,600.
- Key positions filled: Safety Specialist-Elko, CAO-Carson City.
- Increased educational outreach on new federal standards for Silica and Mobile equipment.

- **Goals for FY 2025**

- Complete a minimum of one full inspection of all active mine sites.
- Reduce workplace injuries, illnesses and fatalities.
- Improve training programs offered to stakeholders.

Item 4: Occupational Safety and Health Administration Activity Update – William Gardner

- **Major Accomplishments FY 2024**

- Conducted approximately 1,186 inspections this fiscal year (38% increase).
- Removed approximately 56,707 employees from hazards (178% increase).

- **Goals for FY 2025**

- Utilize technology assets to conduct inspections more efficiently and effectively.
- Enhance operational support capabilities through training, equipment acquisition, and outreach.

- **Heat Illness Regulation (LCB R131-24)**

- Held multiple stakeholder discussions to develop consensus.



Item 4: Safety Consultation and Training Section Activity Update – Stephen Rodgers

Major Accomplishments FY 2024


- Conducted a total of 739 Safety and Health Consultation visits
- Identified over 4,000 serious hazards that were corrected
- Nine new businesses entered Pre-SHARP/SHARP or VPP
- Provided 987 hours of safety and health training with 5,088 participants trained.

Outreach Events

- Nevada Self Insurers Association Annual Marketing Fair – 4/12/24
- Nevada Small Business Resource Fairs (Las Vegas, Reno, Fernley and Tonopah) – 4/30/24 – 5/1/24
- North Las Vegas Safety Week 6/3/24 – 6/6/24
- Las Vegas Chamber Business Expo – 6/26/24

Goals for FY 2025

- Promote and increase the number of Safety and Health Achievement Recognition Program (SHARP) or Voluntary Protection Program (VPP) facilities to enhance the safety of businesses in Nevada.
- Continue to improve workplace safety by identifying serious hazards during SCATS consultation visits with employers and ensure they are corrected.



Las Vegas Chamber Business Expo – June 2024

Item 4: Workers' Compensation Section Activity Update – Jodi McCollins

- **Major Accomplishments FY 2024**

- Increased partnerships with state and local governmental and community-based programs.
- Enforcement efforts resulted in 27,070 cancellation investigations with 4,966 site visits. Policy cancellations show a 6% increase from FY23.
- WCS training presentations have been updated, published and are offered to the public quarterly.
- Key positions have been filled: Medical Unit Compliance Specialist-RN (LV and CC), Medical Unit- one new Admin Assistant II and one new Compliance Audit Investigator II (LV), three new Benefit Penalty Compliance Audit Investigators (LV)

- **Goals for FY 2025**

- Continue to improve unit processes
- Improve compliance among insurers, TPAs, employers, and medical providers.



Item 5: Regulations Update- Christopher Eccles

- a) Regulations pursuant to Executive Order [2023-008](#)
 - 1) [R025-23A](#) – Revisions to Mechanical Compliance Section NAC 455C
 - 2) [R026-23P1](#) – Revisions to Mine Safety and Health NAC 512
- b) Regulation implementing legislation:
 - 1) [R076-23RP1](#) – Workers' Compensation- implementation of SB274 and AB244 changes from 2023 Legislative Session
- c) Heat Illness- [R131-24I](#)

Item 6: OSHA Complaint Report for January – March 2024 – William Gardner

- See supplemental material.

Item 7: OSHA quarterly report on violations of NRS 618.375 for January – March 2024 (NRS 618.347) – William Gardner

- See supplemental material.

Item 8: Presentation on enforcement issues related to elevators, boilers and pressure vessels regulated under NAC 455C. (Brennan Paterson)

- See supplemental material



**State of Nevada
Division of Industrial Relations
Occupational Safety & Health Administration**

**COMPLAINT LOG SUMMARY FY2024 - Quarter 3
January - March 2024**

Number Complaints Received Las Vegas - Reno	Number Phone/Hotline Complaints Received	Number In-person Complaints Received	Number Inspections Conducted	Number No Inspections Conducted	Cases Open
324	303	21	65	258	1

Safety	Health	Both Safety / Health	N/A
223	83	18	0

FISCAL YEAR COMPARISON TOTALS	
FY24	324
FY23	104
FY22	139
FY21	388
FY20	0

State of Nevada
 Department of Industrial Relations
 Occupational Safety and Health Administration
 Complaint Logs January to March 2024

Item 6

UPA #	Estab Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspections Results/Comments
C-2115855	SCC ENERGY SERVICES, INC.		01/02/2024	Phone	Y	N	Closed	O-Safety	1. Employees making electrical connections to solar panels without having photovoltaic licensure.	Resolved through inquiry process.
C-2117323	BLACKHAWK MOLDING CO. INC.		01/05/2024	Phone	Y	N	Closed	S-Health;S-Safety	1. Located at Blackhawk Molding Co, Inc., 990 Deming Way, Sparks, NV 89431, employees are being exposed to plastic dust particles in the air and not provided with any respiratory protection. 2. Located at Blackhawk Molding Co, Inc., 990 Deming Way, Sparks, NV 89431, employees are exposed to vehicle traffic and struck-by hazards when taking the trash out to the dumpster, due to the dumpster being partially positioned in the street.	Resolved through inquiry process.
C-2121292	SMART WAREHOUSING LLC		01/18/2024	Phone	Y	Y	Closed	S-Safety	1. Powered Industrial Truck operators have not been trained to safely operate forklifts. 2. Powered Industrial Truck operators do not wear seatbelts while operating forklifts. 3. The order picker does not wear any means of fall protection when going up 20 feet to pick product.	\$0.00
C-2121612	Unknown/Invalid Establishment		01/12/2024	Hotline	N	N	Closed	O-Safety	1. Located near the aircraft mechanic section, employees are slipping on ice.	Resolved through inquiry process.
C-2122391	HARVEYS TAHOE MANAGEMENT COMPANY, INC.	HARVEYS LAKE TAHOE	01/22/2024	Phone	Y	N	Closed	O-Health	Located in the Sage Room kitchen: 1. There is no working hood, to provide proper ventilation. 2. Temperatures in the kitchen get up to 108 degrees.	Resolved through inquiry process.
C-2123075	CENTERLINE STRUCTURAL INNOVATIONS, INC.	NVO CONSTRUCTION	01/23/2024	Phone	Y	Y	Closed	S-Safety	1. Located in the warehouse, new employees are not being certified prior to operating a forklift. 2. Located in the yard, a custom spreader bar is being used with forklifts as an addition/attachment without prior approval from the forklift manufacturer. 3. Located at various jobsites, framing employees and supervisors are without OSHA 10 and 30 cards.	\$0.00
C-2124563	FAIRFIELD BY MARRIOTT	Fairfield Inn & Suites Winnemucca	01/26/2024	Phone	Y	Y	Closed	S-Health	1. Employees cleaning up blood and other potential infectious materials without biohazard bags. 2. Eyewash station is not working, employees use acidic bathroom cleaner and concentrated laundry detergent. 3. There are no SDS sheets in the SDS folder. 4. Required OSHA postings are not posted anywhere onsite.	\$0.00
C-2124648	CHRYSLIS		01/26/2024	Phone	Y	N	Closed	O-Health	1. Located throughout the living space of 444 Gamble Road, Sparks, NV 89431, employees are exposed to bed bugs.	Resolved through inquiry process.
C-2124985	BLUEFYN US INC.	NATHAN JAMES	01/29/2024	Phone	Y	N	Closed	S-Safety	1. Employees are required to use a powered industrial truck (PIT) in the warehouse that is not in good working condition.	Resolved through inquiry process.

State of Nevada
 Department of Industrial Relations
 Occupational Safety and Health Administration
 Complaint Logs January to March 2024

Item 6

UPA #	Estab Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspections Results/Comments
C-2125170	CHRYSLIS		01/26/2024	Phone	Y	N	Closed	O-Health	At the residence located at 444 Gamble Drive: 1. Caregiving employees are experiencing bites on their extremities from an infestation of bed bugs at the residence. Management and HR have been notified but have yet to take any action.	Resolved through inquiry process.
C-2125298	ABF FREIGHT SYSTEM, INC		01/29/2024	In person	Y	N	Closed	S-Safety	1. The employer is not taking proactive actions to prevent potential workplace violence targeted toward co-workers by a current employee. Reports to management of severe incidents of co-worker threats of violence are ongoing and/or escalating.	Resolved through inquiry process.
C-2125552	CHRYSLIS		01/30/2024	Phone	Y	N	Closed	O-Health	1. Employees are exposed to bed bugs at care home at 444 Gamble Dr Sparks, NV.	Resolved through inquiry process.
C-2125769	S&S ACTIVEWEAR		01/30/2024	Phone	Y	Y	Closed	S-Health	1. Located in the warehouse, contractors are grinding an unknown sealant on the concrete ground. The warehouse is being filled with visible smoke in the air. Employees are having chest pain and breathing troubles.	\$0.00
C-2126014	High Mountain Door And Trim		01/31/2024	Phone	Y	N	Closed	S-Safety	1. Located at the site, the employer does not provide personal protective equipment such as safety glasses to employees.	Resolved through inquiry process.
C-2126473	High Mountain Door And Trim		01/31/2024	Phone	Y	N	Closed	S-Safety	1. Located at the facility, an employee is offering OSHA 10 and 30-hour cards without a course that meets or exceeds the guidelines issued by the Occupational Safety and Health Administration of the United States Department of Labor; per NAC 618.992.	Resolved through inquiry process.
C-2126697	MYGRANT GLASS COMPANY, INC.		02/01/2024	Phone	Y	N	Closed	S-Safety	1. Employees operate powered industrial equipment without having received training and certification. 2. Employees operate order pickers without being required to use a complete fall protection system. Employees put their harness on but do not attach the lanyard to the order pickers' overhead protection. Employees are working at heights up to 20 feet. 3. A powered industrial truck operator dropped a load of glass approximately two months ago and was not retrained before being allowed to continue operating the powered industrial truck.	Resolved through inquiry process.
C-2127228	MYGRANT GLASS COMPANY, INC.		02/02/2024	Phone	Y	N	Closed	S-Safety	1. Employees are not forklift certified. 2. When employees are using cherry picker to lift windshield they are not securing their cargo. 3. Facility has housekeeping concerns. 4. Facility does not have a written safety program.	Resolved through inquiry process.

State of Nevada
 Department of Industrial Relations
 Occupational Safety and Health Administration
 Complaint Logs January to March 2024

Item 6

UPA #	Estab Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspections Results/Comments
C-2127576	AMERICAN BATTERY TECHNOLOGY COMPANY		02/01/2024	Phone	Y	Y	Closed	S-Health;S-Safety	1. Located at the north end of the lead battery recycling warehouse in the H5 section and near the battery recycling conveyor belt, employees are exposed to leaking pipes. Liquid is a black slurry with metal particles that is absorbed by clothing causing skin irritation. Employees do not have protective clothing to protected from direct contact from liquid. 2. Located at the north end of the lead battery recycling warehouse in the H5 section and near the battery recycling conveyor belt, employees are exposed to inhalation hazards. Employees inhale airborne mists mixed with a black powder while power washing the conveyor belts. Black powder is produced when batteries are pulverized and smashed. 3. Located at the north end of the battery recycling warehouse in the H5 section and near the battery recycling conveyor belt, employees crawl around and enter shakers and conveyor belt systems to clean recycling residue from conveyor belts and other machinery without any means of lock out/tag out.	\$0.00
C-2128396	OUTDOOR NETWORK DISTRIBUTION LLC		02/06/2024	Phone	Y	N	Closed	O-Health	1. Employees were notified that the workplace has a known rodent infestation and the employer has not taken steps to help prevent the entrance or harborage of rodents, nor have they implemented an effective extermination program.	Resolved through inquiry process.
C-2129651	EXPRESS MESSENGER SYSTEMS INC	ONTRAC	02/07/2024	Phone	N	N	Closed	S-Safety	1. Employees are not given enough breaks for an eight hour shift.	Resolved through inquiry process.
C-2133160	Michael & Sons Jewelers		02/21/2024	Phone	Y	N	Closed	S-Safety	1. Owner brings aggressive dog to the store and employees are exposed to bites.	Resolved through inquiry process.
C-2134159	TACO BELL		02/23/2024	Phone	Y	N	Closed	O-Safety	1. Located at the facility, employees are not provided heat protective gloves for cleaning hot grills.	Resolved through inquiry process.
C-2134172	Unknown/Invalid Establishment		02/19/2024	Hotline	N	N	Closed	O-Safety	1. An employee was walking near a delivery truck and was struck by a bin that was being offloaded.	Resolved through inquiry process.
C-2134653	SAFEWAY		02/26/2024	Phone	Y	N	Closed	S-Safety	1. Fire exits are being blocked in the back storage room by carts and equipment.	Resolved through inquiry process.
C-2136342	FEDEX GROUND		02/29/2024	Hotline	Y	Y	Closed	O-Safety	1. Located in the first floor of the warehouse, when the conveyor belt line is offline, employees are directed to manually offload and push packages raging from 10-200lbs through the line, exposing their hands to get caught in between packages.	\$0.00
C-2137689	CHEWY Inc	CHEWY FULFILLMENT CENTER	03/03/2024	Hotline	N	N	Closed	O-Safety	1. No visibility due to snowstorm.	Resolved through inquiry process.

State of Nevada
 Department of Industrial Relations
 Occupational Safety and Health Administration
 Complaint Logs January to March 2024

Item 6

UPA #	Estab Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspections Results/Comments
C-2137736	PETAN COMPANY OF NEVADA, INC.	PETAN CO-YP RANCHES	03/05/2024	Phone	N	N	Closed	S-Safety	Located at the worksite, an employee was nearly run over while cleaning farm equipment (John Deere with Kirby Feeder), when another employee began operating the equipment without ensuring no other employees were near.	Resolved through inquiry process.
C-2137893	LEAD DOG BREWING - TASTING ROOM & PRODUCTION		03/05/2024	Phone	Y	N	Closed	O-Health;S-Safety	The following hazards are alleged at the workplace: 1. In the room with the hot liquor tank, employees are exposed to trips and falls due to the condensation creating puddles on the floor where there is employee foot traffic. The lack of ventilation is leading to the condensation and puddles. 2. In the back of the facility, employees are exposed to a possible structure collapse. The walk-in fridge has been damaged by being struck by the forklift many times. The roof is sagging very badly and is cracked in many places, the structure is leaning to one side. 3. In the room with the hot liquor tank, employees are exposed to bacteria and mold due to poor ventilation. The lack of ventilation allows moisture to build up, this is leading to mold growth. 4. In the canning line area and near brewing tanks, CO2 monitors are disabled (unplugged). Employees may be exposed to CO2 above allowed limits.	Resolved through inquiry process.
C-2138588	HOLIDAY INN CLUB VACATIONS	Tahoe Ridge Resort	03/07/2024	Phone	Y	N	Closed	S-Safety	1. Located at the Cascade Garage and the Main entrance driveway, employees are exposed to slip hazards due to icy conditions. Four employees have sustained injuries due to walking on ice that the employer will not abate in any way.	Resolved through inquiry process.
C-2138606	POWERTRAIN INDUSTRIES INC.		03/06/2024	Phone	N	N	Closed	S-Safety	1. Located at the facility, screws are missing from the shelf. 2. Located at the facility, there have been over 100 near misses.	Resolved through inquiry process.
C-2138770	RoadSafe Traffic Systems		03/07/2024	Phone	Y	N	Closed	O-Health;S-Safety	1. Located at the construction site, the employer did not provide a toilet or other sanitation facilities for employees who do not have transportation to travel to a nearby toilet. 2. Located at the construction site, employees are exposed to struck-by traffic hazards.	Resolved through inquiry process.

State of Nevada
 Department of Industrial Relations
 Occupational Safety and Health Administration
 Complaint Logs January to March 2024

Item 6

UPA #	Estab Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspections Results/Comments
C-2140009	Carbon Health Urgent Care Reno - Smithridge Plaza		03/11/2024	Phone	Y	N	Closed	S-Health	1. Located at the facility, the employer did not ensure the work area is clean and in a sanitary condition. The employer allowed multiple biohazard sharps containers and red biohazard plastic bags to accumulate in the janitorial closet and did not implement an appropriate written schedule for cleaning, method of decontamination and removal of biohazard waste. 2. Located at the facility in the janitorial closet, the employer allowed glass vials that are contaminated with body fluids to be discarded in biohazard plastic bags exposing employees to percutaneous injuries.	Resolved through inquiry process.
C-2140662	HAMILTON COMPANY		03/13/2024	Phone	Y	N	Closed	S-Health	1. Inside of building #1 occasionally there is a strong burning sulfur smell and a visible haze that is very heavy in the south-west corner of the building, causing throat irritation and the necessity of people leaving the building.	Resolved through inquiry process.
C-2141209	The Nugget		03/14/2024	Phone	Y	N	Closed	S-Safety	1. Located at the facility in the showroom, there is a damaged overhead pully system that is being used to raise/lower lightening equipment from heights of 25 feet above the walking surface exposing employees to possible falling objects.	Resolved through inquiry process.
C-2142088	PANASONIC ENERGY OF NORTH AMERICA		03/18/2024	Phone	Y	N	Closed	O-Safety	1. On the second floor of the West Wing in the reinspection area, employees are exposed to tripping hazards on the working/walking surfaces and improper use of relocatable power taps.	Resolved through inquiry process.
C-2142243	PANASONIC CORPORATION OF NORTH AMERICA		03/18/2024	Phone	Y	N	Closed	S-Safety	1. In the Visual Inspection Department on 3/16/2024 an employee was working on Tray Wash 4 without using lockout/tagout procedures. Electrical wires were handled by an employee on a live piece of equipment.	Resolved through inquiry process.
C-2142771	B&J INDUSTRIES, LLC		03/19/2024	Phone	Y	N	Closed	S-Safety	1. On 3/14/2024, employees were operating six CNC machines that had the safety interlocks removed.	Resolved through inquiry process.
C-2142801	HADLOCK MECHANICAL		03/15/2024	Hotline	Y	N	Closed	S-Safety	1. Located in the apartment complex's indoor pool closet, employees are being told to install a 3 phase electrical panel without proper training.	Resolved through inquiry process.
C-2143921	JCPENNEY LOGISTICS CENTER		03/22/2024	Phone	Y	N	Closed	O-Health	1. Mold was on the ceiling in the breakroom.	Resolved through inquiry process.

State of Nevada
 Department of Industrial Relations
 Occupational Safety and Health Administration
 Complaint Logs January to March 2024

UPA #	Estab Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspections Results/Comments
C-2145287	PANASONIC ENERGY OF NORTH AMERICA		03/26/2024	Phone	Y	Y	Closed	S-Health	1. Employees working in the anode mixing, 3rd floor, corridor 72, between 72Q and 72S, were originally told to change filters on their 3M PAPRs every 6 months, then 3 months, and now whenever there is dust accumulation which is about every week or two. The process has not changed, the PPE has not changed, employees may have been overexposed to hazardous chemicals while subdividing 5 powders. 2. Employees working on the 1st floor of the anode mixing area, corridor 72, are required to wear filtering facepieces (N95 masks) and have not been fit tested.	\$0.00
C-2146144	MEI-GSR HOLDINGS LLC	GRAND SIERRA RESORT AND CASINO	03/28/2024	Phone	Y	Y	Closed	S-Safety	1. In the bowling alley an employee reached into bowling sweep to unclog a ball stuck on the lane without following lockout/tagout procedures.	\$0.00
C-2146294	CAESARS ENTERTAINMENT, INC	Silver Legacy, Eldorado and Circus Circus	03/28/2024	Phone	Y	N	Closed	O-Health	1. Located in the basement, in the public housekeeping area of the Silver Legacy, Spanish speaking new-hires are not trained in their preferred language on how to handle/work with hazardous chemicals or cleaning supplies.	Resolved through inquiry process.
F-2138576	TONATEC EXPLORATION, LLC		03/04/2024	Phone	Y	Y	Closed	S-Safety	Located at the side road off mile marker 25 SR 766, Carlin, NV 89820: 1. On September 17, 2023, at approximately 1:39 a.m. a driller helper suffered fatal injuries when he lost control of a 2004 Freightliner flatbed truck he was driving. The employee was transporting a heavy piece of equipment used for drilling. The employee was ejected from the truck when it came off the roadway and rolled over. The employee was pronounced deceased at the scene.	\$0.00
R-2115787	RIDGELINE FRAMING		01/02/2024	Phone	Y	Y	Closed	I-Safety	1. Two employees are performing framing activities on a residential housing project at heights up to 20 feet. The employees working at 20 feet have no means of fall protection and are exposed to falls.	\$0.00
R-2115798	Burger King		01/02/2024	Phone	N	N	Closed	S-Health	1. Employees smoking cannabis in the breakroom.	Resolved through inquiry process.
R-2116461	GERHARDT & BERRY CONSTRUCTION INC.		01/03/2024	Phone	Y	Y	Closed	I-Safety	1. Located at the corner of Keystone Ave. and W. 7th St., in Reno, Nevada; workers are working inside of a trench 7 to 8 feet in depth without the benefit of cave-in protection.	\$0.00

State of Nevada
 Department of Industrial Relations
 Occupational Safety and Health Administration
 Complaint Logs January to March 2024

Item 6

UPA #	Estab Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspections Results/Comments
R-2116464	WILD GARLIC KITCHEN LLC		01/03/2024	In person	Y	Y	Closed	S-Health	1. At the facility, the eyewash station requires multiple steps to activate for use in case of emergency. The water valves must first be opened followed by pulling or pushing a diverter valve to start water flow for eyewash usage. 2. At the facility, the water supplied at the eye wash station appears to be above 100 degrees Fahrenheit. Steam is visible from the nozzle as water flows. Eye wash station has independent hot and cold water valves. In the event of an emergency, if employee inadvertently only opens the hot water valve, only hot water will be flowing. 3. At the facility, the eye wash station is not inspected in accordance with ANSI Eyewash Z358.1-2014. 4. At the facility, the employer did not develop, implement, and maintain a written hazard communication program to ensure safe use, handling, and disposal of chemicals. Employees use caustic chemicals such as oven cleaner, degreasers, bleach, sanitizers, and automatic dishwasher detergent exposing employees to severe skin burns and eye damage. 5. At the facility, employees do not use eye protection while handling chemicals. The use of caustic chemicals such as oven cleaner (sodium hydroxide), degreasers, bleach, sanitizers, and automatic dishwasher detergent can expose employees to severe skin burns and eye damage.	\$0.00
R-2117748	MS Construction		01/08/2024	Phone	N	N	Closed	S-Health	Note: Exposure was two years ago. 1. Employees were exposed to asbestos while scraping popcorn ceilings at the Bonanza Casino in Fallon, NV and they were not provided proper PPE. 2. Suspected asbestos containing materials was not tested for asbestos.	Resolved through inquiry process.
R-2117840	TESLA GIGAFACTORY		01/08/2024	Phone	Y	N	Closed	S-Health;S-Safety	1. In the following areas employees are required to manually lift heavy equipment and packages and are exposed to sprains and strains from lifting. First floor: Shipping, Rotor Production, Final Assembly. Second Floor: Spare Parts Area. Third Floor: Battery Module. 2. In the first floor shipping area, powered industrial trucks (PIT) are being driven too fast in high traffic areas around employees. Employees are exposed to struck by hazards.	Resolved through inquiry process.
R-2118057	Blue Compass RV Reno (Sprad's RV)		01/09/2024	Phone	Y	N	Closed	S-Safety	1. No heat is provided in the office for employees. 2. Employees are exposed to fire hazards from using propane heaters indoors in the sales area.	Resolved through inquiry process.

State of Nevada
 Department of Industrial Relations
 Occupational Safety and Health Administration
 Complaint Logs January to March 2024

Item 6

UPA #	Estab Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspections Results/Comments
R-2120236	Kill Crew		01/16/2024	Phone	Y	N	Closed	O-Health	1. Located in the warehouse bathrooms, employer is demanding hourly employees to cleanup sewage backup without appropriate PPE. Sewer backups have been ongoing since June, 2023.	Resolved through inquiry process.
R-2120238	Northern Nevada International Center (NNIC)		01/11/2024	Phone	N	N	Closed	O-Safety	A. Employer did not follow Governor mandated snow closure of State Offices, requiring employees to come to work after a two-hour delay.	Resolved through inquiry process.
R-2120670	HIGHLANDERS ROOFING LLC		01/17/2024	Phone	Y	Y	Closed	S-Safety	1. Located at jobsite, seven employees are working on what appears to be an 8 in 12 roof pitch, without the benefit of a fall protection system.	\$0.00
R-2120869	Nevada Restaurant Services, Inc. dba Dotty's #1		01/17/2024	Phone	Y	N	Closed	S-Safety	1. Located in the parking lot of 139 Damonte Ranch Pkwy, Reno, NV 89521, in front of Dotty's Casino, one employee slipped on ice and broke her left femur. The employee was transported to Renown Medical Center located at 1155 Mill Street, Reno, NV 89502, where was admitted.	Resolved through inquiry process.
R-2121093	SA AUTOMOTIVE LTD.		01/18/2024	Phone	Y	N	Closed	S-Safety	1. Located in the facility, employees are using rigging straps that are damaged and frayed.	Resolved through inquiry process.
R-2121611	CANNAVATIVE		01/19/2024	Phone	Y	N	Closed	S-Health	1. Employees are working with chemicals and are not provided PPE. 2. Employees are working with chemicals and are not provided training. 3. The facility has 2 bathrooms with 4 total stalls. Facility does not have adequate bathroom facilities.	Resolved through inquiry process.
R-2123471	SYLVAN AMERICA, INC.		01/24/2024	In person	Y	Y	Closed	S-Safety	Located at Blender Vessels #3 and #4: 1. Employees are working from vessel platforms at heights as high as 17-feet without the benefit of fall protection. 2. Employees working from vessel platforms have not been trained in fall protection to recognize the hazards they're exposed to. 3. On Friday January 19th, 2024, blender vessel #4 exploded due to an employee opening it under pressure. Video of the incident was recorded and is available from the employer. 4. Employees working with pressurized vessels are exposing themselves to explosion hazards due to a lack of training.	\$0.00

State of Nevada
 Department of Industrial Relations
 Occupational Safety and Health Administration
 Complaint Logs January to March 2024

Item 6

UPA #	Estab Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspections Results/Comments
R-2125017	IRONCLAD ELECTRIC		01/29/2024	Phone	Y	Y	Closed	S-Health;S-Safety	1. No eye wash is provided in the facility for employees working with corrosive chemicals. 2. Employees are exposed to trip hazards. 3. Employees are welding and proper protective equipment including light curtains, welding shields and gloves are not provided to the employees. 4. Employees are exposed to loud noise and employees are not provided hearing protection. 5. Employees weld indoors and no ventilation is provided. 6. Facility does not have an evacuation plan.	\$0.00
R-2125120	PANAVISE PRODUCTS, INC.		01/29/2024	In person	Y	N	Closed	S-Safety	1. Located in the warehouse, employees are allowed to smoke inside the building that has propane heaters and propane powered forklifts. Employees are exposed to fire hazards. 2. Located in the warehouse, emergency exits are obstructed with materials stored. 3. Located in the warehouse, racking system is not secured to the ground.	Resolved through inquiry process.
R-2126169	MEI-GSR HOLDINGS LLC	GRAND SIERRA RESORT AND CASINO	01/31/2024	Phone	Y	N	Closed	S-Safety	1. The main doors on second street have a broken hinge and slams closed, and employees are at risk of a struck by hazard. 2. An employee was injured on December 17, 2023 from doors striking them in the back.	Resolved through inquiry process.
R-2126544	INCLINE VILLAGE GENERAL IMPROVEMENT DISTRICT	DIAMOND PEAK SKI RESORT	02/01/2024	Phone	Y	N	Closed	S-Safety	1. On 1/31/2024 at 3:03 pm an employee was teaching a lesson and following their students. The employee caught an edge on their ski and fell over, both skis came off. Ski patrol was called and care was provided. He was transported via ambulance to Carson Tahoe. The employee was admitted last night 1/31/2024 around 6pm. The employee sustained multiple fractures.	Resolved through inquiry process.
R-2127804	Truckee River Inn		02/05/2024	Phone	Y	N	Closed	S-Health	1. Located at the site, maintenance workers do not wear respiratory equipment while spraying hazardous chemicals.	Resolved through inquiry process.
R-2128402	COSTCO WHOLESALE CORPORATION	COSTCO WHOLESALE #646	02/06/2024	Phone	Y	N	Closed	S-Safety	1. An employee was elevated in a scissor lift approximately 20 feet high making repairs to a skylight without having the midrail chain attached in the closed and secured position.	Resolved through inquiry process.

State of Nevada
 Department of Industrial Relations
 Occupational Safety and Health Administration
 Complaint Logs January to March 2024

Item 6

UPA #	Estab Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspections Results/Comments
R-2128718	MYGRANT GLASS COMPANY, INC.		02/07/2024	Phone	Y	N	Closed	S-Safety	1. Located in the warehouse, employees are required to operate forklifts and order pickers without the benefit of being trained. 2. Located in the warehouse, employees operating forklifts are not honking at intersections, speeding, and not wearing their seatbelt, exposing other employees to struck-by hazards. 3. Located in the warehouse, employees operating order pickers are not using fall protection when accessing racking systems up to 5 levels and are being exposed to a fall of approximately 20 feet to the ground below. 4. Located in the warehouse, auto windshields are not being stored securely in the existing racking system.	Resolved through inquiry process.
R-2129152	EQUIPMENTSHARE		02/08/2024	Phone	Y	Y	Closed	S-Safety	At the workplace, 1. Employees are elevated on equipment up to 50 feet above lower levels without fall protection. 2. Lift equipment rails and gates are welded for repairs.	\$0.00
R-2129266	LA-Z-BOY FURNITURE GALLERIES		02/08/2024	Phone	Y	N	Closed	S-Safety	1. On 2/7/2024, in the parking lot at 9095 South Virginia Street in Reno, NV, an employee slipped on the ice and fell. The employee sustained a left hip fracture and was transported by EMS to Northern Nevada Medical Center Reno and was admitted.	Resolved through inquiry process.
R-2129797	TESLA GIGAFACTORY		02/09/2024	Phone	Y	N	Closed	S-Health;S-Safety	1. On the third floor of the battery repair area there is not sufficient fire suppression. 2. Employees are grinding on plastic in the battery repair area and employees are not provided with proper protective equipment.	Resolved through inquiry process.
R-2131437	Metro Group Inc.		02/14/2024	Phone	Y	N	Closed	S-Safety	1. Located at the Jayhawk Rail Freight Terminal, three employees are allowed to use a Sennebogen 825 Material Handler with leaking stabilizers (outriggers).	Resolved through inquiry process.
R-2132140	TJ GLIDDEN CONSTRUCTION, INC.		02/16/2024	Phone	Y	Y	Closed	S-Safety	Located at the jobsite, an employee lost his balance while hanging a joist, and fell through a guardrail. Employee fell from a height of 20 feet to the ground below, which was level soil with approximately 1 foot of snow coverage.	\$0.00
R-2132846	U-Haul Moving & Storage of Double Diamond		02/19/2024	Phone	Y	N	Closed	S-Safety	1. Located in the facility, near the three-level racks, an employee fell off a 6–8-foot ladder while retrieving a box. The accident occurred close to six months ago. 2. On the outside of the building, pallets are leaning against the wall. The pallets can fall over onto someone. 3. The building leaks, creating a slippery floor that could result in slip and fall hazards.	Resolved through inquiry process.

State of Nevada
 Department of Industrial Relations
 Occupational Safety and Health Administration
 Complaint Logs January to March 2024

Item 6

UPA #	Estab Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspections Results/Comments
R-2132892	AGRU AMERICA, INC.		02/17/2024	Phone	Y	Y	Closed	S-Safety	1. An employee was attempting to unjam liner that was caught on cut-machine "line D". While the employee was attempting to unjam the liner, both hands got pinned under the front bar and the plate. With both hands pinned, the cutter continued to cut until the e-stop was engaged. The employee suffered amputations of fingers on both hands.	\$0.00
R-2132916	Nevada Department of Transportation		02/20/2024	Phone	Y	N	Closed	S-Safety	1. Located on state route 431 at the summit, a night shift employee was on top of a work truck snow plow's hood, cleaning the wiper blades and windshield from the snow, when she slipped and fell and fractured both of her feet.	Resolved through inquiry process.
R-2134343	UNKNOWN ESTABLISHMENT		02/23/2024	Phone	Y	Y	Closed	S-Safety	1. At the jobsite located at Moana Ln. and Lakeside Dr., employees are working on the sidewalk and partially in the street, exposing to struck by hazards. 2. At the jobsite located at Moana Ln. and Lakeside Dr., the traffic lane is not controlled in compliance with MUTCD standards, exposing employees to struck by hazards. 3. At the jobsite located at Moana Ln. and Lakeside Dr., employees are not donning proper PPE for work being performed, exposing employees to struck by hazards.	\$0.00
R-2134348	FEDEX GROUND		02/23/2024	Phone	Y	Y	Closed	S-Safety	1. Located at the facility, an employee closing the chute flap slammed the flap on their hand resulting in an amputation of their right middle finger.	\$0.00
R-2134389	GALE BUILDING PRODUCTS		02/23/2024	Phone	Y	Y	Closed	S-Safety	Located at the Toll Brothers, Harris Ranch Homes, on Pah Rah Ridge Dr., Sparks, NV 89431, the following hazard was alleged: 1. On December 6, 2023, one employee was working at a height of 15 feet and fell from the rafters of a home under construction to the concrete slab below. The employee was working without the benefit of fall protection. The employee suffered a broken elbow and was concussed. The employee was transported to Renown Regional Medical Center in Reno, NV, where he was treated and released.	\$0.00
R-2134676	SPANISH SPRINGS CONSTRUCTION, INC.		02/26/2024	Phone	Y	Y	Closed	S-Health	Located at the construction site, construction employees were observed performing concrete cutting and jack-hammering a sidewalk producing concrete dust and not using respiratory protection or implementing dust control methods.	\$0.00
R-2135687	Dynamic Seal and Gaskets	DSG Inc.	02/28/2024	Phone	Y	N	Closed	O-Health	1. Located at the worksite, the employer has locked the restrooms, only allowing employees to use the restrooms during their designated breaks.	Resolved through inquiry process.

State of Nevada
 Department of Industrial Relations
 Occupational Safety and Health Administration
 Complaint Logs January to March 2024

Item 6

UPA #	Estab Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspections Results/Comments
R-2136380	CARSON CITY PUBLIC WORKS		02/29/2024	Phone	Y	N	Closed	O-Safety	1. Employees doing sidewalk repair and operating a bobcat in the street are working without flaggers and street signs.	Resolved through inquiry process.
R-2137403	GROVE COLLABORATIVE		03/04/2024	Phone	N	N	Closed	O-Safety	1. Employee fired after missing too many work days after a non-work related surgical procedure.	Resolved through inquiry process.
R-2137745	GILBANE BUILDING COMPANY		03/05/2024	Phone	Y	Y	Closed	S-Health	1. Located at the site, visible dust clouds are being produced from grinding concrete floors.	\$0.00
R-2138804	RTP Company		03/07/2024	Phone	Y	N	Closed	S-Safety	Located at the facility, an employee received a struck-by injury from an elevated stainless steel container. While employee was on a small fixed ladder, he mistakenly pulled the elevated container from a stand and the container fell on employee resulting in head and back injuries requiring staples to close the wound and requiring hospitalization.	Resolved through inquiry process.
R-2139075	WASHOE COUNTY SCHOOL DISTRICT NUTRITION SERVICES CENTER	WCSD NUTRITION SERVICES CENTER	03/08/2024	Phone	Y	Y	Closed	S-Safety	1. Located in the center of the warehouse, employees are exposed to moving chains and belt parts in the four production lines, exposing them to caught-in, pinch points, or amputation hazards.	\$0.00
R-2139085	CASCADE DESIGNS NEVADA LLC		03/08/2024	Phone	Y	N	Closed	S-Safety	1. March 7 2024 at 3:45 pm an employee was loading a truck at the warehouse loading dock, when their leg got caught between the truck and the dock. Employee suffered a closed fracture of the right ankle. Employee was taken to Renown Regional Hospital by ambulance. Employee was admitted that evening and is scheduled for surgery.	Resolved through inquiry process.
R-2139253	RED ROBIN GOURMET BURGERS AND BREWS		03/08/2024	Phone	Y	N	Closed	O-Health	At the jobsite, one employee was allowed by the manager to remain at work with visible symptoms consistent of COVID that included coughing, sneezing, runny nose, sniffing, and sweating. Other employees were exposed to the employee's illness.	Resolved through inquiry process.
R-2139533	CASS NV, LLC		03/09/2024	Phone	Y	Y	Closed	S-Safety	An employee, working with an aluminum ingot machine received thermal burns to his back and sustained an injury to his ribs.	\$0.00
R-2139749	EXPRESS MESSENGER SYSTEMS, INC	ONTRAC	03/11/2024	Phone	Y	N	Closed	S-Safety	1. Located at the site, an employee using a 3-step load stand slipped and fell, injuring their right kneecap and requiring hospitalization.	Resolved through inquiry process.
R-2139799	Floreria Reno		03/11/2024	Phone	Y	N	Closed	O-Safety	1. Located at the establishment, a hanging neon, "Open" sign is obstructing the exit route, creating a struck by hazard and impeding access.	Resolved through inquiry process.

State of Nevada
 Department of Industrial Relations
 Occupational Safety and Health Administration
 Complaint Logs January to March 2024

Item 6

UPA #	Estab Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspections Results/Comments
R-2140064	BURLINGTON		03/12/2024	Phone	Y	Y	Closed	S-Safety	Located in the receiving area of the store, the following hazards are alleged: 1. Pathways to exits are blocked with merchandise and carts. 2. Column protectors have fallen of the columns and are left in walkways, exposing workers to tripping hazards. 3. Workers are told to run with fully loaded pallets jacks, creating tripping hazards exposing workers to caught-in and struck-by hazards. 4. Workers are no provided PPE (gloves), exposing workers to abrasions and lacerations on their hands.	\$0.00
R-2141231	MV GRANITE CREATIONS LLC		03/14/2024	Phone	Y	Y	Closed	S-Health;S-Safety	1. Located at the workplace, workers are sanding granite without the benefit of respiratory protection. 2. Located at the workplace, workers are using a grinder without guards. 3. Located at the workplace, the shop is cluttered and exposing workers to trip and fall hazards.	\$0.00
R-2141614	Western Nevada College-Fallon Campus		03/15/2024	Phone	Y	N	Closed	S-Safety	1. Located at Western Nevada College on 160 Campus Way, Fallon, NV 89406, a ceramics instructor went to sit down on a chair, and the chair rolled away and she fell on the floor. The instructor dislocated her right shoulder and fractured her left femur due to the fall.	Resolved through inquiry process.
R-2142089	POWERTRAIN INDUSTRIES INC.		03/18/2024	Phone	Y	Y	Closed	S-Health;S-Safety	1. The exhaust system is not removing welding fumes from the welding area causing employees to get sick. 2. Welding equipment has been altered and is no longer properly grounded causing welding employees to receive an electrical shock when attempting to weld.	\$0.00
R-2142655	ASPEN EARTHWORKS, INC.		03/19/2024	Phone	Y	Y	Closed	S-Safety	Located at the end of the paved road on E. Patrician Drive, Reno, NV 89506, there is an open trench approximately 1,000-1,500 feet in length. The depth of the trench is over 5 feet in some areas. There is no shoring in place and there is very little benching or sloping.	\$0.00
R-2143783	SCOTT ROOFING, LLC.		03/21/2024	In person	Y	Y	Closed	S-Safety	1. Located at the site, employees were observed on a roof without fall protection.	\$0.00
R-2144210	PROTECTION TECHNOLOGIES INC.		03/21/2024	Hotline	Y	N	Open	S-Health;S-Safety	1. Located in the shop area of the warehouse, a drill-press and band-saw is without safety guards, exposing employees to amputations. 2. Located in the warehouse, employees are allowed to use a cherry picker without the benefit of training. 3. Located in the warehouse, employees are using a harness and lanyard without the benefit of fall protection training. 4. Located in the warehouse, employees are not provided with proper ventilation while soldering.	Resolved through inquiry process.

State of Nevada
 Department of Industrial Relations
 Occupational Safety and Health Administration
 Complaint Logs January to March 2024

Item 6

UPA #	Estab Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspections Results/Comments
R-2144668	Santiago Landscape & Maintenance		03/20/2024	In person	Y	Y	Closed	S-Health	1. Employee dry cutting concrete block with a handheld power saw without the use of wet methods required as outlined in Table 1 of the silica standard.	\$0.00
R-2144670	LandArt	FireSky Outdoor	03/20/2024	In person	Y	Y	Closed	S-Health	1. Employee dry cutting concrete block with a handheld power saw without the use of wet methods required as outlined in Table 1 of the silica standard.	\$0.00
R-2145310	JET PLUMBING HEATING & DRAIN		03/26/2024	Phone	Y	Y	Closed	S-Safety	At the worksite, one worker is down in a trench measuring approximately 3 feet in width, 6-8 feet in length, and 7-8 feet in depth. There is no cave-in protection. Traffic is approximately 2 feet from the trench, subjecting the trench to vibration.	\$0.00
R-2145364	THE FLEMING CONSTRUCTION GROUP LLC		03/25/2024	Phone	Y	Y	Closed	S-Health;S-Safety	1. Located at SWITCH, the 2nd jobsite at the top of the hill, employees are allowed to use a boom lift without being trained on the hazards associated with that piece of equipment. 2. Located at SWITCH, the 2nd jobsite at the top of the hill, employees are given fall protection equipment that is defective. 3. Located at SWITCH, the 2nd jobsite at the top of the hill, employees are instructed to use fall protection equipment without being trained. 4. Located at SWITCH, the 2nd jobsite at the top of the hill, employees performing welding operations are instructed to bring their own PPE.	\$0.00
R-2145879	SPINTEK FOUNDRY AND MACHINE, LLC		03/27/2024	Phone	Y	N	Closed	S-Health;S-Safety	1. Employee received an electric shock from the crucible/fire box. 2. Hydraulic fluid is leaking from the crucible. 3. Employees are not provided proper PPE for hot work, employees are exposed to burns.	Resolved through inquiry process.
R-2146298	CIRCUS AND ELDORADO JOINT VENTURE, LLC	SILVERLEGACY RESORT CASINO/ELDORADO HOTEL CASINO/CIRCUS CASINO/CIRCUS RENO	03/28/2024	Phone	Y	Y	Closed	S-Safety	1. On March 27th at 11:00 AM in the Silver Legacy Carpentry shop, an employee was using a chop saw to cut a block of wood into smaller pieces when it caught on a knot of wood, causing the piece of wood to shift. The employee's hand hit the blade. The tip of the employee's finger tip was cut off to the bone. The employee called security and security assisted getting the employee to the ambulance where they were then transported to Renown Regional. The employee suffered an amputation of the tip of the finger, laceration of the left index finger, and a fractured left hand.	\$0.00
R-2147990	Bristle Cone Condominiums		03/29/2024	Phone	N	N	Closed	O-Safety	1. Located throughout the condominium complex Truckee Meadows Water Authority is digging trenches of unknown depth without marking off or coning the area around the trench exposing tenants to hazardous conditions.	Resolved through inquiry process.

State of Nevada
 Department of Industrial Relations
 Occupational Safety and Health Administration
 Complaint Logs January to March 2024

Item 6

UPA #	Estab Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspections Results/Comments
C-2115975	C & C Market Research		01/02/2024	Phone	Y	N	Closed	O-Safety	1. Black mold is visibly growing in various offices and in the bathrooms. The employer is not taking adequate measures to maintain a sanitary work environment.	Resolved through inquiry process.
C-2116422	AWP Safety		01/03/2024	Phone	N	N	Closed	O-Safety	1. On 1/3/2024 at the corner of Parliament PL and Minuteman Ave, employees were working out in the rain without any wet weather protective equipment.	Resolved through inquiry process.
C-2116433	Silver Lake Construction Company		01/03/2024	Phone	Y	N	Closed	S-Safety	1. Employees are operating a JLG Telehandler Forklift with brakes not functioning properly.	Resolved through inquiry process.
C-2116465	Amazon IXD - VGT2		01/03/2024	Phone	Y	N	Closed	O-Safety	1. At the sorting machines when the out bound line gets full, employees are instructed to place the yellow totes on the ground around the employees causing a tripping hazard.	Resolved through inquiry process.
C-2117327	Pearle Vision		01/05/2024	Phone	Y	N	Closed	O-Safety	1. Construction and construction supplies in hallways causing tripping hazards. LLL 1/5/2024	Resolved through inquiry process.
C-2117757	Levi Strauss & Company	Levi Strauss & Co.	01/08/2024	Phone	Y	N	Closed	S-Safety	1. Management routinely removes the guards on the sorting machine.	Resolved through inquiry process.
C-2118107	Vivida Dermatology		01/09/2024	Phone	Y	N	Closed	O-Health	1. There is a rat infestation in the doctor's office. Rats are crawling over employee keyboards and desks leaving droppings and creating a health hazard.	Resolved through inquiry process.
C-2118187	Harry Reid International Airport		01/09/2024	Phone	Y	N	Closed	O-Health	1. Airport employees are experiencing headaches and coughing due to construction which is occurring near Gate D-10. Construction employees are welding and spraying paint performed and the construction area is not completely closed off resulting in a haze around the D gates.	Resolved through inquiry process.
C-2119288	Capital Energy		01/12/2024	Phone	Y	N	Closed	S-Safety	1. Employees are required to climb ladder with roof tiles in hand. 2. Ladders used on windy day are not tied down to ensure stability while on a sloped driveway. 1/12/2024 AB	Resolved through inquiry process.
C-2120226	Sunrise Carpentry Inc.		01/16/2024	In person	Y	N	Closed	S-Safety	1. The boom lifts utilized by employees within the Macdonald Highland neighborhood, is not maintained or inspected. Employee reported damage to one of the boom lifts and in return, the boom lift was repainted so that damage was not visible. On January 10, 2024, one of the boom lifts snapped while an employee was attempted to move a container. 2. Employees do not receive hands on boom lift training and were not retrained following the boom lift incident on January 10, 2024. Initial training consists of watching a video and taking a test and then you are approved to operate the boom lift on a jobsite. 01/16/2024 bb	Resolved through inquiry process.

State of Nevada
 Department of Industrial Relations
 Occupational Safety and Health Administration
 Complaint Logs January to March 2024

Item 6

UPA #	Estab Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspections Results/Comments
C-2121334	Terrible's Road House		01/18/2024	Phone	Y	N	Closed	O-Safety	1. Employees are exposed to falling ceiling tiles and other debris mixed with water, which worsens when it rains, in several areas such as the casino floor, restaurant, kitchen and employee breakroom. For at least the past 6 months, they have complained of symptoms, such as cough, headaches and fatigue and of a black substance on the walls and floor in the kitchen. 2. There is concern for slip/trip hazards from water leaking from the ceiling and over-filled buckets in the employee breakroom, tables in the restaurant and kitchen. This has been an ongoing issue for at least the past 6 months years. 01/18/2024 SM	Resolved through inquiry process.
C-2121599	University Medical Center of Southern Nevada		01/19/2024	Phone	Y	N	Closed	O-Safety	1. Mobile medical computer equipment is blocking stairs, which lead to exit routes in the Adult Intermediate Care, 3 South Unit - on the 3rd floor. 2. Insects are crawling into floor standing employee lockers. 1/19/2024 JC	Resolved through inquiry process.
C-2121682	Juice Stars Downtown Las Vegas		01/19/2024	Phone	Y	N	Closed	O-Health	1. The restaurant is infested with rats. Employees are required to dispose of dead rodents caught in mouse traps and mouse droppings. 1/19/2024 JC	Resolved through inquiry process.
C-2121815	TemperPack		01/19/2024	Phone	Y	N	Closed	O-Safety	1. The warehouse has no ventilation, and the employees are exposed to high concentrations of combustible material from the Claimacell hopper by the break room. 2. The employees are required to wear N95 respirators for atmosphere protection. 3. The employees are required to dispose of heavy bags, 150 lbs. bags, into the trash container outside the warehouse without assistance.	Resolved through inquiry process.
C-2122239	Salvation Army (The)		01/22/2024	Phone	Y	N	Closed	O-Health	1. Employees are exposed to harmful vapors due to excessive use of bleach to clean the warehouse. Employees are experiencing dizziness and drowsiness while cleaning toilets, mopping floors and cleaning other areas of the warehouse with bleach.	Resolved through inquiry process.
C-2122385	Virgin Hotels Las Vegas		01/22/2024	Phone	Y	Y	Closed	O-Health	1. The employer has restricted employee restroom breaks in the bar area to lunch and their two 15-minute breaks for a total of 3 restrooms breaks for an 8 hour shift. The General Manager said OSHA requirements don't apply to this establishment.	\$0.00
C-2123114	Walmart Supercenter #3351		01/23/2024	Phone	Y	N	Closed	S-Safety	1. Rolling ladders used by employees in the store have damaged wheels, broken bottom legs and non-functioning locking devices. Employees have fallen off and injured themselves due to the ladders moving or tilting unexpectedly.	Resolved through inquiry process.

State of Nevada
 Department of Industrial Relations
 Occupational Safety and Health Administration
 Complaint Logs January to March 2024

Item 6

UPA #	Estab Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspections Results/Comments
C-2123128	United Parcel Service, Inc.		01/17/2024	Phone	Y	N	Closed	O-Health	1. Restrooms do not have warm water and are backed up with sewage. The scent of sewage lingers throughout the worksite. 2. Employees are unloading and handling boxes that may be leaking hazardous materials. 01/17/2023 JC	Resolved through inquiry process.
C-2123152	Levy Premium Foodservice Limited Partnership	Rank + Rally	01/23/2024	Phone	Y	N	Closed	S-Safety	1. On Tuesday, January 23, 2024, at approximately 2:00pm, an employee working on a pressing machine was injured when a compressor attached to the machine backfired. The attached tubes flew up and struck the employee on the side of his head and steam blew into his face. The employee was not provided immediate medical attention and was kept inside an office for several hours before he was allowed to receive treatment. 01/23/2024 JC	Resolved through inquiry process.
C-2123396	NBC Nevada Merchants, LLC	TJ Maxx Distribution Center	01/24/2024	Phone	Y	N	Closed	S-Safety	1. There was a fire in the facility, and the smoke alarms did not go off to notify employees of the fire. EM 01/24/24	Resolved through inquiry process.
C-2123626	Goodwill Retail Store and Donation Center	Goodwill of Southern Nevada Inc	01/24/2024	Phone	Y	N	Closed	S-Health	1. Employees were required to process a cardboard gaylord where the interior of the box was covered in black mold. The employees requested gloves and masks but were denied. 01/24/24 EM	Resolved through inquiry process.
C-2124142	Color Reflections		01/25/2024	Phone	Y	N	Closed	S-Health	1. Employees are spray painting in the warehouse without proper ventilation. 01/25/24 EM	Resolved through inquiry process.
C-2124969	Bellagio		01/25/2024	In person	Y	Y	Closed	S-Health	1. Employees have sustained eye and skin burns due to exposure to chemicals used for guest room cleaning. 2. Employees cleaning guest rooms have not received hazard communication training for the chemicals they are using. 3. Chemicals used for guest room cleaning are on GRA carts without labels to identify what they are. 4. Personal Protective Equipment such as gloves and eye protection are not available on the carts for employees to use while using chemical products to clean rooms.	\$0.00
C-2125007	The Center Wellness Clinic	Arlene Cooper Community Health Center	01/29/2024	Phone	Y	N	Closed	O-Health	1. On 12/21/2023 the business opened when it did not have running water, and employees were unable to clean or wash their hands for 6 hours while providing medical services to patients. 1/29/2024 SA	Resolved through inquiry process.
C-2125035	CHRYSALIS		01/29/2024	Hotline	N	N	Closed	O-Health	1. Employees are exposed to a bed bug infestation in three residents' rooms.	Resolved through inquiry process.
C-2125111	Universal Protection Service, LP	Allied Universal Security Services	01/29/2024	Phone	Y	N	Closed	O-Safety	1. Employees bully other employees by throwing their personal property in the trash, and management yell and curse at employees creating a hostile work environment. 1/29/2024 SA	Resolved through inquiry process.

State of Nevada
 Department of Industrial Relations
 Occupational Safety and Health Administration
 Complaint Logs January to March 2024

Item 6

UPA #	Estab Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspections Results/Comments
C-2125276	NP Palace, LLC	Palace Station Hotel and Casino	01/29/2024	Phone	Y	N	Closed	O-Health	1. There is a strong gas odor in the reservations call center on the second floor and employees are feeling ill. 1/29/2024 SA	Resolved through inquiry process.
C-2125554	Sunset Dental & Orthodontics		01/30/2024	Phone	Y	N	Closed	O-Safety	1. Employees are no longer provided personal protective equipment including gloves and masks.	Resolved through inquiry process.
C-2125644	Family Dollar		01/30/2024	Phone	Y	N	Closed	O-Safety	1. The conveyor used to move merchandise is damaged with missing wheels and pulleys. Employees are concerned for their safety during operation. 01/30/2024	Resolved through inquiry process.
C-2126023	H&R BLOCK ENTERPRISES LLC		01/29/2024	Phone	Y	N	Closed	O-Health	1. Employees do not have hot or lukewarm water in the restroom, and this was brought to the employer's attention. The restroom has been in this condition for approximately 1 year. The employer refuses to fix the issue. 1/31/2024 SA	Resolved through inquiry process.
C-2126044	AWANA SPA AND WELLNESS		01/31/2024	Phone	N	N	Closed	O-Health	1. On December 18th, 2023, an employee suffered a spiritual release, like from the Exorcist movie from a client. The employee lost feeling in their hands as a result of the spiritual release. 1/31/24 AL	Resolved through inquiry process.
C-2126096	TESLA ENERGY LLC		01/31/2024	Phone	Y	N	Closed	O-Safety	1. 10 employees are installing solar panels at Seneca at Henderson without any PV licenses. 1/31/24 AL	Resolved through inquiry process.
C-2126255	State of Nevada - Division of Welfare and Supportive Services		01/31/2024	Phone	Y	N	Closed	O-Health	1. A strong odor originating from the break room has caused employees to experience headaches and to leave work early. 1/31/24 AL	Resolved through inquiry process.
C-2126700	Burke Empire LLC	HireQuest Direct	02/01/2024	Phone	Y	N	Closed	S-Safety	The employer is restricting the use of the restroom when employees are turning in their timecards.	Resolved through inquiry process.
C-2126703	ALL STAR RENT A FENCE INC	ALL STAR RENT A FENCE	02/01/2024	Phone	Y	N	Closed	S-Safety	1. In the yard, employees are climbing on top of the tubes. 2. Employees are not provided with masks, safety glasses and gloves when they are cutting the tubes in the yard. 3. In the yard, employees are standing on the forks of the forklift to reach the tubes or pull the material. 4. Employees are driving forklifts unsafely in the yard.	Resolved through inquiry process.
C-2127076	Hua Injury	Park Law Firm	02/02/2024	Phone	Y	N	Closed	O-Safety	1. At the office, doors do not open preventing egress. 2. At fridge area of the office, employees are potentially exposed to mold. 3. In the lavatories, employees are not provided hot and cold water or tepid water. 02/02/2024 KH	Resolved through inquiry process.
C-2127584	Chaparral High School		02/05/2024	Phone	Y	N	Closed	O-Safety	1. There is no light in the Aux gym. 2. There is no A/C in the Aux gym. 2/5/2024 AR	Resolved through inquiry process.
C-2127841	Transdev		02/05/2024	Phone	Y	N	Closed	O-Safety	1. Employee drivers are being assaulted and objects are thrown at them by the public on the buses. 2/5/2024 AR	Resolved through inquiry process.
C-2127878	Horizon Market		02/05/2024	Phone	Y	N	Closed	O-Safety	1. Employees are not provided with safety glasses when putting propane inside a propane tank. 2/5/2023 AR	Resolved through inquiry process.

State of Nevada
 Department of Industrial Relations
 Occupational Safety and Health Administration
 Complaint Logs January to March 2024

Item 6

UPA #	Estab Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspections Results/Comments
C-2128162	Republic Services		02/06/2024	Phone	Y	N	Closed	S-Safety	1. In the washline area, employees are working at and around plastic grinders and are being exposed to airborne plastic particles, but the employer is not providing adequate respirator protection to the employees. Contractors on site who are completing construction are being issued additional respiratory protection and have advised the employer of the hazards of the dusts, but the employer is not providing the additional respiratory protection. 2. In the washline area, employees are utilizing caustic chemicals when cleaning screens, and have been provided safety glasses and a face shield, even though the chemicals being used require safety goggles and other personal protective equipment. 3. Throughout the facility, the employer is not taking adequate measures to keep the workplace free of plastic dusts. Employee clothes are being covered in the dusts. 4. Throughout the facility, the wash line control panels, welder units, and various extension cords are being run through wet areas. Additionally the cords are not protected from being stepped on or damaged.	Resolved through inquiry process.
C-2129322	Savers		02/08/2024	Phone	Y	N	Closed	O-Safety	1. When it rains in the store, the ceiling tiles break apart and fall in large pieces near the shoe section by the jewelry counter.	Resolved through inquiry process.
C-2129325	Walmart, Inc.	Walmart #3847	02/08/2024	Phone	Y	N	Closed	O-Safety	1. The exhaust vents in the deli area are clogged and the fumes from the cooking station are not being properly ventilated.	Resolved through inquiry process.
C-2129354	Focus Framing LLC		02/08/2024	Phone	Y	N	Closed	S-Safety	1. On 12/11/2023, at approximately 7:30 am, on Blue Diamond Road and Rainbow, an employee was tied off at approximately 8 feet across a rooftop, using lanyard that expands out to 60 feet, and fell when the lanyard was extended to 30 feet. A employee fell, the lanyard did not deploy, and the employee sustained injuries. 02/08/2024 KH	Resolved through inquiry process.
C-2129693	Homegoods Inc.	Homegoods #312	02/09/2024	Phone	Y	N	Closed	O-Safety	1. Boxes in the processing room in the morning hours are stacked 10 feet high creating a struck by hazard and making it difficult to access exits. An employee was struck approximately a week ago when a box fell from the top of the stack resulting in an injury. cw 2/9/24	Resolved through inquiry process.
C-2129698	State of Nevada - Division of Welfare and Supportive Services		02/09/2024	Phone	N	N	Closed	O-Safety	1. Approximately 5-6 employees are experiencing headaches due to an known smell and the employer will not inform the employees on the source of the smell. cw 2/9/2024	Resolved through inquiry process.

State of Nevada
 Department of Industrial Relations
 Occupational Safety and Health Administration
 Complaint Logs January to March 2024

Item 6

UPA #	Estab Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspections Results/Comments
C-2130348	S.A.F.E. Management of Nevada, LLC	S.A.F.E. Management	02/12/2024	Phone	Y	N	Closed	O-Health	1. The employer did not provide water to the employees. JA 2/12/2024	Resolved through inquiry process.
C-2130642	LEV Restaurant Group		02/13/2024	Phone	Y	N	Closed	O-Safety	1. The roof of the building leaks, causing water to collect on the floors, damaging the carpet and causing a tripping hazard for the employees as they walk around the office.	Resolved through inquiry process.
C-2131152	Lee's Discount Liquor		02/14/2024	Phone	Y	N	Closed	O-Safety	1. There is no running water for employees to wash hand or use toilets. DF 02/14/2024	Resolved through inquiry process.
C-2131280	Gordon Ramsay Hell's Kitchen at Caesars Palace		02/14/2024	Phone	Y	N	Closed	O-Health	1. There is only one toilet available for both male and female employees at the restaurant with approximately 140 front-of-the-house and over 100 back-of-the-house employees. DF 02/14/2024	Resolved through inquiry process.
C-2131488	Harbor Freight Tools		02/15/2024	Phone	Y	N	Closed	O-Safety	1. On February 14th, 2024 at 9 am, the store's restroom malfunctioned, leaving employees unable to utilize it during their shifts.	Resolved through inquiry process.
C-2132024	Certain Teed Gypsum Manufacturing, Inc		02/16/2024	Phone	Y	N	Closed	S-Safety	1. Metal spikes are hanging from the ceiling/roof of the building that can fall and hit anyone walking through the plant. 2. The floor has metal sticking up through it and there are also slopes and cracks in the floor. Employees feel it is not safe while driving forklifts around or even walking through these areas. 2/20/2024 AB	Resolved through inquiry process.
C-2132138	Mardi Gras Inn LTD	Mardi Gras Hotel & Casino	02/16/2024	Phone	Y	N	Closed	S-Safety	1. Four glass shelves behind bar, that the liquor bottles sit on, are chipped and cracked. An employee's hand was cut open on 2/16/2024.	Resolved through inquiry process.
C-2132909	Pandora		02/20/2024	Phone	Y	N	Closed	O-Health	1. An employee was experiencing a medical emergency. However, a manager refrained from providing assistance. 2/20/2024 JA	Resolved through inquiry process.
C-2133096	Shifting Gears Motorsports		02/16/2024	Phone	Y	N	Closed	S-Health;S-Safety	1. Paint Booth is not an actual paint booth. 2. Automotive shop fills with paint every time booth is used, with no proper ventilation. 3. No proper respirators for use in the paint booth. 4. No fire suppression system for make-shift paint booth. 5. Automotive lifts are not secured to the floor of the shop. 6. Automotive lifts are too close together for working safely with vehicles. 7. Welding with gases such as Argon and there is no proper protection (respirator) or proper ventilation.	Resolved through inquiry process.
C-2133140	Fontainebleau Las Vegas		02/16/2024	Phone	Y	N	Closed	S-Health;S-Safety	1. The welding shop has no proper ventilation. 2. There are no vents coming in with fresh air. 3. No vents going out for contaminated air. 4. It was reported that an employee was diagnosed with Galvanized poisoning this last week.	Resolved through inquiry process.

State of Nevada
 Department of Industrial Relations
 Occupational Safety and Health Administration
 Complaint Logs January to March 2024

Item 6

UPA #	Estab Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspections Results/Comments
C-2133431	The D Las Vegas		02/21/2024	Phone	Y	Y	Closed	S-Health	1. On floor twelve and a half, there is an office where workers were ordered to remove popcorn ceiling material that appeared to contain asbestos without the proper personal protective equipment, engineering controls, and training to remove asbestos containing material. The employer told the employees the material only contained one percent asbestos, but workers were skeptical about the location where the employer said the sample was taken. The popcorn ceiling material was removed and placed in a dumpster by facility engineering employees.	\$0.00
C-2133729	Procaps Laboratories, Inc.		02/22/2024	Phone	Y	N	Closed	S-Safety	1. There was an incident about one month ago within the Soft Gel Department, which resulted in an employee losing a toe. The employee was working on the Production Line for the Soft Gel Department when a panel fell onto their foot. This led to this employee losing a toe since the employer had not provided steel toe boots. 2. Employees that work in production within the Soft Gel and Bar Line departments are concerned because they work with panels and other heavy pipes and machinery and have not been provided with steel toes boots. Steel toe boots are supposed to be provided once an employee has worked for the company for a month. However, there are some employees who have worked for the employer for 3-months, that have not received steel toe boots. The employer says that this is due to other employees ordering more than one pair of steel toe boots. 2/22/2024 bb	Resolved through inquiry process.
C-2134642	State of Nevada Desert Regional Center		02/23/2024	Phone	Y	Y	Closed	S-Safety	1. Employees are concerned about workplace violence hazards due to a patient at their medical facility, and they have complained about multiple incidents and feel unsafe. The patient has been intermittently admitted to the facility for at least the past year and has caused multiple workplace violence incidents, which included verbally threatening and physically assaulting employees for at least the past 6 months. Several incidents included punching, kicking and scratching employees, where the police were called and employees needed medical treatment. The two most recent incidents were on 02/22/2024 and the previous week. 02/23/2024 SM	\$0.00

State of Nevada
 Department of Industrial Relations
 Occupational Safety and Health Administration
 Complaint Logs January to March 2024

Item 6

UPA #	Estab Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspections Results/Comments
C-2134711	Uniworlworld Omniport LLC		02/23/2024	Phone	Y	Y	Closed	S-Safety	1. In the pallet assembly area of the main warehouse, employees are concerned about are concerned about hazards associated with stacking unwrapped pallets too high, such as pallets falling or pallet contents falling out, and have complained this issue. Pallets fell a few months ago with no employee injuries. 2. In main warehouse, forklifts are not regularly maintained or inspected, and employees operate forklifts with broken safety features , such as horns. Employee training records are not maintained. 3. Employees handle hazardous chemicals without available eyewash stations. 02/23/2024 SM	\$0.00
C-2135464	Green Life Productions, LLC	Green Life Productions Cannabis	02/27/2024	Phone	Y	N	Closed	O-Health	1. Employees are exposed to paint vapors within the worksite building resulting in nausea. 02/27/2024 JC	Resolved through inquiry process.
C-2136086	23 Twelve		02/28/2024	Phone	Y	N	Closed	S-Safety	1. Employees are required to utilize a key-making machine, and are not permitted eye protection or other personal protective equipment, such as gloves. 2/28/2024 KR	Resolved through inquiry process.
C-2136139	Cardenas Market		02/29/2024	Phone	N	N	Closed	O-Health	1. Music is played too loudly in the store. The music has been measured to be played between 75 to 85.36 decibels. 02/29/24 EM	Resolved through inquiry process.
C-2137166	NOY Property Services, LLC		03/04/2024	Phone	Y	N	Closed	O-Safety	1. Employees are not trained to service the engines of sweeper trucks. However, they are required to use a wrench and the starter is held together with vice grips to start sweeper trucks. 2. Sweeper trucks are unsafe to operate. The truck brushes are missing bolts, the dustpan is missing chains causing it to drag on the ground, and the water sprayers are inoperable causing the brushes to catch on fire. 3. The dump doors on sweeper trucks are inoperable requiring employees to hold them open while it dumps trash and employees are being struck with trash / objects. 4. Personal Protective Equipment is not being provided such as gloves and helmets. 5. Employees are required to service sweeper trucks when they break down on the road. The employer does not provide emergency kits including cones, flairs, etc. 3/4/2024 SA	Resolved through inquiry process.
C-2137746	Rainbow Shops		03/05/2024	Phone	Y	N	Closed	O-Safety	1. On 3/1/2024, employees had to work in a flooded stockroom because the water fountain broke. This caused an employee to slip and injure themselves. 3/5/2024 AR	Resolved through inquiry process.
C-2138111	Play Playground		03/05/2024	Phone	Y	N	Closed	O-Safety	1. There is no mesh around the rails of the jumper to protect the employees from falling when helping customers with their velcro suits. 3/6/2024 AR	Resolved through inquiry process.

State of Nevada
 Department of Industrial Relations
 Occupational Safety and Health Administration
 Complaint Logs January to March 2024

Item 6

UPA #	Estab Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspections Results/Comments
C-2139557	Tahiti Village Resort & Spa		03/11/2024	Phone	N	N	Closed	O-Safety	1. On 3/7/2024 at approximately 8:30 AM an elevator in Tower 5 stalled and fell to a lower level with two employees inside. 03/11/2024 JB	Resolved through inquiry process.
C-2140229	Acacia Springs		03/12/2024	Phone	Y	N	Closed	O-Health	1. An assisted living resident is on oxygen, and is also consuming cannabis via vape. There is concern that the vape and oxygen tank is a fire/explosion hazard.	Resolved through inquiry process.
C-2140257	Wynn Las Vegas, LLC	Wynn Las Vegas / Encore at Wynn Las Vegas	03/12/2024	Phone	Y	N	Closed	O-Health	1. Eyewash stations are beginning to have particulate buildup. The stations are being cleaned with chemicals that are potentially outside of the manufacturers recommendations for maintaining the stations.	Resolved through inquiry process.
C-2140295	Chili's Grill & Bar		03/12/2024	In person	Y	N	Closed	O-Safety	1. The walk-in beer cooler is leaking water that flows into the main kitchen area. The employer previously made a repair to the wall of the cooler, but this repair has not stopped additional leaking. 2. The oven exhaust hood is smaller than the exhaust opening of the oven, causing billows of smoke in the kitchen area during food prep.	Resolved through inquiry process.
C-2140644	TED Tooling LLC		03/13/2024	Phone	Y	N	Closed	S-Safety	1. Scrap metal is left on the floor and is impeding walking working surfaces. 2. Compressed gas cylinders are not stored correctly. 3. The machine shop is very cluttered, and housekeeping is deficient which is creating a fire hazard. 4. There are approximately ten bench grinders in use that have had electrical altered and poses an electric shock hazard. 5. Electrical panels are stored in the same room as a shower being used daily. 3/13/2024 AB	Resolved through inquiry process.
C-2141014	Henderson Hyundai		03/14/2024	Phone	N	N	Closed	O-Safety	1. There is grinding of doors and walls as well as painting within the facility with no vacuums or ventilation exposing employees to large accumulations of dust and harsh fumes. Employees have not been provided respiratory protection. 03/14/2024 JB	Resolved through inquiry process.
C-2141213	Designs for Health, Inc.		03/14/2024	Phone	Y	N	Closed	O-Safety	1. Throughout the establishment relocatable power taps and extension cords are daisy chained. 2. Pallets stacked multiples high are unstable. 03/14/2024 JB	Resolved through inquiry process.
C-2141561	Global Coporate Services	Global Concepts Security	03/15/2024	Phone	Y	N	Closed	O-Safety	1. Employees are experiencing difficulty breathing from the broken drywall and accumulation of dust in office space. 03/15/2024 JB	Resolved through inquiry process.
C-2142263	Dairy Queen/Orange Julius		03/18/2024	Phone	Y	N	Closed	S-Safety	1. Two ice cream machines and the metal flat table next to them in the Orange Julius are shocking employees when touched. There is a concern the machines are not grounded.	Resolved through inquiry process.

State of Nevada
 Department of Industrial Relations
 Occupational Safety and Health Administration
 Complaint Logs January to March 2024

Item 6

UPA #	Estab Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspections Results/Comments
C-2143265	Henderson Hyundai		03/20/2024	Phone	Y	N	Closed	O-Health	1. Service department employees are exposed to dust and paint fumes from renovation work being done for the past 3 weeks and at least one employee with respiratory problems was sent home.	Resolved through inquiry process.
C-2143562	Golden Entertainment Inc	The STRAT Hotel, Casino & Tower	03/21/2024	Phone	Y	N	Closed	O-Safety	1. On 03/21/2024 the employer has not provided safety plans or confined space training to swing shift maintenance employees. These employees have been assigned to enter a crawl space that is only two feet tall in order to inspect and fix the wheel that helps spin the Top of the World restaurant. The entry points are located on the 1206-107 floor.	Resolved through inquiry process.
C-2144204	Lindo Michoacan	Lindo Michoacan La Loma	03/22/2024	Phone	Y	N	Closed	O-Safety	1. Both grill hoods are not working properly causing smoke in the air and excessive heat. DF 03/22/2024	Resolved through inquiry process.
C-2144594	Flamingo Las Vegas		03/25/2024	Phone	N	N	Closed	S-Safety	1. Employee elevator #16 (the only elevator that goes to the basement) makes unsettling noises, sounds like a sledge hammer hitting the elevator and many other very loud unsettling noises and movement from the elevator, when it is at the very top of the casino and then again when it is nearing the basement.	Resolved through inquiry process.
C-2144689	Bellagio		03/25/2024	Phone	Y	N	Closed	S-Health	1. There are two pallets of old radioactive boxed EXIT signs located near the employee time clock on the main Mezzanine level of the hotel.	Resolved through inquiry process.
C-2145185	Ramparts, LLC	Luxor Hotel & Casino	03/26/2024	In person	Y	N	Closed	O-Health	1. Employees working at Backstage Deli during the graveyard shift are often denied access to the closest restroom from their work stations, located approximately 50 yards away. The restroom is often kept closed for cleaning and the next closest restroom is approximately 400 yards away. 3/26/2024 bm	Resolved through inquiry process.
C-2145846	Sam's Club #4983		03/27/2024	Phone	Y	N	Closed	O-Health	1. About a month ago there was a Carbon Dioxide (CO2) leak on a carbonated beverage machine which caused the fire alarm to go off in the café and soda bed area. Employees are required to resolve the fire alarm system but are not trained to do so or advised of the CO2 hazard prior to being sent to tend to the situation. The room within the café where the soda beds and CO2 machines are stored, has a double door. Employees are performing work to repair a CO2 leak on the carbonated beverage machine with both doors closed due to no training on how to address the hazard. 03/27/2024 bb	Resolved through inquiry process.

State of Nevada
 Department of Industrial Relations
 Occupational Safety and Health Administration
 Complaint Logs January to March 2024

Item 6

UPA #	Estab Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspections Results/Comments
C-2146295	Worldwide Flight Services		03/28/2024	Phone	Y	N	Closed	S-Safety	1. At Harry Reid International Airport, an employee tags out broken equipment, tugs, conveyors and ramps, and the tags are removed and the equipment is put back into use without being serviced. The equipment is used to move and load/unload planes.	Resolved through inquiry process.
C-2147320	Gordon Ramsay Hell's Kitchen at Caesars Palace		03/29/2024	Phone	Y	N	Closed	O-Safety	1. Only one toilet is available for over 100 male and female employees working at once Employees are not allowed to use guest restrooms or allowed the time required to walk to the casino restrooms. DF 4/2/2024	Resolved through inquiry process.
F-2139766	Yellow Cab Company		03/11/2024	Phone		N	Closed	O-Health	On 03/04/2024 at approximately 11:18 PM an employee collapsed sitting at a table in the driver's room. Once found another employee called emergency services, and the employee was transported to a nearby hospital. The employer was notified of the employee's passing by a family member on 03/11/2024 at approximately 10:00 AM.	Resolved through inquiry process.
R-2115916	MGM Resort International	New York New York Hotel & Casino	01/02/2024	Phone	N	N	Closed	O-Health	1. On 1/2/2023 an employee who was 6 months pregnant was in the restroom, began feeling dizzy, and was transported by EMS to Sunrise Hospital.	Resolved through inquiry process.
R-2115967	Aliante Animal Hospital		01/02/2024	Phone	N	N	Closed	O-Safety	1. In the dog side front lobby has an animal scale that is presenting a trip and fall hazard to customers.	Resolved through inquiry process.
R-2115986	Blackstone Security Services of Nevada, Inc.	Blackstone Security Services	01/02/2024	Phone	N	N	Closed	S-Safety	1. EI Super management is physically engaging with shoplifting customers and are yelling at and harassing the contracted security guards for failing to also physically engage with the shoplifting customers. Per company policy the security guards are not supposed to engage with the shoplifting customers.	Resolved through inquiry process.
R-2115990	Tufesa International		01/02/2024	Phone	Y	N	Closed	O-Health	1. The facility is not maintaining a pest control program. Roaches have been observed in the kitchen and work areas. 2. The floors are peeling near the employee work area and where the customers enter, presenting a trip and fall hazard. 3. The employer does not have an OSHA poster.	Resolved through inquiry process.
R-2117297	Desert Framing, LLC		01/05/2024	Phone	Y	N	Closed	S-Safety	1. On January 1, 2024, an employee was climbing an A-Frame ladder when they slipped and fell approximately 3 feet and suffered an injury to their right hand. The employee was transported to Concentra Urgent Care and subsequently transported to University Medical Center where they were admitted for surgery. The incident occurred at a residential construction site located at 10862 Ellis Pointe Avenue, Lot 24. 1/5/2024 EH	Resolved through inquiry process.

State of Nevada
 Department of Industrial Relations
 Occupational Safety and Health Administration
 Complaint Logs January to March 2024

Item 6

UPA #	Estab Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspections Results/Comments
R-2117320	Freeman Expositions, Llc		01/05/2024	Phone	Y	N	Closed	O-Safety	1. Worker fell off of pallets while reaching into a truck, located outside of the North Hall by the Freeman trailers at the Convention Center.	Resolved through inquiry process.
R-2117631	Albertsons		01/08/2024	Phone	Y	N	Closed	O-Safety	1. An employee was required to clean up human waste in the rest room without proper PPE. 2. The restrooms are unclean and usually without toilet paper and paper towels.	Resolved through inquiry process.
R-2117790	Sherwin-Williams		01/08/2024	Phone	Y	N	Closed	S-Safety	1. An employee slipped and fell, fracturing his right tibia after unloading his truck.	Resolved through inquiry process.
R-2117835	MGM Grand International		01/08/2024	Phone	Y	N	Closed	O-Safety	1. An employee was walking down a hallway and went into the restroom and vomited into a trashcan. The employee requested that the paramedics be called and she was transported to the hospital.	Resolved through inquiry process.
R-2118284	Top Notch Services, Inc.		01/09/2024	Phone	Y	N	Closed	O-Safety	1. For approximately a month, The Ford F750 #T700 water truck has a pneumatic parking brake that does not work. cw 1/9/24	Resolved through inquiry process.
R-2118855	TH Foods, Inc.		01/11/2024	Phone	Y	N	Closed	O-Safety	1. The employer requires the employees to operate machinery while under the influence of prescription medications. 01/11/2024 JA	Resolved through inquiry process.
R-2118950	Terrible Herbst Convenience Store		01/11/2024	Phone	Y	N	Closed	O-Safety	1. On 1/9/24, the temperature was approximately 34 degrees with 46 mile per hour winds. Cashiers are required to work near the front doors and are not allowed to wear a jacket because it would cover the company logo on their shirts. Employees were struggling to work due to the cold. cw 1/11/24	Resolved through inquiry process.
R-2119037	Excalibur Hotel & Casino		01/11/2024	Phone	Y	N	Closed	O-Safety	1. On January 7, 2023, at approximately 7:37 a.m. An employee was walking into work when they fell to the ground. The employee was transported to the hospital and was admitted and released the next day. 1/11/2024 JA	Resolved through inquiry process.
R-2119050	MGM Grand International Resorts	Bellagio Hotel and Casino	01/11/2024	Phone	Y	N	Closed	O-Health;O-Safety	1. On January 10, 2024, a guest room attendant was cleaning a room when an unknown chemical was sprayed into their eyes. The employee received first aid and returned to work. On January 11, 2024, the employee called their manager and reported that they were admitted to the hospital and were released. 1/11/2024 JA	Resolved through inquiry process.
R-2119066	Desert Flour LLC	Panera Bread	01/11/2024	Phone	Y	N	Closed	O-Safety	1. The employer failed to fix the breakfast/lunch menu sign, which broke and fell onto an employee. JA 1/11/2024	Resolved through inquiry process.
R-2119262	Las Vegas Convention and Visitors Authority	Las Vegas Convention Center	01/12/2024	Phone	Y	N	Closed	O-Health	1. On 1/11/2024 at approximately 8:24 PM an employee reported experiencing chest pains to their supervisor. An ambulance was called and the employee was transported and admitted to Sunrise Hospital. 1/12/2024 JB	Resolved through inquiry process.

State of Nevada
 Department of Industrial Relations
 Occupational Safety and Health Administration
 Complaint Logs January to March 2024

Item 6

UPA #	Estab Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspections Results/Comments
R-2119392	Ross Co. Construction, Inc.		01/12/2024	Phone	Y	N	Closed	S-Safety	1. On January 11, 2024, an employee was hospitalized after suffering an amputation to the employee's right middle finger. 1/12/24 AB	Resolved through inquiry process.
R-2119518	M Con, Inc.		01/12/2024	Phone	Y	Y	Closed	S-Safety	1. There are employees working in a trench approximately 10 feet deep without shoring or other protective barrier installed. 1/12/24 AB	\$0.00
R-2119940	DSV Solutions, LLC		01/14/2024	Phone	Y	N	Closed	S-Safety	On 1/14/2024, an employee was found deceased in his hotel room at the Stratosphere. The employee was attending a tech conference and was experiencing COVID-like symptoms. The employee had other health complications. The police and coroner were called to the scene.	Resolved through inquiry process.
R-2120077	Greystone Nevada LLC	Lennar	01/16/2024	Phone	Y	N	Closed	O-Safety	1. Employees are not trained to operate rough terrain forklifts. Forklifts are left unattended without spotters while loading materials. 2. Employees do not have OSHA-10 or OSHA-30 certifications. 1/16/2024 EH	Resolved through inquiry process.
R-2120080	The Beef Jerky Store		01/16/2024	Phone	Y	Y	Closed	S-Health;S-Safety	1. Workers are on the roof removing materials and are not wearing fall protection. 2. No asbestos survey was conducted prior to the removal of roofing materials. 01/16/2024 bb	\$0.00
R-2120200	Unknown/Invalid Establishment		01/16/2024	Phone	Y	Y	Closed	S-Safety	1. There is a dig crew on the corner of Oso Blanca and Teepee Road, that is working within a trench without shoring. The trench appears to be more than 6-feet deep, equipped with traffic barriers however there is nothing to protect the employees working within the trench from a collapse. 01/16/2024 bb	\$0.00
R-2120260	Titan Roofing, LLC		01/16/2024	Phone	Y	N	Closed	S-Safety	1. Employees are placing tile on top of a single story apartment office roof without being tied off. The employees are wearing harnesses, but the harnesses aren't connected to anything. 01/16/2024 bb	Resolved through inquiry process.
R-2121252	Lin Consulting Las Vegas L.L.C.	Airstream Las Vegas	01/18/2024	Phone	Y	N	Closed	S-Safety	1. On 01/17/2024, an employee was operating a forklift to pull a large water tank on a trailer up a hill and around 11:22 am, the trailer started to separate from its hitch. There was not a lot of information about this part of the incident, but the employee jumped out of the forklift and rolled downhill and this resulted in both the forklift and trailer rolling downhill. While rolling downhill, either the forklift or trailer crushed the employee's ankle. Around 11:34 am, EMS transported the employee to Sunrise Hospital, where he had surgery not long after his admission. The incident was reported by the employer on 01/18/2024. 01/18/2024 SM	Resolved through inquiry process.

State of Nevada
 Department of Industrial Relations
 Occupational Safety and Health Administration
 Complaint Logs January to March 2024

Item 6

UPA #	Estab Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspections Results/Comments
R-2121341	West Charleston Animal Hospital		01/17/2024	Phone	Y	N	Closed	O-Health	1. Employees have been stuck by IV catheter needles left in the sink and syringes when emptying sharps containers into bigger containers. 01/17/2024 JC	Resolved through inquiry process.
R-2121588	Global Experience Specialist, Inc.		01/13/2024	Phone	Y	N	Closed	O-Health	1. While working at the Westgate Hotel, an employee was conducting their work activity when they had shortness of breath and fell back. CPR was preferred until emergency services arrived. The employee was transported to Sunrise Hospital. The employee is currently in stable condition. 01/13/2024 JA	Resolved through inquiry process.
R-2121670	M CON Inc.		01/19/2024	Phone	Y	N	Closed	S-Safety	1. Employees are working in 6.5ft deep trench without shoring at the Lennar, Black Mountain Ranch - Daybreak residential construction project. 1/19/2024 JC	Resolved through inquiry process.
R-2122379	Smart Heart Care		01/22/2024	Phone	Y	Y	Closed	S-Health	1. Sharps containers are full and haven't been collected/emptied. 2. There are red bags being used as biohazard bags that aren't labeled as biohazard bags and are in a regular trash container in patient treatment areas. 3. The red biohazard bags are not being emptied and they are overflowing in patient treatment areas. 1/22/2024 KO	\$0.00
R-2123136	Shalc GC, Inc.	Shea Homes	01/17/2024	Phone	Y	Y	Closed	S-Safety	1. Units 4111, 4113, and 4117 contain openings in the floor potentially for elevators that are not guarded. 01/17/2023 JC	\$0.00
R-2123146	1-800 Radiator & AC-South Nevada	1-800-Radiator & A/C	01/17/2024	Phone	Y	N	Closed	S-Safety	1. On Wednesday, January 17, 2024 at approximately 2:15pm, an employee was walking across a mezzanine suspended between two storage racks and fell once the floor gave out beneath him. The employee sustained injuries that were treated by paramedics called on site, but was not transported to a hospital. The employee has since sought further treatment at a Quick Care on January 18, 2024. 01/17/2024 JC	Resolved through inquiry process.
R-2123633	Legacy Builders Inc.	Rivett Construction	01/24/2024	Phone	Y	N	Closed	S-Safety	1. On 01/23/24 at approximately 6:00 pm, an employee standing on an extension ladder began untying the retractable section of the ladder causing the ladder to become unstable. The feet of the ladder slipped causing the employee to fall approximately 10 feet to the ground. The employee was hospitalized as a result of the fall and reportedly suffered a broken right leg. The hospitalization was reported by the employer on 01/24/24 at 12:04 pm. 01/24/24 EM	Resolved through inquiry process.

State of Nevada
 Department of Industrial Relations
 Occupational Safety and Health Administration
 Complaint Logs January to March 2024

Item 6

UPA #	Estab Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspections Results/Comments
R-2124101	Las Vegas Paving Corporation		01/25/2024	Phone	Y	N	Closed	S-Safety	1. While a backhoe was attempting to free a piece of cut asphalt, a pry bar which had been stuck, became airborne and struck the employee in the face. The employee sustained lacerations to the cheek and lips, mandible fractures, and a skin evulsion of the right hand. The employee was transported to UMC Hospital and was admitted.	Resolved through inquiry process.
R-2124147	Genesis Gaming Solutions, Inc.		01/25/2024	Phone	Y	Y	Closed	S-Safety	1. The table saw near the C&C Router machine does not have machine guards. 2. Pallets are carelessly strewn about the work area in a manner that they are a tripping hazard.	\$0.00
R-2124404	LG Carpentry LLC		01/26/2024	Phone	Y	Y	Closed	S-Safety	1. On January 16th, 2024, at lot 72 of the D.R. Horton Spectrum Falls job site, an employee installing trusses fell approximately 8 feet to the dirt surface below and was subsequently hospitalized. The employee received lacerations to his left eyebrow and a ruptured spleen. 2. The employer did not report the inpatient hospitalization of an employee within 24 hours after learning of the hospitalization. 1/26/2024 EH	\$0.00
R-2124578	The Animal Foundation		01/26/2024	Phone	Y	N	Closed	S-Safety	1. On 12/1/2024 at approximately 10:30 AM, an employee was bit in the face while restraining a dog in Dog Quarantine A. The employee was treated at Concentra and released. On 12/7/2024, the employee was admitted to Spring Valley Hospital due to a secondary infection and released on 12/14/2024. 1/26/2024 EH	Resolved through inquiry process.
R-2124635	Golden Entertainment Inc	The STRAT Hotel, Casino & Tower	01/26/2024	Phone	Y	N	Closed	O-Safety	1. On 1/25/2024 at approximately 3:37 PM, a Tower Operations employee tripped and fell walking around a metal detector on the second floor of the tower. The employee complained of pain in their left hip and was transported to UMC hospital and was admitted. 1/26/2024 EH	Resolved through inquiry process.
R-2124647	EMD Acquisition, LLC	Borman Specialty Materials	01/26/2024	Phone	Y	N	Closed	S-Safety	1. In unit 6, employees have hit 15 foot tall working platforms attached to the wall with a forklift while employees are working from the platform and employees are concerned that they may fall. 2. The hooks on hoists used to lift product are not rated to lift the weight of the product. Employees are concerned for their safety due to the hooks are unable to hold the weight and product has fallen from the hooks. 3. Employees are required to pull product under suspended loads of up to 800 pounds without a tag line. 4. There is an infestation of rats in the break room and throughout the facility. 1/26/2024 EH	Resolved through inquiry process.

State of Nevada
 Department of Industrial Relations
 Occupational Safety and Health Administration
 Complaint Logs January to March 2024

Item 6

UPA #	Estab Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspections Results/Comments
R-2125258	Bellagio, LLC	Bellagio	01/29/2024	In person	Y	Y	Closed	S-Safety	1. There is a large bundle of live electrical cables running from a generator along the south side of the lake touching the water and may also be incorrectly installed, and divers from the Bellagio are working in the water. 1/29/2024 SA	\$0.00
R-2125289	City Of North Las Vegas Police Department		01/29/2024	Phone	N	N	Closed	S-Safety	1. On January 26, 2024, at approximately 8:00 a.m., an employee at the City of North Las Vegas Washburn Community Police Facility fainted, fell, and hit their head on the floor in the women's employee locker room. The employee was transported to Mountain View Hospital and admitted as a result of the fall. 1/29/2024 SA	Resolved through inquiry process.
R-2125308	MGM Resort International	New York New York Hotel & Casino	01/29/2024	Phone	N	N	Closed	O-Health	1. A Guest Room Attendant was cleaning room 1818, found a piece of candy, ate it, and felt nauseous and dizzy. The employee was transported to Sunrise Hospital and admitted on January 27, 2024. The employer was informed of the hospitalization on January 29, 2024 at approximately 7:30 a.m. 1/29/2024 SA	Resolved through inquiry process.
R-2125320	Lin Consulting Las Vegas L.L.C.	Airstream Las Vegas	01/29/2024	Phone	N	N	Closed	O-Safety	1. An employee got off the forklift to pick up a water cooler that fell off the forklift in the front parking lot. The forklift was not placed in park, rolled, and ran over the employee's left foot. The employee was transported to the hospital. 1/29/2024 SA	Resolved through inquiry process.
R-2125634	VetCor of Nevada LLC	Sunridge Animal Hospital	01/26/2024	Phone	Y	N	Closed	S-Health	1. Needles are not disposed of properly and employees have been pricked by needles when carrying bags of trash. Employees have found needles in the tool room and pharmacy within the last month. 2. Sharps containers have not been emptied in the last year. There are three full sharps containers in the employee bathroom. 1/26/2024 EH	Resolved through inquiry process.
R-2125676	Boca Dental & Braces		01/30/2024	Phone	Y	N	Closed	O-Safety	1. Sharps are disposed in regular trash bins. 1/30/2024 JB	Resolved through inquiry process.
R-2125678	Regional Transportation Commission of Southern Nevada		01/26/2024	Phone	Y	N	Closed	O-Safety	1. Rat traps are full and there is a presence of rats throughout the facility. 2. There are trip hazards throughout the driver's lounge area. The carpet trim and tile are damaged and are causing employees to trip. 3. A damaged electrical outlet nearest to the men's restroom in the driver's lounge is burned and cracked and maintenance has not replaced it. 1/30/2024 EH	Resolved through inquiry process.
R-2125773	Desert Roofing, LLC		01/30/2024	In person	Y	N	Closed	S-Safety	1. Workers worked on the roof in early January 2024 removing materials and were not protected from falls. 2. No asbestos survey was conducted prior to the removal of roofing materials.	Resolved through inquiry process.

State of Nevada
 Department of Industrial Relations
 Occupational Safety and Health Administration
 Complaint Logs January to March 2024

Item 6

UPA #	Estab Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspections Results/Comments
R-2125809	CenterWell Senior Primary Care		01/30/2024	Phone	Y	N	Closed	O-Health	1. There are no working toilet facilities for employees at the establishment. 1/30/2024 JB	Resolved through inquiry process.
R-2126239	Kiewit Infrastructure West Co	Kiewit Infrastructure West Co	01/31/2024	Phone	Y	Y	Closed	S-Safety	1. On 1/31/2024 at 09:15 a.m. along Dean Martin Drive and the T-Mobile Arena, an employee tripped and fell in a trench while he was about to hand over a marker board to the employees working in the trench. Emergency services were called and the employee was transported to UMC, where he remains under observation.	\$0.00
R-2126475	Axis International Inc.		02/01/2024	Phone	Y	Y	Closed	S-Safety	1. Employees are being shocked by 240 volts, when disassembling CNC machines. 2. Employer does not provide a lock out tag out program or training. 3. Employees are using forklifts exceeding the weight of the maximum load. 4. Employees are using non insulated allen wrenches and hand tools when working on electrical. 5. Employees are being shocked when wiring devices for CNC machines. 6. Employees are not trained on forklifts.	\$0.00
R-2126511	Cashman Middle School		01/31/2024	Phone	Y	N	Closed	S-Safety	1. An employee from Cashman Middle School was directing traffic in the parking lot without wearing any safety vest. The incident occurred on 1/31/2024 at approximately 7:30 am.	Resolved through inquiry process.
R-2126717	Bravo Underground, Inc.		01/31/2024	In person	Y	Y	Closed	I-Safety	1. An employees was observed in an approximately 10 feet deep trench with no visible method of cave in protection.	\$0.00
R-2127592	MGM Resorts International		02/03/2024	Phone	Y	N	Closed	O-Health	1. Employee reported to work and became ill. The employee was later transported to a medical facility. 02/03/2024 JC	Resolved through inquiry process.
R-2128138	Solar Optimum, Inc.	Solar Optimum Design & Electrical #2	02/05/2024	In person	Y	N	Closed	S-Safety	1. Three employees were working on the roof of a house installing solar panels and not using fall protection. 2. Three employees used a ladder which was not extended at least three feet above the upper landing surface to access the roof of a house. 2/6/2024 SA	Resolved through inquiry process.
R-2128200	BeeHive Homes of Las Vegas		02/06/2024	Phone	N	N	Closed	O-Health	1. Employees were required to work while positive for COVID-19, and while residents were positive for COVID-19. 2. The facility is unsanitary and contains roaches.	Resolved through inquiry process.
R-2128218	AAA Two Star Towing		02/05/2024	Phone	Y	N	Closed	O-Safety	1. There are electrical wires running across the office causing a trip hazard. 2. There are electrical wires near a puddle of water at the front entrance of the office. 2/6/2024 AR	Resolved through inquiry process.

State of Nevada
 Department of Industrial Relations
 Occupational Safety and Health Administration
 Complaint Logs January to March 2024

Item 6

UPA #	Estab Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspections Results/Comments
R-2128251	Interior Logic Group		02/06/2024	Phone	Y	N	Closed	O-Safety	1. Boxes of materials are unsecured when being stored on storage racking, have fallen around employees. 2. Employees are not required to wear safety toe shoes when working around forklifts. 3. The employer has a policy that employees need to wear safety glasses when in the warehouse due to potential eye hazards, but the employer does not provide the glasses to the employees.	Resolved through inquiry process.
R-2128343	Avatar Natural Foods		02/06/2024	Phone	Y	N	Closed	S-Safety	1. Emergency egress doors are locked, and materials are being stored in front of exit routes.	Resolved through inquiry process.
R-2128704	Titan Roofing, LLC		02/07/2024	Phone	Y	N	Closed	S-Safety	1. At 3425 East Russel Road, on 02/07/2024 at 09:38 AM, employees on the roof are blowing debris using a handheld blower without fall protection. 02/07/2024 KH	Resolved through inquiry process.
R-2128813	NV Energy		02/07/2024	Phone	Y	Y	Closed	S-Safety	1. On 2/6/24 at 4:36 PM, an employee was performing switching operations outside of the substation at the fuse cabinet when an equipment barrier made contact with energized parts resulting in an arc flash. The employee was transported to UMC.	\$0.00
R-2128874	GNLV, Corp	Golden Nugget Hotel & Casino	02/07/2024	Phone	Y	N	Closed	S-Safety	1. On 2/6/2024 at 4:30 PM, an employee was coming on shift and tripped in the back hallway fracturing his hip. The employee was transported to UMC for treatment.	Resolved through inquiry process.
R-2128887	New York-New York Hotel & Casino		02/07/2024	Phone	Y	N	Closed	S-Safety	1. On 02/06/2024, at approximately 7:05 PM, at the roller coaster area, an employee suffered a cut on the right hand while servicing a roller coaster and was transported to UMC hospital by ambulance. 02/07/2024 KH	Resolved through inquiry process.
R-2128903	MGM Grand Hotel, LLC	MGM Grand Hotel/Casino	02/07/2024	Phone	N	N	Closed	O-Health	1. On 02/05/2024 at approximately 11:19 PM, an employee putting away dishes in Luchini was exposed to smoke from the pizza oven. The employee suffered an asthma attack and was transferred to Elite Medical Center by ambulance. The employee was released after two hours of observation. 02/07/2024 KH	Resolved through inquiry process.
R-2129557	Regional Transportation Commission of Southern Nevada		02/08/2024	Phone	Y	N	Closed	O-Safety	1. There is a lack of security provided by RTC for the bus drivers. 2. Bus drivers are being assaulted by the public on the buses. 2/9/2024	Resolved through inquiry process.
R-2130144	Valley Electric Association, Inc.		02/12/2024	Phone	Y	N	Closed	O-Health	1. An employee was walking on the jobsite when their implantable defibrillator shocked them. The employee was sent to the hospital. JA 2/12/2024	Resolved through inquiry process.
R-2130263	Walmart Supercenter #5101		02/12/2024	Phone	Y	N	Closed	O-Safety	1. The parking lot lights have not been functioning since January 22, 2024, and the employer has not addressed the problem. JA 2/12/2024	Resolved through inquiry process.

State of Nevada
 Department of Industrial Relations
 Occupational Safety and Health Administration
 Complaint Logs January to March 2024

Item 6

UPA #	Estab Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspections Results/Comments
R-2130359	Affordable Dental for Kids		02/12/2024	Phone	Y	N	Closed	O-Health	1. In the X-ray room, there is a strong mold odor that causes 6–8 employees to feel sick. 2/12/2024 JA	Resolved through inquiry process.
R-2130380	Sonoma Palms Apartments		02/12/2024	Phone	Y	N	Closed	S-Safety	1. On 2/10/2024 at approximately 12:00 pm, an employee was on lunch break and was walking toward the media room, when he collapsed. The employee got back up and made his way to the clubhouse. The ambulance was called and the employee was transported to Mountain View Hospital.	Resolved through inquiry process.
R-2130614	HOSPITALITY STAFFING SOLUTIONS LLC	Hospitality Staffing Solutions, LLC	02/09/2024	Phone	Y	N	Closed	O-Safety	1. On 2/8/2024 at 2:00p.m., an employee was dropping off dishes when they slipped and landed on their right hip. The employee was transferred to the emergency room at an unknown hospital where they were admitted and underwent surgery. An investigation is underway, and the employee is currently hospitalized. cw 2/9/24	Resolved through inquiry process.
R-2130625	Wynn Las Vegas / Encore at Wynn Las Vegas	Wynn and Encore Las Vegas	02/09/2024	Phone	Y	N	Closed	O-Safety	1. Poker dealers working in the Encore poker room are required to spend their entire work shift in broken chairs which are approximately 10 years old. Chairs are wobblily and will not remain upright so employees are working in awkward positions resulting in back and leg muscle strains. 2/13/24 cw	Resolved through inquiry process.
R-2130855	Agilysys Inc		02/13/2024	Phone	Y	N	Closed	S-Safety	1. An employee suffered from sudden onset vomiting while at work and was transported to the hospital and admitted.	Resolved through inquiry process.
R-2130860	James Thomas Productions, Inc.		02/13/2024	Phone	Y	N	Closed	S-Safety	1. On 2/12/2024 at approximately 12:00 pm, an employee was packing up equipment and got his finger caught in the liftgate of a truck. The employee suffered an injury to his hand. The employee was transported to UMC hospital by ambulance. The employee had surgery and was released on 2/13/24.	Resolved through inquiry process.

State of Nevada
 Department of Industrial Relations
 Occupational Safety and Health Administration
 Complaint Logs January to March 2024

Item 6

UPA #	Estab Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspections Results/Comments
R-2131272	Las Vegas Air Duct Cleaning Services		02/14/2024	Phone	Y	N	Closed	O-Safety	1. Many serious injuries are not reported on OSHA logs. 2. Proper PPE including respirators, gloves, and harnesses not provided or provided with limited availability for all employees requiring them. 3. Employees are required to wear a half face respirator and have not had medical evaluations or fit-testing. 4. Prior to 2 weeks ago workers were provided only N95 masks, no half face or full face respirators were provided. 4. Employees have not been trained on safe use of wearing respirators. 5. Employees are required to clean fiberglass without training to specific methods or hazards involved in cleaning fiberglass. 6. Employees are required to use 30-foot portable ladders and have never received safety training on the use of ladders. DF 02/14/2024	Resolved through inquiry process.
R-2131300	AMC Concrete, Inc.		02/14/2024	Phone	Y	N	Closed	O-Safety	1. On January 8th at approximately 7:00am at a job site located at 6535 East Tropical Parkway, Las Vegas, NV 89115; an employee was using a drill to tie wire into a reinforced wire when his glove got caught and pulled off the tip of his finger. He was taken to Concentra by a co-worker and later transferred to UMC where part of the finger was amputated. DF 02/14/2024	Resolved through inquiry process.
R-2131301	Las Vegas Metropolitan Police Department		02/14/2024	Phone	Y	N	Closed	O-Safety	1. The new pants issued to the Traffic Safety Bureau do not sufficiently protect officers while riding the department motorcycles on duty. The officers are subject to injuries from rocks and debris hitting their shins and legs while riding and potentially further damage in the event of a fall. Additional PPE to protect the shins and legs is not allowed to be worn by the officers on duty. DF 02/14/2024	Resolved through inquiry process.
R-2131540	Arizona Pipeline Company		02/13/2024	In person	Y	Y	Closed	I-Safety	1. On N Tenaya and Craig, employees are working in a trench.	\$0.00
R-2131638	Contemporary Services Corporation		02/15/2024	Phone	Y	N	Closed	O-Safety	1. On 02/11/2024, an employee became unconscious and subsequently was admitted to Spring Valley Hospital.	Resolved through inquiry process.

State of Nevada
 Department of Industrial Relations
 Occupational Safety and Health Administration
 Complaint Logs January to March 2024

Item 6

UPA #	Estab Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspections Results/Comments
R-2131715	Avella Maid Service		02/15/2024	Phone	Y	N	Closed	O-Safety	1. The employer fails to label all chemicals in the workplace, especially those being shipped to other workplaces where employees are required to use them. 2. The use of unlabeled chemicals for cleaning is causing physical or health problems for employees. 3. The employer does not provide the appropriate Personal Protective Equipment (PPE) for employees 4. The company's vehicles are improperly maintained, resulting in hazardous operations for drivers traveling to different workplaces.	Resolved through inquiry process.
R-2132599	Coleman American Moving Services Inc.		02/20/2024	Phone	Y	N	Closed	S-Safety	1. On February 19, 2024 in the unloading department, an employee fell while unloading a truck. The employee step backwards and fell on his left arm which resulted in a hospitalization. 2/20/2024 AB	Resolved through inquiry process.
R-2133393	Los Prados Community Association		02/21/2024	Phone	Y	N	Closed	S-Safety	1. Employees responsible for cleaning and maintaining the jacuzzi are exposed to a shock hazard from exposed wires attached to a light fixture hanging out of the wall inside the jacuzzi.	Resolved through inquiry process.
R-2133675	Plaza Hotel and Casino		02/22/2024	Phone	Y	N	Closed	S-Safety	1. Employees are exposed to a 25-30 foot fall while working on the edge of the building to the right of the circular carousel bar. This is visible if you are across the street from the front of the building and employees are not utilizing any fall protection while working near the edge. The parapet near the area of the work appears to be at the employees' knees and shins. 2/22/2024 bb	Resolved through inquiry process.
R-2133769	Circle K Store #8656		02/22/2024	Phone	N	N	Closed	S-Safety	1. Employees are being required to work while there is active construction within the store. The entire store is under remodel, therefore all of the floors have been pulled up, the fountain drink machines have been removed, and the walls are also being repaired as well. Customers are being required to place their orders from the door so that they won't enter the business, however employees are being required to work in this environment. 2/22/2024 bb	Resolved through inquiry process.
R-2133837	MGM Grand Hotel, LLC	MGM Grand Hotel/Casino	02/20/2024	Phone	Y	Y	Closed	O-Health	1. On 2/19/2024, at approximately 9:49 AM, an employee was cleaning a room on the fourth floor when they experienced rectal bleeding. The employee was transported to Spring Valley Hospital Medical Center. 2/20/2024 bm	\$0.00

State of Nevada
 Department of Industrial Relations
 Occupational Safety and Health Administration
 Complaint Logs January to March 2024

Item 6

UPA #	Estab Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspections Results/Comments
R-2133890	Unified Container LLC		02/22/2024	In person	Y	Y	Open	S-Health	1. Employees are being provided with hearing protection which is not being used by maintenance and some production staff in the gallon production area, potentially exposing employees to hazardous levels of noise. 2. The half-gallon regrind machine is producing excessive levels of plastic granules and dust creating a combustible dust hazard. 2/23/2024 AB	Pending
R-2133891	Brady Linen Services Inc		02/22/2024	In person	Y	Y	Closed	S-Health	1. Employees working in the conventional wash area are being potentially exposed to hazardous levels of noise.	\$0.00
R-2134388	TAB Contractors, Inc.		02/23/2024	Phone	Y	N	Closed	S-Safety	1. On 02/23/2024, around 9:00am, an employee had a potential heart attack while driving a company vehicle. The employee was stopped at a red light at the intersection of South Torrey Pines Drive and West Flamingo Road and rolled into another vehicle during the incident. The employer does not know which street the employee was on but was aware he was driving from one job site to another. EMS performed CPR on scene and transported the employee to Spring Valley Hospital, where he was admitted and transferred to the ICU. The employer was notified of the incident by LVMPD, who then reported it around 14:00 on 02/23/2024. 02/23/2024 SM	Resolved through inquiry process.
R-2134636	Two Eagles Electric LLC		02/16/2024	Phone	Y	Y	Closed	O-Safety	1. On 2/16/24 at approximately 09:45 a.m., an individual fell while on a walkway that was 14 feet above ground at a residential construction site located at 10862 Stardust Drive, Las Vegas, NV, 89135. Emergency services were called and the person was transported to UMC. 2/16/2024 AL	\$0.00
R-2134672	DHL Supply Chain		02/23/2024	Phone	Y	N	Closed	S-Safety	1. In the warehouse, employees are concerned about hazards associated with stacking unwrapped pallets too high, such as pallets falling or pallet contents falling out. 2. There was an incident on 02/22/2024, where a PIT operator was working at one of these stacks and the pallet contents, including heavy boxes, fell out but did not injure the other employees working on the ground near this area. 02/23/2024 SM	Resolved through inquiry process.
R-2134743	Contemporary Services Corporation		02/26/2024	Phone	Y	N	Closed	S-Safety	1. On 02/16/2024 around 1pm, an event staff employee was standing at a podium at Caesar's Palace and lost consciousness. He sustained a 3-inch laceration to his head when he impacted the ground and was transported to Spring Valley hospital, where he was admitted. 02/26/2024 SM	Resolved through inquiry process.

State of Nevada
 Department of Industrial Relations
 Occupational Safety and Health Administration
 Complaint Logs January to March 2024

Item 6

UPA #	Estab Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspections Results/Comments
R-2134840	Great American Concrete Coating LLC		02/23/2024	Phone	Y	N	Closed	S-Health	1. When working with a concrete grinder at temporary job sites, employees are concerned with hazards associated with dust clouds due to inadequate dust control or containment. Fans are used to compensate, but they make the dust clouds worse. Employees have complained of being covered in dust with coughing and difficulty breathing. 2. Concrete grinders and associated vacuums systems are not being regularly maintained or inspected. Employees have complained vacuum systems are broken and air filters are not being replaced. 3. Employees are exposed to silica dust and there is no air monitoring or employee training on its hazards. Employees have not received training, medical evaluations or fit testing for their respirators. 02/23/2024 SM	Resolved through inquiry process.
R-2134883	LAZ Parking Nevada, LLC	LAZ Parking	02/26/2024	Phone	N	N	Closed	S-Safety	1. While parking a client's vehicle at Polo Towers Las Vegas, an employee went into a coma and collided with another parked vehicle. The employee was transported to the emergency room.	Resolved through inquiry process.
R-2134919	LV Service Solutions, LLC		02/26/2024	Phone	Y	N	Closed	S-Safety	1. An employees gloved right hand got caught in the rollers of a cabinet bender and pulled into machine. The palm of the employees hand and three finger sustained deep cuts and resulted in 50% of the ring finger being amputated.	Resolved through inquiry process.
R-2135270	Capriati Construction Corp, Inc.		01/22/2024	In person	Y	Y	Closed	S-Safety	1. 2 employees were observed working in a trench which was at least 5 feet deep and without cave-in protection.	\$0.00
R-2135727	Sunstate Companies, LLC		02/28/2024	Phone	Y	N	Closed	S-Safety	1. There is no fall protection provided for employees. 2. Employees are expected to work with broken equipment, such as woodchippers, and told to "just deal with it." 2/28/2024 KR	Resolved through inquiry process.

State of Nevada
 Department of Industrial Relations
 Occupational Safety and Health Administration
 Complaint Logs January to March 2024

Item 6

UPA #	Estab Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspections Results/Comments
R-2136162	Avatar Natural Foods		02/29/2024	Phone	Y	Y	Closed	S-Safety	1. The City of Henderson shut down the facility as of 02/27/24. Management had employees working on 02/28/24. 2. On February 02, 2024 pressurized fluid exploded onto an employees face from a forklift. Preventative maintenance is not conducted on forklifts. 3. There is no lockout tagout program for employees that conduct maintenance, and cleaning to the conveyors. 4. Employees that use Oasis 146 Multi-Quat sanitizer were not on hazardous communication training. 5. Employees that use Oasis 146 Multi-Quat sanitizer are not provided with eye protection. 6. The 3rd level of the storage racks do not have a back beam. Heavy pallets are stored on the 3rd level of the storage racks. 7. Outlet face plates/covers are missing from outlets in the following rooms: press assembly room, dish room, garde manger room, slice produce room. 8. Forklift operators are not certified to operate forklifts. 02/29/24 EM	\$0.00
R-2136188	Unknown		02/29/2024	Phone	N	N	Closed	S-Safety	1. 3 employees working on the second story of a house not using fall protection. 02/29/24 EM	Resolved through inquiry process.
R-2136608	Clark County School District	Kathleen & Tim Harney Middle School	02/29/2024	Phone	Y	N	Closed	S-Health	1. Eyewash stations in the science labs are blocked with boxes. 02/29/24 EM	Resolved through inquiry process.
R-2136633	Ovation Property Management	Madera Apartments	03/01/2024	Phone	Y	N	Closed	O-Safety	1. On 02/28/2024, an employee tripped over a box and fractured left leg, while working at Ensemble Apartment complex. The EE was transported via ambulance to Saint Rose Sienna for surgery and inpatient care. 03/01/2024 JC	Resolved through inquiry process.
R-2136713	West Coast Pet Memorial		03/01/2024	Phone	Y	N	Closed	O-Health;O-Safety	1. The employer does not provide proper PPE to handle and process animal remains. 2. Employees on east end of crematorium, near the warehouse, are operating a forklift to load and unload packages without certification. 3. Employees are exposed to excessive heat working conditions inside the crematorium. 3/1/2024 JC	Resolved through inquiry process.
R-2137303	Desert Palace LLC	Caesars Palace	03/04/2024	Phone	Y	N	Closed	O-Health	1. Employees working in the valet area near the parking garage by Hell's Kitchen are exposed to leaking sewage. 3/4/2024 SA	Resolved through inquiry process.
R-2137714	Springs Preserve Foundation		03/04/2024	Phone	Y	N	Closed	O-Health	1. Employees were reassigned to perform or asked to perform custodial duties and were not informed of or offered the Hepatitis B Vaccination. 3/5/2024 SA	Resolved through inquiry process.

State of Nevada
 Department of Industrial Relations
 Occupational Safety and Health Administration
 Complaint Logs January to March 2024

Item 6

UPA #	Estab Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspections Results/Comments
R-2137904	Allegiant Electric LLC		03/05/2024	Phone	Y	N	Closed	O-Safety	1. Employees and supervisors do not have a OSHA 10 and/or 30 cards. 2. Employees are utilizing a damaged scissor lift. 3. Employees are not provided with personal protective equipment. 3/5/2024 AR	Resolved through inquiry process.
R-2137912	Allegiant Electric LLC		03/05/2024	Phone	Y	N	Closed	O-Safety	1. Employees are not provided with personal protective equipment at all job sites. 2. There are numerous times where employees are not provided with potable water at the Rawhide jobsite located on Rawhide street. 3/5/2024 AR	Resolved through inquiry process.
R-2137939	Desert Palace LLC	Caesars Palace	03/04/2024	Phone	Y	N	Closed	O-Health	1. Employees performing patchwork on walls containing mold in the kitchen area by the dishwashing station located inside the Gordon Ramsey Pub & Grill had difficulty breathing due to the mold in the wall. Also, there is mold in the wall behind the fiber-reinforced plastic wall cover in the back of the house at the Bacchanal Buffet, and in the wall behind the fiber-reinforced plastic wall cover in the hallway of the Beijing Noodle No. 9. 2. The employer failed to assess the workplace to determine if hazards are present which requires the use of personal protective equipment (PPE). 3/5/2024 SA	Resolved through inquiry process.
R-2138227	Break All Productions LLC		03/06/2024	Phone	Y	N	Closed	O-Health	1. Employees are spray painting various theatrical props indoors and outdoors without respiratory protection. A strong smell of lacquer thinner and chemicals are coming from the business. 2. Sprayed chemical and paint vapors are entering nearby businesses and employees are complaining of headaches. EH 3/6/2024	Resolved through inquiry process.
R-2138290	Nextera Energy Project Management, LLC	Yellow Pine Energy Center	03/06/2024	In person	Y	N	Closed	O-Safety	1. Subcontracted employees working at the Yellow Pine Energy Center site do not have valid photovoltaic licenses. EH 3/6/2024	Resolved through inquiry process.
R-2138813	Amazon Fulfillment Services	Amazon.com Services LLC	03/07/2024	Phone	Y	N	Closed	O-Safety	1. On Mar. 4th, 2024, at approximately 09:20 a.m., an employee was removing labels from packages at the Refurbished Department, when she tripped over a heat gun and sustained an elbow injury. The employee was transported to Concentra but was referred to UMC for further evaluation. At 10 p.m., the employee was admitted for a fractured left elbow and was discharged on Mar 5th, 2024, at 2 p.m. 3/7/2024 AL	Resolved through inquiry process.
R-2138818	FSW Framing		03/07/2024	Phone	Y	N	Closed	O-Safety	1. On December 21, 2023, an employee was on a roof rolling trusses and sheathings without any fall protection at the Skyvu jobsite located at 657 Overlook Rim Drive, Henderson, NV, 89102. 3/7/24 AL	Resolved through inquiry process.

State of Nevada
 Department of Industrial Relations
 Occupational Safety and Health Administration
 Complaint Logs January to March 2024

Item 6

UPA #	Estab Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspections Results/Comments
R-2138843	Unknown Contractor		03/06/2024	Phone	N	N	Closed	O-Safety	1. Two employees are cutting white countertops while creating dust clouds with table saws and are not using dust masks. 2. Employees were seen tripping over extension cords and chain saws. 3/6/2024 EH	Resolved through inquiry process.
R-2139179	DC Building Group, LLC		03/08/2024	Phone	Y	N	Closed	S-Safety	1. Employees are working on scaffolds that have not been inspected. 2. Employees are working on scaffolds with no rails and no means of fall protection. 3. Employees working on the scaffolds are throwing material to ground level, employees working on ground level are exposed to struck by hazards.	Resolved through inquiry process.
R-2139185	Wilén Vegas		03/08/2024	Phone	Y	Y	Closed	S-Safety	1. On 03/08/2024 at approximately 8:00am, at 3325 West Sunset Road, Suite F, an employee who had been webbing the press and feeding the web into the cutting cylinder. Had their hands caught on the knife of the cutting cylinder and suffered an amputation on the right middle finger and right ring finger. The employee was transported by ambulance to UMC Hospital. 03/08/2024 KH	\$0.00
R-2139778	Las Vegas Paving Corporation		03/11/2024	Phone	Y	N	Closed	O-Safety	1. Along Viking Road, there is no designated barriers or signage prior to and near the work area on the street to protect employees from oncoming traffic. 2. Employees operating heavy equipment are not wearing personal protective equipment including hard hats and safety glasses. 03/11/2024 JB	Resolved through inquiry process.
R-2140261	Cardenas Markets		03/12/2024	Phone	Y	N	Closed	S-Health	1. The forklift is not being maintained. The batteries are leaking fluid and are of gassing a chemical smell. 2. The pallets are being stacked in an unsafe manner. A merchandiser was previously struck by falling pallets.	Resolved through inquiry process.
R-2140505	MGM Grand Hotel, LLC	MGM Grand Hotel/Casino	03/12/2024	Phone	N	N	Closed	O-Health	1. On 3/11/2024, at approximately 3:21 PM, an employee was on break when she experienced numbness in her right arm and left side of face due to a minor heart attack. The employee was transferred to Sunrise Hospital and released the next morning. 3/12/2024 bm	Resolved through inquiry process.
R-2140657	CMC Tire, Inc.		03/13/2024	Phone	Y	Y	Closed	S-Safety	1. Tires are stacked in an unstable manner creating a crushed-by hazard. 2. Powered industrial trucks do not have seatbelts. 3. Powered industrial trucks do not have tire treads and are required to be driven with bald tires. 4. Employees do not have forklift training and are required to operate to transport inventory. 3/13/2024 AB	\$0.00

State of Nevada
 Department of Industrial Relations
 Occupational Safety and Health Administration
 Complaint Logs January to March 2024

Item 6

UPA #	Estab Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspections Results/Comments
R-2141232	Kids 'R' Kids		03/14/2024	Phone	Y	N	Closed	O-Safety	1. On 03/13/2024 at approximately 4:00 PM an employee was pushing a kid on a toy when they fell and suffered a broken hip. An ambulance was called and the employee was admitted to a nearby hospital for treatment. 03/14/2024	Resolved through inquiry process.
R-2141443	Embassy Suites Convention Center Las Vegas		03/15/2024	Phone	Y	N	Closed	S-Safety	1. At the facility, employees are exposed to pungent odor due to broken pipes. 2. At the facility, employees are exposed to mold from the leaks from the broken pipes. 03/15/2024 KH	Resolved through inquiry process.
R-2141499	Spring Valley Surgical Center		03/15/2024	In person	N	N	Closed	O-Health	1. Employees are exposed to sharps that had been left out. 2. Sharps are not being placed in the sharps container after use. 03/15/2024 KH	Resolved through inquiry process.
R-2141503	Southwest Medical		03/15/2024	Phone	Y	N	Closed	O-Safety	1. On 03/15/2024, at the facility, the power has been off and employees are forced to work in the dark. 2. On 03/15/2024, at the facility, the water had been cut off. 03/15/2024 KH	Resolved through inquiry process.
R-2141706	The Orleans Hotel & Casino		03/15/2024	Phone	N	N	Closed	O-Health	1. At the spa area, employees are experiencing musty or stale odor associated with mold. 2. At the spa area, employees are exposed to vermin or cockroaches. 3. At the spa area, employees are exposed to unclean environment. 03/15/2024 KH	Resolved through inquiry process.
R-2142030	Desert Palace LLC	Caesars Palace	03/18/2024	Phone	N	N	Closed	O-Safety	1. On level P in the banquet managerial office, there was a flood resulting in a mold issue. The initial flood occurred approximately 3 months ago and was completely remediated. The second flood occurred approximately 2 months ago, but the employer did not completely remediate the area resulting in employees having breathing problems.	Resolved through inquiry process.
R-2142110	The Orleans Hotel & Casino		03/18/2024	Phone	N	N	Closed	O-Safety	1. In the men and women's spa rooms, there is a strong mold smell resulting in employees having breathing issues, sinus and headaches.	Resolved through inquiry process.
R-2142256	Canvass America RS		03/15/2024	Phone	Y	N	Closed	S-Safety	1. Employee was hospitalized after being in a motor vehicle accident.	Resolved through inquiry process.
R-2142269	Love a Pup		03/18/2024	Phone	Y	N	Closed	O-Safety	1. The tubs are leaking and water pools on the floor creating a slip/trip hazard. 2. Vacuum cords and dryer nozzles are not properly stored and are constantly in walkways resulting in trip hazards.	Resolved through inquiry process.
R-2142690	Emerald Carpets		03/19/2024	Phone	Y	N	Closed	O-Health;O-Safety	1. The employees are not trained on the carpet roller machine. 2. The employees are receiving rashes on their arms due to cleaning dirty carpets. 3. The employer does not provide personal protective equipment (PPE) to its employees. JA 3/19/2024	Resolved through inquiry process.

State of Nevada
 Department of Industrial Relations
 Occupational Safety and Health Administration
 Complaint Logs January to March 2024

Item 6

UPA #	Estab Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspections Results/Comments
R-2142744	CRET LLC	Nellis Auction	03/19/2024	Phone	Y	N	Closed	O-Safety	1. The employees climb storage racks due to the employer expecting them to fill customer orders in under one minute. 2. The employees are getting blisters on their hands due to no personal protective equipment (PPE) being provided. 3. Items are stacked high and unsafe, causing them to fall onto the employees. JA 3/19/2024	Resolved through inquiry process.
R-2142806	MGM Grand Hotel, LLC	MGM Grand Hotel/Casino	03/15/2024	Phone	Y	Y	Closed	O-Health	1. On 3/14/2024 at approximately 10:00 AM, an employee experienced intense pain in their stomach. The employee requested help and was transported by emergency medical services to the hospital where they were admitted. 3/15/2024 bm	\$0.00
R-2143020	Desert Concrete, LLC		03/20/2024	Phone	Y	N	Closed	S-Safety	1. 1. On March 19, 2024, an employee was standing on the side of the bed of a work truck unloading lumber. The employee fell approximately 4 to 5 feet, landing on their head and sustained serious injury. The employee was taken to UMC Trauma Center.	Resolved through inquiry process.
R-2143211	Wynn Las Vegas, LLC	Wynn Las Vegas	03/18/2024	Phone	Y	N	Closed	O-Health	1. On 3/15/2024, an employee was working in the back of house at the Wynn Main Kitchen when they reported experiencing chest pains. They called 911 and transported the employee to Sunrise Hospital. The employer received the news that the employee had passed away. JA 3/19/2024	Resolved through inquiry process.
R-2143291	K&G Construction, Inc.		03/20/2024	Phone	Y	Y	Closed	S-Health	1. Employees working for a construction contractor are being exposed to excessive amounts of dust while grinding brick walls being prepped for resurfacing as part of the dealership remodeling project. Remodeling began about 2 months ago. Grinding brick exterior walls in preparation for resurfacing has been going on for the past 2 ½ weeks and is continuing today. They are not using water or vacuums to minimize dust exposure.	\$0.00
R-2143602	T G J Painting		03/21/2024	Phone	Y	N	Closed	O-Safety;S-Health	1. On March 21st, 2024 at 9 am, workers from TGJ Painting and Contracting were performing work in the vicinity of the main office of the Sage, located at Green Valley on 3001 W Warm Springs Road. Employees were exposed to silica dust while cutting tiles using a table saw and a grinder. It was observed that there were no engineering controls or protective equipment in place to prevent this exposure.	Resolved through inquiry process.

State of Nevada
 Department of Industrial Relations
 Occupational Safety and Health Administration
 Complaint Logs January to March 2024

Item 6

UPA #	Estab Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspections Results/Comments
R-2144167	PLI Holdings Inc.	PLI Card Marketing Solutions	03/22/2024	Phone	Y	Y	Closed	S-Safety	1. Employer does not provide PPE for employees throughout the warehouse. 2. Machines in the warehouse are not sufficiently guarded. Employees often have to reach into the machines when they get jammed. 3. There are exposed wires on machines throughout the warehouse which employees come in close contact with. 4. A finger amputation occurred approximately 2-3 weeks ago. DF 3/22/2024	\$0.00
R-2144666	Aria Resort & Casino Holdings, LLC	Aria Resort & Casino	03/25/2024	Phone	Y	N	Closed	S-Safety	1. Employee was hospitalized due to a panic attack from walking into a Spa in the Aria Hotel and seeing a naked vagrant in the Spa.	Resolved through inquiry process.
R-2144740	GCW Engineering, Inc.		03/25/2024	Phone	Y	N	Closed	S-Safety	1. Inspector tripped while on-site on 3/23/2024 injuring himself and was hospitalized for one night.	Resolved through inquiry process.
R-2145239	City of North Las Vegas - Utilities Dept.		03/26/2024	Phone	Y	N	Closed	O-Safety	1. On 3/24/2024 at approximately 8:00 AM, an employee went to scan documents when they tripped over an empty box, fell, and started bleeding from their left knee. The employee was transported to Mountain View Hospital and will undergo surgery for a broken femur. The employer was notified of the hospitalization on 3/26/2024. 3/26/2024 bm	Resolved through inquiry process.
R-2145301	Intermountain Healthcare		03/26/2024	Phone	Y	N	Closed	S-Safety	1. An employee was walking down the hallway and tripped over a box and fell, injuring her right shoulder.	Resolved through inquiry process.
R-2145337	Darling		03/26/2024	Phone	N	N	Closed	S-Safety	1. In June 2023, the independent contractor employee attended an event in California that resulted in being stalked on social media. The employer downplayed the employee's concern for their safety. The employer allowed other employees to harass and use derogatory language towards the employee. Subsequently, the employee was released from employment. 3/26/2024 bm	Resolved through inquiry process.
R-2146188	Callville Bay Resort & Marina		03/28/2024	Phone	Y	N	Closed	O-Safety	1. In the employer provided housing for a marina employee, there has been no hot running water for at least a year.	Resolved through inquiry process.
R-2146289	The Home Depot #3318		03/28/2024	Phone	N	N	Closed	O-Health	1. Employees are being required to sort and stack wood that has black mold on it. An employee was terminated after asking for personal protective equipment while dealing with the mold. 3/28/2024	Resolved through inquiry process.
R-2146617	Octapharma Plasma Inc.		03/29/2024	Phone	Y	N	Closed	O-Safety	1. Floor mats surrounding the donors beds are posing a trip hazard to employees. This has been on-going since January when management stated they were placing them until work on the floors can be performed.	Resolved through inquiry process.

State of Nevada
 Department of Industrial Relations
 Occupational Safety and Health Administration
 Complaint Logs January to March 2024

Item 6

UPA #	Estab Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspections Results/Comments
R-2147356	Varex Imaging Corporation		03/30/2024	Phone	Y	Y	Closed	S-Safety	1. On March 29, 2024, a warehouse employee working from a forklift picker was pulling parts from a storage rack, lost their balance while reaching for parts and fell approximately 6 feet hitting their head on the ground. The employee was injured, transported to the hospital, and released later the same day. 4/2/2024 EH	\$0.00

Advisory Council**NRS 618.347 – Report Concerning Issuance of NRS 618.375(1), NRS 618.375(2)****General Duty Citations by the Division****3rd Quarter FY24: January – March 2024****1. JYC America - Inspection 1699567**

Nevada Revised Statute 618.375(1): Duties of employers. Every employer shall furnish employment and a place of employment which are free from recognized hazards that are causing or are likely to cause death or serious physical harm to his or her employees.

Located at the facility, the employer required employees to utilize a below the hook lifting device (Superior Lift Roll Manipulator, Serial #733, Model: SL3-3-HMC-MHP) that had been modified with welds by the employer, altering the original capacity of the device, and exposing employees to the recognized hazard of being struck by heavy material in the event of the device failing during a lift.

Reference: ASME B30.20 -1999 (Section 20-1.2.2 general Construction, (d) Modifications, Section 20-1.31 Inspection Classification (a)Initial Inspection (2))

Abatement Note: Among other methods, one feasible and acceptable abatement method to correct this hazard is to have the lifting equipment analyzed/tested by a qualified person or manufacturer to determine the load capacity of the unit and rerated.

Proposed Penalty \$5,531.20

2. Red Star Foam – Inspection 1700297

Nevada Revised Statute 618.375(1): Duties of employers. Every employer shall furnish employment and a place of employment which are free from recognized hazards that are causing or are likely to cause death or serious physical harm to his or her employees.

The employer did not ensure that employees were protected from recognized hazards that are likely to cause serious physical harm. Employees were potentially exposed to recognized crush-by injuries created using seventeen storage racks. The steel storage racks were not bolted to the floor. Failure to bolt down storage racks may result in struck-by or crush-by hazards.

Reference: ANSI MH16.1 - 2012, Specifications for the Design, Testing, and Utilization of Industrial Steel Storage Racks, Section 1.4.7 Column Base Plates and Anchors - The bottom of all columns shall be furnished with column base plates, as specified in Section 7.2. All rack columns shall be anchored to the floor with anchor bolts capable of resisting the forces caused by the horizontal and vertical loads on the rack.

One feasible means of abatement is to follow the requirements of ANSI MH 16.1-2012 Specification for Design, Testing, and Utilization of Industrial Steel Storage Racks.

Proposed Penalty \$3,036.00

3. Inline Distributing Co. – Inspection 1707817

Nevada Revised Statute 618.375(1): Duties of employers. Every employer shall furnish employment and a place of employment which are free from recognized hazards that are causing or are likely to cause death or serious physical harm to his or her employees.

The employer failed to ensure employees were protected from recognized crushing hazards presented by forklift operation. Employees operated a forklift (brand: Caterpillar, model: GP15N, type: LP) to move pallets and load trucks. Employees did not use the active operator protection device that would protect them in the event of a tip-over that may dislodge or eject the operator. The available active protection device was a seat belt which was present and functional on the forklift.

Reference 1: Section 5.3.19 of ASME B56.1-2004 Safety Standard for Low and High Lift Trucks
Section 5.3 Traveling

5.3.19 An active operator protection device or system, when provided, shall be used. Operator protection in the event of tip over is intended to reduce the risk of entrapment of the head and torso between the truck and the ground but may not protect the operator against all possible injury (see para. 7.2.2).

A feasible means of abatement would be to ensure employees always wear a seatbelt while operating forklifts.

Penalty \$4,465.00

4. BakeMark – Inspection 1714932

Nevada Revised Statute 618.375(1): Duties of employers. Every employer shall furnish employment and a place of employment which are free from recognized hazards that are causing or are likely to cause death or serious physical harm to his or her employees.

The employer did not furnish employment and a place of employment which were free from recognized hazards that were causing or likely to cause death or serious injuries physical harm. Employees were exposed to struck-by and/crushed-by hazards presented by pallets of frozen products stored on steel storage racks while working in and around aisle 1-7 in the freezer area of the warehouse. Employees loaded and unloaded frozen palletized products from damaged steel storage racks utilizing a forklift. Approximately 13 industrial storage racks were damaged, dented, the base plates were detached, and diagonal bracing was damaged. Employees retrieving material from the steel storage racks were exposed to serious injuries such as broken bones, internal injuries, and death.

On November 30, 2023, an employee was removing a pallet with a forklift from a steel storage rack located on aisle 1 when the rack collapsed on top of the employee.

Reference: ANSI MH 16.1:2012 Specification for the Design, Testing and Utilization of Industrial Steel Storage Racks. 1.4.9 Rack Damage:

Upon any visible damage, the pertinent portions of the rack shall be immediately isolated by the user until the damaged portion is evaluated by a storage rack design professional. Before allowing the rack to be placed back into service the design professional must certify that the rack system and/or the repaired components have been restored to at least their original design capacity.

One feasible means of abatement is to ensure that damaged industrial storage racks are repaired and replaced in the warehouse.

Proposed Penalty \$10,938.00

5. K2 Design and Fabrication – Inspection 1717801

Nevada Revised Statute 618.375(1): Duties of employers. Every employer shall furnish employment and a place of employment which are free from recognized hazards that are causing or are likely to cause death or serious physical harm to his or her employees.

The employer did not ensure that employees were protected from recognized hazards that are likely to cause serious physical harm in one instance:

Employees were potentially exposed to recognized crush-by injuries created by the use of 78-storage racks. The steel storage racks were not anchored to the floor. Failure to anchor storage racks may result in struck-by or crushed-by hazards. Employees place and remove stock from the shelves by forklift.

Reference: ANSI MH16.1 - 2012, Specifications for the Design, Testing, and Utilization of Industrial Steel Storage Racks.

Section 1.4.7 Column Base Plates and Anchors - The bottom of all columns shall be furnished with column base plates, as specified in Section 7.2. All rack columns shall be anchored to the floor with anchor bolts capable of resisting the forces caused by the horizontal and vertical loads on the rack.

Reference: ANSI MH16.2-1984, Manual of Safety Practices; A code of Safety Practices for the Use of Industrial and Commercial Steel Storage Racks. 1.4 Base Plates and Anchoring - All columns of racks are to be furnished with bearing plates. The purpose of the bearing plate is to provide for the transfer of column loads to the floor. The base plate design should be consistent with the compressive strength of the concrete as supplied by the user (owner).

Certain racks such as movable shelf racks and stacker racks must be anchored to the floor capable of resisting shear forces caused by the horizontal and vertical loads on the rack and the strength of the building.

One feasible means of abatement is to anchor the racks securely to the ground.

Proposed Penalty \$5,531.00

6. CARPARTS – Inspection 1717896

Nevada Revised Statute 618.375(1): Duties of employers. Every employer shall furnish employment and a place of employment which are free from recognized hazards that are causing or are likely to cause death or serious physical harm to his or her employees.

The employer did not ensure that employees were protected from recognized hazards that are likely to cause serious physical harm. In the parts storage warehouse on Aisle 1, the employer utilized stackable Tier-Rack storage racks (LN-3 - 2,000 lbs. capacity) with no means to anchor the racks to the floor. The stackable racks are used to store heavy auto parts like fenders and tailgates weighing up to 50 pounds. The storage racks were at risk of being tipped over or collapsing due to employees operating powered industrial trucks (Raymond reach cherry pickers model# 550-09C30TT) to store and retrieve automobile parts from the rack measuring up to approximately 15 feet high. Employees operating the PITs were exposed to recognized crush-by injuries in the event of the storage racks tipping or collapsing.

Reference: Section 1.4.7 of ANSI MH16.1: 2012 Specification for the Design, Testing and Utilization of Industrial Steel Storage Racks. Section 1.4.7 Column Base Plates and Anchors. The bottom of all columns shall be furnished with column base plates, as specified in Section 7.1. All rack columns shall be anchored to the floor with anchor bolts, which shall be designed in accordance with Section 7.3, to resist all applicable forces as described in Section 2.1 or Section 2.2.

One feasible means of abatement would be for the employer to anchor the racks to the floor in accordance with ANSI MH16.1-2012.

Proposed Penalty \$14,518.00

7. Red Carpet Moving, Inc. – Inspection 1718410

Nevada Revised Statute 618.375(1): Duties of employers. Every employer shall furnish employment and a place of employment which are free from recognized hazards that are causing or are likely to cause death or serious physical harm to his or her employees.

The employer did not ensure that employees were protected from recognized hazards that are likely to cause serious physical harm from struck-by hazards presented by unsecured storage racks. In the small parcel area, employees picked and placed small parcels from a five-shelf steel storage rack (Model: Ridg-U-Rak RUR-S465). The storage rack columns were not anchored to the floor with anchor bolts. Employees working in the area were potentially exposed to serious injuries.

Reference ANSI MH 16.1 Specification for Design, Testing, and Utilization of Industrial Steel Storage Racks. American National Standards Institute (ANSI) standard MH16.1-2012 (a revision of MH16.1-2008): Specifications for the Design, Testing and Utilization of Industrial Steel Storage Racks.

Section 1.4.7 Column Base Plates and Anchors:

The bottom of all columns shall be furnished with column base plates, as specified in 7.1. All rack columns shall be anchored to the floor with anchor bolts, which shall be designed in accordance with Section 7.3, to resist all applicable forces as described in Section 2.1 or Section 2.2.

One feasible means of abatement is to anchor the storage racks to the floor in accordance with ANSI MH 16.1.

Proposed Penalty \$7,813.00

8. NP Sunset – Inspection 1719438

Nevada Revised Statute 618.375(1): Duties of employers. Every employer shall furnish employment and a place of employment which are free from recognized hazards that are causing or are likely to cause death or serious physical harm to his or her employees.

The employer did not ensure that each employee was protected from recognized hazards that are likely to cause serious physical harm. In the Warehouse Liquor room, employees operated Crown (Model No. WP3035-45) electrical pallet jacks and a Blue Giant (Model: BGS30-130) Powered Walkie Stacker to move items such as beverages. The column base plates of two storage racks used to store bottled water and sodas were not anchored to the floor. The employees were potentially exposed to serious crush-by injuries the event the storage rack tipped due to inadvertent contact between the storage racks and the powered industrial trucks.

Reference: ANSI MH16.1: 2012 Specification for the Design, Testing and Utilization of Industrial Steel Storage Racks. Section 1.4.7 Column Base Plates and Anchors:

The bottom of all columns shall be furnished with column base plates, as specified in Section 7.1. All rack columns shall be anchored to the floor with the anchor bolts, which shall be designed in accordance with Section 7.3, to resist all applicable forces as described in Section 2.1 and Section 2.2.

A feasible means of abatement is to anchor the racks to the floor in accordance with the ANSI standard.

Proposed Penalty \$7,590.00

9. CRET LLC – Inspection 1720130

Nevada Revised Statute 618.375(1): Duties of employers. Every employer shall furnish employment and a place of employment which are free from recognized hazards that are causing or are likely to cause death or serious physical harm to his or her employees.

The employer did not ensure employees were protected from recognized hazards likely to cause death or serious physical harm. The employees were exposed to serious hazards presented by unanchored storage racks (model: unknown). Warehouse employees stored a variety of packages, boxes, and material on the storage racks. In all instances, the racks were not anchored to the floor in the following locations:

1. Rack aisle 10, located on the north side wall of the warehouse.
2. Rack aisle 11, located on the north side wall of the warehouse.
3. Rack aisle 5, located on the west side wall of the warehouse.
4. Rack aisle 25, located on the south side wall of the warehouse.
5. Rack aisle 26, located on the south side wall of the warehouse.

6. Rack aisle 9, located in the central area of the warehouse.

Employees moved and placed materials on the steel storage racks. Employees were exposed to possible struck by and crushing hazards in the event of tipping or collapse of the storage racks due to the unanchored base plates.

Reference: 1.4.7 of ANSI MH16.1-2008 Specification for the Design, Testing, and Utilization of Industrial Steel Storage Racks.

Section 1.4.7 Column Base Plates and Anchors.

The bottom of all columns shall be furnished with column base plates, as specified in Section 7.2. In addition, all rack columns shall be anchored to the floor with anchor bolts capable of resisting the forces caused by the horizontal and vertical loads on the rack.

Proposed Penalty \$13,828.00

10. Wal-mart Assoc. – Inspection 1720735

Nevada Revised Statute 618.375(1): Duties of employers. Every employer shall furnish employment and a place of employment which are free from recognized hazards that are causing or are likely to cause death or serious physical harm to his or her employees.

The employer did not ensure that employees were protected from recognized hazards that are likely to cause serious physical harm. Employees were potentially exposed to recognized crush-by injuries created using storage racks. The eight baseplates of the plastic trash steel storage racking, and the front baseplate of the bay OHD-3 rack column were not secured. In the event one of the forklifts struck one of the unsecured racks and caused a partial or full collapse, employees would be potentially exposed to serious physical injuries such as fractures, or death.

A feasible means of abatement would be for the employer to follow the requirements of American National Standards Institute (ANSI) MH16.1-2012 which requires the employer to ensure that column base plates of each storage rack are anchored to the floor in accordance with ANSI 16.1-2012 Section 7.3.

Reference ANSI MH 16.1 Specification for Design, Testing, and Utilization of Industrial Steel Storage Racks.

American National Standards Institute (ANSI) standard MH16.1-2012 (a revision of MH16.1-2008): Specifications for the Design, Testing, and Utilization of Industrial Steel Storage Racks, which includes, among others, the following: Section 1.4.7 Column Base Plates and Anchors: The bottom of all columns shall be furnished with column base plates, as specified in 7.1. All rack columns shall be anchored to the floor with anchor bolts, which shall be designed in accordance with Section 7.3, to resist all applicable forces as described in Section 2.1 or Section 2.2.

Proposed Penalty \$8,816.00



**DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF INDUSTRIAL RELATIONS
MECHANICAL COMPLIANCE SECTION**

DIR Advisory Council, July 10, 2024

Item 8

Elevator, Boiler, and Pressure Vessel Enforcement Issues

The MCS has placed a high priority on enforcement of elevator, boiler, and pressure vessel regulations in recent years. However, several challenges remain in effective enforcement. Listed below are the most common enforcement issues faced by the MCS.

- **Objects operating without operating permits:** Many owners operate their elevators, boilers, and pressure vessels without operating permits. Typically, 25% of objects in the State are operating without a current operating permit in any given month. For instance, in May of 2024, 8,135 out of 23,384 boilers and pressure vessels were operating without permits, while 3,782 of the State's 15,714 elevators were operating without permits.
 - Enforcement begins with reminder letters sent before permit expiration, then 30, 60, and 90 days after permit expiration. After 90 days the MCS begins to issue penalties on a monthly basis, beginning at \$500 and scaling up month to month.
 - The MCS can issue an emergency order against an object once penalties are found to be ineffective.
 - Such enforcement is a manual operation and requires an investment of time and resources. In the 2024 fiscal year the MCS issued 508 administrative fines totaling \$2,768,000.00. Of this, \$677,560.51 has been collected.
 - Existing enforcement efforts have improved compliance for some owners, but others remain noncompliant. The MCS will continue to explore options for improving compliance.

- **Installation of objects without installation permits:** The MCS is continually discovering that contractors have installed elevators, boilers, and pressure vessels without first obtaining permits to do so – this occurred on 37 separate occasions in FY24 alone, with some contractors being multiple offenders. The MCS penalty structure allows for a fine of up to \$5,000 for the first offense within 24 months up to \$50,000 for the fourth offense within 24 months. The MCS has also asked local building departments to ask for proof of MCS permits prior to issuing certificates of occupancy. While this recommendation has not yet been adopted by local agencies, the MCS will continue to meet with these agencies and discuss ways to collaborate to improve compliance.
- **Unlicensed persons working on elevators:** Though the MCS has recently gained the ability to issue financial penalties against unlicensed persons working on elevators, the enforcement of NRS 455C.160, which makes such work a misdemeanor, is beyond the authority of the MCS. The MCS has referred several cases to the Attorney General for prosecution, but none has taken place. The MCS will continue to work with the Attorney General’s Office and refer cases as appropriate.
- **Contractors working without a license or outside of scope:** In the last fiscal year the MCS encountered contractors performing work without a contractor’s license or, if they have a license, performing work outside the scope of their licenses on 10 separate occasions. Though the MCS can issue limited financial penalties against some companies, real enforcement must come from the Nevada State Contractors Board. Cooperation with the NSCB has improved, and the MCS is participating in the NSCB’s Underground Economy Interagency Taskforce. The MCS will continue to refer cases to the NSCB and advocate for enforcement against unlicensed contractors installing elevators, boilers, and pressure vessels.