

STEVE SISOLAK
Governor

STATE OF NEVADA

VICTORIA CARREÓN
Administrator

TERRY REYNOLDS
Director



PERRY FAIGIN
Deputy Administrator

**DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF INDUSTRIAL RELATIONS**

**NOTICE OF PUBLIC MEETING
of the
ADVISORY COUNCIL OF THE DIVISION OF INDUSTRIAL RELATIONS
April 12, 2022
10:00 a.m.**

You are hereby given notice that the Advisory Council of the Division of Industrial Relations of the Department of Business and Industry, State of Nevada (Advisory Council) will conduct a public meeting on Tuesday, April 12, 2022 at 10:00 a.m. This meeting will be held at the following locations and on WebEx:

**Division of Industrial Relations
400 West King Street, Suite 400
Carson City, NV 89703**

**Division of Industrial Relations
3360 West Sahara Ave, Suite 250
Las Vegas, NV 89102**

WebEx Access:

<https://nvbusinessandindustry.webex.com/nvbusinessandindustry/j.php?MTID=m6aabffc1177d7eb0805bfd3ce277077d>

To Join by Phone:

1-415-655-0001

Access Code: 2466 922 0161

Meeting Password: tgUNzMSx357

NOTICE

1. Items listed on the Agenda may be taken out of order;
2. Two or more items on the Agenda may be combined;
3. Items of the Agenda may be removed or delayed at any time; and
4. Public comment may be limited to two (2) minutes per speaker in the discretion of the chair. No action may be taken on any matter raised during public comment. Public comment will not be restricted based on viewpoint, but must be relevant to, and within, the authority of the Advisory Council.

AGENDA

1. Call to Order; Roll Call; Introduction of Advisory Council members (Secretary); and establishment of a quorum.
2. Public Comment (*see* Notice 4) (Chair)
3. **FOR POSSIBLE ACTION:** Approval of Minutes from the January 5, 2022 meeting (Chair)

CARSON CITY
400 West King Street
Suite 400
Carson City, NV 89703
(775) 684-7270

LAS VEGAS
3360 West Sahara Avenue
Suite 250
Las Vegas, NV 89102
(702) 486-9080

4. **FOR DISCUSSION:** Regulations Update (Christopher Eccles, William Gardner, and Chuck Verre)
 - a) Mechanical Compliance Section
 - 1) [R033-21P](#)– Implementation of SB205 provisions related to water heaters
 - 2) [R034-21P](#)– Clean-up regulation, including certification requirements to do construction and alterations on an elevator.
 - b) OSHA
 - 1) [R044-20AP](#) – Violence in Medical Facilities- Adopted
 - 2) [R053-20RA](#)– Heat Illness
 - 3) [R069-20A](#)– OSHA Penalty Reduction Factors and other clean-up
 - c) Workers’ Compensation
 - 1) [R134-20RP1](#) – Workers’ Compensation SB381 changes from 2019 Legislative Session
 - 2) [R032-21I](#) – Workers’ Compensation SB289 changes from 2021 Legislative Session
5. **FOR DISCUSSION:** Review and comments on OSHA quarterly complaint reports July – September 2021 and October- December 2021 (NRS 618.336 and NRS 232.600) (William Gardner)
6. **FOR DISCUSSION:** Review of OSHA quarterly reports on violations of NRS 618.375 July – September 2021 and October- December 2021 (NRS 618.347) (William Gardner)
7. **FOR DISCUSSION:** Worker safety issues for the underground tunneling project for the Encore, Convention Center, Resorts World and 28-mile loop on Las Vegas Blvd. (William Gardner and Jeff Bixler)
8. **FOR DISCUSSION:** Agenda items for next scheduled meeting. (Chair)
9. **FOR POSSIBLE ACTION:** Discussion on possible investigations or studies to be conducted (NRS 232.600). (Chair)
10. Public Comment (*see* Notice 4) (Chair)
11. Adjournment. (Chair)

Any person with a disability as defined by the Americans with Disabilities Act who requires special assistance to participate in the meeting may contact, at least five (5) business days prior to the meeting, Marisa Santizo by emailing ADACoordinator@dir.nv.gov, or by calling (702) 486-9100 to arrange for reasonable accommodations.

Copies of the supporting (not privileged and confidential) material may be obtained upon request by emailing MSantizo@dir.nv.gov, calling Marisa Santizo at (702) 486-9100, or mailing a request to the Division of Industrial Relations, 3360 West Sahara Avenue, Suite 250, Las Vegas, NV 89102, Attention Marisa Santizo.

This Notice and Agenda has been posted at the following locations:

- Division of Industrial Relations, 3360 West Sahara Avenue, Suite 250, Las Vegas, Nevada 89102
- Division of Industrial Relations, 400 West King Street, Suite 400, Carson City, Nevada 89703

This Notice and Agenda has also been posted at the following website addresses:

- Division of Industrial Relations Notice of Meeting at <http://dir.nv.gov/meetings/meetings>
- Nevada Public Notices at <https://notice.nv.gov>

**DIVISION OF INDUSTRIAL RELATIONS ADVISORY COUNCIL
Minutes of the Meeting, Wednesday, January 5, 2022**

1. Call to Order and Roll Call

At 10:00 a.m. on January 5, 2022, the meeting of the Advisory Council for the Division of Industrial Relations (DIR) via WebEx was called to order by DIR Administrator Victoria Carreon. Roll Call was taken by Amanda Guimont.

The board members present (via WebEx): Ian Langtry, Raymond (Rusty) McAllister, Paul McKenzie, William (Bill) Spiegel. It was determined a quorum was present.

DIR staff that were present (via WebEx): Victoria Carreon, Perry Faigin, Jeff Bixler, Todd Schultz, Brennan Paterson, Chuck Verre, William (Bill) Gardner, Christopher Eccles, David Tackitt, Jimmy Andrews, Crystle Rodriguez, Michael Rodrigues, and Amanda Guimont.

Others present (via WebEx): Don Oliver and Zack Casset, Tyler Shaw, Jerry Anderson, Lori Hoover (Controller's Office), Tristan Dressler, Haydee Meeker (Controller's Office), Jennifer Atlas, Jennifer Gaynor, John Wiles, Kanani Espinoza, Karissa Neff (Deputy Attorney General), Emily Cervi (Department of Business and Industry), Lea Case, Call-in User 2 and Call-in User 3.

2. Public Comment on items to which actions may be taken

No items for public comment were raised.

3. Selection of Chair and Vice Chair for 2022 term:

a. Rusty McAllister nominated Paul McKenzie as Chair, seconded by Bill Spiegel. The motion was approved unanimously.

b. Bill Stanley nominated for Vice Chair by Rusty McAllister, seconded by Bill Spiegel. The motion was approved unanimously.

4. Approval of Minutes of Previous Meeting – October 12, 2021.

Rusty McAllister made a motion to approve the minutes of the October 12, 2021 meeting as presented. Ian Langtry seconded the motion. The motion was approved unanimously.

6. Write-off Recommendations

This item was taken out of order due to time constraints. DIR Administrator Victoria Carreon spoke about delinquent debts, the total being about \$15 million. The largest portion of the debt being from Uninsured Employers' Claim Account (UECA) because of "cleanup work"; this will not have any fiscal effect or negative impact on the state. Victoria also mentioned Implementation of AB482 (Controller's Office), where a business license with the Secretary of State gets suspended if there is delinquent debt.

Rusty McAllister made a motion to approve the write-off of delinquent debts. Ian Langtry seconded the motion. The motion was approved unanimously.

5. DIR 2021 Accomplishments and Key Issues

- a. **Administrator's Updated** (Victoria Carreon)
Administrator Carreon discussed major accomplishments of 2021 and major priorities of 2022. The COVID-19 response continued to be a major focus of the Division in 2021, which will continue in 2022. The Division is embarking on a major digitization initiative in 2022.
- b. **Mine Safety and Training Section-MSATS** (Jeff Bixler)
Jeff Bixler gave an update on the Mine Safety and Training Sections inspections and training accomplishments.
- c. **Safety Consultation and Training Section-SCATS** (Todd Schultz)
Todd shared the accomplishments for SCATS.
- d. **Mechanical Compliance Section-MCS** (Brennan Paterson)
Brennan Paterson disclosed the number of permits issued by MCS and an update on procedure development.
- e. **Occupational Safety and Health Administration-OSHA** (William "Bill" Gardner)
William addressed the key issues in OSHA and mentioned the accomplishments of 2021.
- f. **Worker's Compensation-WCS** (Chuck Verre)
Chuck spoke about important meetings/conferences attended in 2021 or scheduled for 2022 and WCS positions filled.

7. Regulations Update

- a. **Mechanical Compliance Section-MCS** (Brennan Paterson)
Brennan submitted 2 regulation updates: R033-21P (related to water heaters) and R034-21P (clean up regulation). Christopher Eccles announced regulation workshop dates and encouraged public comments. R033-21P is scheduled for a workshop on 1/12/2022 and R034-21P is scheduled for a workshop on 1/13/2022.
- b. **Occupational Safety and Health Administration-OSHA** (William "Bill" Gardner)
Bill addressed 3 regulation updates: R053-20RP1 (related to heat illness), R069-20P1 (related to clean up) and R044-20RP2 (related to workplace violence).
- c. **Worker's Compensation-WCS** (Chuck Verre)
Chuck presented 2 regulation updates: R134-20I and R032-21I.

Agenda items for next scheduled meeting. (Chair)

Bill Spiegel motioned to continue remaining items on the agenda in the next meeting, which includes Items 8 through 12. Rusty McAllister seconded the motion. The motion was approved unanimously.

13. Public Comment

Jennifer Gaynor from National Elevator Industry, Inc. (NEII) had a question about regulations and the upcoming MCS public workshops.

14. Adjournment:

Motion to adjourn at 11:00 am by William Spiegel and seconded by Rusty McAllister. The motion was approved unanimously.



State of Nevada
 Division of Industrial Relations Occupational
 Safety & Health Administration

COMPLAINT LOG SUMMARY FY2021 - 1st Quarter
 July - September 2021

Number Complaints Received Las Vegas - Reno	Number Oral Complaints Received	Number Written Complaints Received	Number Inspections Conducted	Number No Inspections Conducted	Cases Open
399	163	236	29	370	4

Safety	Health	Both Safety Health	N/A
64	251	40	44

INITIAL VIOLATION TYPE	
Serious	0
Regulatory Notices	0
OTS	0
Willful-Serious	0

INITIAL PENALTY \$0.00

FY COMPARISON TOTALS	
FY22	399
FY21	205
FY20	583
FY19	176
FY18	191

State of Nevada
Division of Insutrial Relations
Nevada Occupation Safety & Health Administraton
Quarterly Complaint Report (July-September 2021)

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1782690	FULCRUM BIOENERGY, INC.		07/01/2021	Phone	Y	Y	Closed	S-Health	1. One employee was taken by ambulance on 7/1/21 at approximately 2:00pm to an area hospital after fainting in the warehouse due to heat exhaustion caused by a lack of air conditioning (118 degrees recorded in warehouse). 2. Air quality is poor in the warehouse due to the chemicals being used and lack of adequate ventilation causing employees to have headaches and feeling ill.	\$0.00
C-1782862	EDGEWOOD TAHOE		07/01/2021	Online	Y	N	Closed	S-Health	1. Located at the valet entrance, employees are exposed to heat stress. The employer does not allow employees to take breaks. The cars that employees are entering are up to 115 degrees. 2. Employees are not allowed enough time to access the available drinking water on site during the extreme heat.	Resolved through inquiry process.
C-1782906	Khristopher's Ristorante and Bar		07/01/2021	Phone	Y	N	Closed	S-Health	Located at the Kitchen line, the air conditioning unit has been broken for two weeks. The kitchen has reached up to 125 degrees and has made employees sick from the heat.	Resolved through inquiry process.
C-1782928	TREX COMPANY, INC.		07/02/2021	Phone	Y	Y	Closed	S-Health	1. The production area ambient room temperature is 105 degrees fahrenheit and the employees are not provided with water, fans, or allowed additional breaks to try and stay hydrated.	\$0.00
C-1783929	RENO PIZZA INC.	DOMINO'S PIZZA	07/06/2021	Online	Y	N	Closed	S-Health	1. Temperatures reaching 90 degrees inside building exposing employees to heat stress.	Resolved through inquiry process.
C-1783986	PIZZA HUT		07/07/2021	Hotline	N	N	Closed		1. Air condition is not working and the employees are working in very hot conditions. The managers are aware of the situation and nothing has been done about the hazard.	Resolved through inquiry process.
C-1784179	PACIFIC CHEESE CO., INC.		07/06/2021	Email	Y	N	Closed	S-Safety	1. Employees Lifting and moving a bagging forming tube in an awkward position exposes themselves and other employees to a struck by hazard. 2. A poorly designed narrow step stool is provided to employees and exposes employees to possible fall hazards.	Resolved through inquiry process.

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1784596	LAM TEX COMPOSITES, INC.		07/08/2021	Phone	Y	Y	Closed	S-Health	1. Ventilation is inadequate for for the lamination process that deals with the glue, heat, and sanding to include the down draft table filters not being changed which is causing employees to get sick. 2. Employees are handling chemical without being provided proper personal protective equipment such as gloves. 3. Employees are not being trained on how to handle chemicals properly. 4. Employees are required to wear tight fitting half mask respirators without having completed a medical evaluation or fit test.	\$0.00
C-1784865	CIOX HEALTH, LLC		07/09/2021	Phone	N	N	Closed	S-Health	1. Employees are alleging that they are experiencing headaches, vomiting and lightheadedness from pesticides that were sprayed in the office. The last possible exposure was March 2020.	Resolved through inquiry process.
C-1785481	Subway		07/10/2021	Online	N	N	Closed		Manager has several 14 and 15 year olds working until 10pm, requiring them to walk home long distances late at night.	Resolved through inquiry process.
C-1785561	MR. BEANE'S		07/11/2021	Online	Y	N	Closed	S-Health;S-Safety	1. Located in the coffee shop, the internal temperature of the building has reached 98-104 degrees. Staff have suffered confusion, dizziness, dehydration and headaches because of the extreme heat. 2. Located in the shop, there is an infestation of flies and cockroaches and the employer will not address the issue. 3. Located in the parking lot, staff have suffered lacerations and falls due to extremely sharp metal that is sticking out due to the torn down foundation. 4. Located in the coffee shop, the employer does not require employees to perform routine cleaning and sanitization of daily used appliances.	Resolved through inquiry process.
C-1785563	MR. BEANE'S		07/12/2021	Online	Y	N	Closed	S-Health;S-Safety	1. Located in the coffee shop, the internal temperature of the building has reached 98-104 degrees. Staff have suffered confusion, dizziness, dehydration and headaches because of the extreme heat. 2. Located in the shop, there is an infestation of flies and cockroaches and the employer will not address the issue. 3. Located in the parking lot, staff have suffered lacerations and falls due to extremely sharp metal that is sticking out due to the torn down foundation. 4. Located in the coffee shop, the employer does not require employees to perform routine cleaning and sanitization of daily used appliances.	Resolved through inquiry process.

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1785794	FEDERAL EXPRESS CORPORATION	FEDEX EXPRESS	07/12/2021	Phone	Y	N	Closed	S-Health	1. Employees working in the northeast corner of the building in "big containers" are suffering from heat exhaustion. The building fans are inoperable, and the employer has not provided any other device to move air. Employees are experiencing headaches and are not allowed to take additional breaks to hydrate as they are shorthanded.	Resolved through inquiry process.
C-1785990	WASHOE COUNTY HUMAN SERVICES AGENCY		07/12/2021	Online	Y	N	Closed	S-Health	1. Located in the file room, intake room 1st & 2nd floors, the A/C unit is broken. Temperatures are reaching the mid 90's in the building. Employees have experienced headaches and dizziness from the heat exposure. Employees do not have access to water unless they bring water from home.	Resolved through inquiry process.
C-1786074	PANASONIC ENERGY OF NORTH AMERICA		07/09/2021	Online	Y	Y	Closed	S-Health	High Speed Locker Room (Phase II, 3rd floor); PAPR suits (lighter blue suits) are not always available for employees handling batteries in the Electrolyte Area.	\$0.00
C-1786226	CHEWY, INC.		07/12/2021	Online	Y	N	Closed	S-Health	In the warehouse: There are not enough fans. The warehouse is hot, and employees are suffering the effects of heat stress.	Resolved through inquiry process.
C-1786244	US FOODS		07/12/2021	Online	N	N	Closed	S-Safety	1. A truck with defective lights is being used over the road and the employer has failed to make the necessary repairs while forcing the truck to remain in operation.	Resolved through inquiry process.
C-1786687	BIG CONSTRUCTION INC		07/14/2021	Online	Y	N	Closed	S-Health;S-Safety	Located in the warehouse: 1. Storage racking holding thousands of pounds of materials are not anchored to the floor and are unstable creating overhead hazards for employees. 2. There is no eyewash station available for employees who use the paint booth in the event of an emergency. 3. The employer does not provide SDS sheets for the chemicals employees are required to use. 4. No required OSHA posters. 5. There are no fire extinguishers available in the warehouse. 6. There is no fire escape or exit near the paint booth where flammable materials are used.	Resolved through inquiry process.
C-1786726	SA AUTOMOTIVE LTD.		07/14/2021	Phone	Y	N	Closed	S-Health	1. Throughout the production areas and all three shifts, employees are exposed to constant temperatures of over 100° F and being exposed to heat exhaustion. There is no cross ventilation and/or effective cooling system inside the building. 2. Employees are being retaliated against if safety or health complaints are being brought to management attention.	Resolved through inquiry process.
C-1787045	RELIABLE FRAMING, INC.	RFI	07/15/2021	Phone	Y	Y	Closed	S-Safety	1. Five employees are sheeting the floor for the second story of a building without fall protection.	\$0.00
C-1787851	JOANN FABRIC AND CRAFT STORE		07/16/2021	Email	N	N	Closed		1. The store's air conditioning right now is broken. This has affected at least 10+ employees, including myself with minor heat stroke	Resolved through inquiry process.

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1787860	Continuum Packing Solutions		07/17/2021	Email	N	N	Closed		1. Employees working inside facility with poor ventilation and air conditioning. Air quality index is above 151 due to smoke from wildfires. Employees complaining of headaches, itchy eyes, and not being able to concentrate.	Resolved through inquiry process.
C-1789081	SA AUTOMOTIVE LTD.		07/15/2021	Phone	Y	N	Closed	S-Health	Warehouse: Employees are exposed to high temperatures resulting in heat stress.	Resolved through inquiry process.
C-1789101	Palais De Jade		07/20/2021	Phone	Y	N	Closed	S-Health	Located in the Kitchen the heat is extreme. The air condition broke. Employees have complained to management and they have done nothing. Complainant states the kitchen temperatures are above 100 degrees while working.	Resolved through inquiry process.
C-1789381	Thrive Market, Inc.		07/19/2021	Online	N	N	Closed		Located in all racks and bins, chemical and food products are mixed, and supervisors won't fix the issue.	Resolved through inquiry process.
C-1789518	SALLY BEAUTY HOLDINGS, INC.		07/22/2021	Phone	Y	N	Closed	S-Health;S-Safety	1. At approximately 3:25 pm on 7/22/21, a fire started in the back of the warehouse near the receiving department and filled the entire warehouse with smoke. The fire detection system did not function properly. Truckee Meadows fire department was contacted and is currently on site. Multiple types of flammable materials are stored on the premises which could create an explosion hazard.	Resolved through inquiry process.
C-1789725	LUCID CANNABIS CO.		07/22/2021	Online	Y	N	Closed	S-Health;S-Safety	1. The employer does not have a hazard communication program and does not provide training to employees for the chemicals that are being used in the facility. 2. Located in the facility, the product that the employer uses to clean the floors with becomes slick exposing employees to a slip and fall hazard. The employer does not put up signage when the floor is wet.	Resolved through inquiry process.
C-1789916	SALLY BEAUTY HOLDINGS, INC.		07/22/2021	Online	Y	N	Closed	S-Health;S-Safety	Located in the warehouse on 7/22/2021: 1. A fire broke out related to the trash compactor that filled the warehouse with dense smoke and the smoke alarms failed to go off to alert employees. 2. Management directed employees to continue working while the warehouse remained filled with dense smoke. Several employees complained of lung and chest pains associated with the smoke. Everyone eventually evacuated but employees are concerned about the decisions made by management.	Resolved through inquiry process.
C-1789947	US FOODS		07/23/2021	Email	Y	N	Closed	O-Safety	1. The switch for the loading dock on door #11 does not work, instead employees have to open the panel and use the electrical circuit to operate the loading dock. Employees are being exposed to potential electrical hazards.	Resolved through inquiry process.

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1790764	STATE OF NEVADA DEPARTMENT OF CORRECTIONS-STEWART CONSERVATION CAMP		07/26/2021	Online	Y	N	Closed	S-Health	1. Air condition has not been operating for two weeks. No airflow inside building causing employees to go home due to being sick.	Resolved through inquiry process.
C-1790774	PANASONIC ENERGY OF NORTH AMERICA		07/26/2021	Online	N	N	Closed		1. Smoke from wildfires being ventilated into facility. Employees complaining about headaches and dizziness. 2. Employees not being offered extra personal protective equipment for smoke and heat in facility.	Resolved through inquiry process.
C-1790788	PANASONIC ENERGY OF NORTH AMERICA		07/25/2021	Hotline	N	N	Closed		1. Smoke from wildfires inside facility making it difficult for employees to breathe. Employer not providing employees with respirators for smoke.	Resolved through inquiry process.
C-1790791	PANASONIC ENERGY OF NORTH AMERICA		07/26/2021	Online	N	N	Closed		1. Smoke from wildfires inside facility causing employees to have respiratory issues, runny nose, and itchy eyes.	Resolved through inquiry process.
C-1791708	T - Force Freight		07/29/2021	Email	N	N	Closed	O-Safety	1. Employees are forced to work in an unsafe manner by making deliveries on small and narrow residential streets with 45 foot trailers, this has already resulted in a fatality of a private citizen.	Resolved through inquiry process.
C-1792733	PANASONIC ENERGY OF NORTH AMERICA		07/26/2021	Hotline	N	N	Closed		The fires in the area are causing breathing problems to employees. They are not providing the employees with any breathing apparatus or simply shutting the place down.	Resolved through inquiry process.
C-1793021	DOLCE VITA WELLNESS SPA		08/02/2021	Phone	Y	N	Closed	S-Health	1. Failure to comply with the mandate for employees to wear face coverings.	Resolved through inquiry process.
C-1793033	DEPT OF PUBLIC SAFETY - DEPT OF EMERGENCY MANAGEMENT		08/02/2021	Online	Y	N	Closed	S-Safety	1. Both exit routes in the building do not have adequate lighting. It would be difficult to find the exit routes in the event of emergency.	Resolved through inquiry process.
C-1793309	DOLCE VITA WELLNESS SPA		07/31/2021	Online	N	N	Closed		1. Employer not enforcing to wear masks.	Resolved through inquiry process.
C-1793316	Maverick Casino Hotel Elko		08/02/2021	Online	N	N	Closed		1. Mask mandate not being enforced for customers.	Resolved through inquiry process.
C-1793350	KAHLE COMMUNITY CENTER		08/03/2021	Phone	Y	N	Closed	S-Health	1. Failure to comply with the mandate for employees to wear face coverings.	Resolved through inquiry process.
C-1793415	Churchill County Swimming Pool		08/03/2021	Phone	Y	N	Closed	S-Health	1. Failure to comply with the mandate for employees to wear face coverings.	Resolved through inquiry process.
C-1793843	WAGON WHEEL PIZZA AND GRILL		08/04/2021	Phone	Y	N	Closed	S-Health	1. Failure to comply with the mandate for employees to wear face coverings. Four employees (restaurant workers) observed not wearing face coverings throughout the establishment.	Resolved through inquiry process.
C-1794158	DOLCE VITA WELLNESS SPA		08/03/2021	Email	Y	N	Closed	S-Health	1. Failure to comply with the mandate for employees to wear face coverings. 2. Failure to comply with the mandate for persons/patrons to wear face coverings while in the Employer's business establishment.	Resolved through inquiry process.
C-1794536	MRH AUTO-RENO, LLC	MOUNTAIN WEST AUTO	08/05/2021	Phone	Y	N	Closed	S-Health	1. Employer not requiring employees to wear face covering while working.	Resolved through inquiry process.

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1794546	Bath & Body Works		08/05/2021	Phone	Y	N	Closed	O-Health;S-Safety	1. Employees are required to take trash outside. All of the lights are out. The employees are concerned for their safety for both falling or tripping and their personal safety from attack. 2. Employees use rolling totes to roll to take out the trash. The wheels are damaged causing employee to become injured. 3. Indoor air quality from candles burning all day make the employees nauseous and sick. 4. Electrical panels are blocked with storage boxes and there are paint cans on the electrical boxes. 5. The fire extinguishers are past due for inspection. 6. There is no housekeeping in the back storage room causing employees to trip and fall.	Resolved through inquiry process.
C-1794571	SOUTHWEST ANSWERING SERVICE		08/05/2021	Phone	Y	N	Closed	S-Health	1. Failure to comply with the mandate for employees to wear face coverings. 2. One employee recently tested positive for COVID-19 and exposed up to 20 other employees who they shared an office with prior to being sent home to quarantine.	Resolved through inquiry process.
C-1794808	Hiroba Sushi		08/05/2021	Online	N	N	Closed		1. Mask mandate not being enforced.	Resolved through inquiry process.
C-1794842	THE HOME DEPOT		08/06/2021	Online	Y	N	Closed	S-Health	1. Failure to comply with the mandate for employees to wear face coverings. About 75% of employees observed not wearing face coverings throughout the establishment. 2. Failure to comply with the mandate for persons/patrons to wear face coverings while in the Employer's business establishment. Multiple customers observed not wearing face coverings throughout the establishment.	Resolved through inquiry process.
C-1794912	RALEY'S		08/06/2021	Email	Y	N	Closed	S-Health	1. Failure to comply with the mandate for employees to wear face coverings. 2. Failure to comply with the mandate for persons/patrons to wear face coverings while in the Employer's business establishment.	Resolved through inquiry process.
C-1794919	INFOSYS BPM LIMITED		08/06/2021	Phone	Y	Y	Closed	O-Health	1. There are roaches throughout the facility, in and on the working desks.	\$0.00
C-1795107	RAIL CITY CASINO		08/06/2021	Phone	Y	N	Closed	S-Health	Located in the Surveillance the heat is extreme reaching levels above 100 degrees.	Resolved through inquiry process.
C-1795108	ST. OF NV DEPARTMENT OF CORRECTIONS	NORTHERN NEVADA CORRECTIONAL CENTER	08/06/2021	Online	Y	N	Closed	S-Health	1. The kitchen does not have adequate ventilation. The air conditioning has not been working since 2017. We have to open the door to create ventilation, as such, smoke from the wildfire enters the kitchen. 2. The bakery does not have air conditioning. The temperature reach 90 F and up to 110 F when the oven is open. 3. A pipe broke underneath the culinary crawl space. The contractor said proper clean up was not conducted as such there is grease and mold.	Resolved through inquiry process.
C-1795394	MONTEGO BAY		08/09/2021	Online	N	N	Closed		1. Customers not wearing masks inside establishment. Not being enforced by employer.	Resolved through inquiry process.

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1795400	CHEWY, INC.		08/08/2021	Online	N	N	Closed		1. Air quality inside warehouse is unhealthy.	Resolved through inquiry process.
C-1795457	TUMBLEWEEDS GYMNASTICS		08/09/2021	Online	Y	N	Closed	S-Health	Employer not enforcing mask mandate for employees.	Resolved through inquiry process.
C-1795486	MCCARTHY		08/09/2021	Online	Y	N	Closed	S-Health	1. The air quality index (AQI) has been above 400 and the employer is not providing respirators for the employees.	Resolved through inquiry process.
C-1795504	MONEYTREE		08/09/2021	Online	Y	N	Closed	S-Health	1. The employer knew an employee was out for COVID and kept operating after everyone was exposed. Multiple employees have been out sick since then and they want them to return to work without being quarantined. They refuse to close the branch to let everyone properly quarantine that has been exposed.	Resolved through inquiry process.
C-1795524	MCCARTHY		08/09/2021	Phone	Y	Y	Closed	S-Health;S-Safety	1. Unqualified workers installing up to 480-volt circuits of photovoltaic panels. 2. Employees and Supervisors working at a construction site with no OSHA 10 or OSHA 30 training. 3. Employees installing, wiring and connecting photovoltaic panels with no photovoltaic license.	\$0.00
C-1795573	DOLCE VITA WELLNESS SPA		07/30/2021	Phone	Y	N	Closed	S-Health	1. Employer not requiring employees to wear masks.	Resolved through inquiry process.
C-1795641	LITTLE CAESARS PIZZA		08/08/2021	Email	N	N	Closed	S-Health	1. Failure to comply with the mandate for persons/patrons to wear face coverings while in the Employer's business establishment.	Resolved through inquiry process.
C-1795721	NEVER GIVE UP YOUTH HEALING CENTER		08/09/2021	Phone	N	N	Closed	S-Health	1. Failure to comply with the mandate for employees to wear face coverings. 2. The employer is allowing COVID positive employees to return to work due to staff shortages. 3. The employer isn't providing enough cleaning supplies and is not conducting any deep cleaning in the facility to help mitigate the spread of COVID between staff and clients.	Resolved through inquiry process.
C-1795761	WESTERN NEVADA SUPPLY COMPANY		08/09/2021	Online	Y	N	Closed	S-Health	1. Failure to comply with the mandate for employees to wear face coverings.	Resolved through inquiry process.
C-1796073	WALMART SUPERCENTER		08/10/2021	Phone	Y	N	Closed	S-Safety	1. Located in the receiving area, the emergency exit is routinely blocked with product on both the interior and exterior sides of the door preventing employees from using in the event of an emergency. 2. Located in the receiving and maintenance areas, two eye wash stations are routinely blocked with product that would prevent employees from using them in the event of an emergency.	Resolved through inquiry process.
C-1796155	NAPA Auto Parts - Dyna Parts LLC		08/10/2021	Phone	Y	N	Closed	S-Health	1. Two employees tested positive for Covid-19 and other employees are showing symptoms of Covid-19. The employer does not have a Covid-19 prevention program and allows people who show symptoms of Covid-19 to continue to work.	Resolved through inquiry process.

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1796177	THE HOME DEPOT		08/10/2021	Online	Y	N	Closed	S-Health	1. Per the updated COVID-19 guidance for Nevada, the employer did not instruct an unvaccinated employee to stay home after coming in contact with an infected employee.	Resolved through inquiry process.
C-1796198	Walmart Supercenter		08/10/2021	Online	Y	N	Closed	S-Health	1. The employer is not enforcing employees to wear face coverings.	Resolved through inquiry process.
C-1796235	CHEWY, INC.		08/09/2021	Phone	Y	N	Closed	S-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to employees wearing face coverings. 2. The employer is not complying with the Governor's COVID-19 mandate in regard to requiring employees to stay home if symptomatic. 3. The employer is not complying with the Governor's COVID-19 mandate in regard to following the CDC guideline for employees who have been exposed to individuals (within 6 feet for 15 minutes or longer) that have tested positive for COVID-19. 4. The employer is not complying with the Governor's COVID-19 mandate in regard to following the CDC guideline for employees who test positive for COVID-19.	Resolved through inquiry process.
C-1796294	DIEDRICHSEN ELEMENTARY SCHOOL		08/09/2021	Online	N	N	Closed		1. There is no sink water in the students bathroom and several classrooms.	Resolved through inquiry process.
C-1796508	SMITHS FOOD AND DRUG		08/11/2021	Online	N	N	Closed	S-Health	1. Failure to comply with the mandate for persons/patrons to wear face coverings while in the Employer's business establishment.	Resolved through inquiry process.
C-1797281	AZZ GALVANIZING - RENO, LLC		08/12/2021	Phone	Y	N	Closed	S-Health	1. Failure to comply with the mandate for employees to wear face coverings.	Resolved through inquiry process.
C-1797756	Advanced Home Health & Hospice of Reno		08/13/2021	Phone	Y	Y	Closed	S-Health	1. Employees are asked to falsify biometric daily screening result from July 1st through August 12th, for temperature measurements. 2. Advanced Home Health Hospice has no COVID-19 plan for each healthcare workplace.	\$0.00
C-1798308	PEPPERMILL RESORT SPA CASINO, INC.		08/13/2021	Online	Y	Y	Closed	S-Health	1. Located in the Peppermill Tower Hotel Rooms, employees are demolishing sheetrock that contains asbestos. Employees are exposed to asbestos due to the lack of PPE that is given to staff. 2. Located in the Peppermill Tower Hotel Rooms, employees are dry cutting concrete which exposes employees to silica. Employees are not provided with any PPE to perform the task. 3. Located in the Peppermill Tower Hotel Rooms, employees are exposed to black mold while performing demolition work. Employees are not provided with any PPE.	\$0.00
C-1798672	INFOSYS BPM		08/16/2021	Phone	Y	Y	Closed	S-Health	Failure to comply with the mandate for employees to wear face coverings.	\$0.00

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1799166	SPARKS FIRE STATION 1		08/11/2021	In person	Y	Y	Closed	S-Health	1. Employees are being exposed to diesel exhaust that is being ducted into the living quarters which is also exposing employees to benzene and polycyclic aromatic hydrocarbons (PAHs). The following issues contribute to the diesel exhaust getting into the building: the Apparatus Bay exhaust system exits near the fresh air intake for the building; on calls and pump checks are performed inside the Apparatus Bay without the exhaust system hooked up; the Battalion Chief's vehicle is not hooked up to the exhaust system; and the crank case on the truck vents inside the building and cab of the vehicle. 2. Elevator Room, adjacent to the basement Training Room: Hydraulic oil is accumulating on the floor resulting in exposure to the hydraulic oil and potential slip and fall hazards. 3. East Stairwell: Water leaks contributing to mold growth in the building. 4. Roof leaks in the building are contributing to mold growth. 5. Water dripping from penthouse down onto the lunch area which possibly contains caustic water treatment chemicals.	\$0.00
C-1799547	SIERRA DEVELOPMENT COMPANY	CLUB CAL NEVA	08/11/2021	Online	N	N	Closed	O-Health	Employees who are serving cocktails to hundreds of customers on a daily basis are required to clean ashtrays and put dirty ashtrays on their drink tray. They are required with every round to pick up dirty ashtrays and the clean them at the station where they prepare drinks almost every 15 minutes. Some stations have no sink to wash hands and only sanitizer is available	Resolved through inquiry process.
C-1799873	Health & Human Services Department		08/18/2021	Online	Y	N	Closed	S-Health	Located on the 3rd floor, the HVAC units are constantly having issues running causing poor air quality and heat stress for exposed employees.	Resolved through inquiry process.
C-1800426	GLASFLOSS INDUSTRIES, LP		08/19/2021	Phone	Y	N	Closed	S-Safety	1. On August 18, 2021, one employee was physically assaulted by another employee by the shipping department and no immediate corrective action was taken by the employer. The same employee is intimidating other employees who witness the incident creating a hostile work environment.	Resolved through inquiry process.
C-1800741	MICROSOFT		08/20/2021	Online	Y	N	Closed	S-Health	1. Many employees have contracted COVID-19 in the building. The employer did not notify possible exposed employees nor have they done any sanitizing of the office. 2. The HVAC system has been out of service. Temperatures have reached over 90 degrees which exposed employees to heat stress.	Resolved through inquiry process.
C-1800764	Reno Buick GMC Cadillac		08/17/2021	Online	Y	N	Closed	O-Health;S-Safety	1. Located in the repair shop, an employee is not wearing proper footwear. The employee is wearing slippers.	Resolved through inquiry process.

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1800978	SUBWAY		08/13/2021	Online	Y	N	Closed	S-Health	1. Failure to comply with the mandate for employees to wear face coverings.	Resolved through inquiry process.
C-1801422	LINCOLN HEATING & AIR CONDITIONING		08/23/2021	Online	Y	N	Closed	S-Safety	1. Located in the warehouse, live electrical wires are exposed. 2. Located in the warehouse, compressed gas is improperly stored. Oxygen and acetylene are stored together. The tanks are stored on their sides on shelves	Resolved through inquiry process.
C-1802069	INFOSYS BPM		08/24/2021	Phone	N	N	Closed		1. Employer not allowing employees to get COVID-19 testing from the employees own doctor. 2. Employer not accepting COVID-19 test results from employee doctors.	Resolved through inquiry process.
C-1802096	Carson City School District		08/23/2021	Phone	N	N	Closed		1. Strong smell of smoke in classrooms and hallways from wildfires.	Resolved through inquiry process.
C-1802103	Downtown Reno Partnership		08/20/2021	Online	Y	N	Closed	S-Health	1. No running water in building for the day due to repair of main water line, leaving employees with no access to drinking water and restroom/wash facilities.	Resolved through inquiry process.
C-1802111	Rural Regional Center		08/19/2021	Online	N	N	Closed		1. Hot temperatures inside the building. New A/C unit on order.	Resolved through inquiry process.
C-1802146	CHEWY, INC.		08/24/2021	Online	N	N	Closed		1. Employees having headaches, nose bleeds, and other symptoms due to high heat and smoke levels.	Resolved through inquiry process.
C-1802149	STATE OF NEVADA DEPARTMENT OF CORRECTIONS-STEWART CONSERVATION CAMP		08/23/2021	Online	N	N	Closed		Department of Corrections is forcing staff and Inmates to test for Covid-19 when not symptomatic in violation of the Emergency use Authorization (EAU) with the Binax Now test from Abbot. The swab contains the known toxic substance Ethylene Oxide. This substance is known to cause cancer by the FDA, CDC and OSHA.	Resolved through inquiry process.
C-1802163	Tesla, Inc.		08/24/2021	Online	N	N	Closed	S-Health	1. Failure to comply with the mandate for employees to wear face coverings.	Resolved through inquiry process.

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1802533	PROMINENCE HEALTH PLAN		08/24/2021	Online	N	N	Closed	O-Health	I have a health condition that requires me to use the restroom. I've worked with Prominence since 1/2020. I have always been allowed to excuse myself to use the restroom, until now. Now, I am penalized for using the restroom, or they enforce me to clock out. I have provided documentation from my doctor that supports my diagnosis, and I am in the restroom no longer than 15-20 minutes throughout my entire shift. I feel it is wrong to be forced to sacrifice my hours for a medical condition, especially when not given the option to make up the hours. I have presented this issue to HR and they have done nothing. I am dehydrated because I don't drink as much water as I need solely because I'm not allowed to use the restroom as frequently as I need to. They watch our every move and it's incredibly toxic and hostile. I cannot afford to lose my job nor my health insurance, but I cannot just be deprived of taking care of myself without penalization or loss of hours.	Resolved through inquiry process.
C-1802560	ZULILY, INC.		08/25/2021	Online	N	N	Closed		Poor Air Quality, Every Employee in Building. The entire area has been covered in smoke and we have no where to go to get out of it, as even the breakroom is filled. At best we're given extended breaks, inside a smoke filled break room. I will also note that there is no way to cool the building when the area outside the building has poor air quality, as the only attempt at cooling is to pull air from outside across the building. I'm not sure if this is fully a violation, but it adds onto the main one I am trying to point out.	Resolved through inquiry process.
C-1803162	DESERT HILLS DAIRY LLC		08/25/2021	Online	Y	N	Closed	S-Health	Employees are going to work even though they have tested positive for COVID. Manager is aware that individuals are positive, they are family members. Manager says that since they work "outside" they are okay but they are shoulder to shoulder no social distancing.	Resolved through inquiry process.
C-1803175	FEDEX GROUND		08/26/2021	Online	N	N	Closed		1. Employees working inside building during high heat and smoky conditions with facility doors open.	Resolved through inquiry process.
C-1803499	MRH AUTO-RENO, LLC	MOUNTAIN WEST AUTO	08/26/2021	Online	Y	N	Closed	S-Health	1. Located in the Sales and Service Departments, there has been a COVID outbreak amongst employees and management is not taken proper steps to mitigate the spread.	Resolved through inquiry process.

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1803732	NORTHERN NEVADA MEDICAL CENTER		08/26/2021	Online	N	N	Closed		The hospital is putting medical patients on a locked psychiatric unit which allows for the psych patients to have access to supplies that can be used for suicide or homicide. It is completely inappropriate and very unsafe. Also a patient on the psychiatric unit has tested positive for covid on a locked unit and they refuse to have patients wear a mask or practice safe distancing. They are trying to pack the place full so they can make the most money without regard for life.	Resolved through inquiry process.
C-1804039	TITAN SOLAR POWER NV INC	TITAN SOLAR POWER	08/27/2021	Phone	Y	N	Closed	S-Safety	1. Pallet racking throughout the warehouse has physical damage to support members and is not secured to the concrete floor. 2. Materials stored on pallet racking are not stable and secured against sliding or collapse. 3. Walking-working surfaces throughout the warehouse are cluttered with metal straps, nails, and sharp edges protruding from the panels.	Resolved through inquiry process.
C-1805097	Buffalo Wild Wings		08/30/2021	Online	N	N	Closed		Bad food safety techniques and storage practices.	Resolved through inquiry process.
C-1805317	GARDNERVILLE HEALTH AND REHABILITATION CENTER		08/31/2021	Phone	N	N	Closed		1. Non-vaccinated employees are required to take a COVID-19 test twice a week that is provided by the employer that exposes them to a chemical carcinogen called Ethylene Oxide.	Resolved through inquiry process.
C-1805668	DOUGLAS COUNTY SCHOOL DISTRICT		09/01/2021	Online	N	N	Closed		The two schools that are sitting in the wildfire smoke cloud have hazardous air quality inside as well as outside. The schools are: Carson Valley Middle School and Douglas High School.	Resolved through inquiry process.
C-1806365	SR Construction Reno		09/02/2021	Phone	Y	N	Closed	S-Health	Employer not enforcing the use of face coverings at the worksite.	Resolved through inquiry process.
C-1807039	ZLINE Kitchen and Bath		09/02/2021	Online	Y	N	Closed	S-Safety	1. Emergency exits are blocked and obstructed restricting emergency egress. 2. Employees are not using fall protection when operating powered industrial trucks that elevate their work platform. 3. Storage racking systems are damaged and bent making them unsafe for use. 4. Employees climb storage racking systems to pull orders which exposes them to fall hazards. 5. Damaged forklifts are not taken out of service until they can be repaired.	Resolved through inquiry process.
C-1807802	NVC HOSPITALITY LLC	HOLIDAY INN EXPRESS AND SUITES CARSON CITY	09/06/2021	Phone	N	N	Closed		1. Failure to comply with the mandate for persons/patrons to wear face coverings while in the Employer's business establishment.	Resolved through inquiry process.

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1808093	KELLER WILLIAMS GROUP ONE INC.		09/08/2021	Online	Y	N	Closed	S-Health	1. Failure to comply with the mandate for employees to wear face coverings. Approximately ten employees observed not wearing face coverings inside the office. 2. Employees have tested positive for COVID-19 and are still coming to work, possibly exposing employees to the contraction of COVID-19.	Resolved through inquiry process.
C-1808174	PLASMA ETCH, INC.		09/08/2021	Phone	Y	N	Closed	S-Health	1. Failure to comply with the mandate for employees to wear face coverings.	Resolved through inquiry process.
C-1808758	RENOWN REGIONAL MEDICAL CENTER		09/08/2021	Online	Y	Y	Closed	S-Health	In the Tahoe Tower: 1. COVID-19 Unit; donning and doffing designated areas are not clearly defined. Areas are often commingled together mixing new and used personal protective equipment together. Employees are getting sick as a result.	\$0.00
C-1808961	MACY'S		09/09/2021	Online	Y	N	Closed	S-Health	1. Failure to comply with the mandate for employees to wear face coverings.	Resolved through inquiry process.
C-1809316	COTTONWOOD ELEMENTARY SCHOOL		09/09/2021	Online	Y	N	Closed	S-Health	1. Failure to comply with the mandate for employees to wear face coverings.	Resolved through inquiry process.
C-1809352	PAMLICO AIR		09/10/2021	Online	Y	N	Closed	S-Safety	1. No first-aid kits available for employees. 2. No safety committee. 3. Housekeeping and storage of materials, such as pallets of glue are creating a hazard to employees.. 4. Forklift drivers not trained.	Resolved through inquiry process.
C-1809431	PETEDGE INC.		09/10/2021	Phone	Y	N	Closed	S-Health	1. Failure to comply with the mandate for employees to wear face coverings. 2. The employer is aware of employees testing positive for COVID-19 and are allowing those employees to come into work. 3. The employer is not cleaning or disinfecting the area where COVID-19 positive people have worked. 4. The employer is not providing hand sanitizer for their employees.	Resolved through inquiry process.
C-1809473	SMITH POWER PRODUCTS, INC.		09/10/2021	Phone	Y	N	Closed	S-Health	1. Failure to comply with the mandate for employees to wear face coverings.	Resolved through inquiry process.
C-1809563	MG1 Motorsports		09/10/2021	Phone	Y	N	Closed	S-Health	1. Failure to comply with the mandate for employees to wear face coverings. 2. The employer is forcing COVID positive employee's to report to work.	Resolved through inquiry process.
C-1810038	DOUGHBOYS DONUTS		09/13/2021	Online	Y	N	Closed	S-Health	1. Failure to comply with the mandate for employees to wear face coverings. Four employees (bakers) observed not wearing face coverings in the baking area. 2. The employer is allowing employees to work with COVID-19 symptoms.	Resolved through inquiry process.
C-1810435	CAL RANCH STORES		09/13/2021	Phone	Y	N	Closed	O-Health	1. A/C not working. A/C unit has been broken since July.	Resolved through inquiry process.
C-1810722	SIERRA VETERINARY SPECIALISTS & EMERGENCY CENTER		09/13/2021	Online	Y	N	Closed	S-Health;S-Safety	1. Employer is requiring employees to come to work when they are sick and threatening them with write ups if they refuse. 2. Failure to comply with the mandate for employees to wear face coverings.	Resolved through inquiry process.

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1811021	WOLF PACK MEATS		09/14/2021	Phone	Y	N	Closed	S-Health;S-Safety	1. Employees expected to use the processing equipment have not received training in the safe operation of the equipment. 2. Smoker leaks smoke which fills the processing floor. The vent for the air duct to clear and circulate the air from the processing floor is located under the HVAC intake unit for the building. 3. Employees can not reach the animal being processed and must stand in the buggy used to collect internal organs from the animals. The buggy has one wheel brake, but is not secured from movement. 4. Employees are required to lift 150 lb. barrels of animal waste without training or lifting assistance. Employees have sustained injuries, such as torn arm muscles, from lifting the waste barrels for disposal. 5. The walking/working surface in the processing area is covered with blood and animal parts making the floor very slippery.	Resolved through inquiry process.
C-1811297	Eagle Valley Care Center		09/14/2021	Online	Y	N	Closed	S-Health	1. Failure to comply with the mandate for employees to wear face coverings.	Resolved through inquiry process.
C-1811818	Albert M Lowry High School		09/16/2021	Online	Y	N	Closed	S-Health	1. Outbreak of COVID-19; teachers and staff are not required to wear masks and the majority do not.	Resolved through inquiry process.
C-1811922	YRC INC.	YRC FREIGHT	09/16/2021	Phone	Y	N	Closed	S-Health	1. Failure to comply with the mandate for employees to wear face coverings.	Resolved through inquiry process.
C-1812707	SAVE MART SUPERMARKETS		09/17/2021	Phone	Y	N	Closed	S-Health	1. Failure to comply with the mandate for employees to wear face coverings.	Resolved through inquiry process.
C-1813638	PEPPERMILL RESORT SPA CASINO, INC.		09/20/2021	Phone	N	N	Closed	S-Health	1. Failure to comply with the mandate for persons/patrons to wear face coverings while in the Employer's business establishment.	Resolved through inquiry process.
C-1813873	SLOBOGIN STEEL AND CONSTRUCTION LLC		09/21/2021	Online	Y	Y	Closed	S-Health;S-Safety	1. Safety stops and E stops inoperable on several machines throughout shop. 2. Fire extinguishers missing, inoperable or inaccessible. 3. Extension cords with exposed wiring, welding machines with exposed high amperage and voltage cables. 4. Eye wash stations are disgusting and not maintained or kept up and some are just thrown away and not replaced. 5. First aid kits are inaccessible. 6. Ventilation of toxic welding fumes are subpar or non existent. 7. Multiple tripping/slipping hazards throughout inside of shop, as well as outside in yard. 8. Broken rollers and stands that feed material into saws.	\$0.00
C-1813878	CRBR Property Damage Services - Restoration & Construction, Reno		09/21/2021	Online	Y	N	Closed	S-Health;S-Safety	1. Forklifts being operated by employees not certified to operate them. 2. Proper personal protective equipment not being provided to employees for various job tasks while in the field, including exposure to chemical and respiratory hazards. 3. Employees not fit tested to wear respirators.	Resolved through inquiry process.

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1815271	METOKOTE CORPORATION	PPG	09/23/2021	Phone	Y	N	Closed	S-Health	1. Flammable chemicals are being placed near coating ovens. 2. Temperature inside PPG rooms are 100 degrees causing heat stress.	Resolved through inquiry process.
C-1815774	UTP Productions, Inc		09/24/2021	Phone	Y	N	Closed	S-Safety	1. Employee fell working setting up a stage in Downtown Sparks. Ms. Erica Steel stated she did not know how far the employee fell and did not know if he was wearing fall protection. The accident occurred on 9/23/2021 at approximately 6:30pm and was transported to Renown Regional Medical Center on Mill St with a brain bleed and a bruised tail bone, the employee was discharged on 9/24/2021 at approximately 3:20pm. The injured employee name is Craig Simon, his supervisor at the time of the accident was Tom Watts 707-328-4625. This was reported to NVOSHA at approximately 3:40pm on 9/24/2021.	Resolved through inquiry process.
C-1816017	MOUNTAIN VALLEY EXPRESS COMPANY		09/27/2021	Online	Y	Y	Closed	S-Health;S-Safety	1. Two powered industrial truck (PIT) operators are not certified. 2. The eye wash station is not being maintained or accessible. 3. SDS not provided for chemicals on site. 4. Pallets are being stored on the dock near the office entrance creating a tripping hazard. 5. Safety chains are not being used as warning at bay doors to prevent PIT operators from falling off the dock. 6. Flammable liquids are being stored inside the wiring closet. 7. Failure to comply with the mandate for employees to wear face coverings. All employees observed not wearing face coverings inside the establishment.	\$0.00
C-1816025	ALS GEOCHEMISTRY		09/25/2021	Online	Y	N	Closed	S-Safety	1. In the Core Department; Core cutting/Saws: Machinery not being repaired and maintained correctly.	Resolved through inquiry process.
C-1816744	Pershing General Hospital		09/28/2021	Phone	Y	Y	Closed	S-Health	1. An employee tested positive for COVID-19. The employer required the employee to return to work the day after because of staff shortages.	\$0.00
C-1816933	WASHOE COUNTY SCHOOL DISTRICT TRANSPORTATION DEPARTMENT		09/28/2021	Online	Y	N	Closed	S-Health	1. Failure to comply with the mandate for employees to wear face coverings.	Resolved through inquiry process.
C-1817352	ALLIE & FRIENDS		09/29/2021	Phone	Y	N	Closed	S-Health	1. Failure to comply with the mandate for employees to wear face coverings. Thirteen employees (teachers) observed not wearing face coverings throughout the establishment.	Resolved through inquiry process.
C-1817454	SILVER SCREEN PRINTING INC.		09/28/2021	Online	Y	N	Closed	S-Health	Located in the front office and warehouse: 1. Failure to comply with the mandate for employees to wear face coverings. 2. A supervisor was recently diagnosed with COVID, returned to work the same week, and did not wear a mask when he returned.	Resolved through inquiry process.

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1817767	RENOWN HEALTH	RENOWN REGIONAL MEDICAL CENTER	09/30/2021	Online	Y	N	Closed	S-Health	1. Dosimeters are not being provided to staff in the radiology department who conduct radio graphic studies on speech pathology patients. Staff is being exposed to unknown doses of radiation.	Resolved through inquiry process.
C-1817980	MG1 MOTORSPORTS		09/29/2021	Phone	Y	N	Closed	S-Health	1. The employer is forcing employees to return to work when they test positive for COVID.	Resolved through inquiry process.
C-1782979	Aquarius Gaming LLC	Aquarius Casino Resort	07/02/2021	Phone	Y	N	Closed	O-Health	1. The facility is not providing enough linen carts, and employees are now being required to carry large/heavy bags of linens by hand to various hotel areas. 2. The facility linen bags are too thin, and dirty or soiled linens are tearing through bags.	Resolved through inquiry process.
C-1783540	Las Vegas Hampton Inn Tropicana		07/06/2021	Phone	Y	N	Closed	S-Safety	1. 1. Employees are required to confront unruly homeless guests that are in their rooms and other individuals in or around the hotel that are being disruptive. Employees are exposed to serious workplace violence hazards. 07/06/2021 rr	Resolved through inquiry process.
C-1783581	Goodwill Industries of Southern Nevada	Goodwill Retail Store and Donation Center	07/06/2021	Phone	Y	N	Closed	S-Safety	1. The employer does not ensure that exit routes are free and unobstructed. Pallet jacks and pallets are loaded with donated items and are constantly blocking the exit route. 2. Employees are concerned that the employer is storing flammable liquids near an exit route. Paint thinner, lamp oil and other flammable liquids are being stored near the loading ramp. 07/06/2021 rr	Resolved through inquiry process.
C-1784390	State of Nevada Early Intervention Services		07/02/2021	Online	Y	N	Closed	S-Health	1. Employees believe the air ducts supplying ventilation may have mold or asbestos inside of them. 2. The workplace is not adhering to COVID-19 protocols. Hazard Location: Throughout 7/2/2021 RAO	Resolved through inquiry process.
C-1784619	AREA 15 Meow Wolf		07/02/2021	Phone	Y	N	Closed	S-Health	1. Security employees working outdoors are suffering from heat stress due to lack of shade. The employees have not received training associated with working in the heat. 2. Security employees are required to handle equipment containing sewage without the proper Personal Protective Equipment. Hazard Location: Ride Share Pick Up area 7/2/21 ps	Resolved through inquiry process.
C-1784821	Clark County School District		07/08/2021	Online	Y	N	Closed	O-Health	1. The employer is not asking for proof of vaccinations and is not requiring employees to wear face coverings. Hazard Location: Wallace Bus Yard 7/8/21 ps	Resolved through inquiry process.
C-1784843	Papa John's Pizza		07/06/2021	Online	Y	N	Closed	S-Health	1. The employer is not Health screening for COVID-19, exposing employees to health hazards. 2. The employer exposed employees to health hazards by failing to notify them of a positive COVID-19 tested employee. 3. The employer is not sanitizing high-touch surfaces after an identified positive Covid-19 exposure of an employee on site.	Resolved through inquiry process.

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1784890	AllSaints		07/06/2021	Online	Y	N	Closed	S-Safety	1. In the stock room, boxes of merchandise are blocking the path to the emergency exit. 2. In the stock room, there are long rails of clothing being supported by "s" type hooks and the legs are exposed, creating a tripping hazard. Also, the clutter prevents the ladder from being set-up and utilized in a safe manner. HAZARD LOCATION: Stock Room 07/06/2020 KR	Resolved through inquiry process.
C-1784921	Southern Nevada Adult Mental Health Services: East Las Vegas Clinic		07/09/2021	Online	Y	N	Closed	O-Health	1. Bathroom has flooded into the hallway and up the walls and the roof frequently leak causing spots on the ceiling tiles. Wet walls were not treated or cleaned and there is a concern regarding mold. 2. There are no visible smoke detectors in the facility. Hazard Location: Suite 145 and Suite 225 7/9/21 ps	Resolved through inquiry process.
C-1784952	Caesar's Palace		07/08/2021	Online	Y	N	Closed	O-Health	1. Security employees have been working a mandatory 2 days of 12-hour shifts since June 2020 and these employees are fatigued. Employees calling off of work has risen and employees are disciplined for excessive call offs. Staff have also quit. Hazard Location: Throughout 7/8/2021 RAO	Resolved through inquiry process.
C-1785025	FedEx Ground		07/09/2021	Online	Y	N	Closed	O-Safety	1. A delivery truck has a dent in the bumper which is a fall hazard for employees when loading and walking out of the truck. There is a possibility that an employee may slip or fall. Hazard Location: Truck Number 259 7/9/21 ps	Resolved through inquiry process.
C-1785053	Albertsons		07/09/2021	Phone	Y	N	Closed	O-Health	1. The air conditioning is currently not working inside the establishment. Employees are concerned about heat exhaustion while working in the food preparation area. Hazard Location: Cooking Area. 07/09/2021 NC	Resolved through inquiry process.
C-1785060	Carl's Jr		07/07/2021	Online	N	N	Closed	O-Health	1. Employees working in the kitchen area are exposed to temperatures of approximately 102 degrees, exposing them to heat-related illnesses. Hazard Location: Kitchen area 7/07/2021 RM	Resolved through inquiry process.
C-1785070	Towbin Automotive Holdings, Inc.	Towbin Kia	07/07/2021	Phone	Y	N	Closed	O-Health	1. The employer is not ensuring that the mechanic bay area is sufficiently ventilated. Employees are experiencing heat-stress-related symptoms due to the swamp coolers operating inefficiently. Hazard location: Mechanic bay area. 07/07/2021 NC	Resolved through inquiry process.

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1785073	Ontrac		07/06/2021	Phone	Y	N	Closed	O-Health	1. Employees believe that the employer doesn't provide employees who work inside semi-trailers under excessive heat conditions with an adequate supply of water. Outside, the ambient temperature is 111 degrees, with the inside temperature assumed to be higher. There is one working water fountain for the entire warehouse. There are other water fountains in the building, but the employer has them shut off for unknown reasons. 2. The employer doesn't allow adequate break time for workers who are working inside semi-trailers loading and unloading materials onto a conveyer system. The employer allows ten-minute breaks, which includes lunch. Employees feel that this is inadequate. 3. An employee working inside a semi-trailer passed out today from the heat. That worker went home. Hazard Location: Semi-trailers at the loading dock being loaded and unloaded from inside the semi-trailers. Employees work inside the trailers placing materials on a conveyor belt to load or unload the trailers. 7/6/2021 RAO	Resolved through inquiry process.
C-1785081	VRI Research		07/08/2021	Phone	Y	N	Closed	S-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to creating administrative controls to reduce and eliminate the potential exposure of the employees who have worked with other employees that have reported to the employer that they have tested positive for the COVID-19 virus. Employees in the call center do not wear masks while at work, and the employer has not conducted contact tracing after employees report they have tested positive for the COVID-19 virus. 2. The employer is not complying with the Governor's COVID-19 mandate in regard to disinfecting high touch surfaces in order to reduce the probability of employees contracting the COVID-19 virus. The employer does not provide the employees with disinfectant so that the headsets used and shared by all employees of the call center can be disinfected between users. Hazard Location: Throughout Facility 07/08/2021 NC	Resolved through inquiry process.

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1785083	Caesar's Entertainment LLC	Harrah's Hotel and Casino	07/06/2021	Phone	Y	N	Closed	O-Health	1. Employees are concerned that the employer is not providing potable drinking water in amounts that are adequate to meet the health and personal needs of each employee. Housekeeping supply rooms contain empty drinking water containers and have not been refilled for approximately 4 weeks. Housekeeping employees are prohibited from refilling their personal water container in any other area during working hours. Hazard location: Housekeeping supply room located on each floor of guest rooms. 7/6/2021 EH	Resolved through inquiry process.
C-1785087	Carmelo's Bistro		07/09/2021	Online	Y	N	Closed	O-Health	Employees working in the kitchen are exposed to temperatures of over 90 degrees, exposing them to heat related illnesses. Hazard Location: Kitchen 7/9/2021 RM	Resolved through inquiry process.
C-1785748	Caliber Holdings Corporation	Caliber Collision Centers	07/08/2021	Online	Y	N	Closed	O-Health	1. The swamp coolers are not working. HAZARD LOCATION: Throughout 7/8/2021 CR	Resolved through inquiry process.
C-1785766	Virgil's Real BBQ Las Vegas		07/08/2021	Online	Y	N	Closed	O-Health	1. Employees must work outdoors whether they are wearing the correct attire or not and are concerned about heat exposure. HAZARD LOCATION: Outside Front Entrance 7/8/2021 KR	Resolved through inquiry process.
C-1785769	Bridgestone Retail Operations	Firestone Complete Auto Care	07/09/2021	Online	Y	N	Closed	O-Health	1. The shop area has no air conditioning. HAZARD LOCATION: Shop Area 7/9/2021 CR	Resolved through inquiry process.
C-1785778	Albertson's 4004		07/09/2021	Phone	Y	N	Closed	O-Health	1. Employees are having to go near the flower cooler in order to cool down during their shift due to lack of air-conditioning in the store. Some employees have begun to get sick causing employees to notify management that it gets too hot in the store due to the lack of air conditioning however management has advised employees that cooperate will not turn the air conditioning on. Management does not allow any plug-in fans near the register area and requires employees who would like a fan to purchase their own battery-operated fan. HAZARD LOCATION: In the front of the store near the front desk and cashier area. 07/9/2021 KR	Resolved through inquiry process.
C-1785797	Westgate Las Vegas Resort Casino		07/12/2021	Online	Y	N	Closed	O-Health;O-Safety	1. Employees are utilizing chemicals for cleaning out of containers that do not have labels, product identifiers, words, pictures, symbols, or combination thereof on the bottles. Employees in the housekeeping department are using the unlabeled bottles. 2. Employees have concerned that trash has been sitting in the landing area near housekeeping lockers. Hazard Location: Casino/Housekeeping Department 7/12/21 ps	Resolved through inquiry process.

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1785798	A Mano		07/07/2021	Online	Y	N	Closed	O-Health	1. The air conditioning is not working or is inadequate to cool the space sufficiently. Hazard Location: Throughout. 7/7/2021 bb	Resolved through inquiry process.
C-1786024	Senor Frog's Las Vegas, LLC	Senor Frog's	07/07/2021	Online	Y	N	Closed	O-Health	1. Employees are exposed to respiratory hazards associated with dust/dirt in the workplace. Employee breakroom and open-air restaurant area have excess dust/dirt on walls, which exposes employees to respiratory hazards if the dust/dirt is hazardous and inhaled. Hazard location: Breakroom and throughout restaurant area. 7/13/2021 EH	Resolved through inquiry process.
C-1786044	Sam's West, Inc.	Sam's Club #4974	07/12/2021	Online	Y	N	Closed	O-Health	1. The air conditioning is not working as the entire store is excessively hot. HAZARD LOCATION: Throughout 07/12/2021 RJP	Resolved through inquiry process.
C-1786691	Flamingo Las Vegas		07/14/2021	Phone	Y	Y	Closed	O-Health	1. Linen is thrown down a linen shoot into the basement and has piled up to the roof, covering vents, fire extinguishers, fire sprinklers, and one of the two emergency exits. 2. Linen is not separated if they contain biohazards. The company provides haz-mat suits, but does not make it mandatory for employees to utilize them. 3. Due to the amount of biohazards that are on the linens, there are flies in the room, making it unsanitary for the employees. Hazard Location: Linen Shoot of the Housekeeping Department 7/14/21 ps	\$0.00
C-1786744	GardaWorld - BEST Crowd Management		07/12/2021	Phone	Y	N	Closed	S-Health	1. On Saturday, July 10, 2021, an employee working outdoors was not provided any water. The employee began throwing up and was hospitalized due to heat exhaustion. The employer did not provide the employee aid or record the incident. Hazard Location: Convention at Caesars Palace 7/12/2021 JB	Resolved through inquiry process.
C-1786751	WDF Corporation	McDonald's	07/09/2021	Phone	Y	N	Closed	O-Health	1. In the kitchen area the air conditioning has been broken for over a month. Employees are suffering from heat exhaustion. Management has provided two fans. However, the fans cannot be used as they blow food, containers, and food wrappers throughout the kitchen. 7/09/2021 JB	Resolved through inquiry process.
C-1786980	The Men's Wearhouse, Inc.		07/08/2021	Phone	Y	Y	Closed	O-Health	1. Employees have been experiencing symptoms of heat stress such as dizziness, nausea, loss of appetite, and tremors due to inadequate air conditioning. The temperature is especially high in the Tailor Shop where machinery such as sewing machines and irons contribute to the heat. Hazard Location: Main Store and Tailor Shop 7/8/2021 bb Follow-Up 7.30.2021 EBM	\$0.00

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1787027	Sam's West, Inc.	Sam's Club #6257	07/12/2021	Online	Y	N	Closed	O-Health	1. The air conditioning is not working at all or well enough to keep employees cool. Employees are provided fans, but they don't seem to help. Hazard Location: Throughout 7/12/2021 bb	Resolved through inquiry process.
C-1787138	State of Nevada Division of Welfare and Social Services		07/15/2021	Online	Y	N	Closed	O-Health	1. The toilets in the facility have been out of service since July 13, 2021. This is a recurring problem. Portable restrooms are brought on site, but they are often used by the homeless. Hazard Location: Restrooms 7/15/2021 RAO	Resolved through inquiry process.
C-1787167	Paris Las Vegas Operating Company, LLC	Paris Las Vegas	07/09/2021	Online	Y	N	Closed	S-Health	1. Employees are exposed to black mold hazards in the surveillance room of the Paris Casino due to a leak in the ceiling. Hazard Location: Ceiling in the surveillance room of the Paris Casino 07/09/2021 EM	Resolved through inquiry process.
C-1787171	WBF McDonald's Management LLC	McDonalds	07/15/2021	Phone	Y	N	Closed	O-Health	1. Employees are feeling lightheaded and dizzy due to the heat. HAZARD LOCATION: Throughout 7/15/2021	Resolved through inquiry process.
C-1787173	Vegas Born Roofing, LLC		07/12/2021	Phone	Y	N	Closed	O-Health	1. The foreman does not allow employees to use the restroom. When employees ask the foreman for permission to use the restroom they are denied and told they must wait until their shift is over. Employees have informed the owner of the situation, but no corrective action has been taken against the foreman. 2. Employees are not given water breaks. 7/12/2021 JB	Resolved through inquiry process.
C-1787370	Cintas Corporation		07/14/2021	Phone	Y	N	Closed	O-Safety	1. Employees with light duty work restrictions from their doctors are not provided accommodations for their injuries, which has led to their injuries getting worse. Hazard Location: The M Resort Spa and Casino 7/14/2021 bm	Resolved through inquiry process.
C-1787416	Expert Medical Services LLC		07/15/2021	Phone	Y	N	Closed	S-Health	1. Failure to comply with the mandate for employees to wear face coverings. Not all employees are fully vaccinated. 2. The bathrooms are not clean and there is a strong sewer odor lingering inside. 3. There is no running hot water inside the bathrooms. 4. High touch areas are not sanitized, and employees are concerned with contracting a virus. Hazard Location: Throughout the facility. 07/15/2021 NC	Resolved through inquiry process.
C-1787425	Check City Corporate Office		07/16/2021	Email	Y	N	Closed	O-Safety	1. Beginning on 7/13/2021, the ceiling is dripping water onto electronics in the middle of the workplace which is causing a fire and slip hazard. Hazard Location: In the main building on the staff floor. 7/16/21 ps	Resolved through inquiry process.
C-1787427	Albertsons		07/09/2021	Phone	N	N	Closed	O-Health	1. An employee working in an area that is hot and a non-food prep area, and had their water taken away. Hazard Location: Throughout 7/9/2021 bm	Resolved through inquiry process.

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1787559	Berry Global Inc.		07/15/2021	Phone	Y	N	Closed	O-Health	1. Employees are suffering from heat exhaustion due to the heat. There have been employees who have passed out. Hazard Location: Throughout 7/15/2021 RAO	Resolved through inquiry process.
C-1787576	Dark House Entertainment	THE BASEMENT: A Live Escape Room Experience	07/08/2021	Email	Y	N	Closed	O-Health;S-Safety	1. Employees are concerned that they are being exposed to hazards associated with heat stress. The employer has not repaired the faulty air conditioning within the business resulting in only 1 room to be sufficiently cooled and ventilated. Employees have experienced symptoms such as, nausea, vomiting and fainting due to poor ventilation. 2. Employees are concerned that the employer is exposing employees to hazards associated with workplace violence. The employer does not provide security within the business and have exposed employees to violence such as, being spat on, harassed, and assaulted by patrons of the business. 3. Employees are concerned that the employer has disabled smoke alarms within the facility. Smoke alarms have been disabled due to false alarms from theatrical smoke effects. Hazard Location: Throughout business. 07/08/2021 NC	Resolved through inquiry process.
C-1787586	Dark House Entertainment	THE BASEMENT: A Live Escape Room Experience	07/09/2021	Email	N	N	Closed	S-Health;S-Safety	1. Employees are exposed to excess heat stress hazards due to the inadequate functioning air conditioning unit. 2. Employees are exposed to fire hazards associated with the employer utilizing improper fire safety detection equipment. Hazard Location: Lobby. 07/09/2021 NC	Resolved through inquiry process.
C-1787588	Dark House Entertainment	THE BASEMENT: A Live Escape Room Experience	07/09/2021	Email	N	N	Closed		1. Employees are exposed to excess heat stress because the air-conditioning unit does not efficiently cool the room which has resulted in employees becoming sick to the extent of collapsing while at work. Several requests have been made to management, and nothing has been done to eliminate the excess heat hazard. 2. Employees are exposed to potential fire hazards because management has disabled the fire safety equipment so that a fog machine can be operated. Hazard Location: 2 rooms: The Basement and The Study 07/9/2021 NC	Resolved through inquiry process.
C-1787589	Ashley Furniture Homestore		07/09/2021	Online	Y	N	Closed	O-Health	1. Employees are exposed to excess heat stress due to the interior store temperatures due to the exterior approximate temperature of 115 degrees. Multiple complaints have been made to management with regards to the air-conditioning unit not functioning properly Hazard Location: Throughout 07/09/21 EM	Resolved through inquiry process.

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1787590	The Neon Museum Las Vegas		07/12/2021	Online	N	N	Closed	O-Health;O-Safety	1. The employer did not allow staff to find shelter indoors during a storm where lightening was less than 5 miles away. Employees work outdoors surrounded by tall metal signs. Hazard Location: Within collection at facility. 7/12/2021 DG	Resolved through inquiry process.
C-1787591	Walgreen Co.	Walgreens #05479	07/09/2021	Online	Y	N	Closed	S-Health	1. Employees are exposed to excess heat stress because the store has set the HVAC system to automatically have the heater turn on while the exterior temperatures are at approximately 115 degrees. Hazard Location: Throughout 07/09/2021 EM	Resolved through inquiry process.
C-1787601	Signature Flight Support of Nevada, Inc.		07/12/2021	Online	Y	N	Closed	O-Health	1. The exhaust smell from jet engines permeates the office with windows closest to the airport. HAZARD LOCATION: Throughout Office 07/12/2021 KR	Resolved through inquiry process.
C-1787891	CC Construction of Nevada, LLC	CC Construction	07/15/2021	Phone	Y	Y	Closed	S-Health	1. On July 9th, 2021 an employee and foreman of CC Construction, LLC transported to the emergency room due to heat stress / heat stroke related symptoms. The foreman died due to heat stress / heat stroke related symptoms and the employee was admitted and later released from the hospital. Hazard location: At the jobsite located at Cheyenne and Clayton. 7/19/2021 EH	\$0.00
C-1787931	9W Halo Western OpCo LP	Angelica	07/19/2021	Phone	Y	N	Closed	O-Health	1. The laundry facilities HVAC system is not working properly, potentially exposing employees to heat stress related illnesses. 2. Laundry carts are blocking the fire exits. 3. The employer does not provide ventilation in the employees restrooms, potentially exposing employees to unsanitary air.	Resolved through inquiry process.
C-1787968	Carl's Jr		07/19/2021	Online	Y	N	Closed	O-Health	1. The air conditioning in the kitchen and front counter area is not working. Hazard Location: Kitchen; Front Counter 7/19/2021 RAO	Resolved through inquiry process.
C-1787995	Wendy's		07/19/2021	Online	Y	N	Closed	O-Health	1. The kitchen and drive through window areas are extremely hot and it does not seem as though any air conditioning is supplying these areas. Employees are suffering from heat stress. Hazard Location: Kitchen; Drive Through 7/19/2021 RAO	Resolved through inquiry process.
C-1788004	Cheyenne Bus Yard CCSD		07/09/2021	Phone	Y	N	Closed	O-Health;O-Safety	1. Employee restrooms are not all available for use or kept sanitary. 2. Employees are not provided enough shaded break areas while on break. 3. Employee ice machine in not kept sanitary for employee use. Hazard location: Bus driver break area. 7/9/2021 DG	Resolved through inquiry process.

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1788119	Centurion Service Group		07/19/2021	Online	Y	Y	Closed	S-Safety	1. Employees are working around pallet racks which have been recently installed and have not been inspected for safety. 2. Employees are climbing recently installed pallet racks and are exposed to fall hazards. 3. Employees are loading heavy items onto recently installed pallet racks without load indicators. Hazard Location: Throughout the warehouse 7/19/21 ps	\$0.00
C-1788379	Valvoline Instant Oil Change		07/12/2021	Email	Y	N	Closed	O-Health	1. An employee tested positive for COVID and the shop was not closed or sanitized and employees who were exposed were not sent home. Hazard Location: The whole building 7/12/21 ps	Resolved through inquiry process.
C-1788611	El Segundo Sol		07/09/2021	Online	Y	N	Closed	S-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to employees testing positive at the workplace. It is believed that as many as 32 employees have tested positive for COVID-19 and the employer has not performed trace contact to ensure employees who were exposed quarantine for the appropriate number of days. These employees are still working in the establishment. Hazard location: Throughout 7/9/2021 KO	Resolved through inquiry process.
C-1788779	PHWLV, LLC	Planet Hollywood Resort & Casino	07/16/2021	Phone	Y	N	Closed	S-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to sanitizing high-touch surfaces after each use. The sanitizer buckets are not full of sanitizer, and the sanitizer dispensers are not working. 2. The employer is not complying with the Governor's mandate that all employees exposed to COVID-19 must quarantine for fourteen days. An employee in the pool area tested positive for COVID-19 and has continued working while showing symptoms. There are concerns that there is COVID-19 in the pool water. 3. The music is too loud in bars, the pool areas, and restaurants. Employees cannot hear customers while performing tasks. 4. There is mold that is building up under the laminate in the pool bars. Hazard Location: 1 and 3 - All bars and restaurants. 2, 3 and, 4. - The pool area 7/16/2021 RAO	Resolved through inquiry process.
C-1788827	Malco Enterprises of Nevada Inc.	Budget Rent a Car	07/07/2021	Online	Y	N	Closed	S-Safety	1. The employer is not ensuring that employees are not exposed to vehicular struck-by and crush-by hazards. Employees detailing and refueling vehicles are required to work in close proximity to other moving vehicles with no barriers in between. Hazard location: Refueling and detailing area of the outdoor work site. 7/21/2021 EH	Resolved through inquiry process.

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1788919	United Parcel Service Inc.	UPS	07/20/2021	Online	Y	N	Closed	S-Safety	1. The site supervisors and employees are walking on moving belts during sorting operations, potentially exposing themselves to fall or stuck by hazards. 2. The facility policy to stay off of the moving belts is not being enforced nor adhered to. Hazard Location: The sort aisle area.	Resolved through inquiry process.
C-1789092	Green Valley Ranch Station Casino		07/16/2021	Online	N	N	Closed	O-Health	1. An employee is working in direct sunlight while riding a bicycle and wearing a bullet proof vest. The employee is provided with two 30-minute breaks while in a room with air conditioning. Hazard Location: Exterior parking lot area	Resolved through inquiry process.
C-1789277	Greater Nevada Auto Auctions	Manheim Nevada	07/20/2021	Online	Y	N	Closed	O-Health	1. Employees working in the mechanic shop are exposed to temperatures of approximately 100 degrees, exposing them to heat related illnesses. Hazard Location: North end of the property-Building C 7/20/21 ps	Resolved through inquiry process.
C-1789308	AutoZone		07/20/2021	Online	Y	N	Closed	O-Health	1) An employee is conducting battery install and removal services while in extreme heat and is exposed to a heat-related illness. Hazard Location: Parking lot (Outside the store front) 7/20/21 ps	Resolved through inquiry process.
C-1789329	Chaparral High School		07/20/2021	Email	Y	N	Closed	O-Health	1) There is no air conditioning in two portable classrooms. Temperatures have reached over 96 degrees exposing employee to a heat related illness. Hazard Location: Two portable classrooms (location not specified) 7/20/21 ps	Resolved through inquiry process.
C-1789343	BlueScope Construction, Inc.		07/22/2021	Email	Y	Y	Closed	S-Health;S-Safety	1. Ten employees are working on the roof without personal fall arrest systems and one employee crossed an unclearly marked roof barrier and almost fell through the roof. 2. Employees are forced to work double time and are becoming ill due to heat exposure. Hazard Location: Large Commercial building located on Maule Avenue. 7/22/21 ps	\$0.00
C-1789392	Kichler Inc		07/21/2021	Phone	Y	N	Closed	O-Health	1.) Employees have concerns they are smelling gas fumes inside the warehouse, potentially coming from an adjacent business gas tank located outside. Employees state they had notified management whom told them to continue working. Hazard Location: Inside Suite No: 100 7/21/21 ps	Resolved through inquiry process.
C-1789398	Guy Fieri's Vegas Kitchen		07/21/2021	Online	Y	N	Closed	O-Health	1. Employees have been working in a kitchen without air conditioner and have been passing out and experiencing heat exhaustion. Hazard Location: The upstairs kitchen. 7/21/21 ps	Resolved through inquiry process.
C-1789498	Green		07/22/2021	Email	Y	N	Closed	S-Health	1. Employees are working while sick with symptoms of COVID-19. These employees have taken a COVID-19 test but are still allowed to work while the results are unknown. HAZARD LOCATION: Throughout 07/22/2021 KR	Resolved through inquiry process.

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1789521	Holiday Inn Club Vacations Incorporated	The Desert Club Resort	07/22/2021	Phone	Y	N	Closed	O-Health	1. Employees leave their used gloves on the ground, floor, parking lot and stairwell. Employees leave open trash bags in walkways causing a trip hazard. Hazard Location: The whole property. 7/22/21 ps	Resolved through inquiry process.
C-1789708	Nevada Jockey Club Interval Owners Association	Tricom Management, Inc.	07/22/2021	Email	Y	N	Closed	S-Health	1. The employer is not complying with the Clark County Local Mitigation and Enforcement Plan with regards to employees working indoors without face coverings. Employees are in close contact with other employees and guests during presentations. 2. Employees believe that one employee has died from COVID-19. 3. The work area is not being cleaned. HAZARD LOCATION: Throughout 07/22/2021 KR	Resolved through inquiry process.
C-1789732	New Castle Corporation	Excalibur Hotel and Casino	07/22/2021	Phone	Y	N	Closed	O-Health;O-Safety	1. Housekeeping is frequently provided with unlabeled or mislabeled chemical spray bottles. 2. The vacuums are not maintained. There are no bags for them, so trash bags are being used instead, and there are wires coming out of the vacuums. 3. Prior to the Clark County mask mandate, employees who were not vaccinated could be seen not wearing a mask. There is no enforcement of mask use. 4. Located inside the linen lockers are water fountains where employees can fill water bottles. The filters have not been changed in a very long time and the water has white particles floating in it. 5. The gloves provided to housekeeping staff are very cheap. The gloves rip when they are being put on. Hazard Location: Housekeeping Carts and Linen Locker Rooms 7/22/2021 RAO	Resolved through inquiry process.
C-1789964	Furniture Avenue		07/23/2021	Phone	Y	N	Closed	S-Health	1. The employer is not complying with the Clark County Local Mitigation and Enforcement Plan with regards to employees working indoors without face coverings. The employer isn't making workers wear masks and some of the workers aren't vaccinated. HAZARD LOCATION: Sales floor 07/23/2021 KR	Resolved through inquiry process.
C-1790224	Tesla, Inc.		07/22/2021	Email	Y	N	Closed	O-Health	1. The employer is not complying with the Clark County Local Mitigation and Enforcement Plan with regards to employees working indoors without face coverings. Employees are not wearing masks indoors. Hazard Location: The entire workplace 7/22/21 ps	Resolved through inquiry process.

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1790240	Bath & Body Works, LLC		07/23/2021	Phone	Y	N	Closed	S-Health	1. Employees who come to work sick are not sent home right away and are allowed to work even when commenting that they are not feeling well and exhibiting symptoms of COVID-19. 2. Recently, when an employee tested positive, management waited 48 hours before notifying employees that they may have been exposed. 3. Employees are not isolating for the required time after testing positive and are coming to work. Hazard Location: Throughout 7/23/2021 RAO	Resolved through inquiry process.
C-1790348	AREA 15 Meow Wolf		07/26/2021	Online	Y	N	Closed	O-Health	1. The employer is not informing employees when their coworkers test positive for COVID even though they work in close proximity to other employees. Hazard Location: Area 15 Meow Wolf 7/26/21 ps	Resolved through inquiry process.
C-1790500	Albertson's 4004		07/26/2021	Online	Y	N	Closed	S-Health	1. Employees believe that the store manager is telling employees not to report COVID-19 exposures or illnesses. Hazard Location: Throughout 7/26/2021 RAO	Resolved through inquiry process.
C-1790807	Walmart Supercenter	WalMart #2838	07/14/2021	Phone	Y	N	Closed	O-Health	1. Half of the store, to include the electronics department and loading dock area, has not had working A/C for approximately one week. 2. One employee recently passed out at the front of the store due to the heat and was released for the day to receive medical care. Hazard Location: Electronics department, loading dock area, front of store. 07/14/2021 NC	Resolved through inquiry process.
C-1790815	Walmart #3728		07/26/2021	Phone	Y	N	Closed	O-Safety	1. On July 25th, 2021 after the store closed, a fire alarm went off in the building. Employees were unaware what the procedures were and were told to "continue working" while the alarm continued to sound. Employees were unaware of where they were to go to in the case of a fire emergency. They were allowed to do so, after smoke was reported at the front entrance. Hazard Location: Throughout 7/26/2021 RAO	Resolved through inquiry process.
C-1790863	Reef Dispensaries		07/27/2021	Online	Y	N	Closed	S-Health	1. Employees in cultivation and production allegedly tested positive for COVID-19 and employees of the dispensary are concerned because they share common areas with these employees. Employees came in contact with the COVID-19-positive employees and management did not inform anyone of the positive results. None of the suspected employees are being told to take a COVID-19 test. Hazard Location: Throughout 7/27/2021 RAO	Resolved through inquiry process.
C-1790999	Walmart Inc.	Walmart #2593	07/27/2021	Online	Y	N	Closed	O-Safety	1. The bakery freezer floor has accumulated a large amount of ice, potentially exposing employees to slip and fall injuries. JH	Resolved through inquiry process.

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1791355	Life Springs Christian Church		07/27/2021	Online	Y	N	Closed	O-Health	1. The Pastor has been ill with a fever for 3 weeks. On the 3rd week of being ill the pastor was diagnosed with COVID-19, exposing employees and members of the congregation. Hazard Location: The main building 7/27/21 ps	Resolved through inquiry process.
C-1791497	Circa Resorts, LLC	Circa Resort & Casino	07/17/2021	Online	N	N	Closed	S-Health	1. Lifeguards are exposed to heat stress from the sun and are not provided with shade for up to 6 hours. Employees have suffered heat exhaustion and lost consciousness while exposed to heat stress while working on lifeguard stands with no shade. Hazard Location: Stadium Swim 07/17/2021 EM	Resolved through inquiry process.
C-1791744	Children's Learning Adventure USA, LLC		07/26/2021	Phone	Y	N	Closed	S-Health	1. The employer is not complying with the Clark County Local Mitigation and Enforcement Plan with regards to employees working indoors without face coverings. Employees regularly are allowed to remove masks while working with children that have been exposed to Covid-19. 2. The employer is not complying with the Governor's COVID-19 mandate in regard to sanitizing high-touch surfaces after each use. Classrooms are not cleaned after use by students, resulting in positive Covid-19 cases for children and employees. 3. The employer is not complying with the Governor's mandate that all employees exposed to COVID-19 must quarantine for fourteen days. Several employees have tested positive for COVID-19 and continued working while showing symptoms. The employer will allow them to continue working while results are pending. HAZARD LOCATION: Throughout 07/26/2021 KR	Resolved through inquiry process.
C-1791768	Urban Necessities		07/29/2021	Online	Y	Y	Closed	S-Safety	1. Multiple emergency exit doors and exit routes are being blocked by delivery boxes. 2. Product boxes are being stored in and around electrical panels and components. 3. The employee break room area is filled with boxes that are improperly stacked, potentially exposing employees to being struck.	\$0.00
C-1791828	Grape Holdings, LLC dba Sage Creek Post-Acute		07/26/2021	Phone	Y	N	Closed	S-Health	1. The employer is not complying with the Governor's mandate that all employees exposed to COVID-19 must quarantine for fourteen days. An employee tested positive for COVID-19 and has continued working while showing symptoms. HAZARD LOCATION: Throughout 7/26/2021 CR	Resolved through inquiry process.

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1791837	Shenker Academy		07/27/2021	Phone	Y	N	Closed	S-Health	1. Employees are concerned about the workplace spread of COVID-19. Seven employees have tested positive. 2. An employee who has tested positive for COVID-19 is working without quarantining. An assistant teacher who works in the "Funky Frogs" room is symptomatic and pulls down their mask while coughing. HAZARD LOCATION: Throughout and in Funky Frogs two year old class 7/27/2021 CR	Resolved through inquiry process.
C-1791952	Dollar Tree Stores, Inc	Dollar Tree #2628	07/27/2021	Online	Y	N	Closed	O-Health	1. Employees are concerned that the employer is exposing employees to hazards associated with heat stress. Employees are experiencing symptoms such as syncope, nausea and vomiting due to the faulty air conditioner causing an abundance of heat within the business. Employees do not have adequate access to water for additional breaks to cool off from the heat. Hazard location: Throughout business 7/29/2021 EH	Resolved through inquiry process.
C-1791972	NorthStar Contracting Group, Inc.		07/29/2021	Phone	Y	Y	Closed		1. Employees are removing asbestos containing materials and there is no containment of the work area. Employees are removing pipes from hotel room bathrooms and hallways, that contain asbestos insulation with reciprocating saws, causing the asbestos to become air borne. Employees and other contractors are exposed to contact with asbestos. 2. The employees that are removing the asbestos containing materials are only wearing N95 particulate respirators. Employees are not being required to wear personal protective equipment rated or appropriate for removing asbestos. HAZARD LOCATION: At the Fremont Hotel and Casino project. In the hotel, floors 1 through 14 restrooms and hallways. General Contractor: Penta Building Group 7.29.2021 EBM	\$0.00

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1791983	Circa Resorts, LLC	Circa Resort & Casino	07/27/2021	Phone	Y	N	Closed	O-Health	1. Employees are concerned that the employer has not provided employees with effective information and training in hazardous chemicals used in their workplace. Employees use combustible chemicals and chemicals containing alcohols and the employer has not communicated adequate procedures to protect employees from exposure to hazardous chemicals. 2. Employees are concerned that the employer has not provided employees with adequate personal protective equipment for hazardous chemicals used in their workplace. Employees use combustible chemicals and chemicals containing alcohols and the employer has not provided adequate personal protective equipment to protect employees from exposure to hazardous chemicals. Hazard location: In the 2nd floor office and utility porter storeroom. 7/29/2021 EH	Resolved through inquiry process.
C-1792410	Oil & Vinegar		07/30/2021	Online	Y	N	Closed	S-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to employees wearing face coverings. An unvaccinated employee was previously permitted to not wear a mask during the Clark County employee mask ordinance, and currently does not wear a face cover during the Governor's COVID-19 mandate. 2. The employee contracted COVID-19 during work, and was permitted to continue working without a face cover. Hazard Location: Throughout 7/30/2021 bm	Resolved through inquiry process.
C-1792454	CVS Pharmacy #4786		07/28/2021	Phone	Y	N	Closed	O-Health;O-Safety	1. There has been extensive damage to the building from recent rainstorms which caused the upper-level storage area and electrical room to be flooded and employees are concerned of falling through the walking surfaces in these areas. The building damage has also caused ceiling tiles to fall, and employees are concerned about getting struck by one of these falling ceiling tiles. 2. Recent rainstorms and a leaking roof have led to mold growth throughout all flooded areas of the building. Employees have been experiencing symptoms such as congestion, sore throat, and burning eyes which, they believe to be a result of exposure to mold. HAZARD LOCATION: Upper level storage area and electrical room	Resolved through inquiry process.

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1792456	Dollar Tree Stores, Inc. #2874		07/29/2021	Phone	Y	N	Closed	O-Health	1. There is no air conditioning throughout the store for the past four months. The stock room has one medium sized fan, but it always feels the heater is on back there so the employer has provided an ice chest with cold waters for stockers. The employer said that it would be too expensive to fix the heat so everyone at the front of the store has to sweat and work in hot conditions. HAZARD LOCATION: Throughout the store and in the stock room. 07/29/2021 KR	Resolved through inquiry process.
C-1792758	City of Caliente		08/02/2021	Phone	Y	N	Closed	S-Safety	1. Employees conducting road work without the use of warning signage or safety barriers to warn drivers and keep employees safe.	Resolved through inquiry process.
C-1792868	CareFirst Urgent Care - Blue Diamond		08/01/2021	Hotline	Y	N	Closed	S-Health	1. Employees have not received any form of infection control training for COVID-19 related testing and patient care. 2. Employees have not received any fire safety or emergency evacuation related trainings. 3. The employer has not maintained the correct CLIA licensure for COVID-19 related care. 4. The location does not have a hazardous waste removal service. JH	Resolved through inquiry process.
C-1793427	Cocolini@MMS	Cocolini	07/19/2021	Phone	Y	N	Closed	O-Health	1. The employer has not repaired the air conditioning in over a year. Employees work in hot conditions and 3 employees have become dizzy. Hazard Location: Worksite is located within the Miracle Mile Shops. In the cafeteria and gelato shop. 07/19/2021 NC	Resolved through inquiry process.
C-1793612	Essence Cannabis Dispensary		08/01/2021	Online	N	N	Closed		1. A cannabis refrigerator has a defective lock, and is unable to be locked during overnight hours.	Resolved through inquiry process.
C-1793834	Discount Firearms & Ammo, LLC		08/03/2021	Online	Y	N	Closed	O-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to employees wearing face coverings. Management is not enforcing face coverings. 2. The employer is not complying with the Governor's COVID-19 mandate in regard to persons/patrons wearing face coverings while in the Employer's establishment. Management is not enforcing face coverings. Hazard Location: Entire Building 8/3/21 ps	Resolved through inquiry process.
C-1793854	The Modern Vegan		08/03/2021	Phone	Y	N	Closed	O-Health;O-Safety	1. An electrical panel recently caught on fire after constantly being tripped. Employees were still required to continue working after the fire. 2. The air conditioning in the building runs warm and does not maintain a cool temperature in the building. Employees are concerned about heat illnesses. 3. During the night shift, employees do not have supervision or managers present to ensure the workplace is operating safely. HAZARD LOCATION: Throughout. JH	Resolved through inquiry process.

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1793879	Las Vegas Clark County	Summerlin Library	08/03/2021	Online	N	N	Closed	O-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to persons/patrons wearing face coverings while in the Employer's establishment. On July 30, 2021, approximately 50 vocal performers and musicians were observed during their performance without facial coverings. Hazard Location: Summerlin Library Performing Arts Center 08/04/2021 EM	Resolved through inquiry process.
C-1794094	Desert Orthopaedic Center		08/03/2021	Online	Y	N	Closed	O-Health	1. The employer is requiring employees to report to work while displaying symptoms of COVID-19. Employees must remain in the workplace until a positive test is received. 2. Six employees were in close proximity to a patient who later tested positive for COVID-19 for over 15 minutes. The employees were not notified of the positive test. 3. The employer does not have an established protocol to advise employees of exposure to COVID-19.	Resolved through inquiry process.
C-1794099	City of Las Vegas		08/04/2021	Online	Y	N	Closed	S-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to employees wearing face coverings. Department directors, management and council members are not wearing face covers.	Resolved through inquiry process.
C-1794124	Amazon.com Services LLC	North American Fulfillment Center-LAS 7	07/13/2021	Online	N	N	Closed		1. We are no longer able to bring colored drinks to our work station this includes Gatorade, Sqwincher electrolyte replacement drink and any other colored replacement drink Hazard location: Amazon Las 7 8/4/2021 EH	Resolved through inquiry process.
C-1794367	Home Depot U.S.A., Inc.	Home Depot #3308	08/04/2021	Email	Y	N	Closed	O-Health	1. The facility has not discontinued use of its water dispensers, per the company's own COVID-19 policy. 2. Cleaning chemicals are being stored in and around the water dispensers.	Resolved through inquiry process.
C-1794447	Las Vegas Convention Center and Visitors Authority		08/05/2021	Phone	Y	N	Closed	S-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to employees wearing face coverings. During the week of 7/25/2021 - 7/31/2021 multiple vendors were not wearing face coverings. 2. The employer is not complying with the Governor's COVID-19 mandate in regard to persons/patrons wearing face coverings while in the Employer's establishment.	Resolved through inquiry process.
C-1794462	Caesars Entertainment Corporation	The Paris Las Vegas	08/05/2021	Phone	Y	N	Closed	O-Safety	1. The pool deck has not been resurfaced or maintained resulting in employees slipping and falling. On 8/4/2021 an employee fell while working on the pool deck and injured their knee. Employees have requested grip tape be put in place but were denied by management. 2. Drain grates throughout the pool deck are broken, and the walking surfaces are now uneven.	Resolved through inquiry process.

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1794471	State of Nevada Desert Regional Center		07/29/2021	Phone	Y	N	Closed	O-Health;O-Safety	1. Employees are concerned with the company policies and level of training provided when they are required to de-escalate confrontations with clients. There have been several instances of violence from clients towards employees which have occurred and been reported to management. Employees continue to get attacked by clients and management is not resolving the problem. Hazard Location: Throughout. 7/29/2021 DG	Resolved through inquiry process.
C-1794587	The Strat, Hotel, Casino & Skypod		07/27/2021	Mail	Y	N	Closed	S-Health	1. Employees are concerned that unvaccinated employees are being unfairly treated because of the new policy that unvaccinated employees would be subjected to periodic mandatory COVID-19 testing. The employer would not pay for the testing and employees would be responsible for all costs incurred by testing. 2. Members of the public can smoke and vape in the facility and employees are concerned they could be exposed to COVID-19. 3. Plexiglass barriers that were in place to protect employees have been removed in various locations on the property. 4. Guests are not required to wear masks regardless of their vaccination status. HAZARD LOCATION: Throughout 07/27/2021 KR	Resolved through inquiry process.
C-1794598	Las Vegas Athletic Club		08/02/2021	Online	N	N	Closed		1. The employer is not complying with the Governor's COVID-19 mandate in regard to persons/patrons wearing face coverings while in the Employer's establishment. There is no enforcement of the mask mandate. HAZARD LOCATION: Throughout 08/02/2021 KR	Resolved through inquiry process.
C-1794835	Brosnan Risk Consultants, Ltd.		08/03/2021	Email	Y	N	Closed	O-Health	1. One of the work vehicles does not have functioning air conditioning and employees are concerned about heat stress. HAZARD LOCATION: Inside Work Vehicle 8/3/2021 RW	Resolved through inquiry process.
C-1794917	Delta Air Lines Inc.		08/02/2021	Phone	Y	N	Closed	S-Health	1. Employees are expected to work after their ten-day isolation period following a positive covid-19 test regardless of if they are still experiencing symptoms that have not improved. Employees who call out after the 10-day isolation period because they are not feeling well enough to return to work are written up after three call outs. Hazard Location: Throughout. 8/6/2021 bb	Resolved through inquiry process.
C-1794932	Area 15		08/03/2021	Online	N	N	Closed	O-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to persons/patrons wearing face coverings while in the Employer's establishment. The business is not enforcing the mask mandate. Hazard Location: Throughout. 8/3/2021 bb	Resolved through inquiry process.

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1794978	The Modern Vegan		08/06/2021	Phone	Y	N	Closed	S-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to employees wearing face coverings.	Resolved through inquiry process.
C-1795078	United Parcel Service Inc.	UPS	08/06/2021	Phone	Y	N	Closed	S-Safety	1. The second floor raised platform has broken or damaged welds. The flooring is not secured against displacement or movement. 2. The second floor air conditioning is not effectively cooling the area. Employees are potentially exposed to heat stress related illnesses. 3. Employees are not provided with an adequate amount of gloves. 4. The facility restrooms do not have hot/tepid running water or paper towels.	Resolved through inquiry process.
C-1795080	UPS Customer Center		08/03/2021	Online	Y	N	Closed	O-Safety	1. Employees are concerned with having to store boxes on the floors of the delivery trucks blocking the walkways potentially exposing employees to a fire hazard. Hazard Location: Belt eight of warehouse 8/3/21 ps	Resolved through inquiry process.
C-1795084	Jim Marsh Body Shop Las Vegas		08/06/2021	Phone	Y	N	Closed	S-Safety	1. The employer is not complying with the Governor's COVID-19 mandate in regard to employees wearing face coverings. Employees do not wear face covers in the body shop area. 2. Employees are concerned that the employer is not conducting temperature checks. 3. Employees are not provided PPE such as gloves. 4. Employees are utilizing bondo and are not provided respirators.	Resolved through inquiry process.
C-1795086	AMAYA Roofing		08/06/2021	Online	Y	Y	Closed	S-Safety	1. Employees are on the roof without fall protection exposing employees to a fall hazard. 2. Employees do not have access to water which lead to an employee fainting. Employees are exposed to a heat hazard. Hazard Location: On the roof of the floor and décor 8/6/21 ps	\$0.00
C-1795093	Tropicana Las Vegas, Inc.	Tropicana Las Vegas	08/05/2021	Phone	Y	N	Closed	O-Health	1. There is no air conditioning in the elevators, staff locker rooms, or linen chute areas. 2. Employees are not given chemicals to sanitize rooms or floors with, and only use water. 3. There is no water available for employees. HAZARD LOCATION: Throughout 08/05/2021 KR	Resolved through inquiry process.
C-1795606	Chapman Chrysler Jeep		08/02/2021	Phone	Y	N	Closed	S-Health	1. Employees are expected to work prior to finishing their ten-day isolation period following a positive covid-19 test. 2. Employees are not sent home when they fall ill at work. Management brushes off their concerns and allows them to keep working. Sometimes those employees end up testing positive and have exposed other employees. Hazard Location: Throughout. 8/2/2021 bb	Resolved through inquiry process.

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1796001	Reyes Coca Cola		08/06/2021	Online	Y	N	Closed	O-Safety	1. Employees are operating pallet movers in an unsafe manner. New production goals have led to unsafe driving in the warehouse. 2. New policy is requiring employees to move and unload pallets which are up to and over 8 feet in height, obscuring their vision and potentially toppling the product. 3. An employee was recently pinned between a pallet of product and a rider jack due to their vision being obscured but the over-stacked pallet.	Resolved through inquiry process.
C-1796002	Las Vegas Athletic Clubs		08/06/2021	Online	N	N	Closed	O-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to persons/patrons wearing face coverings while in the Employer's establishment. There is no enforcement of the mask mandate. HAZARD LOCATION: Throughout 8/6/2021 CR	Resolved through inquiry process.
C-1796006	The Cosmopolitan of Las Vegas		08/03/2021	Online	Y	N	Closed	O-Health	1.) Employees have concerns of the amount of dust accumulated on overhead service pipes and vents. Employees work in the linen department directly under this accumulated dust for eight hours shifts. Hazard Location: Back of the house/Linen department 8/3/21 ps	Resolved through inquiry process.
C-1796022	MGM Resorts Limited, LLC	MGM Resorts (Events)	08/09/2021	Online	Y	N	Closed	S-Safety	1. Multiple fire exits and aisles are blocked throughout the location. 2. There are multiple water leaks at the location, and no one has been assigned to clean the leak or spillage. 3. There is debris on the floor, which could cause employees to slip and/or trip. 4. The site ceiling insulation is detaching from the structure, and is falling onto the floor.	Resolved through inquiry process.
C-1796028	Casablanca Resort & Casino		08/09/2021	Phone	N	N	Closed	O-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to persons/patrons wearing face coverings while in the Employer's establishment. If customers order a drink or smoke at least one cigarette, they are not required to use a face mask while they are within the casino resort. There is no active face mask enforcement. HAZARD LOCATION: Throughout. 8/9/2021 CR	Resolved through inquiry process.
C-1796034	Domino's Pizza		08/09/2021	Phone	Y	N	Closed	O-Safety	1. Cardboard boxes are accumulated on the floor, blocking an egress path impeding employees from exiting during emergencies, and exposing employees to trip and fall hazards. Hazard Location: Back of restaurant 8/9/21 ps	Resolved through inquiry process.
C-1796092	Clark County School District East Career and Technical Academy		08/09/2021	Online	Y	N	Closed	O-Health	1. There is concern about the lack of adequate air conditioning in 3 classrooms - Rooms 801, 908, and 820. HAZARD LOCATION: Rooms 801, 908, and 820 08/09/2021 KR	Resolved through inquiry process.

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1796527	7-Eleven Store No. 2277-20145B		08/09/2021	Online	Y	N	Closed	S-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to employees wearing face coverings. Employees do not wear face coverings. 2. The employer is not complying with the Governor's COVID-19 mandate in regard to persons/patrons wearing face coverings while in the Employer's establishment. None of the patrons were wearing masks inside the business. Hazard Location: Throughout 8/9/2021 RAO	Resolved through inquiry process.
C-1797196	Blackstone Security Services		08/11/2021	Online	Y	N	Closed	S-Safety	1. Underneath the desk their is a junction box without a cover, exposing employees to electrical hazards. 2. On the back of the gate house there is exposed wires, exposing employees to electrical hazards. Hazard Location: Rancho Bel Air Estates gatehouse 8/11/21 ps	Resolved through inquiry process.
C-1797304	Tinker Town Learn & Play Center		08/10/2021	Online	Y	N	Closed	O-Health	1. The employer allowed a child who tested positive for COVID-19 to enter the establishment. 2. The employer is not complying with the Governor's COVID-19 mandate in regard to requiring employees to stay home if symptomatic. Hazard Location: Throughout the facility 8/10/21 ps	Resolved through inquiry process.
C-1797383	Holiday Inn Club Vacations Incorporated	The Desert Club Resort	08/11/2021	In person	Y	N	Closed	O-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to employees wearing face coverings. Employees in the lobby and gym of the property are not wearing face coverings. 2. The employer is not complying with the Governor's COVID-19 mandate in regard to persons/patrons wearing face coverings while in the Employer's establishment. Guests in the lobby and gym of the property are not wearing face coverings. Hazard Location: Throughout 8/11/21 ps	Resolved through inquiry process.
C-1797700	DHL Supply Chain		08/11/2021	Phone	Y	N	Closed	O-Safety	1. The employer is allowing employees to operate powered industrial trucks while under the influence of controlled substances. Employees smoke marijuana during break times and return to the facility and operate forklifts. 2. The employer is allowing employees' to be subjected to workplace violence such as: threats, intimidation, and other disruptive behavior. Employees who are under the influence of controlled substances are aggressive towards other employees inside the warehouse. Hazard Location: Inside the warehouse 8/11/21 ps	Resolved through inquiry process.
C-1797729	MGM Resorts International	MGM Grand Las Vegas	08/12/2021	Phone	Y	N	Closed	O-Health	1. Employees are taking off days due to being exposed to a heat hazard while working indoors without air conditioning. Hazard Location: Employee back service hallways in the conference room area as well as conference rooms. 8/12/21 ps	Resolved through inquiry process.

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1797830	W.A. Richardson Builders, LLC		08/13/2021	Phone	Y	Y	Open	S-Health	1. Carbon monoxide alarms are continuously going off on the 4th floor in "The Theater" area and it is believed the generators are causing the problem. The job was previously shut down due to the same issue but have been reopened without any changes being made. Employees are required to continue working. HAZARD LOCATION: In the construction elevator area in the theater and the 4th floor. 8.13.2021 EBM	Pending
C-1797935	Clark County School District Cheyenne Bus Yard		08/12/2021	Phone	Y	N	Closed	O-Health;O-Safety	1. Employees work under direct sunlight without access to shade exposing them to a heat hazard. 2. Employees who are refueling buses are burning their hands on fuel nozzles even when wearing gloves. 3.The swamp cooler in the garage is no longer functioning and employees are not able to cool down. Hazard Location: Bus Maintenance area and garage 8/12/21 ps	Resolved through inquiry process.
C-1797944	Clark County School District Centennial HS		08/12/2021	Online	Y	N	Closed	O-Health	1. Employees have concerns on limited access to restroom facilities. There is only bathroom offered which is not separated by gender, has only one stall for use by 40+ employees during a 5-minute window. The restroom stall provides no privacy from students and is randomly locked. Hazard Location: Upper floor of the administration building 8/12/21 ps	Resolved through inquiry process.
C-1797966	Clark County School District Helen Herr Elementary School		08/11/2021	Phone	Y	N	Closed	O-Health	1. The air conditioning is not working in certain classrooms. Recently, classrooms had to be combined to ensure staff and students had a comfortable environment. Employees are concerned about heat stress. HAZARD LOCATION: Classrooms without working air conditioning 8/11/2021 CR	Resolved through inquiry process.
C-1797971	Clark County School District Del E Webb Middle School		08/11/2021	Phone	Y	N	Closed	O-Health	1. Teachers are feeling ill from classrooms that do not have air conditioning. Rooms 606, 607, 608, and 609 are over 80 degrees Fahrenheit. Hazard Location: Rooms 606, 607, 608, and 609 8/11/2021 RAO	Resolved through inquiry process.
C-1798282	DHL Supply Chain		08/11/2021	Hotline	Y	N	Closed	S-Safety	1. A forklift operator trainee was observed smoking marijuana while on break. The employee returned from break and was operating the forklift in an unsafe manner, and almost struck an employee.	Resolved through inquiry process.
C-1798306	Las Vegas Athletic Club		08/12/2021	Online	N	N	Closed	O-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to persons/patrons wearing face coverings while in the Employer's establishment. There is no enforcement of the mask mandate. HAZARD LOCATION: Throughout 8/12/2021 CR	Resolved through inquiry process.

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1798375	Tesla, Inc.		08/12/2021	Online	Y	N	Closed	S-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to employees wearing face coverings. Additionally, multiple members of management have been observed not wearing face covers.	Resolved through inquiry process.
C-1798396	Sprouts Farmers Market		08/11/2021	Phone	Y	N	Closed	O-Health	1. There is a strong, foul, odor in the building which gets worse as you move to the back of the store where the breakroom, restrooms, and storage area are. There is a pest problem in the store and employees think the smell could be coming from rats. HAZARD LOCATION: Smell is noticeable throughout the store but strongest in the back.	Resolved through inquiry process.
C-1798441	Smith's Food and Drug #338		08/16/2021	Hotline	Y	N	Closed	S-Health	1. The employer has had approximately 17 employees out on leave due to COVID-19 related symptoms. The employer is not exercising adequate controls to protect employees from COVID-19 infection.	Resolved through inquiry process.
C-1798476	Home Depot #3316		08/14/2021	Online	Y	N	Closed	S-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to employees wearing face coverings. Multiple employees have been observed taking their face covers off to talk to customers and staff. Additionally, employees were permitted to not wear face covers when arriving to work or during training classes.	Resolved through inquiry process.
C-1798518	Nevada Pure, LLC	SHANGO	08/14/2021	Online	Y	N	Closed	O-Health	1. The facility air conditioning is not effectively cooling employee work areas, potentially exposing employees to heat stress related illnesses.	Resolved through inquiry process.
C-1798524	Milestones Pediatrics		08/15/2021	Online	N	N	Closed	O-Safety	1. The facility equipment is damaged and/or broken. 2. The facility physicians are operating the practice poorly. 3. Employees are being assigned tasks which they are not trained for.	Resolved through inquiry process.
C-1798659	Carl's Jr. #8028		08/12/2021	Phone	Y	N	Closed	S-Health	1. The employee called the employer and told the employer they and another member of their household had symptoms of COVID-19 and were being tested. The Regional Manager who oversees this restaurant location told the employee to still come to work because they will be wearing a mask and it should be okay. Hazard Location: Throughout 8/12/2021 RAO	Resolved through inquiry process.
C-1798666	Prime Now LLC		08/16/2021	Online	Y	N	Closed	O-Health	HAZARD DESCRIPTION: 1. Amazon Flex delivery drivers are concerned about potential heat stress issues. These drivers are not permitted inside the Amazon warehouse and must sit in their running vehicles waiting for a delivery. HAZARD LOCATION: Flex Delivery Drivers	Resolved through inquiry process.

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1798950	Rio All-Suite Hotel & Casino		08/03/2021	Phone	Y	N	Closed	S-Health	1. The establishment is really hot and employees have felt heat illnesses. 2. The establishment has had reoccurring heat issues over the years and management has not taken steps to remedy the situation. HAZARD LOCATION: Starbucks near the Ipanema Tower. 8/3/2021 bm	Resolved through inquiry process.
C-1798984	VCA Decatur Animal Hospital		07/28/2021	Email	Y	N	Closed	S-Safety	1. Employees are concerned about a highly aggressive dog being kept in the facility for rehabilitation purposes. The animal has repeatedly shown signs of aggression and even attacked employees working in the facility. Employees are concerned for their safety with this animal in the facility. Hazard Location: Hospital Treatment Area. 07/28/2021 NC	Resolved through inquiry process.
C-1798990	Burger King		07/23/2021	Online	Y	N	Closed	S-Health	1. Employees in the kitchen are exposed to heat stress hazards in the workplace because the air conditioning unit does not function as intended causing the temperature in the kitchen to reach an approximate temperature of 100 degrees. Hazard Location: Kitchen 07/23/2021 EM	Resolved through inquiry process.
C-1799048	Shokku Ramen		08/09/2021	Online	Y	N	Closed	O-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to following the CDC guidelines for employees who test positive for COVID-19. 2. The employer is not complying with the Governor's COVID-19 mandate in regard to sanitizing high-touch surfaces after each use. Hazard Location: Throughout the restaurant 8/9/21 ps	Resolved through inquiry process.
C-1799052	Caliber Bodyworks of Nevada, Inc.	Caliber Collision Centers	08/09/2021	Online	Y	N	Closed	S-Health	1. Employees are exposed to potential hazard of contracting the COVID-19virus. A member of management tested positive for COVID-19 virus and continued working in the facility. The manager came in close contact with employees potentially exposing them to COVID-19 hazards. Hazard Location: Autobody shop and office 08/09/2021 EM	Resolved through inquiry process.
C-1799064	Casablanca Hotel and Casino Resort		08/09/2021	Phone	Y	N	Closed	O-Health;S-Safety	1. Metal dividing panel has sharp edges, exposing employees to cuts and lacerations. 2. The air conditioning in non-operational for a month. Hazard Location: Second floor Casablanca Buffet, employee drink station. 8/9/21 ps	Resolved through inquiry process.
C-1799067	RD America, LLC	Restaurant Depot	08/09/2021	Online	Y	N	Closed	O-Health	1) Employees are exposed to health hazards in the workplace due to flies in the breakroom. 2) Employees working in the facility are unable to eat in the breakroom due to an odor emitting from the sink that's been clogged for several weeks. Hazard Location: In the breakroom of workplace 08/09/2021 EM	Resolved through inquiry process.

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1799103	Clark County School District East Career and Technical Academy		08/12/2021	Online	N	N	Closed	O-Health	1. There is concern about the lack of adequate air conditioning in the gym Hazard Location: Room 600. 8/12/2021 bb	Resolved through inquiry process.
C-1799198	UPS Customer Center		08/16/2021	Phone	Y	N	Closed	O-Health	1. Employees are not trained to handle chemicals or provided personal protective equipment. Multiple employees have taken hazardous chemicals and disposed of them by pouring them directly on to the floor of the damages department. Chemicals such as bleach have then been "cleaned up" by having water poured over it. Hazard Location: Damages Department. 8/16/2021 bb	Resolved through inquiry process.
C-1799226	Henderson Hospital		08/16/2021	Online	Y	N	Closed	O-Safety	1. Employees believe that the nurse-to-patient ratio is unsafe. On 8/14/2021 the ICU had nine nurses to a full floor of patients. The ratio should have been one nurse per patient, but it was one nurse for three patients. HAZARD LOCATION: ICU 8/16/2021 CR	Resolved through inquiry process.
C-1799232	Clark County School District East Career and Technical Academy		08/17/2021	Online	Y	N	Closed	O-Health	1. There is concern about the lack of adequate air conditioning throughout the school and in the gym. HAZARD LOCATION: Throughout 8/17/2021 CR	Resolved through inquiry process.
C-1799541	VM Innovations, Inc.	Spreeetail, LLC	08/15/2021	Online	Y	N	Closed	O-Health;S-Safety	1. Employees have concerns they are exposed to heat related illnesses. There is no air conditioning in the warehouse and employees are losing consciousness. 2. The employer has not provided forklift training to employees. Employees and equipment are being hit by untrained forklift operators. 3. The employer has failed to document employee injuries and accidents. Hazard Location: Throughout 8/15/21 ps	Resolved through inquiry process.
C-1799583	NP Boulder LLC	Boulder Station Hotel & Casino	08/17/2021	Online	N	N	Closed	O-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to persons/patrons wearing face coverings while in the Employer's establishment. Patrons are not wearing face coverings. Hazard Location: The casino and the Railhead club. 8/17/21 ps	Resolved through inquiry process.

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1799673	Pinnacle Protection Group		08/04/2021	Phone	Y	N	Closed	O-Health	1. Employees do not have access to restroom facilities while working 12 hours patrol shifts in commercial and residential areas. Male and female employees have had to use the restroom in the bushes of the neighborhoods that they patrol because they aren't allowed to leave their post to find a restroom in a nearby business. An employee recently defecated on themselves during their shift because they were not allowed to leave their post to use the restroom. Employees are not given lunches or breaks during their shifts in order to allow for restroom use. HAZARD LOCATION: In residential and commercial areas without immediate access to a restroom. 8/4/2021 RW	Resolved through inquiry process.
C-1799838	FBF Ontario LLC	Farmer Boys	08/17/2021	Phone	Y	N	Closed	S-Safety	1. An employee under 18 years of age is directed by the store manager to work on the prep line operating a food slicer exposing the employee to an amputation hazard. The employee operates the equipment to chop lettuce and tomatoes even though company rules state that employees operating such equipment must be at least 21 years of age. Hazard Location: In kitchen, the prep line. 8/17/2021 RM	Resolved through inquiry process.
C-1799839	Amazon.com Services LAS1	Amazon	08/17/2021	Online	Y	N	Closed	O-Health;S-Safety	1. The employer is not complying with the Governor's COVID-19 mandate in regard to employees wearing face coverings. Employees are not wearing face coverings. 2. Employees on the working area floor wear earbuds which may expose them to a struck by hazard due to their inability to hear a falling box. 3. Employees are laying their hands on conveyor belts which exposes them to injury. Hazard Location: The entire warehouse 8/17/21 ps	Resolved through inquiry process.
C-1800292	PSI Examination Services		08/18/2021	Phone	Y	N	Closed	S-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to employees wearing face coverings. Employees are not wearing their face masks when walking around the office. 2. The employer is not complying with the Governor's COVID-19 mandate in regard to quarantining employees who have tested positive for COVID-19 or have been exposed by members of their household. An employee stated that multiple members of their household tested positive for COVID-19 however the employee is returning to work to use the fax machine and has been allowed to do so because she isn't symptomatic. Hazard Location: Throughout the call center.	Resolved through inquiry process.

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1800412	LifeTrans		08/18/2021	Online	Y	N	Closed	S-Health	1. The employer has not provided sufficient COVID-19 infection control/mitigation training to driver employees. 2. The employer has insufficient COVID-19 mitigation measures in transport vehicles. 3. Employees are being potentially exposed to COVID-19 related illnesses as a result of transporting COVID-19 patients.	Resolved through inquiry process.
C-1800416	RDI Corporation, The		08/19/2021	Online	Y	N	Closed	O-Health	1. There are concerns about a possible bed bug infestation in Suites H and N. HAZARD LOCATION: Throughout Both Suites 8/19/2021 RW	Resolved through inquiry process.
C-1800787	Circa Resort & Casino		08/18/2021	Phone	Y	N	Closed	S-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to quarantining employees who have tested positive for COVID-19. When employees test positive for COVID-19 they are required to return to work after 10 days regardless of if they are still testing positive for COVID-19. Employees who test positive on or after the 10th day are instructed by their direct manager to contact Human Resources to confirm the appropriate return to work and Human Resources advises employees just to come to work and refrain from taking any more COVID-19 tests stating that it may be a false positive so employees should no longer get tested. Hazard Location: Throughout 8/18/2021 RAO	Resolved through inquiry process.
C-1800916	Treasures		08/19/2021	Online	Y	N	Closed	S-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to employees wearing face coverings. 2. The employer is not complying with the Governor's COVID-19 mandate in regard to persons/patrons wearing face coverings while in the Employer's establishment.	Resolved through inquiry process.
C-1800922	East Las Vegas Community Center		08/20/2021	Phone	Y	N	Closed	S-Health	1. The employer will be holding a meeting with 200+ employee attendees. There is concern that the gathering will not follow the current COVID-19 mitigation requirements. 2. The employer is not complying with the Governor's COVID-19 mandate in regard to employees wearing face coverings. Department management has been observed not wearing face covers while at meetings or outside enclosed offices. Hazard Location: 1. At the East Las Vegas Center 2. At the various Las Vegas Recreational Facilities and offices.	Resolved through inquiry process.

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1801417	Origin Biologics		08/20/2021	Online	Y	N	Closed	S-Health	HAZARD DESCRIPTION: 1. There is no sharps containers available in the sterile field. Scalpels are left sitting on tables or other surfaces in the sterile field and are carried outside the room at the end for disposal. 2. In decontamination, the Fortios Grinder, which has very sharp pieces, is left in water and could easily cut an employee who reaches in to grab it. 3. There is no signage or other warning when the floors are wet. Employees wear booties with no traction. Employees are concerned about slipping and falling. 4. The clean core area experienced higher than normal humidity to the point condensation could be seen running down the walls. Employees are concerned about mold being present. 5. The vise associated with the CNC machine is very difficult to turn to tighten and employees are concerned about repetitive motion injuries. 6. There are no push-sticks or other type devices available when cutting bone on the band saw. Employees use their fingers to push the bone into the saw blade. 7. The Chief Operating Officer does not wear eye protection when operating saws or working with chemicals, yet all other employees are required to do so. The safety glasses provided to employees do not fit comfortably. HAZARD LOCATION: Throughout Clean Core Area	Resolved through inquiry process.
C-1801647	Poker Palace		08/23/2021	Phone	Y	N	Closed	O-Health;S-Safety	1. A main water pipe has burst and is flooding the casino gaming floor. There is concern that the water will cause skin irritation, mold, or make contact with building electrical components.	Resolved through inquiry process.
C-1801698	EZPawn Nevada, Inc.		08/17/2021	Online	Y	N	Closed	S-Health	1. Two employees have recently contracted COVID-19 less than 1 week apart from each other. The employer has not had the facility deep cleaned by a professional cleaning company but has instead instructed employees to clean all the surfaces with products such as Lysol and Fabuloso. Hazard Location: Throughout. 8/23/2021 bb	Resolved through inquiry process.
C-1801873	Cafe Americano		08/20/2021	Phone	Y	N	Closed	O-Health	1. Café employees are being required to walk through and work around remodeling construction.	Resolved through inquiry process.
C-1801892	The Apothecarium Las Vegas dba State Flower Cannabis		08/17/2021	Phone	Y	N	Closed	O-Health	1. Recently the air conditioning has stopped working and management is refusing to fix the issue. Employees have been suffering from symptoms of heat stress such as headaches, nausea, and dizziness. Hazard Location: Throughout. 8/24/2021 bb	Resolved through inquiry process.

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1801924	Boulder Station Hotel & Casino		08/23/2021	Phone	Y	N	Closed	O-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to patrons wearing face coverings. Patrons in the Casino and inside The Railhead (showroom), especially on Latin Night, are not wearing masks. Hazard Location: Casino gaming area and The Railhead 8/23/2021 RAO	Resolved through inquiry process.
C-1801948	Jones Fiber Products, INC		08/10/2021	Phone	Y	N	Closed	S-Safety	1. Employees who are not trained and certified are operating forklifts to carry and move raw materials in the warehouse. 2. Cotton has accumulated blocking egress paths, impeding employees from exiting during emergencies, and exposing employees to trip and fall hazards. Hazard Location: Throughout the warehouse 8/10/21 ps	Resolved through inquiry process.
C-1802027	Wynn Las Vegas / Encore at Wynn Las Vegas		08/10/2021	Online	N	N	Closed	O-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to persons/patrons wearing face coverings while in the employer's establishment. The employer is not mandating persons and patrons in large banquet halls and conventions center gatherings to keep their masks on while attending conventions and conferences. Hazard Location: South Convention Hall, Crystal Ballroom, and other various rooms. 8/10/21 ps	Resolved through inquiry process.
C-1802136	Belmar Integrated Logistics		08/24/2021	Phone	Y	N	Closed	S-Safety	1. Employees are not operating the forklifts in a safe manner. Forklift operators have struck steel storage racks and equipment during normal operations.	Resolved through inquiry process.
C-1802610	Levi Strauss & Company	Levi Strauss & Co.	08/23/2021	Email	Y	N	Closed	O-Safety	1. On 7/15/2021 an employee was injured by a wire guide and sustained a dislocated shoulder. The guide switches were not repaired to prevent further injury.	Resolved through inquiry process.
C-1802611	Viper Tradeshow Services, Inc.		08/23/2021	Online	Y	Y	Closed	S-Safety	1. Lift gates are not secured on trucks when loading and unloading heavy equipment subjecting employees to a fall hazard. 2. Items which are stacked in the warehouse are not properly secured exposing employees to a struck by hazard. 3. Employees only have one swamp cooler in the warehouse exposing employees to a heat hazard. 4. Employees are transporting items on unstable pallets using heavy carts between the truck and job site. 5. Fire extinguishers are blocked by storage. 6. There are no first aid kits available. Hazard Location: The warehouse located at East Tropical Parkway and various convention halls when moving items from truck to the ballroom. 8/23/21 ps	\$0.00

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1802616	Defy Las Vegas		08/24/2021	Phone	Y	N	Closed	S-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to persons/patrons wearing face coverings while in the Employer's establishment. 2. The employer is not informing employees of possible exposure to COVID-19. Several employees have tested positive within the past 2-3 weeks and management has not informed employees of possible exposure.	Resolved through inquiry process.
C-1802634	Host International, Inc.	HMS Host	08/25/2021	Phone	Y	N	Closed	O-Safety	1. The drainage system leaks greasy water resulting in standing water on the floors. On the weekend of August 21, 2021 an employee fell due to the slippery floors. HAZARD LOCATION: Chili's back room.	Resolved through inquiry process.
C-1802918	Somerset Academy of Las Vegas - Aliante Campus		08/25/2021	Online	N	N	Closed		1. the facility does not have nor enforce a 6 foot social distancing rule during student lunches. Students are removing their masks to eat, potentially propagating the spread of COVID-19.	Resolved through inquiry process.
C-1803201	Alliance Environmental Group, LLC		08/24/2021	Phone	Y	Y	Closed	S-Health	1. Employees are performing demolition work inside a house containing asbestos wearing half-mask respirators. They have been doing that work for 2 days. 2. Employees are not provided with a shower to decontaminate themselves after doing asbestos work. Hazard Location: Inside of the regulated area of the house 8/24/21 er	\$0.00
C-1803446	Trinity Services Group		08/26/2021	Phone	Y	N	Closed	O-Health;S-Safety	1. Employees are being left unsupervised in the kitchen area for up to 3 hours, and are concerned that no person would check on kitchen employees in the event an accident occurred. 2. The kitchen floors are consistently wet and slippery. 3. Employees have not been trained, evaluated, or certified on the use of the electric pallet jack.	Resolved through inquiry process.
C-1803789	Family Dollar		08/26/2021	Phone	Y	N	Closed	S-Health;S-Safety	1. Employees are being potentially verbally and physically harassed by customers during normal work activities and when advising customers to put on face covers.	Resolved through inquiry process.
C-1803790	Gravady		08/24/2021	Phone	Y	N	Closed	S-Health	HAZARD DESCRIPTION: 1. The employer is not complying with the Governor's COVID-19 mandate in regard to persons/patrons wearing face coverings while in the Employer's establishment. 2. Employees are concerned about workplace spread of COVID-19. There have been three positive employee cases in the past week. HAZARD LOCATION: Throughout	Resolved through inquiry process.

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1803919	TSD Global		08/26/2021	Online	Y	N	Closed	S-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to employees testing positive at the workplace. Multiple employees have tested positive for COVID-19 and the employer has not performed trace contact to ensure employees who were exposed quarantine for 14 days. Employees are concerned that they may have been exposed to covid-19. 2. The employer is not complying with the Governor's COVID-19 mandate in regard to employees wearing face coverings. Not all employees wear their face covering all of the time. HAZARD LOCATION: Call Center 8/26/2021 RW	Resolved through inquiry process.
C-1804057	Rebel 74		08/25/2021	Phone	Y	N	Closed	O-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to employees wearing face coverings. Two employees were observed not wearing masks inside of the store on 8/25/2021. 2. The employer is not complying with the Governor's COVID-19 mandate in regard to persons/patrons wearing face coverings while in the Employer's establishment.	Resolved through inquiry process.
C-1804066	Alorica		08/27/2021	Online	Y	N	Closed	O-Health	1. The facility cleaning services is only cleaning and sanitizing unused/empty desks. The employer is not exercising adequate controls to prevent the spread of COVID-19. 2. Trash and other refuse are overflowing from bins onto the floors.	Resolved through inquiry process.
C-1804069	We The People Holsters		08/17/2021	Online	N	N	Closed	S-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to employees wearing face coverings. There are no mandatory mask rules or regulations in the establishment. 2. Employees are concerned about the spread of COVID-19 in the workplace. The employer forces workers to come to work when they are symptomatic exposing employees to COVID-19 hazards. They are provided Theraflu and medicine to help them stay at work longer. 3. The employer is not complying with the Governor's COVID-19 mandate in regard to following CDC guideline for employees who have had close contact (within 6 feet for 15 minutes or longer) with an individual who tested positive for COVID-19. Hazard Location: The office and production areas 08/17/2021 EM	Resolved through inquiry process.

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1804070	Opportunity Village		08/25/2021	Phone	Y	N	Closed	S-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to employees testing positive at the workplace. An employee has tested positive for COVID-19 and the employer has not performed trace contact to ensure employees who were exposed quarantine for 14 days. 2. An employee tested positive for COVID-19 and the employer did not inform employees of possible exposure which is not required under current guidelines. Hazard Location: Throughout 8/25/2021 RAO	Resolved through inquiry process.
C-1804081	SKY Chefs, Inc.		08/27/2021	Phone	Y	N	Closed	S-Health	1. Employees are being required to cook in a kitchen without any light in the kitchen. There is no lighting throughout the building. 2. The employer is not complying with the Governor's COVID-19 mandate in regard to sanitizing high-touch surfaces after each use. The restrooms and the employee dining room are not being kept in sanitary conditions. Hazard Location: Throughout the building and the kitchen 8/27/2021 RAO	Resolved through inquiry process.
C-1804087	Nevada Charter Academies	Amplus Academy	08/27/2021	Phone	Y	N	Closed	S-Health	1. The employer is not complying with the Governor's mandate with regard to employees wearing face coverings. Staff either does not wear face coverings, wears face coverings improperly, frequently removes masks to speak, or wears ineffective mesh face coverings. 2. The employer is not complying with the Governor's mandate with regard to students wearing face coverings. Students frequently to not wear face coverings and there is no enforcement if students do not wish to wear a mask. Hazard Location: Throughout 8/27/2021 RAO	Resolved through inquiry process.
C-1804493	Essence Henderson LLC	Essence	08/16/2021	Online	N	N	Closed		1. Customer are allowed in the store to shop after 1:00 AM, which is the legal closing time per the employer's business license. All customers must be checking in by 1:00 AM or they can't legally shop. Hazard location: Customer intake near the front of the shop. 3/30/2021 EH	Resolved through inquiry process.
C-1804507	Costco Wholesale Corporation		08/16/2021	Online	N	N	Closed	O-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to persons/patrons wearing face coverings while in the Employer's establishment. Members are walking around the warehouse and refusing to wear face coverings. Store managers do not mandate the policy. Door counts 300+ per 30 on a Saturday. Hazard location: The warehouse/shopping area. 8/30/2021 EH	Resolved through inquiry process.

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1804557	Pacific Dental Services, LLC		08/30/2021	Online	Y	N	Closed	S-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to employees wearing face coverings. 2. The employer is not complying with the Governor's COVID-19 mandate in regard to sanitizing high-touch surface after each use. Hazard location: Break room, call center and front office. 8/30/2021 EH	Resolved through inquiry process.
C-1804618	Inspired Senior Living of Las Vegas		08/23/2021	Online	Y	N	Closed	O-Health	1. The dishwasher used to clean the residents' dishes has not had soap available to use with it for about a month. Employees are concerned about the lack of sanitary eating utensils and tableware. 2. There are no chemicals provided to clean the kitchen itself and the kitchen floors properly. Hazard Location: Kitchen. 8/23/2021 bb	Resolved through inquiry process.
C-1804706	We The People Holsters		08/13/2021	Online	N	N	Closed		1. Employees are concerned about the spread of COVID-19 in the workplace. The employer is forcing COVID-19 positive employees to come to work. There are more than 30 COVID positive symptomatic employees in the establishment. The employer provides Theraflu to the symptomatic employees. 2. The employer is not complying with the Governor's COVID-19 mandate in regard to following CDC guideline for employees who have had close contact (within 6 feet for 15 minutes or longer) with an individual who tested positive for COVID-19. Hazard location: The office and production areas. 8/30/2021 EH	Resolved through inquiry process.
C-1804834	Amazon.com Services LAS1	Amazon	08/30/2021	Online	N	N	Closed	O-Safety	1. Employees are not wearing the required PPE in the warehouse. Management, associates, security guards, and cleaning employees are not wearing safety shoes. Additionally, some employees are not wearing high visibility vests.	Resolved through inquiry process.
C-1804843	Family Dollar		08/27/2021	Phone	Y	N	Closed	O-Health	1. The store does not have chemical SDS readily available to employees in their work areas.	Resolved through inquiry process.
C-1804849	Family Dollar		08/27/2021	Phone	Y	N	Closed	S-Safety	1. One of the store's emergency exit doors is locked during business hours. The door does not have an emergency push bar.	Resolved through inquiry process.
C-1804855	Family Dollar		08/27/2021	Phone	Y	N	Closed	S-Safety	1. One of the store's emergency exits is blocked by pallets of dog food.	Resolved through inquiry process.
C-1805137	Mingo Health Solutions		08/30/2021	Email	Y	N	Closed	O-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to employees wearing face coverings. Employees are not wearing face coverings. 2. Employees were forced to return to work regardless of their COVID-19 test results creating a health hazard. 8/30/2021 cw	Resolved through inquiry process.

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1805347	Alorica, Inc.		08/27/2021	Phone	Y	N	Closed	O-Health	1. The employer hired a cleaning company to perform deep cleaning at the facility. The cleaning company sprayed chemical cleaner on approximately 60 desks causing some of the employees to become nauseous. The cleaning company started spraying while employees were still in the building. 2. The company does not have an emergency evacuation plan. 8/27/2021 cw	Resolved through inquiry process.
C-1805968	Shelby American, Inc.		09/01/2021	Online	Y	N	Closed	S-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to employees wearing face coverings. Employees are not wearing face covers in the warehouse, office, or manufacturing area. 2. The employer is not complying with the Governor's COVID-19 mandate in regard to persons/patrons wearing face coverings while in the Employer's establishment. Tourists are being permitted to not wear face covers when around employees.	Resolved through inquiry process.
C-1805971	Bed Bath & Beyond #655		08/31/2021	Email	Y	N	Closed	O-Health;O-Safety	1. Broken pallets are strewn throughout the warehouse. Employees are potentially stepping on nails and other pallet components. 2. The warehouse conveyor doors are striking employee hands. 3. The warehouse has scorpions. 4. The warehouse doors are being held open instead of being shut. 5. It is dusty in the warehouse. Hazard Location: The Warehouse 8/31/21 ps	Resolved through inquiry process.
C-1806339	Boulder Station Hotel & Casino		08/31/2021	Online	Y	N	Closed	O-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to patrons wearing face coverings. Patrons in the The Railhead and the casino in general are not wearing masks. Security does not enforce the mask requirement. HAZARD LOCATION: The Railhead; Throughout Casino 08/31/2021 KR	Resolved through inquiry process.

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1806354	Oasis Behavioral Treatment Center		08/31/2021	Phone	Y	N	Open	S-Health	1. Staff working in residential units have tested positive for covid-19. The patients within the unit are under quarantine but staff have not been told they need to wear PPE such as gowns, shoe coverings, N95 masks, and gloves. Currently, employees are just wearing disposable face masks. 2. Contact tracing is not being conducted. Employees who worked with those who tested positive and were exposed for 15 minutes or more over a 24-hour period, found out about the positive cases from residents. Employees are concerned that they are not being provided the opportunity to quarantine after being exposed. 3. Employees are tested after being exposed but the results are delayed, sometimes taking more than a week. During this time, employees could be positive and still working. HAZARD LOCATION: Residential units 8/31/2021 RW	Pending
C-1806420	Liquor World		09/01/2021	Phone	N	N	Closed	O-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to patrons wearing face coverings. Employees are wearing masks, but patrons are not. The employer is not enforcing the mask mandate policy. HAZARD LOCATION: Throughout the store. 9/1/2021 RW	Resolved through inquiry process.
C-1806992	Drock Gaming LLC	The D Las Vegas Hotel and Casino	09/02/2021	Phone	Y	N	Closed	O-Health;O-Safety	1. There is not sufficient air flow in the guest room attendant supply rooms, which cause the room temperature to reach 100 degrees. 2. There are exposed wires under all employee desks along with boxes which are filled with paper and bottles of unlabeled chemicals exposing employees to a fire hazard. 3. Employee hallways are crowded with carts exposing employees to a trip hazard. Hazard Location: PBX Office on the 2nd floor and Guest Room Attendant Supply Rooms. 9/2/21 ps	Resolved through inquiry process.
C-1807537	Violette's Vegan Cafe & Organic Juice Bar		09/07/2021	Online	Y	N	Closed	S-Health	1. . The employer is not complying with the Governor's COVID-19 mandate in regard to employees wearing face coverings. A server employee has been allowed to not wear a face cover. Additionally, kitchen staff are preparing food while not wearing face covers.	Resolved through inquiry process.
C-1807841	NDL Group Inc.		09/07/2021	Online	Y	N	Open	O-Health;O-Safety	1. Employees working the project at 3830 & 3840 South Jones Blvd. do not have access to water. 2. Hard hat use is not enforced. 3. Safety glasses are not available or not used when employees are using hand and power tools. 4. Superintendents do not wear any personal protective equipment (PPE). HAZARD LOCATION: Throughout Project 9/7/2021 RW	Pending

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1807878	Nevada Yellow Cab Corporation		08/26/2021	Phone	Y	N	Closed	S-Health	1. A new policy has been adopted that prevents Cab Driver employees from rolling down windows for ventilation under any circumstance whether the taxicab is driving or parked. Employees are concerned that the lack of airflow greatly increases the risk of contracting COVID-19 from any passengers, especially those who show symptoms of an active COVID-19 infection. Hazard Location: Throughout. 8/26/2021 bb	Resolved through inquiry process.
C-1807881	Bellagio		09/07/2021	Email	Y	N	Closed	O-Health	1. Employees working at Prime Steakhouse are concerned about exposure to the smoke found on the patio of Prime Steakhouse and the terrace above it. The smoke is believed to be coming from at least two neighboring businesses, Spago and Lago, but maybe others too. These restaurants use wood and charcoal in their cooking processes and the exhaust from these ovens is configured in such way that the vents emit smoke onto the patio and terrace. Employees are concerned about exposure to carbon monoxide and the particulates found in the smoke. This happens daily from 3:30 p.m. - 12:00 a.m. Hazard Location: Prime Steakhouse - Patio and Terrace 9/7/2021 RAO	Resolved through inquiry process.
C-1808162	Bed Bath & Beyond #655		09/07/2021	Phone	Y	N	Closed	S-Safety	1. There is a concern that the carts used to move items in the warehouse are in disrepair due to broken wheels and shelves that are not properly attached creating the potential for a struck by hazard from items falling off the cart. 2. In area 1E on the first floor, the roofing is uneven and appears to be structurally unsound exposing employees to a struck by hazard. Hazard Location: The first floor of the warehouse 9/7/21 FL	Resolved through inquiry process.
C-1808194	7-Eleven Food Store #29658D		09/07/2021	Online	Y	N	Closed	O-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to employees wearing face coverings. Multiple employees were not wearing face coverings. HAZARD LOCATION The entire store 9/8/2021 JW	Resolved through inquiry process.
C-1808249	Chef Carol's Southern Kitchen		08/30/2021	Online	Y	N	Closed	O-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to employees wearing face coverings. Employees are not wearing face coverings. HAZARD LOCATION: Entire restaurant. 9/8/2021 JW	Resolved through inquiry process.

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1808319	Grant & Weber, INC		08/30/2021	Online	Y	N	Closed	S-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to following the CDC guidelines for employees who test positive for COVID-19. 2.The employer is not complying with the Governor's COVID-19 mandate in regard to employees wearing face coverings. The employees sit at their cubicles without wearing their face coverings. HAZARD LOCATION: The cubicle near postal print and the copy area. 9/8/2021 GK	Resolved through inquiry process.
C-1808445	NP Red Rock, LLC.	Red Rock Casino Resort and Spa	09/07/2021	Online	Y	N	Closed	S-Safety	1. Urine is leaking from the ceiling into the Security Bike storage area. The urine gets on the equipment and on employees. HAZARD LOCATION West Parking Garage on the first level. 9/8/2021 GK	Resolved through inquiry process.
C-1808457	Clark County School District Transportation Department		09/08/2021	Phone	Y	N	Closed	S-Health	1. Employees are not provided adequate cleaning supplies to sanitize high-touch surfaces on the buses. 2. Employees are not provided with masks. Employees are concerned about potential exposure to COVID-19. HAZARD LOCATION: All 5 Bus Yards - Arville Yard: 4499 Arville Street, Las Vegas, NV 89103 - Cheyenne Yard: 444 West Brooks Avenue, North Las Vegas, NV 89030 - Northwest Yard: 10902 Washburn Road, Las Vegas, NV 89166 - Russell Yard: 1700 Galleria Drive, Henderson, NV 89014 - Wallace Yard: 975 W Welpman Way, Henderson, NV 89044	Resolved through inquiry process.
C-1808755	The Edge at Traverse Point Apartments		09/08/2021	Phone	Y	N	Closed	O-Safety	1. On 09/08/2021 at approximately 1:09 PM employees were observed painting the top of the apartment buildings while using tall ladders without any personal protective equipment.	Resolved through inquiry process.
C-1808830	Medasource		09/07/2021	Phone	Y	N	Closed	O-Health	1. Medasource employees working at the COVID-19 testing kiosk located outside of the East Las Vegas Community Center have been suffering from heat stress. Employees work in direct sunlight from 11:00 am to sunset and it is regularly over 100 degrees Fahrenheit in the kiosk. Employees have been suffering from symptoms such as headaches, dizziness, and heavy sweating. 2. Employees often do not have access to restrooms during their shift. Employees are required to use the restrooms at the East Las Vegas Community Center, however when it is closed there is no nearby access to restrooms. HAZARD LOCATION: Kiosk located outside of the East Las Vegas Community Center located at 250 North Eastern Avenue, Las Vegas, NV 89101. 9/7/2021 RW	Resolved through inquiry process.

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1808882	Brady Linen Services, LLC		09/08/2021	Phone	Y	N	Closed	O-Health	1. There is no air conditioning or working fans throughout the warehouse and employees constantly feel like they are going to pass out. The employer does allow employees to step outside if it gets too hot, but it is equally hot outside and while trying to cool down outside, employees risk falling behind on production goals which are strictly enforced. There is no ice in the warehouse and all the water in the warehouse is hot. The supervisor ignores heat stress complaints and does not want to go buy filters for the AC repair. Hazard Location: Throughout the warehouse. 9/8/2021 RAO	Resolved through inquiry process.
C-1808967	Green Valley Ranch Station Casino		09/08/2021	Phone	N	N	Closed		1. The employer is not complying with the Governor's COVID-19 mandate in regard to persons/patrons wearing face coverings while in the Employer's establishment. Persons/patrons have been observed wearing their masks below their nose and chin.	Resolved through inquiry process.
C-1809300	Alamo Sinclair		09/08/2021	Online	Y	N	Closed	S-Safety	1. The employees have not been trained on the hazards of chemicals used, such as bleach. Employees may become exposed to the chemical due to lack of instruction. 2. The emergency exits are blocked daily by boxes, carts, etc. In an emergency, employees may experience delays in escape and have to move items out of the emergency exit. Hazard Location: 1. In gas station, restaurant food preparation & dining areas. 2. Emergency exit/s other than front door. 09/08/2021 NC	Resolved through inquiry process.
C-1809383	All Custom Iron LLC #78301		09/10/2021	Phone	Y	Y	Closed	S-Health;S-Safety	1. The site does not have a sufficient number of welding screens. Employees are walking by active welding stations without eye protection. 2. Employees are using grinders without eye protection. 3. Multiple grinders do not have guards. 4. Heavy steel components are being placed on top of extension cords, potentially causing shock or fire. 5. The employee restroom does not have soap. 6. The break room is being kept in an unsanitary condition. 7. The air conditioning is no longer working, potentially exposing employees to heat stress related illness.	\$0.00
C-1811009	Treasures		09/14/2021	Online	N	N	Closed		1. The employer is not complying with the Governor's COVID-19 mandate in regard to employees wearing face coverings. 2. The employer is not complying with the Governor's COVID-19 mandate in regard to persons/patrons wearing face coverings while in the Employer's establishment.	Resolved through inquiry process.

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1811025	Aliante Gaming LLC	Aliante Casino & Hotel	09/14/2021	Online	Y	N	Closed	O-Safety	1. Lifeguards are provided with inadequate shading exposing them to a heat hazard. 2. Per the employer's emergency plan policy, there are supposed to be two lifeguards standing watch over the pool. Only one lifeguard has been standing watch over the pool which puts that lifeguard at risk for overexertion in the case of an emergency in the pool. 3. During storms, lifeguards are subjected to a shock hazard when they are forced to work by the pool even when lightning is less than ten miles away. 9/14/21 cw	Resolved through inquiry process.
C-1811469	United Parcel Service, Inc.		09/14/2021	Online	Y	N	Closed		1. Employees are concerned about bottles of urine that are found inside of trucks to be loaded or unloaded. Hazard Location: Package Car Belts 1-8 9/14/2021 RAO	Resolved through inquiry process.
C-1811584	Paymon's Fresh Kitchen & Lounge		09/15/2021	Online	Y	N	Closed	S-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to employees wearing face coverings. Not all employees working inside are wearing their face coverings. 2. The employer is not complying with the Governor's COVID-19 mandate in regard to persons/patrons wearing face coverings while in the Employer's establishment. Many of the guests are not wearing their face coverings and the business does not enforce the requirement. HAZARD LOCATION: Throughout Restaurant and Hookah Lounge 09/15/2021 KR	Resolved through inquiry process.
C-1812129	Stein Forensic Facility		08/13/2021	Hotline	Y	N	Closed	O-Safety	1. There is a trip hazard at the main entrance of the building . 2. The fire exit/extinguisher is being blocked. Hazard Location: Main Entrance 8/13/21 ps	Resolved through inquiry process.
C-1812481	Worksite Labs		09/17/2021	Email	Y	N	Closed	O-Health;O-Safety	1. Employees are navigating through moving traffic with no appropriate personal protective equipment on such as high visibility vest. 2. Employees are collecting covid 19 specimen and are not wearing safety gowns.	Resolved through inquiry process.
C-1812509	Lowe's Home Center		09/16/2021	Email	Y	N	Closed	O-Health;O-Safety	1. The restrooms are not kept in unsanitary conditions. The toilets are clogged, needles have been found in the restrooms and there are no toilet seat covers available.	Resolved through inquiry process.
C-1812604	SAFE Management		09/15/2021	Email	Y	N	Closed	O-Safety	1. The employer is forcing employees to work in 110 degree heat for 13 hours in the direct sunlight, causing severe 2nd degree burns	Resolved through inquiry process.

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1812674	Lowe's Home Center		09/17/2021	Email	Y	N	Closed	O-Health	The restrooms are never clean, especially in the evening, they allow homeless and non customers to use them. Needles have been found, there is trash everywhere, most toilets are clogged, they don't have toilet seat sanitary covers available because the homeless shoves it all in the toilets. Associates share the restroom with customers/no customers so all associates are exposed Hazard Location: In the women's and men's restrooms. They are located in the back of the store and are the only ones in the store	Resolved through inquiry process.
C-1813546	Dixie Nutrition		09/19/2021	Email	Y	N	Closed	O-Safety;S-Health	1. Failure to comply with the mandate for persons/patrons to wear face coverings while in the Employer's business establishment. 2. There is a door in the back of the building that is blocked and locked 24 hours a day.	Resolved through inquiry process.
C-1813566	Yes We Powder Coat		09/10/2021	Phone	Y	Y	Closed	S-Safety	1. Employees are not being provided respirators or dust masks for powder coating operations. 2. Employees are not being provided respirators, and there is inadequate ventilation when cleaning steel with acetone. HAZARD LOCATION: Shop Area	\$0.00
C-1813659	Suncoast Hotel And Casino		09/20/2021	Phone	Y	N	Closed	O-Safety	1. Floors are consistently being left wet without any markers to indicate a slip or fall hazard. Employees have asked that they have markers left until they are dry, but management has refused to give any. 2. There are no mats for employees to utilize while working in the kitchens or bars. Employees have asked that mats be purchased to alleviate with foot pain, and management has refused to purchase them. Hazard Location: Throughout 9/20/2021 RAO	Resolved through inquiry process.
C-1813688	Curaleaf		09/20/2021	Online	Y	N	Closed		1. Employees are able to work after testing positive for COVID-19. HAZARD LOCATION: Throughout 9/20/2021 CR	Resolved through inquiry process.
C-1814126	Wholesome goods		09/21/2021	Phone	Y	N	Closed	S-Health	1)The employer is not complying with the Governor's COVID-19 mandate in regard to following the CDC guidelines for employees exposed to COVID-19. 2)Employees have to unload boxes that are covered in mold exposing employees to health hazards.	Resolved through inquiry process.
C-1814533	Ollie Detwiler Elementary School		09/22/2021	Email	Y	N	Closed		1. Failure to comply with the mandate for persons/patrons to wear face coverings while in the Employer's business establishment.	Resolved through inquiry process.
C-1814745	Western Group Packaging, LLC		09/22/2021	Phone	Y	N	Closed		1.Some of the bottled chemicals used are not labeled and have no SDS sheets available. 2. Machinery on line two and three have unmarked hot pipes which has resulted in staff getting burned.	Resolved through inquiry process.

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1814800	Amazon.com Services LLC LAS1	Amazon	09/21/2021	Email	Y	N	Closed	O-Health	1. Employees are exposed to poisonous Ortho products which are causing burning to the skin and lungs when inhaled. Hazard Location Lane 11 of the fulfillment center cw 9/21/21	Resolved through inquiry process.
C-1815049	Cashman Middle School		09/22/2021	Email	Y	N	Closed	O-Safety	1. There is a strong smell of sewer gas in the classrooms and the gym. There is concern that it is unhealthy for everyone exposed to the smell.	Resolved through inquiry process.
C-1815493	Shelby American, Inc.		09/23/2021	Online	N	N	Closed	O-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to employees wearing face coverings. The president and vice president were observed walking around without wearing face covers.	Resolved through inquiry process.
C-1815655	Democracy Preparatory Academy at Agassi Campus		09/20/2021	Online	Y	N	Closed	O-Safety	1. An exit door is blocked by boxes. HAZARD LOCATION: Elementary Campus 09/20/2021 KR	Resolved through inquiry process.
C-1815742	Republic Services, Inc.	Republic Services	09/24/2021	Phone	Y	N	Closed	O-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to employees wearing face coverings. Multiple employees and a member of management is not wearing face coverings. Employees to include supervisors are not wearing face coverings and have been testing positive for COVID. Hazard Location The Industrial, Recycling, and Residential departments. cw 9/24/21	Resolved through inquiry process. g
C-1815745	Bristol at Sunset Apartments		08/19/2021	Phone	Y	N	Closed		1. The employer is not complying with the Governor's COVID-19 mandate in regard to employees wearing face coverings. Employees are not required to wear their face masks unless members of corporate are coming to visit. 2. The employer is not complying with the Governor's COVID-19 mandate in regard to quarantining employees who have tested positive for COVID-19 or have been exposed by members of their household. An employee stated that a member of their household tested positive for COVID-19 however the employee has not been quarantined and is still reporting to work for their normal shift. Hazard Location: Throughout apartments and in the office. 08/19/2021 KO	Resolved through inquiry process.
C-1815766	Madison Square Garden Entertainment Corp.		08/26/2021	Phone	N	N	Closed	O-Health	1. African American employees fear workplace violence after a noose was found hanging 100 feet outside of the elevator on the floor that most African American's work. Despite the statements that were given to the media by the employer, nothing has been done at the worksite in order to assure employee safety following the event. Hazard Location: Throughout the MSG Sphere Las Vegas; the noose was found on the 7th floor. 08/26/2021 KO	Resolved through inquiry process.

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1815772	Don Laughlin's Riverside Hotel and Casino		09/22/2021	Online	Y	N	Closed	S-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to employees wearing face coverings. Security officers, Supervisors, Managers and Administrators remove face coverings when inside the Security office due to a work rule. Employees are concerned that when they have voiced the non-compliance to management, they have been mocked and ignored. Hazard location: Inside the Security office located in the basement of the business. 9/22/2021 EH	Resolved through inquiry process.
C-1815773	Mountain Valley Express Company		09/24/2021	Online	Y	N	Closed	S-Health;S-Safety	1. Forklift operators are not trained or certified. 2. Employees do not have access to eyewash stations. The available eyewash stations are not maintained. 3. Employees do not have access to safety data sheets for the facility chemicals. 4. Pallets are stored in an unsafe manner, potentially exposing employees to trip-and-fall injuries. 5. Bay doors are left open without a safety chain, potentially exposing employees to falls. 6. The employer is not complying with the Governor's COVID-19 mandate in regard to employees wearing face coverings.	Resolved through inquiry process.

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1816270	Republic Silver State Disposal, Inc.	Republic Services of Southern Nevada	09/27/2021	Phone	Y	N	Closed	S-Health	1. Approximately 9/24/2021, there was a fire at the facility and the water sprinkler system did not activate. Several employees were stuck at Ramp #1 and Ramp #2, while inside their trash collecting vehicles, due to the piles of trash that had accumulated around them. The establishment had a recent fire on 9/13/2021 at their recycling center where the water sprinkler system did not activate. 2. When medical waste is disposed of in compactors, blood and biohazards leak out around the compactors, onto the walking-working surfaces that employees must use to commute from one work area to another, and inside the trucks. 3. The employer is not complying with the Governor's COVID-19 mandate in regard to employees wearing face coverings. Two managers and an employee tested positive for COVID-19 in the past two weeks and were not wearing face coverings, potentially exposing other employees during debriefing meetings. 4. The employer is not complying with the Governor's COVID-19 mandate in regard to employees testing positive at the workplace. At least one employee was symptomatic while working and there is concern that the employer did not disinfect the facility or conduct contact tracing after learning of employees having tested positive for COVID-19. Hazard Location: Ramps, compactors, trash collecting trucks, debrief rooms, dispatch rooms. 9/27/2021 bm	Resolved through inquiry process.
C-1816313	Apex Linen Services, Inc.		09/26/2021	Email	Y	N	Closed	S-Health	1. Failure to comply with the mandate for persons/patrons to wear face coverings while in the Employer's business establishment.	Resolved through inquiry process.
C-1816471	McCarran International Airport		09/21/2021	Email	N	N	Closed	O-Safety	1. There is loud working conditions at the airport. Location: Terminal 1 baggage claim	Resolved through inquiry process.
C-1816478	Chevron		09/27/2021	Email	Y	N	Closed		1. The employer is not providing enough proper personal equipment (gloves) during the shift.	Resolved through inquiry process.
C-1816479	Bally's Las Vegas		09/27/2021	Online	Y	N	Closed	S-Health	1. The Bell Desk has been moved outdoors and employees are concerned about working in this area because there is no air conditioning in summer or heating in winter. Employees are concerned about heat stress. 2. Bell Desk employees are not permitted to sit down, and some employees are experiencing pain in their legs. HAZARD LOCATION: Bell Desk 09/27/2021 KR	Resolved through inquiry process.
C-1816483	Yellowstone Landscaping		09/24/2021	Phone	Y	N	Closed	O-Safety	1. Company trucks are not being maintained properly and are not appropriate for towing heavy equipment. 2. Tires are in poor condition and are creating a safety hazard for employees.	Resolved through inquiry process.

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1816488	The Linq Hotel & Casino		09/27/2021	Phone	N	N	Closed	S-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to persons/patrons wearing face coverings while in the Employer's establishment. Security guards are not ensuring that persons/patrons who are not actively eating or drinking are wearing their masks in O'Shea's, the 5 casino floor bars, and the sports book area. Hazard Location: O'Shea's, Casino floor bars, and sports book area. 9/27/2021 bm	Resolved through inquiry process.
C-1816670	El Super		09/27/2021	Online	Y	N	Closed	O-Health	1. In the bakery of El Super no one washes dishes we have flies Maggie roaches we cannot stand the smell we cannot work without the Flies touching like cakes or the red flying around in the Department's using dishes after dishes without washing them cleaning and sanitizing them it's just a nasty situation to work in and me and my coworkers are tired of working under these condition. Location: The bakery department. 9/27/2021 JY	Resolved through inquiry process.
C-1816827	Greco and Sons		09/23/2021	Email	Y	N	Closed	O-Safety	1. Employees are not trained to operate the boom lifts and do not wear harnesses when using the lift. 2. Employees use forklifts to lift other employees to reach items on higher shelves. 3. There is an extension cord running from inside the warehouse to a semi trailer exposing employees to a trip hazard.	Resolved through inquiry process.
C-1816935	Mandalay Bay Resort And Casino		09/27/2021	Phone	Y	N	Closed	O-Health	1. There is a diesel generator constantly running behind the doors of the hallway leading to the Employee Dining Room (EDR). Employees that work in or walk through this area believe they are being exposed to a harmful amount of carbon monoxide gas from the diesel generator's exhaust. Many employees have been experiencing headaches and nausea which they believe to be a result of carbon monoxide exposure. 2. Fire exit doors are currently blocked on both sides by red tape in the hallway leading to the Employee Dining Room (EDR). HAZARD LOCATION: Hallway leading to the Employee Dining Room (EDR) 9/27/2021 CR	Resolved through inquiry process.
C-1816936	Acme Security, Inc.		09/27/2021	Phone	Y	N	Closed	S-Health	HAZARD DESCRIPTION: 1. The employer is requiring employees that have both symptoms of COVID-19 and have submitted proof of a positive COVID-19 test to work their normally scheduled shifts. HAZARD LOCATION: Throughout	Resolved through inquiry process.

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1817196	Burlington Coat Factory Warehouse		09/28/2021	Phone	Y	N	Closed	O-Health	1. Over the past couple months, rats have been found under the registers, eating food in the home department, in the trash, and throughout the receiving department due to a rat infestation. Rat urine/feces can be found throughout the store as well. Two weeks ago, pest control came out to assess the infestation. The employer was then advised that the infestation would take a while to resolve and has since advised employees that a bid was sent to corporate to address the infestation. Since that information was provided two weeks ago, no changes have occurred to combat the infestation. Hazard Location: Throughout the store. 9/28/2021 bb	Resolved through inquiry process.

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1817259	Albertson's #4017		09/29/2021	Online	Y	N	Closed	O-Health;O-Safety	<p>1. A leak caused the ceilings to cave in approximately 10/20/2019, causing the air to be contaminated with fiber glass and asbestos. The employer never conducted an investigation and employees were never provided training on how to handle asbestos contaminated products, provided with the proper PPE, or properly reported the incident. Products sold may still contain asbestos from the 2019 incident. 2. Safety and health training is not provided to employees by competent persons. Additionally, management are not knowledgeable in identifying and addressing safety and health hazards and are providing employees information that are not in compliance with OSHA standards. 3. Electrical systems, such as electrical panels, converters, and generators contain combustible dust, wood, cardboard, and stored documents, exposing employees to potential fire hazards. 4. The employer has not provided employees with training on earthquake preparedness, including associated hazards and the response and recovery operations. 5. Employees are not authorized access to drinking water, due to COVID-19, and the Store Director and Front End Manager have discarded employee water containers that do not meet company standards. The Front End Manager has stated that hydration is only authorized for Courtesy Clerks. Additionally, employees are denied access to water outside of their breaks and at times, are denied break times due to the lack of coverage. 6. Management stated that heat exhaustion is not the responsibility of the employer when employees are exhausted due to their form of transportation to work, such as walking in the heat. 7. Employees are potentially exposed to lead when intercepting disposed customer products. 8. Employees are not provided or informed of employee rights and responsibilities in the Nevada Stop and Learn Your Rights and Responsibilities for safety and health. 9. Employees are concerned that the employer does not properly record injuries and illnesses in OSHA logs and are not made available during the required posting times. 10. The employer did not post the OSHA Free Workplace Poster in a conspicuous place where workers can see it. Hazard Location: Throughout, including store lots during heat.</p>	Resolved through inquiry process.
C-1817332	Freedom Forever - Las Vegas		09/28/2021	Email	Y	N	Closed	S-Health	<p>1. Failure to comply with the mandate for persons/patrons to wear face coverings while in the Employer's business establishment. 2. Employees are also testing positive for Covid -19 and Management is not informing customers and office personnel that may have been exposed.</p>	Resolved through inquiry process.

NV OSHA Complaint Log
July - September 2021

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results / Comments
C-1817479	Las Vegas Integrative Medicine		09/28/2021	Phone	Y	Y	Open	S-Health	1. An employee was stuck by a used acupuncture needle while completing a work assignment. There was no safety training on how to handle needles and needle sticks, no reporting procedures, and the employee's insurance was billed to pay for their own testing post needle stick. 2. Chemicals are being utilized by employees throughout the business however there has not been any hazard communication training provided to employee and there are no SDS's on file for the chemicals that are utilized throughout. HAZARD LOCATION: Throughout. 10/4/2021 Follow up er	Pending
C-1817500	Republic Silver State Disposal, Inc		09/29/2021	Phone	Y	N	Closed	S-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to employees wearing face coverings. Employees and drivers at the Roll Off offices and area are not wearing masks. 2. The employer is not complying with the Governor's COVID-19 mandate in regard to quarantining employees who have tested positive for COVID-19. Five employees have tested positive for covid and were told to come to work by the supervisor. HAZARD LOCATION: Office and roll off area at 3060 North Commerce Street address.	Resolved through inquiry process.
C-1817821	TJ Maxx Distribution Center		09/30/2021	Online	N	N	Closed		Our shifts in which we are required to stand, are 10 hours 4pm- 2:30am and we are only receiving our 30 minute lunch (6:00pm) and 1, 15 minute break (10:15pm). Hazard Location: Main building	Resolved through inquiry process.
C-1817844	Extended Stay America		09/29/2021	Phone	Y	N	Closed		A gun was stolen from an unlocked cabinet and employees have been accused of said action. This has caused tension between employees and it's causing a hostile work environment. HAZARD LOCATION: Throughout	Resolved through inquiry process.
C-1818358	The Orleans Hotel & Casino		09/30/2021	Phone	Y	N	Closed	O-Health	1. Employees are required to wear a disposable paper type mask while working. The employer only provides one size of mask. In some people, the mask is too big and presents a hazard as it has to be constantly adjusted as it slides up over the eyes, especially when bending over to pick up items off the floor. HAZARD LOCATION Throughout. 9/30/2021 RW	Resolved through inquiry process.



State of Nevada

Division of Industrial Relations

Occupational Safety & Health Administration

COMPLAINT LOG SUMMARY FY2021 - 2nd Quarter October - December 2021

Number Complaints Received Las Vegas - Reno	Number Phone/Hotline Complaints Received	Number In-person Complaints Received	Number Inspections Conducted	Number No Inspections Conducted	Cases Open
148	148	0	10	60	100

Safety	Health	Both Safety / Health	N/A
49	96	3	0

INITIAL VIOLATION TYPE	
Serious	0
Regulatory Notices	0
OTS	0
Willful-Serious	0
INITIAL PENALTY <u><u>\$0.00</u></u>	

FY COMPARISON TOTALS	
FY22	148
FY21	205
FY20	583
FY19	176
FY18	191

State of Nevada
Division of Industrial Relations
Nevada Occupation Safety & Health Administration
Quarterly Complaint Report (October-December 2021)

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-1818970	Dillard's		10/04/2021	Phone	Y		Open	S-Health	1. Failure to comply with the mandate for employees to wear face coverings.	Pending
C-1821382	ALLIE & FRIENDS		10/08/2021	Phone	Y	N	Closed	S-Health	1. Failure to comply with the mandate for employees to wear face coverings. 2. The employer is not ensuring shared work spaces and shared work tools are being cleaned and sanitized between use. 3. Multiple employees have contracted COVID-19 in the workplace and the employer has not notified their fellow co-workers of their possible exposure.	Resolved through inquiry process.
C-1821691	SQUARE ONE SOLUTIONS		10/09/2021	Phone	Y		Open	S-Safety	1. Employees are working from scaffolding sanding trusses with the scaffold guardrail system that does not have a minimum top rail capacity of 200 pounds.	Pending
C-1822099	RYE PATCH CHEVRON		10/12/2021	Phone	Y	N	Closed	S-Health	Located in the store: 1. The employer is not providing employees with a restroom or hot water due to ongoing construction. 2. Black mold is present underneath the building's crawl space due to leaking plumbing.	Resolved through inquiry process.
C-1822788	PROMINENCE HEALTH PLAN		10/13/2021	Phone	Y	N	Open	S-Health	1. Failure to comply with the mandate for employees to wear face coverings.	Pending
C-1822827	PANASONIC CORPORATION OF NORTH AMERICA		10/13/2021	Phone	Y		Open	S-Health	1. An employee tested positive for COVID-19 on October 5th. Human Resources told the employee that they needed to return to work while they were still ill and exhibiting COVID-19 symptoms.	Pending
C-1823266	CITY OF SPARKS FIRE STATION 2		10/14/2021	Phone			Open	S-Health	1. Asbestos remediation activity being conducted in the same facility where employees work and sleep.	Pending
C-1823725	DURALINE		10/15/2021	Phone	Y	Y	Open	S-Safety	1. Water leaks into the building whenever it rains which caused a generator to catch fire about one month ago. 2. Unsafe forklift operations when the floors are wet. 3. Emergency exits are commonly blocked throughout the facility.	\$0.00
C-1824059	NEVADA JOBCONNECT		10/18/2021	Phone	Y		Open	S-Health	1. Employees interviewing members of the public at their desk/cubicle area are exposed to COVID transmission. One employee recently tested positive for COVID. 2. A supervisor has been working in the office while showing symptoms of COVID. 3. The building lacks proper ventilation to keep fresh air circulating.	Pending
C-1824160	SIERRA NEVADA WELLNESS CENTER		10/18/2021	Phone	Y	N	Closed	S-Health	1. One employee is exhibiting symptoms of COVID-19 and is allowed to continue working at the establishment.	Resolved through inquiry process.
C-1824492	PROMINENCE HEALTH PLAN		10/19/2021	Phone	Y	N	Open	S-Health	Employees are not required by the employer to wear face coverings.	Pending

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-1825195	UPS		10/20/2021	Phone	Y		Open	S-Health	1. Failure to comply with the mandate for employees to wear face coverings. Approximately 7-8 employees observed not wearing face coverings inside the establishment, near the feeder dispatch area.	Pending
C-1826084	EMPIRE CARPET CARE & REMEDIATION		10/22/2021	Phone	Y	N	Open	S-Health	1. Employees are required to remove materials presumed to contain asbestos without having tested the materials prior to removal. 2. Employees are not provided personal protective equipment when assigned to remove asbestos containing materials, pump sewage from under houses, and when cleaning up blood. 3. Employees have not been trained in the hazards associated with cleaning up blood.	Pending
C-1826443	DURA LINE CORPORATION		10/25/2021	Phone	Y		Open	S-Safety	1. The building's roof is leaking water onto the generator located inside the warehouse creating a fire hazard.	Pending
C-1826559	PROMINENCE HEALTH PLAN		10/25/2021	Phone	Y	N	Open	S-Health	1. Failure to comply with the mandate for employees to wear face coverings. Employees work in a large office together and are not required to wear their masks while at their desks.	Pending
C-1828892	ALS GEOCHEMISTRY		11/01/2021	Phone	N	N	Closed	S-Health	1. Located in the Prep Line Out Department, core samples stored in a plywood box are exposing employees to radiation. The employer tested the core samples and it was determined that there was high levels of radiation. The employer has not done anything since testing the core samples.	Resolved through inquiry process.
C-1830263	PYRAMID LAKE HEALTH CLINIC		11/04/2021	Phone	N	N	Closed	S-Health	1. Located in the modular trailer nearest the highway, mold is present in a window sill and employees are reporting headaches and chest pains while working in this area.	Resolved through inquiry process.
C-1832840	MARY'S GONE CRACKERS, INC.		11/11/2021	Hotline	Y		Open	S-Health	1. Located in the facility, employees are becoming sick from the extreme heat coming from the ovens. There is no ventilation in the facility. The employer only allows limited breaks.	Pending
C-1834339	CLEANAIRE, INC.	PAMLICO AIR	11/16/2021	Phone	Y	Y	Closed	S-Safety	1. Abundant pallets on the floor creating hazards. 2. The glue machines are missing guards for the internal moving parts of the machines. 3. Fire extinguishers are blocked with products. 4. Empty First Aid Kits. 5. No PPE provided including safety glasses or gloves for the making of air filters.	Resolved through inquiry process.
C-1835483	VEKA WEST, INC.		11/19/2021	Phone	Y		Open	S-Health	1. Failure to comply with the mandate for employees to wear face coverings.	Pending
C-1835915	PRIME HEALTHCARE SERVICES INC.	SAINT MARY'S REGIONAL MEDICAL CENTER	11/22/2021	Phone	Y	Y	Open	S-Health	Oncology Department: Employer not enforcing mask mandate.	Pending
C-1836031	Washoe Public House		11/22/2021	Phone	Y	N	Open	S-Health	1. Failure to comply with the mandate for employees to wear face coverings.	Pending

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-1836707	AMERICAN HIGHWAY		11/24/2021	Phone	Y	N	Open	S-Health	1. Employees are not given training in the hazards associated with handling powders used in powder coating processes. 2. Employees working in the powder coating department are not provided with personal protective equipment when transferring powders in preparation to be used in the powder coating process.	Pending
C-1838053	UPS		11/30/2021	Phone	N	N	Closed	S-Safety	Employees not being allowed to take breaks and lunch.	Resolved through inquiry process.
C-1838353	CARBOLINE COMPANY		12/01/2021	Phone	Y	Y	Closed	S-Health	1. Employees cleaning vats where retardants and paints are mixed used a T-22 chemical and are not provided with respirators. 2. Employee was dumping garbage into a an dumpster filled with fiberglass and the fiberglass was flying into the employee's face.	\$0.00
C-1838432	WALMART SUPERCENTER		12/01/2021	Phone	Y	N	Open	S-Safety	1. Located in the car care center, tire machines are old and not in serviceable condition. Employees are exposed to injury due to the tire machine throwing tires off the machine. There are no inspections on the tire machines. 2. Located in the car care center, car lifts are not in serviceable condition. The last inspections of the car lifts was in 2018. 3. Located in the car care center, compressed air hoses are damaged and cracked. 4. Located in the car care center, employees are not trained to operate machinery in the shop which includes the car lifts and wheel machines.	Pending
C-1838734	UNITED CEREBRAL PALSY OF NEVADA		12/02/2021	Phone	Y	N	Closed	S-Safety	1. Donations are piling up in the back delivery area/stock room impeding exit access in aisles and at doorways.	Resolved through inquiry process.
C-1838790	COSTCO WHOLESALE		12/02/2021	Phone	Y		Open	S-Safety	1. Employees in the membership department, food court, and checkout registers are experiencing daily random acts of workplace violence from customers, the employer is aware of these acts, and the employer is not doing anything to prevent it. The employees are being harrassed, spit on, and threatened by cutomers because the employees are wearing face coverings.	Pending
C-1839134	JCPENNEY LOGISTICS CENTER		12/01/2021	Phone	Y	N	Open	S-Safety	1. Sprinklers do not work. 2. No emergency evacuation plan.	Pending
C-1839210	T.J. Maxx		12/03/2021	Phone	Y	N	Open	S-Safety	1. At the back merchandise sorting room, merchandise boxes are being stacked up to six to seven feet in height, haphazardly, exposing employees to struck-by hazards. 2. At the back merchandise sorting room, merchandise boxes are filling the room and blocking emergency exits impeding employees access in the event of an emergency.	Pending
C-1839856	Cognizant Technology Solutions		12/06/2021	Phone			Open	S-Health	1. Employees not wearing masks while in close contact sitting at desks.	Pending
C-1840558	ADAM & EVE STORES		12/07/2021	Phone	Y	N	Open	S-Health	1. Employees are not wearing face protection per Governor's Covid 19 mandate.	Pending
C-1840813	WALMART SUPERCENTER		12/08/2021	Phone	N	N	Closed	S-Safety	1. Merchandise is blocking walk areas and potential exit path for customers on the left side of the store.	Resolved through inquiry process.

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-1841095	UPS		12/09/2021	Phone	Y	N	Open	S-Safety	1. Employees are working next to an unstable working platform that was fabricated to hold portable powered rollers and gravity fed rollers. The gravity fed rollers are outside and there is a slipping hazard due to snow.	Pending
C-1841115	UPS		12/09/2021	Phone	Y	N	Open	S-Safety	1. Employees are working outside on uneven surfaces and being exposed to slip and fall hazards due to wet/snow weather conditions.	Pending
C-1841181	WE KITCHENS		12/09/2021	Phone	Y	Y	Open	S-Safety	1. The forklift is not being properly maintained and is being operated with a check engine light on. 2. The forklift is being used beyond its capacity rating by moving the dumpster and other unapproved attachments. 3. The employer is either not providing PPE such as safety glasses and gloves or they are incorrect for the work activities being performed. 4. The employer is encouraging employees to clear jams in CNC machines and other types of equipment while in operation creating caught-in hazards.	Pending
C-1841758	MEI-GSR HOLDINGS LLC	GRAND SIERRA RESORT AND CASINO	12/10/2021	Phone	N	N	Closed	S-Safety	Banquet Bar Dept.; Employees have to push portable bars on wheels. When pushing these on carpet, these are heavy and not stable.	Resolved through inquiry process.
C-1842147	TRACTOR SUPPLY COMPANY		12/13/2021	Phone	Y	N	Closed	S-Health	1. No COVID face mask requirement signage at entrance to the building, employees are not wearing face masks per the Governor's directive.	Resolved through inquiry process.
C-1842223	Zimmco Equipment Inc	Zimmco Equipment Inc.	12/13/2021	Phone	Y		Open	S-Safety	1. Employer has no Safety Data Sheets on site. 2. Located at the back shop area, two old forklifts are not properly maintained and one leaks propane. One fork lift has a bent fork that is still used regularly. 3. Located at the back shop area, forklift operators are not formally trained by the company.	Pending
C-1843278	UPS		12/15/2021	Phone	N		Open	S-Safety	1. In the warehouse, an emergency exit is obstructed with a package roller impeding access for employees in an event of emergency.	Pending
C-1843652	RENO VULCANIZING WORKS, INC.		12/16/2021	Phone	Y	N	Closed	S-Safety	1. Employees are not wearing face coverings in the sales and installation areas to prevent the potential spread of COVID virus.	Resolved through inquiry process.
C-1844205	Northern Nevada Child and Adolescent Services		12/17/2021	Phone	Y	N	Open	S-Health;S-Safety	Employer is not complying with state mandated covid - 19 precautions which include masking requirements, disinfecting work surfaces and physical barriers separating the general public.	Pending
C-1844575	ALLCO CONSTRUCTION, INC.		12/20/2021	Phone	N	N	Closed	S-Safety	1. Construction employees are consuming alcohol during normal working hours while on the job site.	Resolved through inquiry process.
C-1844648	Nicole Williams - State Farm Insurance Agent	State Farm Insurance	12/20/2021	Phone	Y	N	Open	S-Health;S-Safety	1. Employees are not wearing face coverings per state COVID-19 guidelines.	Pending
C-1845169	O'Reilly Auto Parts		12/21/2021	Phone	Y	N	Open	S-Health	1. Employees are not wearing face coverings per covid-19 protocols.	Pending
C-1845174	Sweetwater Pain And Spine		12/21/2021	Phone	Y	N	Open	S-Health	1. Medical personnel are not wearing a face covering while interacting with patients.	Pending

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-1847056	S&S ACTIVEWEAR LLC		12/28/2021	Phone	Y		Open	S-Health	1. More than 300 people work at this site and no restrooms are available inside the building. Employees are being instructed to use 4 port-a-johns located outside the building. 2. The company has not implemented COVID protocols. Employees are being allowed to work sick exposing others to the potential virus contraction.	Pending
C-1847214	Family Dollar		12/28/2021	Phone	Y		Open	S-Health	1. No gas to building, no heat, inside temps get to 30 degrees. 2. There is no hot water in restrooms to wash hands.	Pending
C-1847501	ALTA VISTA MENTAL HEALTH		12/29/2021	Phone	Y		Open	S-Health	1. Failure to comply with the mandate for employees to wear face coverings.	Pending
C-1847561	THE REPUBLIC APARTMENTS		12/29/2021	Phone			Open	S-Safety	1. Construction crews are doing demo and cutting work on concrete and concrete dust is getting into apartments. 2. Crews are not wearing PPE for concrete dust protection.	Pending
C-1848041	MCS INDUSTRIAL DIRECT CO, INC.		12/30/2021	Phone	Y	N	Open	S-Safety	1. On December 8, 2021 an employee was physically assaulted, pushed, grabbed by the arm, and screamed at by another employee. This was brought to the attention of management with no resolution.	Pending
C-1819215	El Super		10/04/2021	Phone	Y	N	Closed	O-Health	1. In the bakery, there is a smell which is giving employees headaches and dizziness. 2. There are bugs and maggots crawling on pans and countertops. The employer is aware of the bugs and does not do anything about it. Location: Bakery Department	Resolved through inquiry process.
C-1820262	BurgerFi		10/06/2021	Phone	Y	N	Closed	S-Health	1. A member of management was allowed to continue working while displaying symptoms of COVID-19 and later tested positive. Employees voiced their concerns to management after being exposed but were instructed to return to work the next day. 2. The employer has not sanitized the kitchen area, including areas where food is stored, after the confirmed positive case of COVID-19. Hazard Location: Throughout 10/06/2021 JB	Resolved through inquiry process.
C-1820760	YRC Inc.	YRC Freight	10/06/2021	Phone	Y	N	Closed	S-Health	1. Employees and customers are not wearing face coverings.	Resolved through inquiry process.
C-1821369	Eureka Casino Resort		10/08/2021	Phone	Y	N	Closed	O-Safety	1. Members of management consume alcohol during work hours in the food and beverage department. Employees have voiced their concerns to Human Resources but no corrective action has been taken. Hazard Location: Inside casino	Resolved through inquiry process.
C-1821371	Planet Hollywood Resort & Casino		10/07/2021	Phone	Y	N	Closed	O-Safety	1. The employer is performing construction remolding activities inside the casino floor, exposing employees to noise hazards. HAZARD LOCATION: Extra Lounge.	Resolved through inquiry process.
C-1821661	BMC West, LLC	SelectBuild Nevada	10/07/2021	Phone	Y	Y	Closed	O-Health	1. The employer provides communal water on the job site by a hose, exposing the employees to unsanitary conditions. Hazard Location: Worksite 10/7/2021 bm	\$0.00

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-1822331	Four Queens Hotel & Casino		10/12/2021	Phone	Y	N	Closed	O-Health	1. The doors are broken and are stuck open, which is letting the cold air in. Dealers are very cold and are not allowed to wear their coats to keep warm. Hazard Location: Casino Floor 10/12/2021 CR	Resolved through inquiry process.
C-1822837	Wynn Las Vegas, LLC	Wynn Las Vegas / Encore at Wynn Las Vegas	10/13/2021	Phone	Y		Open	S-Health	1. The Casino Floor is too loud, and the employer refuses to provide hearing protection or perform any sound level testing. 2. There is no potable water available for workers in the PAD Department. Employees have been getting sick from the water provided. HAZARD LOCATION: Throughout 10/13/2021 KR	Pending
C-1823294	ITV America		10/13/2021	Phone	Y	N	Closed	S-Health	1. The employer is allowing employees who exhibit COVID-19 symptoms to work for several hours before being sent home, potentially exposing other employees and cast members to COVID-19. 2. The employer does not conduct daily COVID-19 assessments and there is concern that the employer does not conduct proper contact tracing after learning of positive COVID-19 cases to inform employees of potential exposures. 3. The employer's policy states that COVID-19 testing must be conducted within 72 hours of filming. Testing is conducted on Tuesdays prior to employees filming. However, filming has concluded by the time the test results are received on Thursdays. Employees who test positive for COVID-19 have already exposed other employees. 4. Employees are required by the employer to work with cast members that are potentially COVID-19 positive during filming. Hazard Location: Count's Kustom filming location. 10/13/2021 bm	Resolved through inquiry process.
C-1824262	Kaptyn Nevada, LLC		10/18/2021	Phone	Y		Open	O-Health	1. Employees are concerned about exposure to mold due to the business having mold within the walls and the ceiling panels near the main double doors which are made of glass. The mold may be present due to multiple leaks that have occurred without being properly addressed. Hazard Location: Within the walls and ceiling panels near the main entryway double doors made on glass. 10/18/2021 bb	Pending
C-1824541	Dosh Contracting Inc.		10/19/2021	Phone	Y		Open	O-Safety	1. Employer does not require employees to wear hard hats on the jobsite. 2. the foreman comes to work under the influence of alcohol. 3. The employees do not have OSHA 10 and 30 hour cards.	Pending
C-1824563	Everything Branded USA		10/19/2021	Phone			Open	S-Health	1. Employer is not following the Governor's mask mandate, and does not require employees to wear masks indoors. Employees work within 2 to 3 feet of each other and there have been at least two confirmed cases of Covid-19 in the past two months. When it is brought to the employer's attention we are told that we can wear a mask if we want to and that it does not matter.	Pending

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-1824708	Massage Heights		10/19/2021	Phone	Y	N	Closed	O-Health	1. Employees are required to have their laundry washed at work and are unable to take their work clothes home to be washed. Multiple employees have begun getting rashes and headaches while being at work due to black mold found within the panels where there were water spots and the black mold that was discovered within the washing machine. When the concern was brought to managements attention, employees were asked to be proactive and clean the mold up themselves. Following that request, one of the supervisors cleaned the washing machine out with bleach however, not all of the mold was removed during this cleaning and nothing was done with the mold throughout the panels due to the water spots. 2. After being washed in the washing machine which contains mold, clean laundry is stored for employees within the employee break room. The employer has had to store baking soda within this room because otherwise the laundry gives off a strong foul odor. Employees are concerned that this laundry is not being properly cleaned. 3. Construction began within the breakroom/ laundry room on October 18, 2021. A wall was torn down during normal business hours and employees are concerned with the materials that they are inhaling. Hazard Location: Within the breakroom/laundry room with the concern of it being throughout the building. 10/19/2021	Resolved through inquiry process.
C-1825027	Hoover Dam Lodge - Hotel & Casino		10/19/2021	Phone	N	N	Closed	S-Health	1. The employer is not conducting sanitizing of high touch service with disinfectant to kill the COVID-19 germs. The slot machines are not wiped down with sanitizer to prevent the spread of the COVID-19 virus. Hazard Location: Casino Floor 10/19/2021 EM	Resolved through inquiry process.
C-1825285	Stein Forensic Facility		10/20/2021	Phone	Y	N	Closed	O-Safety	1. The Fire sprinkler in room 104 does not have a clearance of 18-inches.	Resolved through inquiry process.
C-1825629	Las Vegas Metropolitan Police Department		10/19/2021	Phone	Y	Y	Closed	S-Health	1. The employer was made aware of Employee #1 testing positive for COVID-19 and informed the employer that they possibly exposed Employee #2. Employee #2 was required to report to work despite having informed the employer of their exposure to COVID-19, potentially exposing other employees. Hazard Location: Summerlin Area Command and MetroComm Building 10/19/2021 bm	\$0.00
C-1825729	Holiday Inn Club Vacations Incorporated	The Desert Club Resort	10/21/2021	Phone	Y	N	Closed	S-Health	1. The employer is not enforcing the Governors' mask policy for Covid-19. The employees in the maintenance shop and in the break room are not wearing their masks.	Resolved through inquiry process.

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-1826080	Immaculate Restoration and Carpet Care		10/22/2021	Phone	Y	Y	Open	S-Health	1. Employees are working at a jobsite that has asbestos containing material, which employees have disturbed without containment. Testing was to be conducted, but employees threw away samples under the supervisors guidance. 2. Employees working in the space containing asbestos have also not been notified of potential exposure to asbestos. 3. Employees are working without OSHA 30 cards. HAZARD LOCATION: The 4000 W Oakey Blvd, Church of Christ location. 10.22.2021 EBM	Pending
C-1826698	Desert View Remodelers LLC	Universal Solar Direct of Las Vegas	10/25/2021	Phone	Y		Open	S-Safety	1. The employer is not ensuring that employees are trained before performing electrical work. Employees are being potentially exposed to contact with live electrical components and have not been provided adequate safety training. Hazard Location: Various homes- specific site is not known. 10/25/2021 NC	Pending
C-1827006	Luxor Staffing		10/22/2021	Phone	Y	N	Closed	O-Safety	1. On 9/21/21, an employee was working in the warehouse when his right hand was run over by a pallet jack resulting in the employee's hand being broken. Hazard Location: Inside the warehouse 10/26/21 BC	Resolved through inquiry process.
C-1827029	Las Vegas Valley Community Management	Nevada Community Management	10/26/2021	Phone	Y		Open	S-Health	1. Office employees are allowed to bring children into the office. The surfaces are not disinfected to prevent the spread of the COVID-19 virus. Employees are potentially exposed to contracting the COVID-19 virus. 2. The employer is not complying with the Governor's COVID-19 mandate in regard to employees wearing face coverings. Management and employees do not wear their face masks in the office potentially exposing employees to contracting the COVID-19 virus. Hazard Location: Throughout 10/26/2021 EM	Pending
C-1829075	Edlen Electrical Exhibition Services, Inc.		11/01/2021	Phone	Y	N	Closed	S-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to employees wearing face coverings. While setting up for conventions, employees do not wear their masks. It hangs from their ear or they do not wear it at all. Location: Conventions	Resolved through inquiry process.

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-1829324	IHOP		11/02/2021	Phone	Y		Open	S-Health	1. Employees are exposed to extreme heat conditions while preparing food in the kitchen. The employees have notified management that the air conditioning unit is not working properly and creating excessive heat in the kitchen. 2. Employees are exposed to respiratory hazards when working in the kitchen related to breathing in smoke from the food being cooked that should be pulled out by the exhaust, but the exhaust is not functioning properly. Management stated that the repairs are costly, and that they are working on having repairs done. 3. Employees are exposed to hazards associated with inhalation of gas fumes. The employees have notified management that the stove closes to the wall needs maintenance due to a smell of gas that is observed when the stove is used to prepare food. Employees have submitted several verbal complaints to management regarding the smell of gas coming from the stove and the employees are unsure if management has contacted Southwest Gas. Management stated that the repairs are costly, and that they are working on having repairs done. Hazard Location: Kitchen 11/02/2021 EM	Pending
C-1829386	Terrible's Roadhouse Casino		11/02/2021	Phone	Y		Open	S-Health	1) The employer is not complying with the Governor's COVID-19 mandate in regard to persons/patrons wearing face coverings while in the Employer's establishment. Patrons are allowed to keep their face covering off after eating, drinking, or smoking in the casino areas while interacting with employees. 2) The employer is not complying with the Governor's COVID-19 mandate in regard to following CDC guidelines for employees who have had close contact (within 6 feet for 15 minutes or longer) with an individual who tested positive for COVID-19. The employer is not informing employees that have been in close contact with another employee that has tested positive for COVID-19. 3) The employer is not complying with the Governor's COVID-19 mandate in regard to following CDC guidelines for sanitizing high-touch surfaces after each use. Several employees have tested positive for COVID-19 in recent weeks and the employer has not implemented or increased sanitizing per CDC guidelines. Hazard Location: Throughout casino, hotel, and restaurant. 11/02/2021 NC	Pending

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-1829512	Petco Animal Supplies Inc.	Petco #1115	11/02/2021	Phone	Y	N	Closed	S-Health	1) The employer is not complying with the Governor's COVID-19 mandate in regard to employees wearing face coverings. The employer allows employees to work after closing inside the facility without wearing a face covering. 2) The employer is not complying with the Governor's COVID-19 mandate in regard to following CDC guidelines for employees who have had close contact (within 6 feet for 15 minutes or longer) with an individual who tested positive for COVID-19. The employer is not informing employees that have been in close contact with another employee that has tested positive for COVID-19. 3) The employer is not complying with the Governor's COVID-19 mandate in regard to following CDC guidelines for sanitizing high-touch surfaces after each use. The employer is not ensuring that patron shopping baskets and carts be sanitized between patron use and employee cash register terminals between employee use. Hazard Location: Throughout the facility. 11/02/2021 NC	Resolved through inquiry process.
C-1829746	Bally's Las Vegas Hotel & Casino		11/03/2021	Phone	Y	N	Closed	O-Health	1. The men's employee locker room is being stripped and painted. As a result, there is a large accumulation of an unknown white powder atop of the lockers. 11/03/2021 JB	Resolved through inquiry process.
C-1829749	Sonic Drive-In		11/03/2021	Phone	Y	N	Closed	O-Health	1. The employer has not sanitized the workplace after three employees had tested positive for COVID-19. 2. The employer is not instructing employees displaying symptoms of COVID-19 to get tested and quarantine. 11/03/2021 JB	Resolved through inquiry process.
C-1829771	BLCS LLC	Valley Precast	11/03/2021	Phone			Open	S-Health;S-Safety	1. Employees are not provided adequate personal protective equipment while cutting and sanding stone and concrete for orders. Employees are not given masks, and may be breathing in concrete and silica. 2. Employees are utilizing fork lifts without certification. 3. All but one pathway and entryway are blocked by equipment that employees trip over, and could be a potential fire hazard. Hazard Location: Throughout 11/3/2021	Pending
C-1829832	Legacy Wellness, LLC	Elements Massage	11/03/2021	Phone	Y		Open	S-Health	1. The employer has the sheets and towels cleaned through a third party. The sheets and towels received in multiple instances has been stained with blood, feces and other unknown fluids. Employees have found hospital tags folded within the sheets as well. Employees have voiced their concerns to management but no action has been taken. 2. In the breakroom and back of the establishment, there is a strong sewage smell that has been present for months. Employees are instructed by management to continuously pour bleach down the drains. 11/03/2021 JB	Pending

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-1829865	FedEx Ground		11/03/2021	Phone	Y	N	Closed	O-Safety	1. There is no air-conditioning inside of the delivery trucks. 2. The warehouse and the trucks are littered with trash. Employees are not provided gloves to handle the dirty boxes. 11/03/2021	Resolved through inquiry process.
C-1829973	Capriotti's Sandwich Shop		11/02/2021	Phone	Y		Open	O-Safety	1. Employees were unable to call 911 as the phone within the establishment did not work during a customers violent outburst. Employees contacted the corporate office and expressed a need for safety measures such as security. Management informed the employees they are not required to implement emergency or any other safety measures at the establishment. Hazard Location 11/3/2021 JB	Pending
C-1830004	Sherwin-Williams Paint Store		11/03/2021	Phone	Y	N	Closed	O-Health	1. Inside the store, the toilets have been broken and overflowing for over a week. Management is aware there are no bathrooms for employees to use but have made no effort to repair the toilets. 11/3/2021 JB	Resolved through inquiry process.
C-1830795	Red Rock Natural Medicine LLC	Las Vegas Integrative Medicine	11/05/2021	Phone	N	N	Closed	O-Health	1. The employer is leaving acupuncture needles in the necks, legs, and arms of patients. A customer left the treatment room on November 5th, 2021, with two acupuncture needles in their neck following a procedure. HAZARD LOCATION: Throughout 11/05/2021	Resolved through inquiry process.
C-1830797	Newage Lake Las Vegas, LLC	Hilton Lake Las Vegas Resort and Spa	11/05/2021	Phone			Open	O-Health	1. The air conditioning system has been broken for the last week. Employees are overheating and are unable to have access to cooler air while performing shifts in the kitchens and front desk. 2. The first floor is flooding. Employees are unsure where the water is coming from. 3. The fire alarms are going off as a result of there being no air conditioning. This is occurring twice a day for a few minutes at a time. HAZARD LOCATION: 1. Kitchens and front desk 2/3: Throughout	Pending
C-1830801	Las Vegas Justice Court		11/05/2021	Phone			Open	O-Health	1. There are mice on the first floor that have not been caught. Staff have been relocated to other floors, but are concerned that they may be sent to the first floor to continue working while the mouse problem persists. HAZARD LOCATION: First floor 11/5/2021	Pending
C-1830808	Circa Resorts, LLC	Circa Resort & Casino	11/05/2021	Phone			Open	O-Health	1. The noise level at the dealers tables are over 90 decibels. Patrons and employees are leaving the area with their ears ringing. HAZARD LOCATION: First floor - Dealer's area 11/5/2021	Pending
C-1830843	Sharelife Vacations		11/05/2021	Phone	Y		Open	O-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to employees wearing face coverings Employees are not wearing face coverings in the establishment. Hazard Location: Throughout 11/5/2021 JW	Pending

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-1832972	Greens and Proteins		11/12/2021	Phone	Y	N	Closed	O-Safety	1. Employees are using the pizza oven door in the open position to warm up taco shells and buns, rather than the facility oven or grill. Employees working in the area are making contact with the open door and are sustaining burns.	Resolved through inquiry process.
C-1833312	Nye County School District	Nye County School District Transportation	11/10/2021	Phone	Y	N	Closed	O-Safety	1. The walking area in the garage is cluttered creating a trip hazard. 2. There has been a clear liquid on the ground for the past week creating a slip hazard. 3. The fire extinguisher and emergency exit is blocked by clutter. Hazard Location: Garage	Resolved through inquiry process.
C-1834061	Max's Restaurant, Cuisine of the Philippines, Las Vegas		11/16/2021	Phone	Y	N	Closed	S-Safety	1. The Employer did not maintaining surfaces in clear, sanitary, and dry conditions, exposing an employee to a slip hazards.	Resolved through inquiry process.
C-1834100	Life Time Property Development		11/16/2021	Phone	Y	N	Closed	S-Safety	1. The General Contractor is not providing employees training by a qualified person to perform work on a scaffold, exposing employees to fall hazards.	Resolved through inquiry process.
C-1835274	The Palazzo at The Venetian Resort		11/18/2021	Phone	Y		Open	O-Health	1. The music on the Palazzo side of the Player's Club is too loud. Customers and employees feel as though their ears are ringing after utilizing services or working, and earplugs are not provided. HAZARD LOCATION: Player's Club 11/18/2021	Pending
C-1835294	Aquarius Gaming LLC	Aquarius Casino Resort	11/19/2021	Phone	Y	Y	Closed	S-Safety	1. Employees are servicing air conditioning units at the pool area and are not protected from falling to the next lower level. 2. Employees are backing a scissor lift up to the roof line in order to access the roof. The employees are crawling under or over the scissor lift guardrails to get onto the roof. 3. Carpenters are carrying plywood, materials, and doors down multiple flights of stairs. There is concern the heavy loads are going to cause the employees to trip/fall.	\$0.00
C-1835301	Treasure Island Hotel and Casino		11/19/2021	Phone	Y		Open	O-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to employees wearing face coverings. Employees in the engineering department have been observed not wearing face coverings throughout the back-of-house areas and the casino floor. The Director of Engineering has told painters, carpenters and porters that they do not have to wear face coverings inside the business. Hazard location: Throughout the engineering department, back-of-house areas and the casino floor. 11/19/2021 EH	Pending
C-1836215	Seven Hills Pet Hospital		11/22/2021	Phone	Y		Open	S-Health	1. The entire staff was exposed to formaldehyde and sent to Urgent Care after inhaling a mixture of isopropyl alcohol and formaldehyde sprayed from a spray bottle that was designated for only isopropyl alcohol. Employees experienced symptoms such as headaches, nausea, and nosebleeds. The employees were treated and released. None of the employees were admitted. Hazard Location: Throughout business. 11/22/2021 KO	Pending

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-1836386	Trinity Services Group		11/23/2021	Phone	Y	N	Closed	S-Safety	1. Employees have not been trained or certified to operate the forklifts inside of the warehouse. Hazard Location: Clark County Detention Center at 330 South Casino Boulevard. 11/23/2021 JB	Resolved through inquiry process.
C-1837483	James Thomas Productions, Inc.		11/29/2021	Phone	Y	Y	Open	O-Safety	1. On 11/28/21, several employees were attempting to stop a load from falling off of a forklift. The load fell on an employee which resulted in the amputation of one finger. 2. Forklift drivers drive erratically causing a struck by hazard to other employees.	Pending
C-1837511	Precision Opinion Inc.	Precision Opinion	11/29/2021	Phone	Y		Open	O-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to employees wearing face coverings. Employees are not wearing face coverings. 2. Employee restrooms lack sanitation and have overflowing trash and dirt on the floor. Hazard Location The office area and restrooms. 11/29/21 cw	Pending
C-1838051	BVLGARI		11/30/2021	Phone	Y	N	Closed	O-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to employees wearing face coverings. Employees are not wearing face coverings while inside the establishment. Hazard Location: Inside the establishment	Resolved through inquiry process.

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-1838361	Bally's Las Vegas		11/30/2021	Phone			Open	O-Health	1. The convention center bathroom has leaked down into the Casino Coordinators and the National Casino Coordinators marketing shared office on ten separate occasions. It last occurred about three weeks ago and there is not official cleanup procedure. Instead, they let the office dry up and employees ae required to go back to work in the area. There is a concern that the leakage results in the residue of fecal matter contents in the ceilings, walls, floors, and on all desk and office supplies. 2. There is no proper ventilation within the Casino Coordinators and the National Casino Coordinators marketing shared office and smoke enters the office from the casino floor. The employer provides three portable air filter systems however it's a massive space and the systems in place do not circulate air well enough. Additionally, the filters are not changed within the air filter system and there are no windows within the room to allow for better ventilation or fresh air. 3. The employer is not complying with the Governor's COVID-19 mandate in regard to sanitizing high-touch surfaces after each use. Everyone that works within the Casino Coordinators and the National Casino Coordinators marketing shared office, share a desk space and the only cleaning regimen in place is consists of employees utilizing anon-name brand wipe that come out of a plastic bag provided by maintenance. No one is sure what type of wipes they are because they are not labeled. Hazard Location: The Casino Coordinators and the National Casino Coordinators marketing shared office which is a shared space within the server room close to the old PDX department. 11/30/2021	Pending
C-1838373	South Point Hotel and Casino		11/30/2021	Phone			Open	O-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to persons/patrons wearing face coverings while in the Employer's establishment. There were over 20 persons/patrons walking around the casino without a face mask on and they were not eating, drinking, or smoking. Hazard Location: Throughout. 11/30/2021	Pending
C-1838800	Check City Partnership, LLC		12/02/2021	Hotline	Y		Open	S-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to employees wearing face coverings. Employees are not wearing masks properly. 12/2/2021 CR	Pending

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-1838884	M Resort Spa Casino		12/02/2021	Phone	Y		Open	O-Safety	1. The employer failed to ensure an employee was free from workplace violence when notified of potential threats by a customer. On 11/30/2021 at approximately 5:25pm, an employee was struck in the face by a customer after the employer was notified of the potential threat of violence. A blackjack dealer was verbally and physically assaulted by a belligerent customer while working and the employer failed to ensure the safe workplace for the employee. Hazard Location Pit 4 /Blackjack Table 12/02/2021 JW	Pending
C-1839885	Worldwide Flight Services, Inc.		12/06/2021	Phone	Y		Open	O-Health	1. Non-latex gloves provided by the employer has caused an employee to have a severe allergic reaction. The employee notified their supervisor of the exposure, but no steps have been taken to provide them with alternative personal protective equipment. Hazard Location: Warehouse Floor	Pending
C-1839907	Animal Care Center of Pahrump		12/06/2021	Phone	Y		Open	S-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to employees testing positive at the workplace. Approximately 6 employees have continued to test positive for COVID-19 and the employer has not deep cleaned or disinfected the facility. Employees who have had close contact with employees who tested positive for COVID-19 have not been contacted and made aware of potential exposure. Hazard Location: Throughout 12/6/2021 bm	Pending
C-1840187	Worldwide Flight Services		12/07/2021	Phone	Y		Open	S-Health	1. The Employer did not provide the proper personal protective equipment, exposing an employee to an allergic reaction to latex gloves requiring hospitalization at North Vista Hospital on 12/5/2021.	Pending
C-1841142	State of Nevada Division of Welfare Supportive Services		12/09/2021	Phone			Open	O-Health	1. There has been no running water throughout the building and the surrounding businesses since 6am December 9, 2021. All of the surrounding businesses have closed down due to lack of running water in the area however DWSS employees are being advised that the business will remain open during normal hours and employees will be required to drive to the mall in order to use the bathroom. The mall is 10 minutes away and some employees utilize public transportation to get to work so the suggested means is not feasible. 2. Employees are also concerned that the lack of water does not allow them to wash their hands and therefore increases their exposure to COVID-19. Hazard Location: Throughout the building and the surrounding businesses. 12/9/2021	Pending
C-1841561	United Cleaners Supply Inc.		12/09/2021	Phone	Y		Open	O-Safety	1. Chemicals such as BF2000 and Perc which are supposed to be disposed of are stored in a trailer and are leaking. Employees physically handle these chemicals without appropriate PPE. Hazard Location The trailer is located on the dock.	Pending

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-1841564	Spencer Springs Animal Hospital		12/09/2021	Phone	Y		Open	O-Safety	1. A surgical light mounted on the wall fell on 12/8/21 and the cord has visible metal wiring which exposes employees to an electrical hazard. Hazard Location Treatment Area 12/10/21 cw	Pending
C-1841663	CVS Pharmacy		12/10/2021	Phone	Y		Open	O-Health	1. The store is currently infested with rodents. 2. Employees are having to handle boxes and product which have rodent feces on them. 3. Employees and customers are able to smell decomposing rodents in the traps. The employer is not removing the spent traps. 4. The employee breakroom is unusable due to the rodent feces on surfaces.	Pending
C-1841746	VM Innovations, Inc.	Spreetail, LLC	12/10/2021	Phone	Y		Open	O-Safety	1. Employees are being required to lift product that is 300-500lbs without assistance. Employees are provided with lifting equipment, but the product is abnormally shaped and cannot be lifted by the equipment. Hazard Location: LTO section.	Pending
C-1842249	Bonanno Restaurants LLC	Tacos & Ritas' Venetian	12/13/2021	Phone	Y		Open	O-Safety	1. Night shift employees are being asked to stand on top of stoves, in order to clean ventilation hoods. Employees are asked to stand on towels on top of the hoods and may slip or fall, approximately up to 4 feet. Employees are exposed to injuries due to fall from elevated heights and may also receive burns. There are still warm/hot grills that have pilot lights on adjacent to stoves. Hazard Location: In The Venetian Resort Las Vegas food court, level one. Kitchen area. 2nd shift, 5pm to Midnight/1am. 12/13/21 EZ	Pending
C-1842302	GNL, LLC dba Golden Nugget - Laughlin		12/13/2021	Phone	Y		Open	O-Safety	1. On November 23rd, 2021, an employee was tripped by a patron and fell while performing routine work duties. Security staff and a supervisor were notified, and the patron was allowed to continue partaking in the facilities. The employee was not permitted to go to the emergency room until HR staff had cleared it, and was permitted to briefly go to urgent care. This patron, on multiple occasions, has harassed employees both verbally and physically, and has caused employees to be concerned that they will be attacked while working. HAZARD LOCATION: Throughout	Pending

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-1842760	Stitched Lifestyle LLC		12/14/2021	Phone			Open	S-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to quarantining employees who are COVID-19 symptomatic. The employer purchased a box area for regular employees and management employees at a Raiders game on December 5, 2021. Employees attended from both the Cosmopolitan and the Tivoli Village location and multiple employees were symptomatic upon their return to work following the game. Two employees, including a management member, tested positive for COVID-19 following the game and those two employees quarantined however the employer did not require the other employees who attended the game to quarantine or get tested due to the potential exposure to COVID-19. Symptomatic employees were therefore allowed to continue to work at both locations regardless of known symptoms. Hazard Location: Throughout the Cosmopolitan and the Tivoli Village location. 12/14/2021	Pending
C-1842763	Stitched Lifestyle LLC		12/14/2021	Phone			Open	S-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to quarantining employees who are COVID-19 symptomatic. The employer purchased a box area for regular employees and management employees at a Raiders game on December 5, 2021. Employees attended from both the Cosmopolitan and the Tivoli Village location and multiple employees were symptomatic upon their return to work following the game. Two employees, including a management member, tested positive for COVID-19 following the game and those two employees quarantined however the employer did not require the other employees who attended the game to quarantine or get tested due to the potential exposure to COVID-19. Symptomatic employees were therefore allowed to continue to work at both locations regardless of known symptoms. Hazard Location: Throughout the Cosmopolitan and the Tivoli Village location. 12/14/2021	Pending
C-1842765	Davis Funeral Home & Memorial Park		12/14/2021	Phone	Y		Open	O-Health	1. Employees are concerned that the basement within the establishment contains elevated levels of air contaminants and that the basement does not have an adequate exchange of outside air. Employees are receiving headaches, becoming dizzy and lethargic due to potential carbon dioxide poisoning when the basement is staffed with 15-20 employees. Hazard location: Within the basement of the establishment. 12/14/2021 EH	Pending
C-1842782	NAV-LVH, LLC	Westgate Las Vegas Resort Casino	12/14/2021	Phone	N	N	Closed	O-Health	1. Offsite Property Consultant employees are concerned that the employer accepts counterfeit COVID-19 vaccination cards. Hazard location: Throughout business. 12/14/2021 EH	Resolved through inquiry process.

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-1843514	Universal Protection Service LLC		12/15/2021	Phone			Open	O-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to employees wearing face coverings. Suite 210 is a large floor plan and only management employees have an enclosed office space. The remainder of employees share the same office space which is spaced out to allow for three feet of social distancing however there are no physical barriers to separate employees from each other and no masks are required when sitting at assigned desks. There has been a large COVID-19 outbreak at Allied Universal Security Services amongst employees with at least nine employees testing positive for COVID-19. Fully staffed the office is seventeen people however due to the outbreak, there are only four employees who are in office because the remainder of the employees who have not tested positive, are symptomatic. Hazard Location: Throughout suite 210. 12/15/2021	Pending
C-1844038	Golden Entertainment Inc	Stratosphere Tower Casino & Hotel	12/17/2021	Phone	N	N	Closed	O-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to persons/patrons wearing face coverings while in the Employer's establishment. Hazard location: Throughout the casino.	Resolved through inquiry process.
C-1844079	MGM Resort International	New York New York Hotel & Casino	12/17/2021	Phone	Y	N	Closed	S-Safety	1. Beverage server employees are being required to carry excessively loaded beverage trays. Employees are sustaining wrist, muscular, and other ergonomic related injuries due to the overloaded beverage trays.	Resolved through inquiry process.
C-1844136	Universal Protection Service, LP	Allied Universal Security Services	12/17/2021	Phone	Y		Open	S-Health	1.) The employer is not complying with the Governor's COVID-19 mandate in regard to following CDC guidelines for sanitizing high-touch surfaces after each use. Ten employees have tested positive for COVID-19 in recent weeks and the employer has not implemented or increased sanitizing per CDC guidelines. 2.) The employer is not complying with the Governor's COVID-19 mandate in regard to following CDC guidelines for employees who have had close contact (within 6 feet for 15 minutes or longer) with an individual who tested positive for COVID-19. The employer is not informing employees that have been in close contact with another employee that has tested positive for COVID-19. Hazard Location: Allied Universal main offices. Throughout facility. 12/17/2021 NC	Pending
C-1844189	United Parcel Service, Inc.		12/17/2021	Phone	N	N	Closed	O-Safety	1. A manager pushed an employee. The employer has not take any corrective action.	Resolved through inquiry process.

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-1844192	Lowes of Summerlin #784		12/17/2021	Phone	Y		Open	S-Health	1.) The employer is not complying with the Governor's COVID-19 mandate in regard to following CDC guidelines for sanitizing high-touch surfaces after each use. Two employees have tested positive for COVID-19 in recent days, one employee has reported being symptomatic, and the employer has not implemented or increased sanitizing per CDC guidelines. 2.) The employer is not complying with the Governor's COVID-19 mandate in regard to following CDC guidelines for employees who have had close contact (within 6 feet for 15 minutes or longer) with an individual who tested positive for COVID-19. The employer is not informing employees that have been in close contact with another employee that has tested positive for COVID-19. 3.) The employer is not complying with the Governor's COVID-19 mandate in regard to requiring employees to stay home if symptomatic. The employer is allowing one employee to work with COVID-19 symptoms including loss of taste. Hazard Location: Throughout facility. 12/17/2021 NC	Pending
C-1844194	Hilton Resorts Corporation	Hilton Grand Vacations Company	12/17/2021	Phone	Y		Open	S-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to following CDC guidelines for sanitizing high-touch surfaces after each use. 2. The employer is not complying with the Governor's COVID-19 mandate in regard to following CDC guidelines for employees who have had close contact (within 6 feet for 15 minutes or longer) with an individual who tested positive for COVID-19. The employer is not informing employees that have been in close contact with another employee that has tested positive for COVID-19. 3. The employer is not complying with the Governor's COVID-19 mandate in regard to employees wearing face coverings.	Pending
C-1844727	GT Ventures, LLC		12/20/2021	Phone	Y		Open	S-Health	1. There are no eyewash stations available for employees to utilize in the event that chemicals get into their eyes. 2. The Employer is selling illegal substances to employees, such as cocaine. 3. Personal Protective Equipment is not provided to certain employees, and those that have PPE given to them are reprimanded if they share their equipment. HAZARD LOCATION: 4004 West Cheyenne Avenue Warehouse 12/20/2021	Pending
C-1845139	Victoria's Secret Stores, LLC #1645		12/21/2021	Phone	Y		Open	O-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to employees wearing face coverings. Management is allowing supervisors to remove their face covering while inside the establishment.	Pending

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-1845259	Costco Wholesale #685		12/21/2021	Phone			Open	O-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to employees wearing face coverings. Some employees are wearing their face mask at their chin exposing their nose and mouth. 2. The employer is not complying with the Governor's COVID-19 mandate in regard to persons/patrons wearing face coverings while in the Employer's establishment. There were over 50 customers that came through the store without a face mask. Hazard Location: Throughout. 12/21/2021	Pending
C-1845293	Rem Nevada, Inc.		12/21/2021	Phone			Open	O-Health	1. Employees are concerned for their health because of inadequate cleaning policies and smell of urine and feces left behind. A patient with a disability frequently urinates and defecates on a bed and smears it around. Employees are required to clean the area up but the employer limits what can be cleaned. The floors and mattress are not cleaned, only allowing employees to change out the sheet on the mattress. The smell is causing employees to have breathing concerns. Hazard Location: At 53 Mesa Rivera St., Henderson, NV 89012. In the patient's room next to the master bedroom within the group home. 12/21/2021	Pending
C-1845720	Tryke Companies	Reef Dispensaries	12/22/2021	Phone	Y		Open	O-Health	1. Insulation is being removed from the ceiling in the warehouse and over the pods due to a water leak. Mold is visible from the areas where the insulation is being removed. The employees removing the insulation are just throwing the insulation on the ground. Hazard location: - Warehouse is located in the south area of the building. - Pods are located in the north area of the building.	Pending
C-1846091	United Parcel Service, Inc.		12/17/2021	Phone	N	N	Closed	O-Health	1. A manager pushed an employee. The employer has not take any corrective action.	Resolved through inquiry process.
C-1846664	NP Boulder LLC	Boulder Station Hotel & Casino	12/27/2021	Phone	Y		Open	O-Safety	1. The employer is not ensuring that powered industrial trucks provided to employees are maintained in a safe and operable condition. An employee was utilizing a lift truck to change the marquee above The Railhead nightclub when it stopped working while the employee was elevated and the emergency release buttons were inoperable or missing. Hazard Location: The Railhead nightclub. 12/27/2021 bm	Pending
C-1846693	Medical Management Associates, Ltd.	Nevada Personal Injury Management	12/27/2021	Phone	Y		Open	S-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to employees testing positive at the workplace. At least 2 employees have tested positive for COVID-19 and the employer has not deep cleaned or disinfected the facility. 2. The employer is not complying with the Governor's COVID-19 mandate in regard to employees wearing face coverings while working indoors. Management employees are no wearing face coverings while working inside, potentially exposing other employees to COVID-19 as they travel from one facility to the next. Hazard Location: Throughout 12/27/2021 bm	Pending

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-1846694	Comprehensive Cancer Centers of Nevada		12/27/2021	Phone	Y		Open	O-Safety	1. Employees are getting sick due to no heat. There has been no heat for approximately three months. 12/27/2021 bm	Pending
C-1846707	Golden Goose Wynn Las Vegas		12/27/2021	Phone	Y		Open	S-Health	1. The employer is not ensuring that employees that exhibit COVID-19 symptoms are required to stay home. Management was made aware of employees exhibiting COVID-19 symptoms at work and did not provide proper guidance to those employees. Management required the symptomatic employees to continue working through the holiday weekend, potentially exposing the rest of the employees. Hazard Location: Throughout 12/27/2021 bm	Pending
C-1846712	The Sanctuary Dispensaries		12/27/2021	Phone	Y		Open	S-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to employees testing positive at the workplace. Employees have tested positive for COVID-19 and the employer has not deep cleaned or disinfected the facility, potentially exposing the rest of the employees and patrons. Hazard Location: Throughout the establishment 12/27/2021 bm	Pending
C-1847032	S&S ACTIVEWEAR LLC		12/28/2021	Phone	Y		Open	O-Health	1. The employer has no running water. The water has been shut off for repairs last week. Employer originally provided hand wash stations but has removed them. Employees have no access to water for sanitary purposes. 2. The employer has no available bathrooms. Restrooms were shut down for repairs last week. Employer originally provided portable restrooms but has since removed them. Employees are being instructed to go to nearby store fronts or home, must return to work, must clock out and are not receiving pay. Employees have no access to restrooms for sanitary purposes. Hazard Location: Both are in warehouse area, portable restrooms were located by employee time clock. 12/28/21 EZ	Pending
C-1847487	Lawry's The Prime Rib		12/29/2021	Phone			Open	O-Health	1. Four employees that had informed management that they had tested positive for COVID-19 were denied time off to quarantine and faced retaliation if they did not return to work. As a result, a large number of employees have tested positive as well and others have begun displaying COVID-19 related symptoms in the kitchen and dining area of the establishment.	Pending
C-1847496	Brink's		12/29/2021	Phone			Open	O-Safety	1. Management is sending employees alone to highly populated establishments and areas to collect money and refill ATMs. Employees are concerned for their safety when performing their job duties without a guard. 2. There are not enough armored trucks for all of the employees. Employees are required to drive unarmored vans to perform their job duties.	Pending

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-1847548	Michael Kors Outlet		12/29/2021	Phone	Y		Open	O-Health	1. There is a strong sewage smell inside of the store. Employees have become sick while working inside of the store resulting in one employee passing out. 12/29/2021 JB	Pending
C-1847607	Costco Wholesale #685		12/23/2021	Phone	N	N	Closed	S-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to persons/patrons wearing face coverings while in the Employer's establishment.	Resolved through inquiry process.
C-1847695	Borman Specialty Materials		12/29/2021	Phone			Open	S-Safety	1. In unit 6, the guard rails on the second floor are unstable and swing out of place. 2. The hooks on hoists used to lift product are damaged. Employees are concerned for their safety when tampering the product as the hooks are unable to hold the weight and fall off of the hooks. 3. The chains on the A-frames are not guarded. 4. The forklifts are not in safe operating condition. A forklift that caught fire approximately three weeks ago was not removed from service.	Pending
C-1847710	LAZ KARP ASSOCIATES, LLC	LAZ PARKING	12/29/2021	Phone	Y		Open	O-Health	1. Employees are exposed to cold stress. At the Polo Towers garage employees work 8 hours shifts outside exposed to the cold weather and are not provided a place to warm up during their breaks. Hazard Location: Polo Towers 3745 South Las Vegas Blvd, Las Vegas, NV 89109 12/29/2021 JB	Pending
C-1847951	iJility		12/30/2021	Phone	Y		Open	S-Health	1. The employer did not deep clean or disinfect the workplace after a confirmed positive case of COVID-19 on 12/29/2021. 2. The employer is not complying with the Governor's COVID-19 mandate in regard to employees wearing face coverings inside of the warehouse. 12/30/2021	Pending
C-1848031	Jack in the Box		12/30/2021	Phone	Y		Open	O-Safety	1. On 12/30/2021 an employee physically assaulted another employee at the workplace. The police were called to the workplace. The employee who committed the assault was issued a citation by police, but was not terminated from employment, and allowed to return to work. The injured employee was treated for their injuries at the scene. The employer has not taken any steps to prevent a further assault. 12/30/2021 JB	Pending
C-1848038	Albertson's 46		12/30/2021	Phone			Open	S-Health	1. There is only heat in the manager's office, employees that do not work in the manager's office are subject to temperatures of 58 degrees throughout the store. When asked about the temperature throughout the store the managers state that the pilot light keeps going out which provides the heat to the remainder of the store. 2. The employer is not complying with the Governor's COVID-19 mandate in regard to quarantining symptomatic employees. Employees who are COVID-19 symptomatic are allowed to work and not sent home. Hazard location: Throughout the store. 12/30/2021	Pending

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-1848048	Nevada Spine Clinic		12/30/2021	Phone			Open	S-Health	1. The employer is not complying with the Governor's COVID-19 mandate in regard to quarantining employees who have been exposed to COVID-19. There has been an outbreak of COVID-19 at this job site with five to six employees testing positive for COVID-19. Employees aren't being made aware of their potential exposure to COVID-19 while at work, instead the employer is just instructing employees to no longer go within certain rooms or departments but not telling them why or if precautions are necessary, so COVID-19 continues to spread throughout the office. Hazard Location: Throughout. 12/30/2021	Pending
C-1848065	Providence	Sage Creek Post-Acute	12/30/2021	Phone			Open	S-Health	1. The employer is not following company policy and quarantining confirmed COVID-19 patients inside facility. Employees are concerned of potential exposure to COVID-19 while working within the facility. 2. The employer is allowing family members to visit confirmed COVID-19 positive patients inside the facility.	Pending

Advisory Council**NRS 618.347 – Report Concerning Issuance of NRS 618.375****General Duty Citations by the Division****1st Quarter / FY22: July 2021 – September 2021****1. Dan Mills Construction Nevada, Inc. - Inspection 1526410**

Nevada Revised Statutes 618.375(1): Duties of employers. Every employer shall furnish employment and a place of employment which are free from recognized hazards that are causing or are likely to cause death or serious physical harm to his or her employees.

At the jobsite, located below the Skybar Mezzanine structure under construction, near the impact area where the injured employee fell, five anchor bolts protruding from the concrete were not adequately guarded. The anchor bolts were 3/4-inch diameter and were protruding 2.5 inches above the concrete, creating a potential impalement hazard.

Abated During Inspection: The general contractor installed caps on the protruding anchor bolts, effectively guarding them.

Proposed Penalty \$5,803.00.

2. Las Vegas Paving Corp - Inspection 1513730

Nevada Revised Statutes 618.375(1): Duties of employers. Every employer shall furnish employment and a place of employment which are free from recognized hazards that are causing or are likely to cause death or serious physical harm to his or her employees.

Las Vegas Paving Corp did not ensure employees were protected from recognized hazards that are likely to cause death or serious physical harm. Employees attempting to clear a jam were exposed to struck and or crushed-by hazards due to controls not applied to ensure that the moving jaw was blocked against hazardous motion before wedge bolts were loosened. On February 5, 2021, a die plate became jammed inside the crushing chamber of the Jaw Crusher (make: Pioneer, model: 4248, serial number: 723871). An employee began loosening bolts on the center wedge of the moving jaw to clear the jam, when the moving jaw released, striking, and pinning the employee against the frame of the equipment. The employee died on his way to the hospital as a result from his injuries. The employer did not ensure that that the moving jaw was blocked against hazardous motion before the center wedge bolts were loosened.

References:

American National Standard Z244.1 – 2016, The Control of Hazardous Energy Lockout, Tagout and Alternative Methods
Section 1. Scope and Purpose, 1.1 Scope:

This standard covers machines, equipment, and processes in which the unexpected energization or start-up of the machines or equipment, release of stored energy or the actions of persons could result in harm.

This standard establishes requirements for the control of hazardous energy associated with machines, equipment or processes that could cause harm to personnel. The standard specifies the use of lockout (primary method), tagout or alternative methods to control hazardous energy associated with machines, equipment or processes that could cause harm to personnel.

This standard applies to activities such as erecting, installing, constructing, repairing, adjusting, inspecting, unjamming, set up, testing, troubleshooting, cleaning, dismantling, servicing, and maintaining machines, equipment, or processes.

Section 3. Definitions:

3.15. Hazardous Energy:

Any electrical, mechanical, hydraulic, pneumatic, chemical, nuclear, thermal, gravity or other energy that could cause harm to personnel.

7. Control of Hazardous Energy,

7.1. General Lockout or tagout shall be used to secure the energy-isolating device(s) to control hazardous energy to the machinery, equipment, or processes from the energy source. Lockout shall be the primary method of hazardous energy control. Tagout is a less preferred method of controlling hazardous energy. The control of hazardous energy includes isolation, de-energization and verification, and shall take into consideration the impacts of residual energy.

Lockout is required in the following situations:

- When no risk assessment has been completed.
- When the tasks and/or hazards are unknown.

Lockout or tagout is required:

- During assembly and disassembly of the machine, equipment or process.
- When energy is not required to perform the task

A feasible and acceptable means of abatement is to follow the requirements for the control of hazardous energy associated with machines contained in ANSI/ASSE Z244.1 - 2016.

Or in the Alternative:

1910.147(d)(5)(i): Stored energy. Following the application of lockout or tagout devices to energy isolating devices, all potentially hazardous stored or residual energy shall be relieved, disconnected, restrained, and otherwise rendered safe.

Proposed Penalty: \$7,431.00

3. Creative Tent International, Inc. – Inspection 1538245

Nevada Revised Statutes 618.375(1): Duties of employers. Furnish employment and a place of employment which are free from recognized hazards that are causing or are likely to cause death or serious physical harm to his or her employees.

The employer did not furnish employment and a place of employment free from recognized hazards that cause or are likely to cause death or serious physical harm to his or her employees. In the cutting area and receiving area, employees were exposed to recognized serious hazards presented by forklift operation. Employees operated a forklift (brand: Nissan, model: MP1FA25LV, type: LP) to move fabric rolls and steel tent parts weighing up to approximately 2,000 pounds. On June 24, 2021, and June 30, 2021, employees operated the forklift without any form of restraining device or seatbelt that would protect them in the event of a tip-over that may dislodge or eject the operator.

Reference:

ASME B56.1-1993 Safety Standard for Low Lift and High Lift Trucks 7.39 Operator Restraint Systems

" (a) Counterbalanced, center control, high lift trucks that have a sit-down, non-elevating operator position shall have a restraint device, system, or enclosure that is intended to assist the operator in reducing the risk of entrapment of the operator's head and/or torso between the truck and ground in the event of a tip over. Such means shall not unduly restrict the operation of the truck, e.g., the operator's mounting, dismounting, movement, and/or visibility."

A feasible means of abating the hazardous condition would be for the employer to comply with ASME B56.1-1993 Safety Standard for Low Lift and High Lift Trucks 7.39 Operator Restraint Systems.

Proposed Penalty: \$4,915.00

Advisory Council

NRS 618.347 – Report Concerning Issuance of NRS 618.375

General Duty Citations by the Division

2nd Quarter / FY22: October 2021 – December 2021

1. Pam Specialty Hospital of Sparks. - Inspection 1525562

Nevada Revised Statutes 618.375(2): Duties of employers. Every employer shall furnish employment and a place of employment which are free from recognized hazards that are causing or are likely to cause death or serious physical harm to his or her employees.

On 4/15/2021, located at storage unit #2054 at 2500 Longley Lane, Reno, NV, an employee suffered traumatic asphyxia after a hospital bed pinned the employee to the floor while working underneath the bed. The hospital bed weighed approximately 250 pounds. There were no devices or safeguards used to support the bed that would prevent it from moving and or collapsing. The employer failed to furnish and use safety devices which would render such employment safe and comply with all orders issued by the Division.

Proposed Penalty \$6,144.00

2. Global Mining Products, Inc. - Inspection 1536328

Nevada Revised Statutes 618.375(1): Duties of employers. Every employer shall furnish employment and a place of employment which are free from recognized hazards that are causing or are likely to cause death or serious physical harm to his or her employees.

On June 9, 2021, at the jobsite located at 400 Front Street, Elko NV: One employee engaged in wheel flange sandblasting activities was exposed to a struck-by hazard inside the sandblasting booth. The 57-inch diameter, 500-pound wheel flange was not secured to prevent unintentional movement. The wheel flange was placed standing against the wall and fell forward striking the back of the employee's head causing fatal injuries.

Among other methods, one feasible and acceptable abatement method to correct this hazard is to utilize a work rack which is designed to cradle the wheel flange in order to prevent displacement.

Proposed Penalty: \$13,653.00

3. Ninyo & Moore Geotechnical and Environmental Sciences Consultants – Inspection 1528723

Nevada Revised Statutes 618.375(1): Duties of employers. Furnish employment and a place of employment which are free from recognized hazards that are causing or are likely to cause death or serious physical harm to his or her employees.

The employer did not furnish employment and a place of employment which was free from recognized hazards that are causing or are likely to cause death or serious physical harm to his or her employees. Recognized grading site hazards include but are not limited to being crushed-by or struck-by earth moving equipment, for which exposure is likely to cause death or serious physical harm. At the Chapman construction site, an employee of Ninyo & Moore Geotechnical and Environmental Sciences Consultants was performing ground compaction tests at multiple points of the grading pad and was crossing the path of travel of multiple pieces of equipment. Various earthmoving vehicles were in operation around the employee during testing, to include a Dynapac compactor (model: CA2500PD), a Caterpillar bulldozer (model: D9R) pushing a Caterpillar scraper (model: 631E), and a Caterpillar motor grader (model: 140M). On May 4, 2021, an employee was fatally injured when the Caterpillar motor grader, operated by an employee of Baldwin Development LLC, reversed onto and over the employee.

Caterpillar Operation and Maintenance Manual, 140M, 150 Motor Grader,

Page 30-31, Visibility Information

- It may not be possible to provide direct visibility on large machines to all areas around the machine. Appropriate job site organization required in order to minimize hazards that are caused by restricted visibility.
- Examples of job site organization include the following: Safety instructions, controlled patterns of machine movement and vehicle movement, workers that direct safe movement of traffic, restricted areas, a system of communication, and communication between workers and operators prior to approaching the machine.

Page 31, Restricted Visibility

- The size and configuration of this machine may result in areas that cannot be seen when the operator is seated. For areas that are not covered by optional visual aids, the job site organization must be utilized to minimize hazards of this restricted visibility.

Reference: Ninyo & Moore Geotechnical and Environmental Sciences Consultants Injury and Illness Prevention Program, Section 10.6. Grading Sites:

The following suggestions are intended to promote grading site safety.

- Do not stand, drive, or work behind equipment; rear vision is usually obstructed, and equipment may back up rapidly.
- Establish eye contact with the equipment operators. See that they are aware of your presence.
- Avoid having multiple test pits dug simultaneously unless you are testing after hours. Multiple test pits further confine the area of work and confuse the pattern.

A feasible means of abatement is for the employer to follow the employer's Injury and Illness Prevention Program, or to comply with the instruction provided in the Caterpillar Operation and Maintenance Manual when employees are permitted to work on active grading sites.

A feasible means of abatement is for the employer to follow their implemented Injury and Illness Prevention Program, or to comply with the instruction provided in the Caterpillar Operation and Maintenance Manual when employees are permitted to work on active grading sites.

Proposed Penalty: \$6,144.00