

JOE LOMBARDO
Governor

TERRY REYNOLDS
Director

STATE OF NEVADA



VICTORIA CARREÓN
Administrator

PERRY FAIGIN
Deputy Administrator

DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF INDUSTRIAL RELATIONS

NOTICE OF PUBLIC MEETING
of the
ADVISORY COUNCIL OF THE DIVISION OF INDUSTRIAL RELATIONS
October 03, 2023
10:00 a.m.

You are hereby given notice that the Advisory Council of the Division of Industrial Relations of the Department of Business and Industry, State of Nevada (Advisory Council) will conduct a public meeting on Tuesday, October 3, 2023, at 10:00 a.m. This meeting will be held at the following locations, via WebEx, and by phone:

Division of Industrial Relations
400 West King Street, Suite 400
Carson City, NV 89703

Division of Industrial Relations
3360 West Sahara Ave, Suite 250
Las Vegas, NV 89102

WebEx Access:

<https://nvbusinessandindustry.webex.com/nvbusinessandindustry/j.php?MTID=md9ad8c8b971e754d31017f59f309e421>

To Join by Phone: +1-415-655-0001 US Toll

Access Code: 2630 195 6915

Meeting Password: f2mUReZVf54

NOTICE

1. Items listed on the Agenda may be taken out of order;
2. Two or more items on the Agenda may be combined;
3. Items of the Agenda may be removed or delayed at any time; and
4. Public comment may be limited to two (2) minutes per speaker at the discretion of the chair. No action may be taken on any matter raised during public comment. Public comment will not be restricted based on viewpoint, but must be relevant to, and within, the authority of the Advisory Council.

AGENDA

1. Call to Order; Roll Call; Introduction of Advisory Council members (Secretary); and establishment of a quorum.
2. Public Comment (*see* Notice 4) (Chair)
3. **FOR POSSIBLE ACTION:** Approval of Minutes from the July 11, 2023, meeting (Chair)

CARSON CITY
400 West King Street
Suite 400
Carson City, NV 89703
(775) 684-7270

LAS VEGAS
3360 West Sahara Avenue
Suite 250
Las Vegas, NV 89102
(702) 486-9080

4. **FOR DISCUSSION:** Division of Industrial Relations Activity Update (DIR Staff)
5. **FOR DISCUSSION:** Regulations Update (Christopher Eccles, Brennan Paterson, Rodney Neils, William Gardner, and Valerie Hall)
 - a) Regulations Approved by Legislative Commission August 21, 2023
 - 1) [R034-21RP2](#) – Revisions to safety requirements for elevators and boilers
 - 2) [R134-20RA](#) – Workers’ Compensation SB381 changes from 2019 Legislative Session
 - 3) [R032-21RP3](#) – Workers’ Compensation SB289 changes from 2021 Legislative Session
 - b) Regulations pending with Legislative Counsel Bureau pursuant to Executive Order [2023-008](#)
 - 1) [R025-23I](#) – Revisions to Mechanical Compliance Section NAC 455C
 - 2) [R026-23I](#) – Revisions to Mine Safety and Health NAC 512
 - 3) [R027-23I](#) – Revisions related to occupational safety NAC 618
 - 4) [R028-23I](#) – Revisions related to workers’ compensation NAC 616A, 616B, & 616D)
 - c) Regulations being drafted
 - 1) Workers’ Compensation- implementation of SB274 and AB244 changes from 2023 Legislative Session
 - 2) Heat Illness
6. **FOR DISCUSSION:** Review and comments on OSHA quarterly complaint report for April – June 2023 (NRS 618.336 and NRS 232.600) (William Gardner)
7. **FOR DISCUSSION:** Review of OSHA quarterly report on violations of NRS 618.375 for April-June 2023 (NRS 618.347) (William Gardner)
8. **FOR DISCUSSION:** Agenda items for next scheduled meeting. (Chair)
9. **FOR POSSIBLE ACTION:** Discussion on possible investigations or studies to be conducted (NRS 232.600). (Chair)
10. Public Comment (*see* Notice 4) (Chair)
11. Adjournment. (Chair)

Any person with a disability as defined by the Americans with Disabilities Act who requires special assistance to participate in the meeting may contact, at least five (5) business days prior to the meeting, Marisa Santizo by emailing ADACoordinator@dir.nv.gov, or by calling (702) 486-9100 to arrange for reasonable accommodations.

Copies of the supporting (not privileged and confidential) material may be obtained upon request by emailing MSantizo@dir.nv.gov, calling Marisa Santizo at (702) 486-9100, or mailing a request to the Division of Industrial Relations, 3360 West Sahara Avenue, Suite 250, Las Vegas, NV 89102, Attention Marisa Santizo.

This Notice and Agenda has been posted at the following locations:

- Division of Industrial Relations, 3360 West Sahara Avenue, Suite 250, Las Vegas, Nevada 89102

- Division of Industrial Relations, 400 West King Street, Suite 400, Carson City, Nevada 89703

This Notice and Agenda has also been posted at the following website addresses:

- Division of Industrial Relations Notice of Meeting at <http://dir.nv.gov/meetings/meetings>
- Nevada Public Notices at <https://notice.nv.gov>

DIVISION OF INDUSTRIAL RELATIONS ADVISORY COUNCIL
Minutes of the Meeting, Tuesday, July 11 ,2023

1. Call to Order and Roll Call

At 10:07 a.m. on July 11, 2023, the meeting of the Advisory Council for the Division of Industrial Relations (DIR) was called to order by Vice Chairman Robert Benner. Roll Call was taken by Marisa Santizo. Maureen Ostby, Robert Benner, Jeff Seavey, Vincent Saavedra, and Ian Langtry attended via WebEx. It was determined a quorum was present. DIR staff present at the Las Vegas Office were Victoria Carreon, Valerie Hall, Todd Schultz, Christopher Eccles, Brennan Paterson, and Marisa Santizo. Jake La France attended the meeting at the Carson City office. Sam Taylor from the Attorney General's Office attended via WebEx.

2. Public Comment on items to which actions may be taken

No items for public comment were raised.

3. Approval of Minutes of Previous Meeting – July 11, 2023. Maureen Ostby made a motion to approve the minutes of the July 11, 2023, meeting as presented. Ian Langtry seconded the motion. The motion was approved unanimously.

4. FOR DISCUSSION: Division of Industrial Relations Activity Update

a. Administrator's Update (Victoria Carreon)

Administrator Carreon discussed how the State recently completed the Legislative Session. She also discussed three budget enhancements with CARDS, new positions, and salary increases to help with recruitment in 2023.

b. Mechanical Compliance Section-MCS (Brennan Paterson)

Brennan Paterson discussed some of the major accomplishments for the Mechanical Compliance section such as pressure vessel enforcement, stairway chairlifts in Nevada, and elevator safety enforcement. He also discussed FY24 key goals such as expanding the compliance engine to manage boiler/pressure vessel inspections and permitting process, along with obtaining digital invoice payment ability.

c. Mine Safety and Training Section-MSATS (Victoria Carreon)

Administrator Victoria Carreon gave an update on the Mine Safety and Training Section's inspections and training accomplishments.

d. Occupational Safety and Health Administration-OSHA (Jake La France)

Jake addressed the key issues in OSHA and mentioned the outreach and training highlights of 2023. Jake mentioned a few key goals for FY24 such as implementing a new drone program, a new Management Analyst I position, and using data from the WCS CARDS system to enhance targeting efforts.

e. Safety Consultation and Training Section-SCATS (Todd Schultz)

Todd shared the accomplishments and training highlights for SCATS in FY 2023. A major highlight was that SCATS provided 1,013 hours of safety and health training with 3,946 participants trained.

f. Worker's Compensation-WCS (Valerie Hall)

Valerie spoke about the upcoming 11th Annual Nevada Workers' Compensation Educational conference being held in Las Vegas. She also shared current WCS accomplishments in FY 2023 such as Employer Compliance Unit investigators conducting 188 site visits in Pahrump, Boulder City, and Laughlin.

5. Regulations Update

a. Mechanical Compliance Section-MCS

Senior attorney Chris Eccles addressed regulation updates for R034-21RP2 and announced that all documents are with LCB and waiting to be placed on the Legislative Commission Agenda.

b. Occupational Safety and Health Administration-OSHA

Senior attorney Chris Eccles addressed regulation updates for R053-20RA related to heat illness.

c. Worker's Compensation-WCS

Senior attorney Chris Eccles presented regulation updates for R134-20RA, R032-21RP3, and the temporary regulation on lump sum permanent partial disability payments. He also provided status on the regulation review required by Executive Order 2023-003.

6. Legislative Update

a. AB165

Senior Attorney Chris Eccles provided updates and explained that AB165 was approved by Governor Lombardo on March 22, 2023.

b. SB274

Senior Attorney Chris Eccles provided an update on SB274, which was approved by the Legislature.

7. Review and comments on OSHA quarterly complaint report for January – March 2023 (NRS 618.336 and NRS 232.600) (Jake La France)

No questions or comments.

8. Review of OSHA quarterly report on violations of NRS 618.375 for January- March 2023 (NRS 618.347) (Jake La France)

No questions or comments.

9. Agenda items for next scheduled meeting. (Chair)

No recommendations at this time.

10. Discussion on possible investigations or studies to be conducted (NRS 232.600). (Chair)

No recommendations at this time.

11. Public Comment (Chair)

No items for public comment were raised.

12. Adjournment:

Motion to adjourn at 10:45 am by Maureen Ostby and seconded by Ian Langtry.

DRAFT

WORKING TOGETHER TO PUT SAFETY AND HEALTH FIRST IN NEVADA



Division of Industrial Relations

ADVISORY COUNCIL MEETING

TUESDAY, OCTOBER 03, 2023



Item 4: DIR Administrator's Activity Update - Victoria Carreon




- Key Accomplishments
 - Regulations adopted by Legislative Commission
 - Organizational Health
 - Outreach
- Key Issues
 - New positions approved in adopted budget
 - Implementation of Legislation
 - Implementation of items included in Adopted Budget



Item 4: Mechanical Compliance Section Activity Update - Brennan Paterson

- The MCS continues to work full speed ahead as new projects come online in Nevada, and especially in Clark County. Elevator, boiler, and HVAC inspections at Durango Station, MSG Sphere, Fontainebleau, and the Formula 1 race circuit have used many inspector resources, but the MCS has met the challenge.
- The MCS has continued productive collaboration with other agencies, including the Nevada Division of Environmental Protection and many local fire jurisdictions to improve training, visibility of regulated items, and general safety.
- Recent updates to NAC 455C have provided clarity and flexibility for building owners regarding access to elevator spaces and timelines for required elevator upgrades.



The Fontainebleau site, which contains 167 elevators and 122 boilers and pressure vessels.



Item 4: Mine Safety and Training Section Activity Update - Rodney Neils

- 36th Annual Nevada Safety Olympiad held at the Winnemucca Event Center
 - Teams from Nevada, Wyoming and Utah participated
 - Tested emergency response skills through a variety of scenarios
- MSATS has investigated two mine related fatalities to date in 2023
- Nevada predicted to become the leading producer of lithium with the Thacker Pass operation



Item 4: Occupational Safety and Health Administration

Activity Update - William Gardner



- Adopted Federal OSHA's National Emphasis Programs (NEP) on Falls and Warehousing
 - Guidance on website for each NEP
- Federal OSHA will be conducting their bi-annual routine audit of the Nevada State Plan in October.
- Nevada OSHA will be conducting its annual audit of casefiles to ensure objectives are being met and accountability is being maintained.
- OSHA has received approximately 384 heat complaints in 2023.
 - Excludes external referrals
- OSHA has conducted inspections based on the NEP for Heat Illness
 - 62 inspections with heat as primary emphasis
 - 108 inspections included heat as secondary emphasis
 - No heat-related citations issued



OSHA is investigating an accident at the Bellagio's show "O" where a performer initiated an acrobatic dive and landed in shallow water striking their head.



Item 4: Safety Consultation and Training Section Activity Update - Todd Schultz

Outreach Events

Stirling Club Insider Meeting – 7/11/23

Henderson Business EXPO – 9/13/23

Nevada Professional Facility Managers Association (NPFMA) – 9/14/23

Nevada's Center for Entrepreneurship and Technology (NCET) – 9/29/23

OSHA Safe and Sound Week

SCATS partnered with Foundation for Recovery and offered a one-hour presentation that focused on mental wellness. – 8/11/23

Cooperative Programs VPP and SHARP

VPP – US Ecology achieved VPP Star status – 9/13/23

VPP – Tesla Gigafactory audit is scheduled for 10/30/23 – 11/03/23

SHARP – Aliante Casino Hotel – 7/28/23

SHARP – Komatsu Equipment Company – 8/22/23

New Program Coordinator position



Henderson Chamber – “Ready, Set, Expo” – 9/13/23
SCATS’ Staff left to right – Chris Davis, Reed Whipple,
Bobby Albright, and Norma Ramirez



Item 4: Workers' Compensation Section Activity Update - Valerie Hall

- The 11th Annual Workers' Compensation Educational Conference was held September 7-8 at Tuscan Suites & Casino.
 - 280 attendees enjoyed presentations and panel discussions by 32 speakers, as well as products and information from 23 exhibitors.
- The Employer Compliance Unit (ECU) exceeded Performance Standards in August, bringing more than 62% of Nevada employers without workers' compensation coverage into compliance with mandatory coverage provisions.
 - ECU sweeps, site visits, and outreach events help ensure workers' compensation benefits for Nevada's injured workers.





Item 5: Regulations Update

a) Regulations Approved by Legislative Commission August 21, 2023

- 1) [R034-21RP2](#) – Clean-up regulation, including certification requirements to do construction and alterations on an elevator and timeline with compliance with safety.
- 2) [R134-20RA](#) – Workers’ Compensation SB381 changes from 2019 Legislative Session
- 3) [R032-21RP3](#) – Workers’ Compensation SB289 changes from 2021 Legislative Session

b) Regulations pending with Legislative Counsel Bureau pursuant to Executive Order [2023-008](#)

- 1) [R025-23I](#) – Revisions to Mechanical Compliance Section NAC 455C
- 2) [R026-23I](#) – Revisions to Mine Safety and Health NAC 512
- 3) [R027-23I](#) – Revisions related to occupational safety NAC 618
- 4) [R028-23I](#) – Revisions related to workers’ compensation NAC 616A, 616B, & 616D)

c) Regulations being drafted

- 1) Workers’ Compensation - implementation of SB274 and AB244 changes from 2023 Legislative Session (a draft of the proposed regulation was sent to the Legislative Counsel Bureau on September 25, 2023)
- 2) Heat Illness



Item 6: OSHA Complaint Report - William Gardner

- See supplemental material.

Item 7: OSHA quarterly report on violations of NRS 618.375 for April – June 2023 (NRS 618.347) - William Gardner



- See supplemental material.



State of Nevada
Division of Industrial Relations
Occupational Safety & Health Administration

COMPLAINT LOG SUMMARY FY2023 - Quarter 4
April - June 2023

Number Complaints Received Las Vegas - Reno	Number Phone/Hotline Complaints Received	Number In-person Complaints Received	Number Inspections Conducted	Number No Inspections Conducted	Cases Open
125	120	5	10	113	2

Safety	Health	Both Safety / Health	N/A
53	56	16	0

FISCAL YEAR COMPARISON TOTALS	
FY23	125
FY22	109
FY21	205
FY20	583
FY19	176

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Logs April to June 2023

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2033698	Universal Protection Service, LP	Allied Universal	05/22/2023	Hotline	Y	N	Closed	S-Health	1. Employees do not have access to toilet facilities, lavatories/washing facilities, or potable water at the site located at 4220 Donovan Way. 5/22/2023 SA	Resolved through inquiry process.
C-2034438	Accurate Staging		05/12/2023	Hotline	N	N	Closed	O-Safety	1. There are hazards at the jobsite and there has been injuries.	Resolved through inquiry process.
C-2043475	Downtown Grand		06/20/2023	Hotline	Y	N	Open	O-Safety	1. There is a leak under the pool deck that has begun to deteriorate the I-beams that support the pool deck itself which is above the casino floor. This has been a problem since at least May 27, 2023, and in the meantime, the employer has just redirected the water from the leak however the employer does not intend on fixing the problem until August of 2023. 6/20/2023 bb	Pending
C-2017612	Banuelos Pro Landscaping LLC		04/05/2023	In person	Y	N	Closed	S-Health	1. The employer did not provide the employee with personal protective equipment while removing debris from inside an apartment, exposing the employee to unsanitary conditions.	Resolved through inquiry process.
C-2021266	Cleaver LLC		04/17/2023	In person	Y	N	Closed	O-Safety	1. The employer does not allow employees to park within the vicinity of the establishment and requires that employees park their vehicles approximately 0.3 miles away at the Elysian Apartments. Employees are concerned about their safety when walking in the dark when the restaurant closes at midnight. 4/17/2023 bm	Resolved through inquiry process.
C-2038774	Sunworld Construction, LLC		06/02/2023	In person	Y	N	Closed	O-Safety	1. Employees injured on the job are subject to physical harassment and discrimination by members of management. 2. Members of management fail to conduct accident investigation for employees who are injured on the job site. 6/6/2023 AB	Resolved through inquiry process.
C-2044330	Bellagio, LLC	Bellagio	06/21/2023	In person	N	N	Closed	S-Health	1. Housekeeper employees are required to clean disposable shower drains, which often clean out blood, feces, and hair with a cleaning brush. This gets on the employees clothes while they are performing work, and no employees have been provided with bloodborne pathogen training. 6/21/2023 KR	Resolved through inquiry process.
C-2045924	Clark County Public Works		06/26/2023	In person	Y	N	Closed	O-Health;O-Safety	1. Floatation devices are not provided to Clark County employees conducting surveys in the Colorado River, potentially exposing employees to drowning. 2. Employees have not been provided any form of water safety training. 3. The Air Hose assembly reel used by Clark County employees is not rated for use with water and herbicide, potentially exposing employees to accidental exposure to herbicide if the equipment breaks. 6/26/23 AL	Resolved through inquiry process.
C-2016434	URBAN OUTFITTERS		04/03/2023	Phone	Y	N	Closed	S-Health	1. In the return and processing area upstairs, employees are exposed to heat hazards. 2. Fans are provided for employees but are not turned on and 7-8 employees have passed out from the heat.	Resolved through inquiry process.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Logs April to June 2023

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2017601	SOUTHERN GLAZER'S WINE & SPIRITS		04/05/2023	Phone	Y	N	Closed	S-Health;S-Safety	1. Employees are riding on the forks of the forklift. 2. No lock/out tagout procedures are being used on-site. 3. Facility is loud and no ear plugs or muffs are provided. 4. Facility does not require PPE including; safety glasses or steel toes. 5. There are spills and slip hazards present on the floor.	Resolved through inquiry process.
C-2019175	Intelligent Lifecycle Solutions LLC	Intelligent Lifecycle Solutions LLC	04/11/2023	Phone	Y	N	Closed	S-Health;S-Safety	1. Located in the warehouse, ventilation is poor and the warehouse is very dusty. 2. Located in a side room of the warehouse, there is black mold creating respiratory hazards. 3. Located in the warehouse, restrooms are unsanitary and not in working order. 4. Located in the warehouse, the roll-up doors are in need of repair and creating potential struck-by hazards.	Resolved through inquiry process.
C-2019309	DAEHAN SOLUTION NEVADA LLC		04/11/2023	Phone	Y	Y	Closed	S-Health;S-Safety	1. Exhaust fans do not work in the main plant and there is visible silica dust in the air. 2. There is leaking chemicals near the operation machines in the central part of the main plant. 3. Employees are not wearing the proper PPE while refilling propane tanks for the forklifts. 4. Several emergency exit doors are not operational and do not open from the inside. 5. There are several blocked fire extinguishers in the main plant. 6. Egress pathways in the main plant are blocked or have reduced walking areas. 7. There are several damaged electrical outlets in the main plant. 8. Emergency exit signs are not illuminated in the main plant.	\$0.00
C-2019727	CANINE REHABILITATION CENTER & CAT SANCTUARY		04/12/2023	Phone	Y	N	Closed	S-Health	1. Employees are required to utilize a corrosive chemical named "Cherry256" without PPE or access to the SDS sheet for the chemical. Employees use the chemical primarily for cleaning dog kennels.	Resolved through inquiry process.
C-2021209	Unknown		04/17/2023	Phone	N	N	Closed	S-Safety	1. Employees do not have forklift certification. 2. Employees are driving forklifts recklessly. 3. Employee had there toe run over by a forklift 4. Employees are told to lift boxes that above a safe limit of weight and are exposed to potential back strain.	Resolved through inquiry process.
C-2024174	WESTERN PARTITIONS, INC.	WPI	04/24/2023	Phone	Y	N	Closed	S-Safety	1. The employer is issuing OSHA 10 and 30 cards and not requiring the employees to attend an approved course as stated in the NAC 618.992 Criteria for approved courses.	Resolved through inquiry process.
C-2028449	MAVERICK HOTEL AND CASINO		05/08/2023	Phone	Y	N	Closed	S-Health	Located at the west entrance by the registration desk: 1. The sewer line in the nearby restroom ruptured causing sewage to spill into two bar areas in the casino on Saturday 5/6/23. Employees were forced to use buckets to clean up the sewage without the proper protective equipment and the sewage has still not been cleaned up although the pipe was repaired. Two of those employees have reported being sick do to the exposure.	Resolved through inquiry process.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Logs April to June 2023

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2029485	DURALINE CORPORATION	DURA-LINE LLC.	05/10/2023	Phone	Y	Y	Closed	S-Safety	1. The first weekend in May an employee removed a machine guard when loading plastic into a puller and had their arm caught in the machine. 2. Facility roof is damaged and has caused the walking and working surfaces to have several puddles that expose employees to slip hazards.	\$0.00
C-2031207	RENOWN REGIONAL MEDICAL CENTER		05/09/2023	Phone	Y	Y	Closed	S-Health;S-Safety	At the facility, appropriate measures are not implemented to prevent or mitigate the risk of Workplace Violence in the following locations: 1. On 5/8/23 at approximately 2:00pm, in the location of the Ground Floor Tahoe Tower, Imaging behind the Emergency Room, an employee was robbed and assaulted by a random stranger that was able to gain access to restricted areas due to the lack of effective security measures and engineering/access controls. 2. In the areas of G11, G15 and entryways from Pringle Way, anyone from the street without a badge can access these areas due to the lack of effective security measures and engineering/access controls.	\$0.00
C-2032665	MILLS FARM & INDUSTRIAL		05/18/2023	Phone	Y	Y	Closed	S-Safety	1. Augers are not capped and covered on tanks 6 and 7, and at the surge tank. 2. Pulleys are not guarded at the steam chest rollers and surge tank. 3. Fall protection is not provided across the ladder access entrance to the truck fill platform once the employee is on the platform working at a height of 8 feet. 4. Employees work from the truck fill platform at a height of 8 feet without toe boards installed.	\$0.00
C-2033192	US FOODS		05/19/2023	Phone	Y	Y	Closed	S-Safety	1. The liftgate on trailer 3607 is damaged and has not been removed from service. The liftgate has multiple visible cracks and the hinges are broken exposing employees who walk on it with pallet jacks to falls.	\$0.00
C-2034976	SUPPLYHOUSE.COM		05/25/2023	Phone	Y	N	Closed	S-Health	1. At the facility warehouse, they are installing racks and employees are exposed to noise hazards. 2. Hearing protection is not provided for employees.	Resolved through inquiry process.
C-2035116	MAKITA USA INC		05/24/2023	Phone	Y	Y	Closed	S-Safety	1. There are no precautions in place to prevent pedestrians from being injured by forklifts travelling through the facilities, such as pedestrian travel markings and enforcing drivers using the horn at intersections and blind spots. 2. Facility stores lithium batteries which create a potential fire hazard, and there is no emergency action plan in place including evacuation maps and fire drills.	\$0.00
C-2036308	CLEANAIRE, INC.	PAMLICO-AIR	05/30/2023	Phone	Y	N	Closed	S-Health	1. Employees working in the production area are being exposed to air borne fiberglass partials and are not required to wear a mask. 2. The employer does not provided masks or mask training for employees.	Resolved through inquiry process.
C-2039329	F & P CONSTRUCTION, INC.		06/07/2023	Phone	Y	N	Closed	O-Health	1. The employer is not providing potable water for employees working on the construction site.	Resolved through inquiry process.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Logs April to June 2023

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2041254	DHE - Dependable Highway Express		06/13/2023	Phone	Y	N	Closed	S-Safety	1. Pallets are not being properly secured on truck beds and employees are exposed to pallets falling on them when unloading the truck. 2. In the second week of June 2023, a trailer was improperly weighted and tipped over in the yard.	Resolved through inquiry process.
C-2041799	LEE VALLEY TOOLS USA INC.		06/14/2023	Phone	Y	N	Closed	S-Safety	1. Management is not controlling pedestrian traffic in the warehouse, and employees are exposed to struck by hazards with pick carts.	Resolved through inquiry process.
C-2041953	MONTEGO BAY		06/13/2023	Phone	Y	N	Closed	S-Safety	1. On 6/1/2023, one employee was shoved by another employee in the break room sustaining a shoulder injury.	Resolved through inquiry process.
C-2041954	HUMBOLDT GENERAL HOSPITAL		06/14/2023	Phone	Y	N	Closed	O-Health	1. No OSHA poster is posted in the facility.	Resolved through inquiry process.
C-2043775	NEVADA RESTAURANT SERVICES INC.	POINTS CASINO	06/20/2023	Phone	Y	N	Closed	S-Safety	1. Located at 3771 S. Carson St, STE 13, Carson City, NV 89701, in front of the bar, underground plumbing is leaking creating a puddle approximately 10 feet in diameter, creating a slip and fall hazard for employees.	Resolved through inquiry process.
C-2044265	WHITE CLOUD BOTANICALS		06/21/2023	Phone	Y	N	Closed	S-Health	1. Employees are not trained on the chemicals used on the plants in the production area. 2. Adequate personal protective equipment is not provided to employees working with chemicals in the production area. The employer provides gloves however UV rated sleeves are recommended for the type of chemicals used.	Resolved through inquiry process.
C-2045834	McDonald's		06/26/2023	Phone	Y	N	Closed	S-Safety	1. Floor mats are stored by the emergency exit and create a trip hazard for employees.	Resolved through inquiry process.
C-2046504	HARVEYS TAHOE MANAGEMENT COMPANY, INC.	HARVEYS LAKE TAHOE HOTEL AND CASINO	06/27/2023	Phone	Y	N	Closed	O-Health	1. Beginning on 6/23/2023 a strong cologne scent has been detected through out the facility. Employees are experiencing lightheadedness and nausea from the smell.	Resolved through inquiry process.
C-2048404	POST FOODS		06/30/2023	Phone	Y	Y	Closed	S-Health;S-Safety	1. Eye wash station near the chemical lab is blocked. 2. Hazardous chemicals in the cabinet are not labeled. 3. Powered industrial trucks are left with their forks up when unattended. 4. Ladders are left out and create a trip hazard in the distribution area.	\$0.00
C-2017166	Restoration 1 of Greater Las Vegas		04/04/2023	Phone	Y	N	Closed	O-Safety	1. Employees are performing demolition activities without appropriate personal protective equipment (PPE); missing steel-toed boots, gloves, eye protection, masks. 2. Demolition activities are being performed without OSHA-10 cards. 3. Employees do not receive training on the proper use of equipment.	Resolved through inquiry process.
C-2017557	Bellagio Hotel and Casino		04/05/2023	Phone	Y	N	Closed	O-Health	1. The slot machine technician area has machinery protruding into the exit access routes, clogging the walkways. 2. Four hazardous material items were recently introduced for use in the slot machine technician shop, and neither safety data sheets (SDS) nor training was provided to employees. These include lock lubricant, contact glue, a new brand of glass cleaner and a citrus scented disinfectant.	Resolved through inquiry process.
C-2018029	600 Club LLC	The Sand Dollar Lounge	04/06/2023	Phone	Y	N	Closed	O-Health	1. Employees are required to stand on hard surface floors for prolonged periods of time behind the service counter. EBS 4/6/20523	Resolved through inquiry process.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Logs April to June 2023

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2018395	NJ USA LLC	K-POP USA & K-COSMETICS	04/07/2023	Phone	Y	Y	Closed	S-Safety	1. The emergency exit door in the storage area is blocked. 2. Aisles are obstructed with merchandise, which would severely hamper emergency evacuation. 3. Storage shelves are starting to buckle under the weight of material stored, and possibly exceed the load weight limitations. 4/10/2023 SA	\$0.00
C-2018836	GNL, LLC	Golden Nugget - Laughlin	04/10/2023	Phone	Y	N	Closed	S-Health;S-Safety	1. When it rains, the roof and ceiling leaks water through the ceiling tiles and light fixtures which is causing: holes in the ceiling, waterlogged ceiling tiles to fall, and pooling of water on floors up to half an inch deep in the gift shop, employee dining room, the atrium near Claim Jumper, and/or the reservation office. 2. There is mold on the ceiling, walls, and/or under the carpet in the casino, gift shop, employee dining room, and 14 K room. SA 4/10/2023	Resolved through inquiry process.
C-2019101	GMRI, Inc.	Olive Garden Italian Restaurant #1014	04/10/2023	Phone	Y	N	Closed	S-Health;S-Safety	1. The drains are backing up and flooding the floor with sewage in the kitchen, bar, and restrooms and employees are required to continue to work. 2. The tray jack storage shelf is damaged and causing a trip hazard near the kitchen on the east side. 3. Employees are being hospitalized and are not being reported to OSHA. 4/10/2023 SA	Resolved through inquiry process.
C-2019134	Park Landscape LLC	Yellowstone Landscaping	04/10/2023	Phone	Y	N	Closed	S-Health;S-Safety	1. Company trucks are not being maintained properly and are not appropriate for towing heavy equipment/trailers. 2. Company truck lights, breakaway systems for trailers, and trailer brakes are inoperable and are a creating a safety hazard for employees. 3. The ice maker in the office is contaminated and has a foul smell. 4/10/2023 SA	Resolved through inquiry process.
C-2019263	Healthcare Trust of America, Inc.	Healogics Wound Care & Hyperbaric Services, LLC	04/11/2023	Phone	Y	N	Closed	O-Health	1. Wall panels have been removed due to water damage, revealing black mold at multiple locations in the work site. 2. Condition has been present since March 7th; the company has attempted mold remediation once since it was discovered.	Resolved through inquiry process.
C-2019357	Palms Casino Resort		04/11/2023	Phone	Y	N	Closed	O-Safety	1. A sewer pipe broke and multiple sewer pipes are leaking in the uniform department room. Employees are experiencing symptoms such as feeling nauseous and dizzy due to the smell of the sewer pipes. 2. The walls and uniforms are stained with black sewer water. 3. There are insects on the floor where the sewer pipes are leaking located in the uniform department room. 4/11/2023 A.R.	Resolved through inquiry process.
C-2020144	Vista Paint Las Vegas		04/13/2023	Phone	Y	N	Closed	O-Safety	1. Employees are not provided with proper equipment to lift a heavy load of paint barrels. 2. Employees do not have enough straps to secure the paint barrels. 4/13/2023 A.R.	Resolved through inquiry process.
C-2020187	Host International, Inc.	HMS Host	04/10/2023	Phone	Y	N	Closed	S-Health	1. The air conditioning in the kitchen at Chili's Grill and Bar Gate D35 is inoperable and employees are working in temperatures exceeding 100F. 4/13/2023 SA	Resolved through inquiry process.
C-2020227	ELY MANAGEMENT INC	MOTEL 6 ELY	04/12/2023	Phone	Y	N	Closed	O-Safety	1.An employee is working while intoxicated 2.Employees are not wearing hard hats while renovation work	Resolved through inquiry process.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Logs April to June 2023

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2020307	Las Vegas Demolition LLC		04/13/2023	Phone	Y	N	Closed	O-Health	1. The demolition job is producing excessive amounts of dust. There is inadequate measures to keep the dust down in the work areas. The water in the hallway area is inadequately controlling the dust.	Resolved through inquiry process.
C-2021158	Scapes and Stones		04/17/2023	Phone	Y	N	Closed	O-Safety	1. Employees performing landscaping work with trimmers throughout the Las Vegas valley are not provided with the proper personal protective equipment, such as leg guards and eye and ear protection 4/17/2023 bm	Resolved through inquiry process.
C-2021605	Plaza Hotel and Casino		04/18/2023	Phone	Y	N	Closed	O-Health	1. The duvet covers are not being washed. Employees removing the duvet covers are being potentially exposed to unsanitary conditions. 2. There is mold and mildew smell emanating from 6th floor.	Resolved through inquiry process.
C-2021725	Legacies Memory Care at San Martin		04/18/2023	Phone	Y	N	Closed	O-Safety	1. Employees are being required to cross the street on overnight shifts in order to complete the facility's laundry. Employees are pushing loaded laundry carts across the street to a sister facility to complete laundry. Transient individuals are approaching the employees when crossing the street, potentially exposing employees to workplace violence related hazards.	Resolved through inquiry process.
C-2021975	Dollar Tree		04/19/2023	Phone	N	N	Closed	O-Health	1. There is a smell of mold throughout the entire store.	Resolved through inquiry process.
C-2022783	Paris Las Vegas	Paris Las Vegas Hotel & Casino	04/19/2023	Phone	N	N	Closed	O-Health	1. The air conditioning in the casino is making the entire casino too cold	Resolved through inquiry process.
C-2023043	Desert Palace LLC	Caesars Palace	04/21/2023	Phone	Y	N	Closed	O-Safety	1. In the basement level of Nobu Tower next to the carpenter shop, employees are experiencing nausea due to a rotten egg smell where there is a liquid leaking from the ceiling. 2. In the basement level of Nobu Tower next to the carpenter shop, employees are exposed to a slip/trip hazard due to leaking liquid from the ceiling. cw 4/21/23	Resolved through inquiry process.
C-2023065	Safelite Fulfillment Inc.	Safelite Auto Glass 257	04/21/2023	Phone	Y	N	Closed	O-Health	1. The men's and women's restrooms have been out of service for the duration of a week, and nearby businesses do not allow safelite employees to use their restrooms. 2. The men's and women's restrooms do not have running water and there is no place for employees to wash their hands. CW 4/21/2023	Resolved through inquiry process.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Logs April to June 2023

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2023407	The Boring Company		04/24/2023	Phone	Y	Y	Closed	O-Safety	1. In Tunnels 1 & 2, employees who are not electricians are being tasked with pulling live, 480-volt junction boxes out of the water and are removing water from junction boxes due to water making its way into poorly installed conduit. 2. There is no lockout tagout procedure for employees checking on the junction boxes. 3. In the Tunnel 2 bypass area, construction is being completed. Water is ankle-deep and sump pumps are required. Employees are being electrically shocked when plugging the sump pumps into a portable generator. 4. In the Tunnel 2 bypass area, extension cords are being run underwater, resulting in a shock hazard. 5. Employees and management working in the tunnels and performing construction do not have their OSHA 10 or OSHA 30 cards. 6. At the main warehouse located at 3395 Cambridge Street, the only forklift has been poorly maintained. Employees had complained about struggling to operate the forklift due to poor brakes. Approximately 2 months ago, an employee was operating the tunnels' forklift and heading down a steep ramp. The forklift brakes failed, resulting in the forklift rolling down the ramp without brakes. 7. In the phase 2 tunnel at the west station, emergency egress doors had defective springs. Instead of requesting the manufacturer to replace them, the onsite maintenance team was required to replace the 90-pound compressed springs without proper tools exposing employees to a struck-by hazard in the instance the compressed spring was uncontrolled. 8. In the Phase 2 tunnel, maintenance employees were assigned to remove old fireproofing paint with grinders but were only provided N95s to complete the task. Per the manufacturer, employees should use a Tyvek suit and a respirator, but management never provided employees with the appropriate PPE.	\$0.00
C-2023506	University Medical Center		04/24/2023	Phone	Y	N	Closed	O-Safety	1. In the engineering warehouse, employees who operate the forklift have not been recertified in over 3 years.	Resolved through inquiry process.
C-2023638	Desert Palace LLC	Caesar's Palace	04/24/2023	Phone	N	N	Closed	O-Health	1. In the basement of the Nobu Tower near engineering, there is a sewage smell which is causing employees to become nauseous. cw 4/24/23	Resolved through inquiry process.
C-2024608	Nevada LandCare USA, LLC	LandCare	04/26/2023	Phone	Y	N	Closed	O-Health	1. There is concern the employees do not access to drinking water and shade at the satellite jobsite location, which has resulted in an employee suffering a heat stroke. 4/26/2023 AB	Resolved through inquiry process.
C-2026013	Rise		04/28/2023	Phone	N	N	Closed	O-Health	1. There is concern regarding the indoor air quality, where employees have complained of symptoms, including coughing and difficulty with breathing, that started around the beginning of the year and have progressively worsened. The symptoms improve when they leave the worksite and are thought to be associated with a black soot-like substance coming from the air conditioning vents. 04/28/2023 SM	Resolved through inquiry process.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Logs April to June 2023

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2026053	Nevada Department of Corrections - Southern Desert Correctional Center	Southern Desert Correctional Center	04/28/2023	Phone	Y	N	Closed	O-Health	1. There is concern regarding the indoor temperatures because the air conditioning is inoperable within a metal observation shack located on the roof. Employees have complained of heat stress symptoms and are unable to stay at this location for longer than a 10 minute duration. 04/28/2023 SM	Resolved through inquiry process.
C-2026135	Wells Enterprises, Inc.		04/28/2023	Phone	Y	N	Closed	O-Safety	1. There is concern that improper stacking of materials expose employees to struck-by injuries and/ or fall hazards. 04/28/2023 SM	Resolved through inquiry process.
C-2026426	Excalibur Hotel & Casino		05/02/2023	Phone	Y	N	Closed	O-Health	1. Workers were exposed to vapors generated by linoleum flooring being heated with a blow torch and removed from the breakroom that serves employees for all the restaurants of the food court on the second level of the Excalibur Hotel & Casino. The restaurants on the second floor food court include Popeyes, Hotdog on a Stick, Pick Up Stix and Einstein Bagel. One restaurant worker was sent home as a result of inhaling these vapors and several other workers didn't come in the next day because of exposure to the vapors. The employee who was sent home went to a hospital emergency room and was treated and released. This exposure to vapors generated by heating linoleum flooring occurred on 4-29-2023 and was completed on 4-30-2023.	Resolved through inquiry process.
C-2027026	Walgreens 04106		05/03/2023	Phone	Y	N	Closed	O-Health	1. There has been no running water in the building since May 2, 2023, due to a problem with the pipes at this location and the employer is asking employees to use jugs of water to wash their hands and flush the toilets. Some employees have had to cross the street to a convenience store in order to have access to a restroom. 5/3/2023 bb	Resolved through inquiry process.
C-2027131	Las Vegas Paving Corp.		05/03/2023	Phone	N	N	Closed	O-Safety	1. On a job site on University Drive between Tropicana and Harmon Avenue employees are working within a 15-foot excavation and excavating without shoring in place. The shoring can be seen sitting on the ground outside of the trench. The shoring was initially in place within the trench however it was removed on May 3, 2023, and has not been reinstalled although work within the trench has continued. 5/3/2023 bb	Resolved through inquiry process.
C-2027563	Terrible Herbst Inc.	Terrible Herbst Inc.	05/04/2023	Phone	Y	N	Closed	O-Safety	1. Inside the Terrible Herbst convenience store, employees have reported that a construction crew doing renovations are leaving all their equipment and materials scattered everywhere potentially exposing the employees to trip and struck-by hazards. 5/4/23 AL	Resolved through inquiry process.
C-2027581	P F Chang's China Bistro		04/28/2023	Phone	Y	N	Closed	O-Safety	1. On 04/27/2023, an employee was injured while handling soup, which resulted in a burn from his wrist to elbow. The employee informed his employer and declined medical treatment, because he was afraid of being fired. 04/28/2023 SM	Resolved through inquiry process.
C-2027784	Kindercare Education LLC	Alexander MLK KinderCare	05/05/2023	Phone	Y	N	Closed	S-Safety	1. Class room teachers are verbally threatened by parents of children. 05/05/2023 EM	Resolved through inquiry process.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Logs April to June 2023

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2027981	The Orleans Hotel & Casino		05/05/2023	Phone	N	N	Closed	S-Safety	1. Cocktail waitresses are harassed by customers that are under the influence of alcohol. The employers policy requesting the cocktail waitresses to call a manager instead of security not preferred by the cocktail waitresses. 05/05/2023 EM	Resolved through inquiry process.
C-2028565	Brady Linen Services LLC		05/08/2023	Phone	Y	N	Closed	O-Safety	1. There are rodents and cockroaches throughout the whole building. 2. Employees are not provided with PPE in all areas of the building. 3. There are wires hanging from the ceiling located in the weigh station on the east and west sides. 4. There are live sockets with no face plates located in the weigh station on the east and west sides. 5. The washing machines are leaking water onto the floor and it is near electrical outlets located in the back house on the west side. 6. There is lint/dust all over the building, which has caught on fire when the A/C or heater is turned on. 7. Employees are not provided with Safety Data Sheets for the chemicals used. 8. There are no OSHA posters in the building. 5/8/2023 A.R.	Resolved through inquiry process.
C-2028969	Desert Palace LLC	Caesars Palace	05/09/2023	Phone	N	N	Closed	O-Health;S-Safety	1. There is a toxic fume which smells worse than a sewer causing employees to become severely nauseous and nearly vomit in the Engineering Department in the basement by the carpenter's shop by the engineering hallway for 1.5 months. 2. Water is seeping down through the ceilings in the carpenter shop, engineering hallways, and flooring/carpenter's office causing slip hazards for 1.5 months. 5/9/2023 SA	Resolved through inquiry process.
C-2029377	Samuels And Son Seafood		05/10/2023	Phone	Y	N	Closed	S-Safety	1. Employees have not been trained and certified to operate the forklift. 2. Employees are required to stand on the forks of the lift to push garbage and other items into the back dumpster. 3. In the freezer, employees are not provided a safe means to retrieve items from the storage racks. 05/10/23 KH	Resolved through inquiry process.
C-2029711	T Brothers Tile		05/11/2023	Phone	N	N	Closed	O-Health	1. An employee voiced concerns to management about the water filtration system used in the building and the personal protective equipment provided faced retaliation from the employer. 05/11/2023 JB	Resolved through inquiry process.
C-2029963	Healthcare Partners Medical Group Pahrump		05/11/2023	Phone	N	N	Closed	S-Safety	1. On 5/9/2023, a water pipe ruptured above the pharmacy and was spraying water down on the employees. The employer has the pipe fixed on 5/10/2023. The pipe still shakes when water runs through it.	Resolved through inquiry process.
C-2030377	Golden Nugget - Laughlin		05/12/2023	Phone	Y	N	Closed	O-Health	1. Water has been shut off to the entire property due to a sewage leak into the river. Employees do not have access to potable water or restrooms.	Resolved through inquiry process.
C-2030484	Consumer Electronic System		05/12/2023	Phone	Y	N	Closed	O-Health	1. The company had mold between the brick and sheet rock of the facility. The employer is not removing the mold and is only applying a primer pain to cover it.	Resolved through inquiry process.
C-2030551	Barneys Lounge		05/12/2023	Phone	N	N	Closed	O-Health	1. Employees work their full shift in a smoking lounge and are exposed to poor air quality.	Resolved through inquiry process.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Logs April to June 2023

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2030560	Nuvia Dental Implant Center		05/12/2023	Phone	Y	N	Closed	O-Health	1. Employees are not wearing personal protective equipment (PPE) during sterilization and surgery. 2. OSHA logs are not being maintained. 3. The autoclave machine is not being maintained in sterile condition potentially exposing employees to blood borne pathogens. Additionally, spore testing is not being completed.	Resolved through inquiry process.
C-2030567	Einstein Bros. Bagels		05/11/2023	Phone	Y	N	Closed	S-Health	1. On Apr 29, 2023, in the hallway behind the restaurant, an individual was burning something with a torch in the breakroom and an employee felt sick after coming into contact with the fumes.	Resolved through inquiry process.
C-2030568	All Uniform Wear		05/12/2023	Phone	Y	N	Closed	O-Health	1. Employees have not had access to restrooms for approximately 5 months.	Resolved through inquiry process.
C-2031047	Sword & Spoon, LLC		05/02/2023	Phone	Y	N	Closed	O-Health	1. Workers were exposed to vapors generated by linoleum flooring being heated with a blow torch and removed from the breakroom that serves employees for all the restaurants of the food court on the second level. The restaurants on the second-floor food court include Popeyes, Hotdog on a Stick, Pick Up Stix, and Einstein Bagel. 2. One restaurant worker was sent home as a result of inhaling these vapors. The employee went to a hospital emergency room and was treated and released. 3. Several other workers didn't come in the next day because of exposure to the vapors. 4. This exposure to vapors generated by heating linoleum flooring occurred on 4-29-2023 and was completed on 4-30-2023	Resolved through inquiry process.
C-2031107	Siegel Suites Twain IV		05/15/2023	Phone	Y	N	Closed	S-Health	1. Employees are working in units with asbestos and mold and are not provided with adequate personal protective equipment. 5/15/2023 bm	Resolved through inquiry process.
C-2031802	Capriotti's Sandwich Shop		05/16/2023	Phone	Y	N	Closed	O-Safety	1. Employees are exposed to heat-related hazards throughout the store. The store does not have a working air conditioner or swamp cooler. Employees experience heat-related illnesses.	Resolved through inquiry process.
C-2032047	Thomas-Mack Company		05/17/2023	Phone	Y	N	Closed	S-Safety	1. Employees are required to work in a 20-foot-deep vault dismantling a fountain. There is no ventilation. There is only a small access hole. The employees are working by themselves for up to 7 hours a day with no monitor.	Resolved through inquiry process.
C-2032136	Will's Plumbing LLC		05/17/2023	Phone	Y	N	Closed	S-Safety	1. The foreman instructed an employee to use a ladder that was too short to access the roof of the house they were working on. 2. There is nowhere for employees to tie off on the roof while performing plumbing duties.	Resolved through inquiry process.
C-2033189	Desert Palace LLC	Caesars Palace	05/19/2023	Phone	Y	N	Closed	O-Health	1. In the Nobu Hotel pantry on the 72nd floor, employees have been experiencing burning eyes, headaches, and nausea since a November 2022 renovation of the area. There is a concern of asbestos and black mold in the area. 5/19/2023 cw	Resolved through inquiry process.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Logs April to June 2023

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2033930	NAV-LVH, LLC	Westgate Las Vegas Resort & Casino	05/23/2023	Phone	Y	N	Closed	O-Health	1. The employer told labor employees to get out to sump pit and open it up when employees have not received training for confined spaces located on the north side of the property next to the cooling towers and trash compactor. 5/23/2023 A.R.	Resolved through inquiry process.
C-2034721	Knight Transportation, Inc.		05/23/2023	Phone	Y	N	Closed	O-Health	1. Employees are not trained in heat hazards, prevention, and first aid when driving a yard hustler with no A/C in the division of yard hustler TJ Max distribution. 5/24/2023 A.R.	Resolved through inquiry process.
C-2035235	Sysco Las Vegas, Inc		05/25/2023	Phone	N	N	Closed	O-Safety	1. At the main entrance driveway of the facility, an employee has reported they have resorted to climbing a fence that is approximately 9 feet in height to leave for work because there is no one in charge of the exits at the end of their shift. This exposes employees to a potential fall hazard. 5/25/23 AL	Resolved through inquiry process.
C-2035251	Rebel 74		05/25/2023	Phone	Y	N	Closed	O-Health;O-Safety	1. Food bags are being left on the floor inside the walk-in beer coolers located at the back of the store causing a trip hazard to employees. 2. In the warehouse beside the convenience store, employees are concerned about inhaling by-products of insulation materials due to the warehouse insulation being ripped and exposed due to wear and tear throughout the years. 3. The floor tiles in front of the water fountain machine are raised causing a trip hazard. 5/25/23 AL	Resolved through inquiry process.
C-2035663	Radial Inc.		05/26/2023	Phone	Y	Y	Closed	O-Health;S-Safety	1. An employee was scanning boxes that were stacked on a pallet approximately 6 ft. high, when the boxes subsequently fell and struck a co-worker in the back. The co-worker was taken to Sunrise Hospital for treatment on 05/25/2023 and released. 06/07/2023 JC	\$0.00
C-2036777	Clark County School District		05/31/2023	Phone	N	N	Closed	O-Safety	1. Drivers are lifting equipment and loads needing 2 persons by themselves, exposing them to potential back and knee injuries. Drivers in the past two years have been injured and hospitalized with these types of injuries. EBS 5/31/2023	Resolved through inquiry process.
C-2037691	US Express Carriers LLC	US Express Carriers	06/02/2023	Phone	N	N	Closed	O-Health	1. The complainant's son became ill after driving a truck with serious toxic issues (unspecified). EBS 6/2/2023	Resolved through inquiry process.
C-2038367	Gilley's Saloon		06/05/2023	Phone	Y	N	Closed	S-Health	1. Drains located behind the bar overflow with raw sewage due to two damaged sewage pipes that have collapsed and have not been repaired. Employees are forced to walk in the raw sewage when pipes overflow. 06/05/23 EM	Resolved through inquiry process.
C-2038388	Planet Fitness		06/05/2023	Phone	Y	N	Closed	S-Safety	1. Employees used 20 foot ladders to duct televisions in the gym. Employees have not been provided with ladder training. 06/05/2023 EM	Resolved through inquiry process.
C-2038632	Zenith American Solutions, Inc.		06/06/2023	Phone	N	N	Closed	O-Safety	1. Work was lessened after a complaint was made to HR.	Resolved through inquiry process.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Logs April to June 2023

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2039151	The Vons Companies	Vons Grocery Store Co #1963	06/07/2023	Phone	N	N	Closed	O-Health	1. On 5/26/2023, an employee was unable to access the restrooms. On 5/30/2023, a manager stated that a new company policy prohibited employees from utilizing the company restroom and had to remain locked. Corporate was contacted by the employee and the restroom was immediately made available for employees to use. The restrooms were still available for use as of 6/4/2023. 6/7/2023 bm	Resolved through inquiry process.
C-2039321	Octapharma Plasma, Inc.		06/07/2023	Phone	N	N	Closed	O-Health	1. A pipe burst flooding the lower level reception and intake area. The walls are damp from water damage and employees are concerned for their health while working in these conditions. 06/07/2023 JB	Resolved through inquiry process.
C-2039679	J. B. Hunt Transport, Inc.	JB Hunt Final Mile	06/08/2023	Phone	Y	N	Closed	O-Safety	1. On 6/8/2023 employees were required carry heavy loads, including appliances, more than three flights of stairs. Employees were not permitted to use the elevators to move the appliances.	Resolved through inquiry process.
C-2040086	PHENOMENAL TOWING		06/09/2023	Phone	Y	N	Closed	S-Safety	1. The employee restroom is not being cleaned. 2. The kitchen the employees use is not being cleaned and is covered in mold. 3. The electrical outlet by the front door was modified to accept a flexible cord with exposed wires. 4. There is an electrical outlet missing the face plate in the front desks area. 5. There are cords running across the floor behind the front desk that employees constantly trip on.	Resolved through inquiry process.
C-2040289	TBC The Boring Company		06/09/2023	Phone	Y	N	Open	S-Safety	1. Employees connecting and reconnecting the hoses on the burrowing machines are getting burned with accelerants. Approximately 15- 20 employees have been injured while working in the tunnel. The OSHA 300 Logs will show the spike in injuries for the last 2 months. 2. There are no showers available for employees who get sprayed with accelerants when disconnecting and reconnecting hoses on the burrowing machines. 3. The conveyor belts that transport the muck from the tunnels are not guarded to protect the employees from falling muck. 4. The muck bins are being overloaded. 5. The excess muck in the tunnels are limiting access and egress from the tunnel. 6/9/2023 AH	Pending
C-2040728	Firm Revenue Cycle Management Services, Inc.		06/12/2023	Phone	Y	N	Closed	O-Health;S-Safety	1. There is no hot potable water in kitchen 1. 2. The HVAC vents in the entire building are caked with dust causing employees to cough and eyes to water. 3. The north emergency exit is blocked with long tables. 4. The water in the restroom by kitchen 2 barely flows and it's too hot. Employees have scalded their hands when using the water. 5. All of the fire extinguishers in the building have been expired for 2 years. 6. Throughout the office numerous power strips and extension cords are daisy chained together which have office equipment and space heaters plugged into them. 6/12/2023 SA	Resolved through inquiry process.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Logs April to June 2023

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2040922	ThyssenKrupp Elevators		06/12/2023	Phone	Y	N	Closed	O-Safety	1. At the crossover elevators and escalators at Las Vegas Blvd and Tropicana, Spring Mountain, Flamingo, and Harmon, employees work alone and have been threatened, attacked, and had bodily fluids thrown at them by members of the public and the homeless population. 6/12/2023 bm	Resolved through inquiry process.
C-2041249	Affinity Gaming	Subway	06/12/2023	Phone	N	N	Closed	O-Health	1. In April 2023, in May 2023, and in June 2023 employees are becoming sick after consuming food from the establishment during break and lunch. 2. Employees are not being given all of their breaks during their work shifts and are being required to take all of their breaks at the very end of their shift. 6/12/2023 SA	Resolved through inquiry process.
C-2042929	Fleetwash, Inc.		06/16/2023	Phone	Y	N	Closed	O-Health	1. Acid is being sprayed on the inside of concrete trucks that the site has a contract with. Employees are being exposed to splash-back from the acid, as well as breathing in the chemicals. The employer has not provided any personal protective equipment, such as gloves, respirators, or hazmat suits. They perform this work for nine hours a day, three days a week. 2. Employees are directed to clean vehicles using chemical compounds without training or access to the Safety Data Sheets. This has resulted in one employee suffering a burn to his leg, and respiratory issues. 6/16/2023 KR	Resolved through inquiry process.
C-2043480	NBC Nevada Merchants, Inc.	T.J. Maxx	06/20/2023	Phone	Y	N	Closed	O-Health	1. Employees are exposed to high-odor concentrations of Hydrogen sulfide in the flat area of the warehouse, specifically the 100-300 section.	Resolved through inquiry process.
C-2043505	NAV-LVH, LLC	Westgate Las Vegas Resort & Casino	06/20/2023	Phone	Y	N	Closed	O-Health	1. Baggage handlers and Front-Service employees are not provided with potable water during work shifts.	Resolved through inquiry process.
C-2043539	Flamingo Las Vegas		06/20/2023	Phone	Y	N	Closed	O-Health	1. At Flamingo Wine & Spirits, employees are working in cold conditions, resulting in multiple personnel with body aches and runny noses. EBS 6/20/2023	Resolved through inquiry process.
C-2043562	Red Rock Baptist Church		06/20/2023	Phone	Y	N	Closed	O-Health	1. Demolition was performed in several rooms of the church where asbestos containing material was disturbed and removed by unlicensed contractors.	Resolved through inquiry process.
C-2044331	The Presidio By Picerne		06/21/2023	Phone	Y	N	Closed	O-Health	1. Employees are required to clean up needles on the outskirts the property left by homeless individuals. Employees are not given gloves to perform this work, or training in how to pick up the needles. 6/21/2023 KR	Resolved through inquiry process.
C-2044649	Intermountain Healthcare		06/22/2023	Phone	N	N	Closed	O-Health	1. On Tuesday, June 20, 2023, there was a nearby structural fire and many other small fires nearby that led to the Intermountain Healthcare Corporate Headquarters building being smoky, hazy, and difficult to breathe. The air quality throughout the building is not good especially on the second floor and employees have had to ask to go home due to breathing problems. There has been nothing done in attempt to clear the smoke throughout the building however managers have been allowed to work from home and the remainder of the staff is today that they will receive points against their attendance if they have to go home due to the smoke. 6/22/2023 bb	Resolved through inquiry process.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Logs April to June 2023

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2045147	Fleetwash, Inc.		06/23/2023	Phone	N	N	Closed	O-Health	1. Employees are directed to clean vehicles using chemical compounds without training or access to the Safety Data Sheets, and improper Personal Protective Equipment. This has resulted in one employee suffering a burn to his leg, and respiratory issues. 2. The vehicles used by the company are not properly maintained. They have bald tires, squeaky brakes, and are maintained by untrained mechanics. EBS 6/23/2023	Resolved through inquiry process.
C-2045369	Las Vegas Clark County Library District		06/23/2023	Phone	N	N	Closed	O-Safety	1. Several employees engaged in theater production are working without their OSHA-10 or OSHA-30 certification cards. 2. Inspections for personnel rigging are not taking place prior to use. 3. Hoisting equipment at the Summerlin location does not have the rated load capacity posted. 4. Fire curtains at the Summerlin location are improperly secured. EBS 6/23/2023	Resolved through inquiry process.
C-2046865	Din Tai Fung - Aria Resort Hotel & Casino		06/27/2023	Phone	Y	N	Closed	O-Safety	1. Employees are required to clean kitchen equipment with a degreaser, Eco Lab Grease Strip Plus, without proper PPE. 2. Employees are required to utilize degreaser without hazardous communication training. 3. Employees are threatened with 2-day suspensions and/or termination for poor job performance for refusing to clean the kitchen equipment with the degreaser, Eco Lab Grease Strip Plus. 06/28/2023 JC	Resolved through inquiry process.
C-2046932	Mears Group, Inc.	Mears	06/28/2023	Phone	Y	N	Closed	S-Safety	1. Non-certified employees are operating backhoes and other heavy equipment. This has been going on for approximately 6 months.	Resolved through inquiry process.
C-2046986	Poly-West, Incorporated		06/28/2023	Phone	Y	N	Closed	S-Safety	1. The employer has not provided PPE for the employees, specifically hard hats. The employees are required to work under overhead equipment and materials without protection. 2. There is no Lock-Out/Tag-Out (LOTO) for the equipment employees are required to work on. 3. Most of the equipment is missing guards.	Resolved through inquiry process.
C-2047042	Tao Group Hospitality		06/27/2023	Phone	Y	N	Closed	O-Health;O-Safety	1. There is one toilet facility promptly accessible for 100 employees in the workplace. Seven restrooms are locked: two near the pool deck, three in the restaurant and two in the night club. 06/27/2023 JC	Resolved through inquiry process.
C-2047263	Harrah's Casino Hotel Las Vegas		06/28/2023	Phone	Y	N	Closed	S-Health	1. There is possible asbestos present in the new casino marketing offices. The employer told employees that they can either move into the office or quit.	Resolved through inquiry process.
C-2047716	Ken's Foods, Inc.		06/29/2023	Phone	Y	N	Closed	O-Safety	1. Employees are not provided with personal protection equipment such as hard hats and are working with acids without a face shield. 6/29/2023 A.R.	Resolved through inquiry process.
C-2047813	Big O Tires		06/29/2023	Phone	Y	N	Closed	O-Safety	1. There are no MSDS or SDS available to employees. 2. Employees are not provided with personal protective equipment in the shop. 3. The eyewash station has no supplies located on the wall by the office and shop. 4. The oil caddy and the automotive lift are not maintained, and employees use the lift to raise vehicles that weigh over 9,000 pounds exceeding the maximum weight of the lift. 5. There are no electrical fire extinguishers. 6/29/2023 A.R.	Resolved through inquiry process.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Logs April to June 2023

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Letter of Inquiry	Inspection	UPA Open/Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2048266	Sam's Club		06/30/2023	Phone	Y	N	Closed	S-Health	1. The air-conditioning does not cool the warehouse down in the summertime. Management has not fixed the AC and the warehouse remains hot during the summertime.	Resolved through inquiry process.
C-2048304	Boyd Gaming Corporation	Aliante Casino and Hotel	06/30/2023	Phone	Y	N	Closed	O-Safety	1. The wheels are worn out on the heavy plastic containers that are loaded with linen making the containers difficult to move. Employees are getting injuries while pushing the containers approximately 600 feet from housekeeping to the loading dock.	Resolved through inquiry process.
C-2048403	Wal-Mart Supercenter #2592		06/30/2023	Phone	Y	N	Closed	O-Safety	1. The ladder that leads to the vehicle inspection pit is dirty and coated in oil that employees can slip and fall while descending to the vehicle inspection pit. 2. There is no air-conditioning in the auto shop and there is only 1 swamp cooler fan that only cools half the auto shop. The other half of the shop remains hot all day.	Resolved through inquiry process.
C-2048408	Ross Dress for Less		06/30/2023	Phone	N	N	Closed	S-Health	1. The air-conditioning does not work in the summertime. There is no ventilation to let air move throughout the store and the store gets hotter than it is outside during the summer months.	Resolved through inquiry process.
C-2048440	Trigg Laboratories, Inc.	Wet International	06/30/2023	Phone	Y	N	Closed	O-Health;O-Safety	1. The company has more than 25 employees and does not have a safety committee. 2. When lube is spilled on the floor it is not cleaned up and creates a slipping hazard for employees. 3. There is no protective footwear worn by employees in the warehouse area. 4. In the breakroom area there is an extension cord series connected into surge protector.	Resolved through inquiry process.
C-2048988	Din Tai Fung - Aria Resort Hotel & Casino		06/28/2023	Phone	Y	N	Closed	O-Health;O-Safety	1. Employees are required to clean kitchen equipment with a degreaser, Eco Lab Grease Strip Plus, without proper PPE. 2. Employees are required to utilize degreaser without hazardous communication training. 3. Employees are threatened with 2-day suspensions and/or termination for poor job performance for refusing to clean the kitchen equipment with the degreaser, Eco Lab Grease Strip Plus. 07/01/2023 JC	Resolved through inquiry process.
C-2052005	Harrah's Las Vegas, LLC	Harrah's Las Vegas	06/29/2023	Phone	N	N	Closed	S-Health	1. The HR Marketing department is moving into an office space on the 3rd floor that has asbestos. 7/11/2023 A.R.	Resolved through inquiry process.

Advisory Council**NRS 618.347 – Report Concerning Issuance of NRS 618.375(1), NRS 618.375(2)****General Duty Citations by the Division****4th Quarter FY23: April – June 2023****1. Clover Cable Construction - Inspection 1641229**

Alleged Violation Description Nevada Revised Statute 618.375(1): Every employer shall furnish employment and a place of employment which are free from recognized hazards that are causing or are likely to cause death or serious physical harm to his or her employees.

The employer did not ensure employees were protected from recognized hazards likely to cause death or serious physical harm. Employees were exposed to serious hazards presented by unsecured storage racks. The Uline Pallet Rack (model: IH-5715), also known as the "H6" Uline Pallet Rack, was not secured.

All rack columns of the "H6" Uline Pallet Rack (model: IH-5715) were not anchored to the floor with anchor bolts in the rear, the east side wall of the warehouse.

The Uline Pallet Rack is accessed by one employee who loads and unloads materials with a forklift from the rack. The employee was exposed to possible serious injuries in the event the rack tipped over.

Reference: 1.4.7 of ANSI MH16.1-2008 Specification for the Design, Testing, and Utilization of Industrial Steel Storage Racks.

Section 1.4.7 Column Base Plates and Anchors;

The bottom of all columns shall be furnished with column base plates, as specified in Section 7.2. In addition, all rack columns shall be anchored to the floor with anchor bolts capable of resisting the forces caused by the horizontal and vertical loads on the rack.

A feasible means of abatement would be for the employer to follow the requirements of American National Standards Institute (ANSI) MH16.1-2008. The employer must ensure that the column base plates of each storage rack are correctly anchored to the floor.

Proposed Penalty \$7,032.00

2. Western Nevada Transload – Inspection 1650659

Nevada Revised Statute 618.375(1): Duties of employers. Every employer shall furnish employment and a place of employment which are free from recognized hazards that are causing or are likely to cause death or serious physical harm to his or her employees.

Located at the jobsite, 11000 Reno Highway, Fernley, NV: The employer failed to furnish a place of employment which was free from recognized hazards that was likely to cause death or serious physical harm to employees. Employees were allowed to work in a confined space, where a gasoline auger powerhead was being operated. The work continued intermittently throughout the day for three to four months.

References; A) The owner's manual for the gasoline auger powerhead used by employees in a permit-required confined space on the front page stated, " Using an engine indoors CAN KILL YOU IN MINUTES. Engine exhaust contains carbon monoxide. This is a poison you cannot see or smell." The manual further stated, "WARNING! Read all instructions. Failure to follow all instructions listed below may result in fire, serious injury and/or DEATH."

Abatement: One feasible and acceptable means of abatement is to follow all gasoline auger powerhead manufacturer recommendations for safe operation and not use this type of equipment indoors.

Proposed Penalty \$4,219.00