



**DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF INDUSTRIAL RELATIONS**

AGENDA

**NOTICE OF PUBLIC MEETING
of the
ADVISORY COUNCIL OF THE DIVISION OF INDUSTRIAL RELATIONS
October 29th, 2025
11:00 a.m.**

You are hereby given notice that the Advisory Council of the Division of Industrial Relations of the Department of Business and Industry, State of Nevada (Advisory Council) will conduct a public meeting on Wednesday, October 29th, at 11:00 a.m. This meeting will be held at the following locations, via Microsoft Teams, and by phone:

Division of Industrial Relations
2300 West Sahara Ave, Suite 300
Las Vegas, NV 89102

Division of Industrial Relations
1886 College Parkway
Carson City, NV 89706

Microsoft Teams Access:

<https://teams.microsoft.com/meet/2436186440043?p=9ZGBNHtFQS2WshCPAB>

Meeting ID: 243 618 644 004 3
Passcode: fb22Uh9Y

To Join by Phone:

Phone Number: 775-321-6111
Phone conference ID: 911 923 498#

NOTICE

1. Items listed on the Agenda may be taken out of order;
2. Two or more items on the Agenda may be combined;
3. Items of the Agenda may be removed or delayed at any time; and
4. Public comment may be limited to two (2) minutes per speaker in the discretion of the chair. No action may be taken on any matter raised during public comment. Public

comment will not be restricted based on viewpoint, but must be relevant to, and within, the authority of the Advisory Council.

AGENDA

1. Call to Order (Chair); Roll Call; Introduction of Advisory Council members; and establishment of a quorum.
2. Public Comment (*see* Notice 4) (Chair)
3. FOR DISCUSSION: Introduction of Kym Heckman, new Chief Administrative Officer of Nevada OSHA- Victoria Carreón, Administrator
4. **FOR POSSIBLE ACTION:** Approval of Minutes from the May 23rd, 2025, meeting. (Chair)
5. **FOR DISCUSSION:** Division of Industrial Relations FY 2025 Accomplishments and FY 2026 Goals
 - a) Administrator's Update (Victoria Carreón)
 - b) Deputy Administrator's Update (Jodie Tonkin)
 - c) Mechanical Compliance Section-MCS (Sherry Bixler)
 - d) Mine Safety and Training Section-MSATS (Rodney Neils)
 - e) Occupational Safety and Health Administration (Kym Heckman)
 - f) Safety Consultation and Training Section-SCATS (Todd Schultz)
 - g) Workers' Compensation Section-WCS (Jodi McCollins)
6. **FOR DISCUSSION:** Legislation and Regulation Updates (Amber Williams)
 - a) 2025 Legislation affecting the Division of Industrial Relations
 - b) [R012-25P](#) Regulation on Brazed Plate Heat Exchangers NAC [455C.114](#).
 - c) Draft regulation to implement [SB317](#) regarding workers' compensation
 - d) Draft regulation to implement [SB260](#) regarding wildfire smoke
 - e) Draft regulation on OSHA penalty reduction factors
7. **FOR DISCUSSION:** Review and comments on OSHA quarterly complaint reports April – June 2025 and July – September 2025 (NRS 618.336 and NRS 232.600) (Michael Rodrigues, Program Coordinator)
8. **FOR DISCUSSION:** Review of OSHA quarterly reports on violations of NRS 618.375 April – June 2025 and July – September 2025 (NRS 618.347) (Michael Rodrigues, Program Coordinator)
9. **FOR DISCUSSION:** Agenda items for next scheduled meeting. (Chair)
10. **FOR POSSIBLE ACTION:** Discussion on possible investigations or studies to be conducted (NRS 232.600). (Chair)
11. Public Comment (*see* Notice 4) (Chair)
12. Adjournment. (Chair)

Any person with a disability as defined by the Americans with Disabilities Act who requires

special assistance to participate in the meeting may contact, at least five (5) business days prior to the meeting, Heather Wilson by emailing ADACoordinator@dir.nv.gov, or by calling (702) 486-9100 to arrange for reasonable accommodations.

Copies of the supporting (not privileged and confidential) material may be obtained upon request by emailing heather.wilson@dir.nv.gov, calling Heather Wilson at (702) 486-9100, or mailing a request to the Division of Industrial Relations, 2300 West Sahara Avenue, Suite 300, Las Vegas, NV 89102, Attention: Heather Wilson.

This Notice and Agenda has been posted at the following locations:

- Division of Industrial Relations, 2300 West Sahara Avenue, Suite 300, Las Vegas, Nevada 89102
- Division of Industrial Relations, 1886 College Parkway, Carson City, Nevada 89706

This Notice and Agenda have also been posted at the following website addresses:

- Division of Industrial Relations Notice of Meeting at <http://dir.nv.gov/meetings/meetings>
- Nevada Public Notices at <https://notice.nv.gov>

Division of Industrial Relations Advisory Council
Meeting Minutes: May 23rd, 2025

Item 5

1. Call to Order:

At 11:07 a.m. on May 23rd, 2025, the meeting of the Advisory Council for the Division of Industrial Relations (DIR) was called to order by Chairman Paul McKenzie. Roll Call was taken by Heather Wilson.

Las Vegas Office: None

Carson City Office: Robert Benner and Paul McKenzie.

Virtual: Susan Martinez, Vincent Saavedra, and Jeff Seavey.

It was determined a quorum was present.

DIR staff who attended the meeting are as follows:

Las Vegas Office: Victoria Carreon, Jodi McCollins, William Gardner, and Jake Huber.

Carson City Office: Jodie Tonkin, Rodney Neils, and Sherry Bixler.

Virtual: Michael Detmer and Heather Wilson.

2. Public Comment on Items to Which Action May be Taken

No items for public comment were raised.

3. Approval of Meeting Minutes of Previous Meeting – February 19th, 2025.

Motion to approve minutes called by Susan Martinez and was seconded by Robert Benner. The motion was approved unanimously.

4. Division of Industrial Relations Activity Update

a. Administrator's Update – Victoria Carreon

Administrator Carreon started the meeting by reviewing DIR FY 2026-2027 budget proposals approved at the Legislative Committee level, which included the new OSHA/MCS database and funding for review of the Medical Fee Schedule. In addition, the agency reportedly requested 32 positions in this legislative session of which 30 were approved at the Committee level.

b. Deputy Administrator's Update – Jodie Tonkin

Deputy Administrator Tonkin followed with staff updates which included hiring new division attorneys, maintaining a low vacancy rate, and recent Employee Appreciation Events. Additionally, she reported about the go-live date of the new CARDS system on June 2nd, 2025. External and internal training for CARDS began May 12th, 2025. Top priorities discussed included the procurement process for OSHA/MCS database vendor and the onboarding of legislatively approved positions.

c. Mechanical Compliance Section-MCS – Sherry Bixler

Chief Administrative Officer, Sherry Bixler, reported on the FY2025 Year-to-Date accomplishments which included the implementation of electronic payments, being

Division of Industrial Relations Advisory Council
Meeting Minutes: May 23rd, 2025

Item 5

almost fully staffed, the completion of 5,340 inspections, and the closure of 3,815 deficiencies. Furthermore, MCS conducted a quarterly Authorized Inspection Agency (AIA) meeting on May 13th, 2025, which focused on specific testing requirements and updates to regulations that will be in effect December 31st, 2025. The top priorities discussed included the implementation of the new software solution, the continuation of outreach informational bulletins to keep appropriate parties up to date with regulation changes and scheduling quarterly meetings with Licensed Service Contractors and Boiler/Pressure Vessel Inspection Agencies.

d. Mine Safety and Training Section- MSATS – Rodney Neils

Chief Administrative Officer, Rodney Neils, reviewed FY 2025 inspection activity which included completion of 419 safety/health inspections, elimination of over 728 work site hazards, and provision of over 5,000 consultations/technical assists. Training accomplishments included over 600 hours of instruction and training of approximately 1,300 students. Safety initiatives that were covered included targeted inspections of mobile equipment and an increase in conducting silica sampling.

e. Occupational Safety and Health Administration-OSHA – William Gardner

Chief Administrative Officer, William Gardner, reviewed FY 2025 inspection data which included the following: 1,061 total inspections, 47,812 employees removed from hazards, 5,334 identified violations, and 87.5% of penalties retained. Guidance for the new heat illness regulation was released January 29th, 2025 and it is now actively being enforced. Targeted inspections will be prioritized on high heat days. OSHA has conducted multiple outreach campaigns in coordination with SCATS.

f. Safety Consultation and Training Section-SCATS – Jake Huber

Program Coordinator, Jake Huber presented in the absence of Chief Administrative Officer, Todd Schultz. SCATS FY 2025 consultation activity included 674 Safety and Health Consultation visits, and the identification of 3,425 serious hazards. The SCATS social media page now has 262 Facebook and 634 LinkedIn followers. Training activity included 906 hours of safety and health training with 4,713 participants and nine classes with 376 participants for Heat Related Illness. Lastly, the number of participants in cooperative programs were 10 VPP, 6 Pre-SHARP, and 36 SHARP.

g. Workers' Compensation Sections-WCS – Jodi McCollins

Chief Administrative Office, Jodi McCollins, presented FY2025 employer compliance activity which included 3,394 site visits, 2,319 sweeps, investigation of 26,000 reported policy cancellations, over 28,605 investigations, and issuance of over 960 Stop Work Orders for non-compliance. The Medical Unit completing an audit of 127 heart and lung treating providers, the Insurer Compliance Unit received 379 Benefit Penalty complaints and processed over 1,000 COLA reimbursement requests, and the Audit Unit reviewed 280 claims and audited 136 Insurer/TPA's.

Division of Industrial Relations Advisory Council
Meeting Minutes: May 23rd, 2025

Item 5

5. Regulations and Legislation Update – Victoria Carreon

- a. Temporary regulations on Braze Plate Heat Exchangers have been approved.
- b. Workers' Compensation Bills
 - i. AB93 - Amends definition of police officer for purposes of industrial illnesses;
 - ii. AB142 - Changes definition of first responder for a stress-related workers' compensation claim to include crime scene investigators;
 - iii. SB24 - Adds emergency medical responder to stress claims in NRS 616C.180;
 - iv. SB170 - Changes requirements for physical exam for firefighters and police officers for cancer, heart and lung to determine if an illness is an occupational disease;
 - v. SB258 - Creates new formula for subrogation cases;
 - vi. SB317 - Workers' Compensation omnibus bill;
 - vii. SB376 - Allows workers to be reimbursed for heart and lung medical treatment from providers outside of the treating panel in certain cases.
- c. OSHA Bills
 - i. AB414 - Creates new worker protections from greenhouse gases;
 - ii. SB260 - Creates new worker protections from wildfire smoke.

There were no questions about the regulations or bills presented.

6. **For Discussion:** CAO William Gardner presented the OSHA quarterly complaint reports for January thru March 2025.

CAO Gardner was available to answer any questions presented. Seeing/Hearing no questions, the chairman moved to the next report.

7. **For Discussion:** CAO William Gardner presented the OSHA quarterly on violations for January thru March 2025.

CAO Gardner was available to answer any questions presented. Seeing/Hearing no questions, the chairman moved to the next report.

8. **For Discussion:** Agenda Items for next meeting

Seeing/Hearing none, the chairman moved to the next item.

9. **For Possible Action:** Discussion on Possible investigations or studies to be conducted.

Seeing/Hearing no input, Chairman moved to next item.

10. Public Comment:

Seeing/Hearing no comment, Chairman moved to next item.

Division of Industrial Relations Advisory Council
Meeting Minutes: May 23rd, 2025

Item 5

11. Adjournment:

Motion to adjourn at 11:40 am by Vincent Saavedra and seconded by Robert Benner.

DRAFT



State of Nevada

Division of Industrial Relations

Division of Industrial Relations Advisory Council

Quarterly Meeting

October 29th, 2025

Item 5: Administrator's Update- Victoria Carreón



- **FY 2025 Accomplishments**

- Improved safety outcomes
- Streamlined and improved internal operations

- **FY 2026 Goals**

- Fill and train 18 positions approved in 2025 Legislature
- Assessments
- CARDS Support
- Workers' Comp Employer Compliance
- OSHA Industrial Hygienist Team
- Elevator and Boiler Compliance

Item 5: Deputy Administrator's Update- Jodie Tonkin

- **FY 2025 Accomplishments**

- Maintained operational performance while navigating leadership transitions
- Strengthened legislative engagement
- Enhanced internal communications

- **FY 2026 Goals**

- IT Cyber-Attack Recovery
- Culture Initiative & Leadership Development
- Support Legislative Priorities
- Monitor Bill Implementation




Item 5: Mechanical Compliance Section Update- Sherry Bixler

- **FY 2025 Accomplishments**

- Total number of new objects: 3,252 (813 Conveyance Objects and 2,439 BPV Objects)
- Total number of objects, on 7/1/2025, in operation in Nevada was at 40,550
- Began outreach meetings with elevator companies, elevator inspection agencies, boiler Inspection agencies, numerous management organizations.
- Implemented E-Bill Express an electronic payment option


- **FY 2026 Goals**

- Continue with quarterly elevator and boiler outreach meetings; guest speaker at various organizations & groups to educate owners and managers on owner responsibility, new changes, regulation requirements
- Fill three legislatively approved positions, 1 elevator inspector and two boiler inspectors
- Search for new database / reduction of manual processes



**Escalator with Steps
Removed for Cleaning.**

Item 5: Mine Safety and Training Section Update- Rodney Neils



Safety Specialist Hererra evaluating rope rescue

- **FY 2025 Accomplishments**

- Conducted 505 health and safety inspections, eliminating over 873 worksite hazards
- Provided over 744 hours of classroom instruction and trained over 1500 students
- Filled the Elko Safety Specialist position
- Participated in annual Surface Safety Olympiad and Underground Olympiad events

- **FY 2026 Goals**

- Fill and train current vacant positions – Carson Safety Specialist & Boiler/Pressure Vessel Inspector
- Complete one full inspection of all active mine sites
- Reduce workplace injuries, illnesses and fatalities

Item 5: Occupational Safety and Health Administration Update-

Kym Heckman

- **FY 2025 Accomplishments**

- Completed 1,111 inspections of workplaces
- Removed 50,838 workers from hazards
- Implemented new heat illness regulation. See [Microsoft Power BI](#)

- **FY 2026 Goals**

- Implement management tools and standard operating procedures to improve casefile quality and timeliness
- Fill and train 9 positions approved in 2025 Legislature to create a new Industrial Hygienist Team in Las Vegas
- Implement enhanced training program for new inspectors
- Develop new database for licensing functions
- Purchase and deploy new equipment: ReMarkable Tablets and drones



CSHO Jake Hammack conducting a heat inspection on the Las Vegas strip

Item 5: Safety Consultation and Training Section Update-

Todd Schultz



*VPP Star Renewal San Diego Gas & Electric Desert
Star Energy Center – August 2025*

FY 2025 Accomplishments

- Conducted a total of 770 Safety and Health Consultation visits.
- Identified over 4014 serious hazards.
- Provided 1,110 hours of safety and health training with 5,990 participants trained.
- SCATS social media now has 282 Facebook and 682 LinkedIn followers.

FY 2026 Goals

- Promote and increase the number of Safety and Health Achievement Recognition Program (SHARP) or Voluntary Protection Program (VPP) facilities to enhance the safety of businesses in Nevada.
- Purchase and deploy new equipment: Laser Measurement tools and Noise Dosimeters.
- Develop a SCATS training program for SB260 regarding Wildfire Smoke
- Increase cross training among staff.

Item 5: Workers' Compensation Section Update – Jodi McCollins

- **FY 2025 Accomplishments**

- CARDS Enhancements went live June 2, 2025, providing increased functionality to WCS stakeholders, internal and external.
- Improved communication services to the public by providing 59 forms in English, Spanish and Tagalog. Pocket Talk devices utilized in audio translations of over 80 languages.
- Increased Enforcement Unit activity through coordinated group sweep efforts. Over 61% of known non-compliant employers brought into compliance.

- **FY 2026 Goals**

- Conducted 13th Annual Nevada Workers' Compensation Educational Conference
- Recovery from Cyberattack-Begin implementing new CARDS functionality.
- Eliminate backlogs, reallocate resources, increase staff cross training
- Fill and train employees for six key positions approved in the 2025 Legislative Session.



***Workers' Compensation Educational Conference
Las Vegas, September 2025***

Item 6: Legislation and Regulations Update – Amber Williams

- **2025 Legislation affecting the Division of Industrial Relations**
 - SB258- Revision to subrogation formula for uninsured workers' compensation claims
 - SB260- Occupational exposure to poor air quality from wildfire smoke
 - SB317- Workers' Compensation omnibus bill
 - SB376- Access to medical care for heart and lung claims
- **R012-25P Permanent Regulation on Brazed Plate Heat Exchangers NAC 455C.114.**
 - Legislative Commission Meeting 10/28/2025

Item 6: Regulations and Legislation Update – Amber Williams

- Draft regulation to implement [SB317](#) regarding workers' compensation
- Draft regulation to implement [SB260](#) regarding wildfire smoke
- Draft regulation on OSHA penalty reduction factors



Nevada Legislature Building

Item 7: OSHA Complaint Report: April – June 2025 & July – September 2025- Michael Rodrigues

- See backup materials in packet.

Item 8: OSHA quarterly report on violations of NRS 618.375 for April – June 2025 and July – September 2025 (NRS 618.347) – Michael Rodrigues

- See backup materials in packet.



State of Nevada
Division of Industrial Relations
Occupational Safety & Health Administration

COMPLAINT LOG SUMMARY FY2025 - Quarter 4
April - June 2025

Number Complaints Received Las Vegas - Reno	Number Phone/Hotline Complaints Received	Number In-person Complaints Received	Number Inspections Conducted	Number No Inspections Conducted	Cases Open
809	339	14	185	624	33

Safety	Health	Both Safety / Health	N/A
360	269	74	106

FISCAL YEAR COMPARISON TOTALS - Quarter 4

Fiscal Year	Total
FY 2025	809
FY 2024	385
FY 2023	125
FY 2022	109
FY 2021	205

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2-25 - 4th Quarter April to June 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2279067	Corwin Ford Reno		04/01/2025	Online	Y	Y	Closed	S-Safety	1. At the worksite, inside of the quick lane shop, in bays 1 and 2, employees are being instructed to use the 2 post automotive lifts in each bay without first engaging the safeties of the lifts, subjecting employees to potential struck by or crushing injuries.	Resolved through the inquiry process.
C-2279600	THE WEBSTAIRANT STORE, INC		04/01/2025	Email	Y	Y	Closed	O-Health	Located at 111 Air Park Blvd, Dayton, NV 89403, in the main breakroom/lunchroom, the following hazard is alleged: 1. Two ice machines that provide ice for employee consumption, are not maintained with sound hygienic principles carried out, nor is it protected against contamination. Management has been notified numerous times that the ice machines are not maintained or cleaned and there has not been action taken by the employer. Maintenance did respond to one of the ice machines being clogged recently and when the water line was removed there was black water in the line.	Resolved through the inquiry process
C-2279603	CARSON CITY PUBLIC WORKS		04/02/2025	Online	Y	N	Closed	S-Health	Carson City Public Works, Water Division employees that enter water vaults that are permit required confined spaces, located throughout Carson City are allegedly exposed to the following hazards: Employees entering the spaces are not provided with functioning atmospheric monitoring equipment. Employees have not been trained to safely enter permit required confined spaces. New employees may be given some tips and pointers from more tenured employees on entering these spaces, but there is not a formal training program provided to employees that are directed to enter water vaults to fill 35-40 gal drums of chlorine, which are part of the water treatment process, that are in the vaults. Some of the vaults access points are manholes, and others are a double aluminum doors. Employees are exposed to toxic chlorine fumes, entrapment, electrocution, and drowning.	Inspection conducted. 2 citations issued - \$3,547.
C-2280347	RENO BEHAVIORAL HEALTHCARE HOSPITAL, LLC.		04/07/2025	Online	Y	N	Closed	S-Safety	1. At the medical facility, located at the teen unit, seclusion doors are unable to be used effectively by medical staff and have to be held closed to prevent patients to run at the door pushing it and making the door hit staff. 2. At the medical facility, located at the teen unit dayroom, plexiglass protecting staff has been removed allowing patients to climb through the open framework that potentially exposes medical staff to workplace violence.	Inspection conducted. No citations issued.
C-2281991	J RESORT, LLC		04/09/2025	Online	Y	Y	Closed	S-Health	1. Located in the Kitchen of Hanna's Table, temperatures are very high causing employees to sweat profusely because there is no ventilation. Employees are exposed to heat stress. The employer has been notified of the condition.	Resolved through the inquiry process
C-2283730	TESLA, INC.		04/11/2025	Online	N	N	Closed	O-Safety	Located in the warehouse under construction, employees and supervisors are performing their duties in an unsafe manner while under the influence of drugs.	No Criteria warranting inspection.
C-2283762	EATON B-LINE		04/14/2025	Online	Y	Y	Closed	S-Health	1. In the area cable tray 510, employees welding are not supplied with adequate ventilation.	Resolved through the inquiry process.
C-2283770	QUICK STOP MARKETS INC	QUICK STOP	04/15/2025	Email	Y	Y	Closed	S-Health	Employees at the Quick Stop believe they are being exposed to high levels of carbon dioxide from the soda machines.	Resolved through the inquiry process.
C-2283818	KWONG DENTAL CARE LLC		04/11/2025	Online	Y	Y	Closed	S-Health	The following hazards are alleged at Kwong Dental Care: 1. Located in the waiting area, the carbon monoxide detector alerted. Management did not investigate the cause. Employees may be exposed to CO. 2. Located in the dental treatment areas, there are also concerns about handling instruments and disinfecting. Employees may be exposed to contaminated equipment.	Resolved through the inquiry process.
C-2283997	PREMIER ENTERTAINMENT TAHOE, LLC	BALLY'S LAKE TAHOE CASINO RESORT	04/11/2025	Online	Y	Y	Closed	S-Safety	Located in the Bally's Showroom the following hazards are alleged: 1. There is not an established maintenance program for the CM Motor electric chain hoists used to load and unload components for stage shows subjecting employees to potential struck by or crushing injuries. 2. There are no frequent inspections occurring on the CM Motor electric chain hoists used to load and unload components for stage shows subjecting employees to potential struck by or crushing injuries. 3. There are no periodic inspections occurring on the CM Motor electric chain hoists used to load and unload components for stage shows subjecting employees to potential struck by or crushing injuries.	Resolved through the inquiry process.
C-2284928	USA Vein Clinic-Reno Vein Clinic		04/18/2025	Phone	Y	N	Closed	O-Safety	Located at the worksite in the breakroom and waiting area, the following hazards are alleged: 1. There is no lighting in the breakroom and the waiting area. 2. The roof leaks when it rains and it drains onto the table and floor in the breakroom.	Inspection conducted. No citations issued.
C-2285228	WALMART SUPERCENTER #2189		04/21/2025	Online	N	N	Closed		1. There is no water besides a water fountain located in the store for cart attendants. There are more than half a dozen of us and there are no coolers or water accessible anywhere in the store for us.	No Criteria warranting inspection.
C-2285279	TESLA INC.		04/21/2025	Phone	N	N	Closed		1. In area 32 there are 150 employees and 20 bathrooms. 2. Additional porta potties provided for employees use hand sanitizer instead of a hand sink.	No Criteria warranting inspection.
C-2285288	YELLOW CAB		04/17/2025	Online	N	N	Closed		1. Hazards described do not meet a recognized standard.	No Criteria warranting inspection.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2-25 - 4th Quarter April to June 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2285966	SIERRA LUMBER INC.	MASONITE	04/22/2025	Phone	Y	N	Closed	S-Safety	1. Located on the east side of the facility, near the employee entrance, the employer placed a chain on the exit door. Employees cannot enter or exit the facility during normal business hours or evacuate in the event of emergency. A "do not use" sign was placed on the door; however, there is an illuminated exit sign above the door. 2. Located on the south side of the facility near the employee lockers, the employer disabled the panic hardware and placed a pin/bolt along the door frame to prohibit the door from opening which may prevent employees from evacuating in the event of an emergency. 3. Located at the facility, the employer did not review the changes of blocked emergency exits under the emergency action plan with employees. 4. Located at the facility, the employer does not have an evacuation map available for employees to show egress points.	Inspection conducted. No citations issued.
C-2287683	Nevada Power Company	NV Energy	04/28/2025	Phone	Y		Closed	S-Health	At the Tracy Power Plant, inside of the Clarifier building, at the sludge tank, an employee was allowed to enter a permit-required confined space to apply hazardous chemicals without following the employer's permit-required confined space program. Employee was spraying bed liner.	Inspection conducted. No citations issued.
C-2287846	DECEUNINCK NORTH AMERICA LLC		04/28/2025	Phone	Y	Y	Closed	O-Health;S-Safety	At the jobsite the following hazards are alleged: 1. Located on the north end of the building, the main E-stop for the production floor has been disconnected. 2. At the extrusion lines, employees are being exposed to an unknown chemical being added to the water to prevent the water from foaming up. The water is leaking onto the floor and getting onto employee's feet.	Resolved through the inquiry process
C-2287998	Lynx Enterprise LLC		04/28/2025	Phone	Y	Y	Closed	S-Safety	At the jobsite the following hazards are alleged: 1. In the shop, employees are allowed to operate an overhead crane that has never had an initial, frequent, or periodic inspection, subjecting employees to potential struck by or crushing injuries. 2. Located on the north end of the shop, by the breaker panels, the employer has homemade electrical splitters available for employees to use, subjecting employees to potential electrocution. 3. Outside in the yard, employees are allowed to operate a Skytrak Telehandler that has structural damage to the area where the backrest and forks attach to the machine, subjecting employees to potential struck by or crushing injuries.	Resolved through the inquiry process.
C-2288208	CITY OF SPARKS - PUBLIC WORKS MAINTENANCE		04/28/2025	Online	N	N	Closed		Located at the corner of Probasco Way and McCarran, shrubbery is overgrown into the sidewalk which forces pedestrians to walk into the public roadway.	No action. No jurisdiction.
C-2288303	HOME CRAFTERS LTD.		04/29/2025	Phone	Y	N	Closed	S-Safety	Located at the northside of the jobsite, the first 4 buildings (one of the buildings has a hole cut in the side), the following hazards are alleged: 1. There are numerous open trenches, up to 6 feet in depth, that do not have any warning system. 2. There is not adequate egress from the second floor of the building with the hole cut in the side, stairway is blocked off. 3. A dumpster supported by a forklift above the restrooms without the area being marked off. 4. Heavy equipment is being operated in an unsafe manor, driving too fast on the jobsite.	Inspection conducted. No citations issued.
C-2288733	ST. OF NV DEPARTMENT OF CORRECTIONS	NORTHERN NEVADA CORRECTIONAL CENTER	04/30/2025	Phone	Y	Y	Closed	S-Health	1. Located in the Medical Unit, Building 8, a fire broke out on 4/29/25. Management required employees to return to the unit after the fire department put out the fire. Employees in the unit are reporting having headaches and sore throats after returning to the unit. The employer is not addressing the issue.	Resolved through the inquiry process.
C-2288879	ST. OF NV DEPARTMENT OF CORRECTIONS	NORTHERN NEVADA CORRECTIONAL CENTER	04/30/2025	Phone	Y	Y	Closed	S-Health	1. On 4/29/2025 there was an electrical fire in the Optometry Department at 4pm. 2. In the medical building employees are experiencing headaches, cough, and itchy sore throat.	Resolved through the inquiry process.
C-2290697	NEVADA DEPARTMENT OF TRANSPORTATION	NDOT	05/20/2025	In person	Y	Y	Closed	S-Safety	1. Located within the Safety & Loss Control Division of NDOT between February 5 and April 28, 2025, multiple instances of bullying, verbal threats, and intimidation were reported by staff that management was aware of and allowed to persist. The employee that was assisting with the Safety and Loss Control Division was intimidating several employees and temporary employees by approaching in an aggressive manner with his fists clenched and chest extended out while bullying employees resulting in concerns that the individual may become violent.	Resolved through the inquiry process.
C-2290716	WAREHOUSE SERVICES, INC.		05/05/2025	Online	Y	N	Closed	S-Safety	Located at the facility, the following hazards are alleged: 1. Forklifts are not maintained. One forklift has an insufficient emergency brake held in place by a rubber band. 2. Forklift charging stations are in poor repair with loose, live wires at the charger connector. 3. Two sets of emergency stairs, one between doors 24 and 25 and the other between doors 10 and 11, are in poor repair and not safe for use. 4. Along the back side of the warehouse where trailers are staged, emergency exits are inaccessible due to the proximity of parked trailers to the doors. 5. Dock doors do not have a weatherproof seal, creating slip and fall hazards during inclement weather.	Inspection conducted. 4 citations issued - \$7,737.
C-2290725	BRIGGS ELECTRIC INC.		05/02/2025	Online	N	N	Closed		Located at the jobsite, employees do not have access to cold water provided by the employer.	No action. Not enough information to process.
C-2290783	STATE OF NEVADA DEPARTMENT OF CORRECTIONS	WARM SPRINGS CORRECTIONAL CENTER	05/05/2025	Online	Y	Y	Closed	S-Health	1. At 5500 Snyder Ave, upstairs in building 17, employees working indoors and are exposed to heat greater than 80F as of 4/28/2025.	Resolved through the inquiry process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2-25 - 4th Quarter April to June 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2291000	PIGNIC PUB & PATIO		05/04/2025	Online	Y	Y	Closed	S-Health;S-Safety	1. Located at the jobsite, in the downstairs liquor room are exposed electrical wires exposing employees to electrical shock. 2. Located at the jobsite, in the downstairs walk-in cooler are objects obstructing the exit exposing employees to fire hazards in the event of emergency. 3. Located at the jobsite, at the main bar and food truck area are chemicals that are incorrectly labeled. 4. Located at the jobsite, the employer does not provide the correct PPE for employees to use to perform work related tasks safely.	Resolved through the inquiry process.
C-2291243	UNION PACIFIC RAILROAD		05/03/2025	Hotline	N	N	Closed	O-Safety	The employer has failed to clean the blue rooms located on the railroad tracks outside of Lovelock.	No action. Not enough information to process.
C-2291974	TELLWORKS LOGISTICS		05/07/2025	Email	Y	N	Closed	S-Safety	1. Located at the jobsite, a maintenance employee is opening a 480V+ electrical panel in an unsafe manner exposing employees to possible electrical hazards.	Inspection conducted. 3 citations issued - \$9,045.
C-2292877	THE PUBLIC RESTROOM COMPANY		05/09/2025	Online	Y	N	Closed	S-Safety	1. Located in production, employees are required to work on structures that are over 6 feet without fall protection. 2. Located in production, employees are using powered industrial trucks to move completed structures. The powered industrial truck's back tires come off the ground due to operating outside weight capacity. 3. Located in production, extension cords are attached to a metal wall and are being used as permanent wiring.	Open investigation.
C-2292886	Vantage Construction Corporation		05/09/2025	Online	N	N	Closed		1. Located in the building, employees are spraying and mixing mono coat inside the building with workers present, no ventilation. 2. Located at the site, walking paths for employees are obstructed by large rocks which creates a tripping and fall hazard to employees. 3. Located at the site, employees are exposed to heavy equipment when walking on the site. No protected walkways for employees. 4. Located throughout the site, extension cords are strung across the ground which creates a tripping hazard to employees. 5. Located in the building, live electrical wires are hanging from the ceilings. Employees are exposed to a shock and or electrocution hazard. 6. Located on floors, 2, 3 and 4, scaffolding systems are not being inspected nor do they have tags. 7. Located on site, the elevator man lift is not being inspected. 8. Located in the building, employees that are welding are not using welding screens. Employees are exposed to eye hazards. 9. Located on site, Sani huts are not being cleaned on a regular basis. They are unsanitary.	No action. Not enough information to process.
C-2293548	Lynx Enterprise LLC		05/13/2025	Phone	Y	Y	Closed	S-Safety	1. Two 5000 gallon fuel tanks were placed five (5) feet from the office building without being secured from falling over or being hit and they are not grounded/bonded, nor do they have signage identifying hazards. Storage of acetylene and oxygen bottles are next to the tanks. Welding and grinding activities are also performed next to the tanks.	Resolved through the inquiry process.
C-2293755	PURE GROUND INGREDIENTS, INC.		05/14/2025	Online	Y	N	Closed	S-Health;S-Safety	1. The employer is allowing employees to operate forklifts without being trained. 2. The handles on all pallet jacks are rigged to always be in the down position, which inhibits the proper use of the pallet jacks. 3. The steps on all the rolling ladder stands that are used to reach the top of the shelves are broken, the safety mechanisms for locking the wheels are all broken and the guard railing at the top of the steps are broken. 4. The employer is not ensuring the use of eye protection by employees when eye hazards are present such as hazardous dust. 5. Employees are exposed to harmful dusts, and are not provided with respiratory protection. 6. Employees are operating large commercial grinders that are not guarded exposing employees to caught in between and struck by hazards. 7. Rodents are running rampant on the work floor and in the offices.	Inspection conducted. 1 citation issued - \$2813.50.
C-2293770	TAILORED LAWN CARE LLC		05/13/2025	Online	Y	Y	Closed	O-Safety	1. A non-safely plastic fuel can is being used and is being stored in a company vehicle without a cap to prevent spilling. 2. A metal fuel can that leaks is being used on the same vehicle.	Resolved through the inquiry process.
C-2293875	Stoneledge Furniture LLC	ASHLEY FURNITURE HOMESTORES	05/14/2025	Phone	Y	N	Closed	S-Safety	1. Two exit doors located at the sides of the store are obstructed by furniture. 2. Electrical outlets located on the floor on the retail sales area are overloaded with multiple plugs or devices such as electric sofas, exposing employees to fire hazards. 3. In the retail sales area, extension cords are plugged into other extension cords that could be jeopardizing the ampacity rating for the circuits and exposing employees to fire hazards.	Inspection conducted. 3 citations issued - \$6,384.
C-2294632	MCCARTHY BUILDING COMPANIES, INC.		05/15/2025	Phone	Y	N	Closed	S-Health;S-Safety	At the jobsite, the following hazards are alleged: 1. On floors 1-4, Monokote fire retardant is being mixed by employees without proper respirators or other suitable personal protective equipment. 2. The general contractor doesn't have an effective housekeeping program after the Monaco is sprayed/applied to the existing building steel, exposing other trades employees to silica dust once dry and other respiratory hazards. 3. Employees spraying Monokote are not being provided with proper personal protective equipment such as proper gloves and protective clothing. 4. A steel erector employee suffered a tip of a finger amputation while performing steel erection work and was not reported to OSHA. This incident occurred about 1 1/2 month ago. 5. Employees mixing and spraying Monokote are not provided with HAZCOM training.	Inspection conducted. No citations issued.
C-2295554	STELLAR SNACKS, LLC.		05/18/2025	Online	N	N	Closed		1. Located at oven #2 and the dough mixer, flour bugs, larvae, and a pink mold are present and have created an unsanitary product that is being shipped out to stores.	No jurisdiction. Referred to health dept.
C-2295996	BluePearl Pet Hospital		05/20/2025	Online	Y	Y	Closed	O-Safety	Located at the facility, there is construction activity in progress creating the following hazards: 1. Located in the ICU, doctor station, feline ward and lobby, there are extension cords in the walk path creating numerous tripping hazards. 2. Located in the back hallway entrance, there is equipment stored in the hallway causing a blocked exit path.	Resolved through the inquiry process.
C-2296142	CITY OF SPARKS - FIRE DEPARTMENT		05/19/2025	Online	Y	Y	Closed	S-Safety	1. Located at Fire Station #2, the building fire alarm system is not functioning. The fire alarm system has been in-operable since January, 2025.	Resolved through the inquiry process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2-25 - 4th Quarter April to June 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2296646	COVENANT CARE CALIFORNIA, LLC	CARSON NURSING AND REHABILITATION CENTER	05/20/2025	Online	Y	N	Closed	S-Health	1. Hoyer lifts are not maintained in good working condition. 2. Employees exposed to strains when lifting patients. 3. Gloves in the correct size are not provided to nurses, nurses required to come into contact with Bloodborne pathogens when providing wound care.	Inspection conducted. 1 citation issued \$0.
C-2296779	TESLA, INC.		05/20/2025	Online	N	N	Closed	O-Safety	1. Located in the back of the warehouse, by the recycling yard north side, safety hazards with the use of the wood auger - people climbing up and pushing things inside without safety gear. 2. No safety used for falling back over crowded congested areas with no room . 3. Too many blind spots for people coming in and out . Last observed 5/17/2025 .	No action. Not enough information to process.
C-2298138	VALEO NORTH AMERICA INC.		05/27/2025	Online	Y	N	Closed	S-Health	1. In the production area by the ovens, employees are exposed to temperatures above 90F. 2. Swamp coolers provided by management are not effective. 3. Employees are not allowed routine breaks. 4. No training provided on heat stress.	Inspection conducted. No citations issued.
C-2298164	Burger King		05/26/2025	Online	Y	N	Closed	S-Safety	1. At the jobsite, an employee burned their hand in hot oil on the fry master.	Open investigation.
C-2299162	MSC Industrial Supply Customer Fulfillment Center		05/29/2025	Online	Y	N	Closed	S-Health	The Warehouse is extremely hot inside the building, especially in Mezzanine 1, 2, and 3. The area can reach 95 degrees, and this is safety hazard to about 50 plus employees who work in the area. The warehouse does provide fans but they are ineffective.	Inspection conducted. No citations issued.
C-2299177	TA OPERATING LLC	TRAVEL CENTERS OF AMERICA	05/29/2025	Online	Y	Y	Closed	O-Health	In the shower area: 1. Mold in showers due to excessive moisture. 2. Toilets in women's restroom have been non-operational for three months. Toilets need to be pulled to check what is clogging them.	Resolved through the inquiry process.
C-2299662	Dollar General		05/30/2025	Online	Y	Y	Closed	S-Health	1. Since the beginning of May of 2025 the store has been reaching temperatures above 80 degrees, as of today, May 29th 2025 the temperature inside the store has been as high as 87 degrees Fahrenheit. Staff are experiencing symptoms of heat exhaustion such as vomiting, weakness in legs, light headedness, dizziness, and excessive sweating.	Resolved through the inquiry process.
C-2299858	DIAMOND PLASTICS CORPORATION		05/29/2025	Online	Y	Y	Closed	S-Health	1. At the facility, between production lines 7 and 8, an employee opened an unknown chemical container, believed to contain paint or paint thinner, without using any means of proper personal protective equipment (PPE). As a result, an employee was exposed to the chemical, requiring medical treatment. 2. At the facility, an employee did not have access to safety data sheet (SDS).	Resolved through the inquiry process.
C-2300198	TEXAS ROADHOUSE		06/02/2025	Online	Y	Y	Closed	S-Health	1. Throughout the building, the air conditioning is inoperable with temperatures exceeding 90 degrees. There has been a lack of air conditioning dating back to the summer of 2024. Several employees have reported symptoms of heat related illness that include lightheadedness and vomiting.	Resolved through the inquiry process.
C-2300228	TravelCenters of America Fuel Island		06/02/2025	Online	Y	Y	Closed	S-Health;S-Safety	1. Showers are slippery, employees exposed to slip hazards. 2. No functioning air conditioning provided in the laundry room. 3. Walls in the shower are not maintained in a sanitary condition (mold present on walls.)	Resolved through the inquiry process.
C-2301206	POLYMERSHAPES		06/03/2025	Online	Y	N	Closed	S-Health	1. At the facility, there is no ac or cooling in the warehouse and around the machines exposing employees to heat stroke and headaches.	Inspection conducted. 1 citation issued \$0.
C-2301556	CAVALLERO HEATING & AIR CONDITIONING, INC.		05/28/2025	Online	Y	Y	Closed	O-Health	Located in the warehouse there is rat feces on the floor.	Resolved through the inquiry process.
C-2301929	AYR WELLNESS		06/03/2025	Online	N	N	Closed		Located at the AYR Wellness (Kynd Cannabis) facility, in flower room #2, one employee was allegedly exposed to white fuzzy mold. The employer had become aware of the mold a week prior, however did not keep the exposed employee from entering the flower room where the mold was located.	No action. No Criteria warranting inspection.
C-2301976	WINGFIELD SKILLED NURSING & REHABILITATION CENTER		06/05/2025	Phone	Y	N	Closed	S-Health	1. In the laundry area, the air temperature is hot, exposing employees to the hazard of heat illness.	Inspection conducted. 1 citation issued \$7,688.
C-2302038	Pride Equipment		06/05/2025	Phone	Y	Y	Closed	S-Safety	At the worksite, the following hazards are alleged: 1. Located in the back corner of the building, by the loading ramps, the emergency exit is blocked by pallets, a pressure washer, and cooling fans. 2. Located throughout the workshop area there are multiple electrical cords running across the floor, creating tripping hazards for employees. 3. Located on the west side of the back of the building, in the oil containment area, oil spills are not being cleaned up, creating slipping hazards for employees.	Resolved through the inquiry process.
C-2302514	MACY'S		06/06/2025	Phone	Y	Y	Closed	O-Health	At the workplace the following hazards are alleged: 1. On the first and second floor's employees are experiencing symptoms of heat stress such as dizziness and excess sweating. 2. Management is not providing water for employees.	Resolved through the inquiry process.
C-2302529	Ponderosa Meat Co.		06/06/2025	Phone	Y	N	Closed	S-Health;S-Safety	Located at the facility, the following hazards are alleged: 1. The employer is not providing accurate information on OSHA 300 logs when reporting workplace injuries. 2. The facility is not properly cleaned, creating bacteria on the floor exposing employees to infectious diseases. 3. Metal parts of machinery are energized and are exposing employees to electrical shock hazards. 4. Strain relief is damaged and covered with electrical tape at the wall outlet plug on multiple machines exposing insulated inner wiring.	Open investigation.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2-25 - 4th Quarter April to June 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2302886	TESLA INC.		06/09/2025	Online	Y	Y	Closed	S-Health	1. Employees are exposed to heat hazards in the battery pack and weld area. Air conditioning units and fans are not providing sufficient air flow.	Resolved through the inquiry process.
C-2302929	THRIVE MARKET, INC.		06/09/2025	Phone	Y	Y	Closed	S-Safety	1. Forklift training and certification issues. Employees are asked to drive forklifts (counterbalance and order pickers) that they are not trained or certified to use.	Resolved through the inquiry process.
C-2302967	WEST COAST PET MEMORIAL		06/06/2025	Online	Y	Y	Closed	S-Health	Located in the cremation area, the eastern wing, the following hazard is alleged: Three employees are exposed to airborne contamination as a result of processing bones after cremation, as well as exposure to burning plastic from the cadaver bags of the pets being cremated.	Resolved through the inquiry process.
C-2303134	Ross Heating and Air Conditioning, Inc.		06/07/2025	Online	N	N	Closed		I was involved in a work-related accident on May 30, 2025, and went to Renown ER on Friday afternoon with the assistance of my coworkers, where I learned I had fractured my wrist. On Monday, June 2, 2025, I returned to complete all necessary workers' compensation paperwork. At that time, I was informed that no additional forms were needed. However, on Friday, June 6, 2025, at 9:04 A.M., I received an email from our office supervisor containing information on how to report a work injury. The email stated that I needed to complete an OSHA Form 301 (required within 7 calendar days) and an OSHA Form 300. Unfortunately, I did not see this email until Saturday, June 7, 2025. My concern is that I was not informed about these two forms when I submitted my workers' compensation paperwork in person on Monday. I am now stressed that my workers' compensation claim could be affected due to these forms not being completed earlier. I have since requested copies of both forms from management and explained that I was not made aware of them until now. I also followed up via text at 11:00 A.M. on June 7, 2025, to document this. - 4865 Joule St Ste C8	No action. No Criteria warranting inspection.
C-2303239	CRUNCH FITNESS RENO		06/09/2025	Online	N	N	Closed		Power is out. Gym is open for use. Employees were instructed to allow members in telling them the free weight section only is open. It is the only section with lights. Members are working out wherever they want and not heeding the warning, to include using the pitch black locker rooms. - Gym floor, locker rooms and group fitness rooms.	No action. No jurisdiction.
C-2304345	PANASONIC ENERGY OF NORTH AMERICA		06/11/2025	Phone	Y	Y	Closed	S-Safety	1. Employees are not using lockout/tagout procedures for the slurry supply valve and piping for coating machine in Catho coating. 2. Employees are not trained in lockout/tagout on all electric and pneumatic equipment.	Resolved through the inquiry process.
C-2304388	Nevada Onion Inc.		06/11/2025	Phone	Y	N	Closed	S-Health	Located at the jobsite: 1. Employees working outdoors are not provided with free water throughout the workday. 2. Employees working outdoors do not have access to means of shade during lunch or breaks.	Open investigation.
C-2305807	Unknown/Invalid Establishment		06/16/2025	Online	N	N	Closed		Employees required to stay at Pine Valley man camp - no per diem paid in exchange for room and board at man camp Been shut down since covid, just recently reopened around March Some buildings are not in use due to being condemned for black mold contamination Sick employees - possibly from exposure to black mold - Multiple employees reporting Exhaustion, Sore throat, shortness of breath, dry cough, Skin rashes, red eyes, respiratory issues, coughs, congestion, joint and muscle aches, vomiting, diarrhea, constipation, anxiety, urgency and incontinence with urinary tract, headaches 3 employees tested positive for mold poisoning, some hospitalized and missing work Most employees increasingly reporting similar symptoms. Rodents in beds and crawling on employees at night - Multiple rodents in employees beds at night - June 5th, 6th and continuing to present (possibly earlier) Hospitalized employees reported multiple rodents in bed the night before hospitalization. - Multiple Buildings	No action. Not enough information to process.
C-2305908	IRON SKILLET		06/16/2025	Phone	Y	Y	Closed	S-Safety	1. Employees are exposed to trip hazards. The floor has many holes in the kitchen, dining room and dish area.	Resolved through the inquiry process.
C-2305923	PRO SPORTS CATERING		06/15/2025	Online	Y	N	Closed	S-Health	1. Located in the kitchens at Reno Ace's baseball stadium, employees are exposed to heat related injuries. There are no fans provided in the kitchens. The internal temperature reaches up to 100 degrees. One employee was sent to the hospital suffering from a heat related illness two weeks ago.	Inspection conducted. No citations issued.
C-2306408	CLAIRE'S		06/14/2025	Online	Y	Y	Closed	O-Health	1. Located in the store, the employer is not providing water for employees. Employees are required to buy water at another store on their break.	Resolved through the inquiry process.
C-2307341	BALLY'S LAKE TAHOE		06/18/2025	Online	N	N	Closed		Located in the Del Sol Kitchen hot line inside Bally's Lake Tahoe the following hazard is alleged: Ventilation hoods in kitchen area are inoperable for three days on going but work continues. Two fans have been provided, but it's remains hot and poorly ventilated.	Not enough information to process.
C-2307910	CHEWY INC.	CHEWY FULFILLMENT CENTER	06/19/2025	Online	Y	N	Closed	S-Health	1. At the facility, there is no ac or cooling in the entire warehouse that is exposing employees to heat related illnesses. The worst areas are located at the outbound department on the 4th floor, and the truck loading/receiving.	Inspection conducted. No citations issued.
C-2308003	B & R AUTO WRECKING		06/18/2025	Online			Closed	S-Health;S-Safety	At the jobsite the following hazards are alleged: 1. Employees are not being trained before being allowed to operate front-end loaders. 2. Located by the crush pile employees are being allowed to climb on top of stacked cars that have been loaded on flat bed trailers without the benefit of fall protection. 3. Located by the crush pile employees are being lifted in the air with the fork attachment for the front-end loaders. 4. Located in the dismantle shop, the employer has not provided enough safety glasses for all employees to don while completing their job tasks. 5. The employer does not heat illness prevention plan.	Inspection conducted. 1 citation issued \$7,035.
C-2309778	Casino Fandango		06/22/2025	Online	Y	Y	Closed	S-Health	1. In the kitchen, bottles of hazardous chemicals, including "Concentrate 117 H2Orange" are mislabeled.	Resolved through the inquiry process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2-25 - 4th Quarter April to June 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2309783	Casino Fandango		06/22/2025	Online	Y	Y	Closed	O-Health	1. Men's restroom and storeroom 4 are not maintained in a sanitary condition. 2. Mouse droppings present in Employee dining room storeroom 1.	Resolved through the inquiry process.
C-2310089	STERICYCLE		06/24/2025	Phone	Y	N	Closed	S-Health;S-Safety	1. One of two incinerators is having mechanical problems and is leaking toxic fumes into the plant resulting in employees reporting difficulty breathing and burning in their throats. The most recent incident took place on 6/24/25. 2. Employees are required to clean a boiler while it is in operation and running at 350 degrees with a large snake. The employees have been exposed to burns during this process because of the physical nature and hot equipment contacting their Tyvek suit causing it to melt to them.	Open investigation.
C-2310823	UPS		06/25/2025	Phone	Y	Y	Closed	S-Safety	1. Located at the facility on the far east section of the building, there was a fire on 24 June 2025 at approximately 8:30 pm near the crossover of the PD-4 conveyor belt. The automatic fire detection system failed to activate and notify employees to evacuate exposing employees to burns. The employer did not ensure the system was maintained and in operable condition. 2. Located at the facility, on near the PD-1 area, the handrails on a staircase with more than 4 risers have broken welds and not providing support. 3. Located on the north side of the facility, an exit door is damaged and is difficult to open causing a delay during emergency egress. The door was temporarily fabricated from sheet metal.	Resolved through the inquiry process
C-2311210	Q&D Construction, LLC		06/23/2025	Phone	N	N	Closed	S-Safety	1. Located at the Wadsworth Transfer Station, in July of 2024, an employee was electrically shocked while cleaning an excavator. The operator of the excavator raised the equipment's boom and bucket and struck an overhead power line while the injured employee was cleaning the excavator. The employee was transferred to Renown Regional Medical Center's Emergency Room. The employee was treated and released the same day from the emergency room.	No action. Reported past statute of limitations timeframe.
C-2311322	H&T NEVADA, LLC	H&T Recharge	06/25/2025	Online	Y	Y	Closed	S-Health;S-Safety	1. Located in site one and site two, empty pallets are stacked high and leaning causing a possible struck by hazard. 2. Located in the vision department, tray handler machines have there guards removed exposing employees to caught in hazards. 3. Located in site one and site two, emergency exits are blocked by large metal waste containers. 4. Located in the washer department, employees are accessing the top of the washer machines that are between ten and twelve feet tall to perform maintenance without the means of fall protection. 5. Located throughout site one and site two, eyewash stations are blocked and in disrepair. 6. Employees working with Perchloroethylene (Perc) lack the proper PPE and are not trained on how to clean up Perc spills.	Resolved through the inquiry process.
C-2311965	7-ELEVEN		06/27/2025	Online	N	N	Closed		1. Complainant listed the following public health related concerns: storing chemicals where food is made; using bleach to clean; not using gloves when serving food; hold time log not done daily, just filled out for the month; ice machine not cleaned, black mold found in ice; doesn't properly wash utensils.	No action. No jurisdiction.
C-2312178	STATE OF NEVADA-CONSERVATION AND NATURAL RESOURCES		06/26/2025	Online	Y	N	Closed	S-Health;S-Safety	1. The employer is not providing employees with a source of water as part of their heat illness prevention plan in the office and when employees are working in the field.	Inspection conducted. No citations issued.
C-2312284	MAVERICK HOTEL AND CASINO		06/26/2025	Online	Y	Y	Closed	S-Safety	1. Located at the jobsite, inside the vault, employees are restricted to immediate access to water while working inside a vault with temperatures ranging from 80+ degrees with no available air conditioning for the last three months exposing employees to heat related illnesses.	Resolved through the inquiry process.
C-2312729	CASCADES OF THE SIERRA		06/27/2025	Online	Y	Y	Closed	S-Safety	1. Located at the jobsite, in the kitchen, new employees are instructed to wear improper PPE while operating an electric meat slicer exposing employees to amputation hazards.	Resolved through the inquiry process.
C-2312849	RENOWN REGIONAL MEDICAL CENTER		06/30/2025	Online	Y	Y	Closed	S-Safety	1. Located in the Sierra Tower ground floor, Security office and break room, an electrical panel is blocked by a safe and lockers.	Resolved through the inquiry process.
C-2313100	GOLDEN GATE PETROLEUM		06/30/2025	Phone	Y	Y	Open	S-Health	1. Employer's A/C unit went down 06/29/2025. Employees are working with temperatures reaching between 85 - 93 degrees inside the building.	No action. No response received.
C-2313168	THE WEBSTAIRANT STORE, INC.	CLARK ASSOCIATES, INC. 853	06/29/2025	Phone	Y	Y	Closed	S-Safety	Located at the jobsite, the following hazards were alleged: 1. Throughout the facility there are wooden pallets stacked haphazardly exposing employee to struck by hazards. 2. There is no LOTO program, and no emergency stop for the conveyor belts. Exposing employees to the unintended conveyor system start-up. 3. The employer is not providing personal protective equipment for employees. 4. Employees are allowed to get on the conveyor systems while running to remove stuck materials, exposing the employees to fall hazards and caught-in/between hazards.	Resolved through the inquiry process.
F-2300963	ORDNANCE HOLDINGS INC.		06/03/2025	Phone			Closed		1. At approximately 8:27 a.m. on 6/3/25, an off duty employee was found deceased in his hotel room after failing to report for work and a subsequent welfare check being made.	No action. No jurisdiction.
F-2304179	STRUCTURAL PRESERVATION SYSTEMS, LLC		06/10/2025	Phone	Y	N	Closed		Two employees were working from a small portable scaffold inside of a plastic containment barrier chipping out two-inch sections of concrete from the ceiling in the parking garage for tie-ins. One employee climbed down from the scaffold, stepped out of containment, and removed his full-face respirator. The employee collapsed and became unresponsive. Paramedics attempted to revive the employee unsuccessfully. The employee was pronounced dead at the scene.	Open investigation.
R-2278432	THE WEBSTAIRANT STORE, INC.	CLARK ASSOCIATES, INC. 853	04/01/2025	Email	Y	Y	Closed	S-Health	Located at 111 Air Park Blvd, Dayton, NV 89403, the following hazard is alleged: 1. An ice machine that provides ice for employee consumption, is not maintained with sound hygienic principles carried out nor is it protected against contamination.	Resolved through the inquiry process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2-25 - 4th Quarter April to June 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2278528	TLS Supply Chain Solutions Inc.		04/01/2025	Phone	Y	Y	Closed	S-Safety	On March 29, 2025 at 8:40 am an employee shifted their weight from one foot to the other. Their knee was twisted and when they stepped they dislocated their patella. The employee was taken to Renown Regional by ambulance. They were admitted on March 29th for resetting their leg, they were released later that day on the 29th.	Resolved through the inquiry process.
R-2278570	SUMMERSET RENO ALMC LLC	Summerset Senior Living, Reno - Memory Care & Adaptive Care	04/01/2025	Online	Y	Y	Closed	S-Health	Located at the facility: 1. Limited or no infection control training for caregivers and staff. 2. Urine and fecal matter present on and around common areas used by residents and staff. 3. Improper chemicals used to clean surfaces contaminated with urine, fecal matter, blood and or vomit with improper or no labeling of chemicals. 4. Dirty breakroom with no water cooler or filtered water for employees 5. Improper use of PPE and biohazardous waste - Jan 2025	Resolved through the inquiry process
R-2278577	BLUE COMPASS RV		04/01/2025	Online	Y	N	Closed	S-Health;S-Safety	1. At the establishment, located at the back lot there are multiple flexible cords powering Recreational Vehicles (RV) with visible wire conductors exposing employees to electrical hazards. 2. At the establishment, located at the service shop, a Hyster forklift is being operated by unauthorized employees that have not had the benefit of forklift training. 3. At the establishment, located at the service shop, a Hyster forklift is being operated with bald tires that increases the risk of tipping over. 4. At the establishment, located at the service shop, there are many unknown chemicals that are not labeled, and safety data sheets are not available for the employees.	Open investigation.
R-2279108	HAMILTON COMPANY		04/02/2025	Online	Y	N	Closed	S-Health;S-Safety	1. Located at the jobsite assembly areas in buildings 2 and 9, employees using ethanol, acetone and other adhesives capable of causing eye damage are not using the required eye protection. 2. Located at the jobsite in the northeast section of building 9, freestanding pallets with boxes are stored unsafely at heights of up to 20 feet exposing employees to struck-by and crushing hazards. 3. Located at the jobsite in building 9, lock out and tag out procedures are not implemented on the Haeger press machines when equipment maintenance or repairs are performed exposing employees to severe bodily injury if the equipment should start while maintenance is performed.	Inspection conducted. No citations issued.
R-2280321	Best Buy Co., Inc		04/06/2025	Email	Y	N	Closed	S-Safety	1. Located in the back of the store, in the tv section, by the restrooms, there is an emergency exit that is being blocked with two red metal bars which would delay employees from exiting the store in the event of an emergency.	Open investigation.
R-2280343	HARVEYS TAHOE MANAGEMENT COMPANY, INC.	HARVEYS LAKE TAHOE	04/07/2025	Online	N	N	Closed		Restroom on lower level of Harvey's has no handicapped stall. Four very narrow stalls and cramped space. Couldn't get a walker thru the stall doorway. No grab bars and received injury from toilet paper holder on my right arm, which required going to hospital for stitches. Daughter had to pull me up off of toilet and tp holder ripped arm. arm open.	No action. No jurisdiction.
R-2280354	Grant/Moana Dental Offices		04/05/2025	Online	Y	Y	Closed	S-Health	1. Facility is not maintained clean. Office is dusty and trash is stored in patient room cabinets and drawers. 2. Employees do not wear gloves during procedures, and they are potentially exposed to blood.	Resolved through the inquiry process.
R-2280524	PEPPERMILL RESORT SPA CASINO, INC.		04/07/2025	Phone	Y	Y	Closed	S-Safety	On March 27, 2025 at 3:00 AM an employee was pushing a heavy cart with French fry oil, in the employee back hallway on the Northeast side of the building in the basement. The employee tried to stop the cart by putting their hand in front of the cart to stop it from hitting the wall. The employee suffered a traumatic amputation of their right ring pinky finger and multiple closed fractures.	Resolved through the inquiry process.
R-2280738	MOUNT GRANT GENERAL HOSPITAL		04/08/2025	Email	Y	N	Closed	S-Safety	1. In acute patient room #4, a patient was heard yelling obscenities from the patient room, that was directed towards the staff.	Inspection conducted. 2 citations issued \$0.
R-2281356	CITY OF RENO		04/09/2025	Phone	N	N	Closed		Located at fire station 1, the Reno fire captain experienced arterial fibrillation after drinking a milk shake purchased from a gas station.	No action. No jurisdiction.
R-2281996	NEVADA GOLD MINES LLC		04/10/2025	Email	N	N	Closed		1. On 4/10/25 @ 05:30 a.m., the gold quarry mill 6 roaster quench system was observed continually dusting to atmosphere potentially exposing employees to silica dust.	No jurisdiction. Referred to MSAT.
R-2282464	CAL RANCH STORES		04/11/2025	Phone	Y	N	Closed	S-Health	1. Located throughout the store, there is a serious mouse infestation. There is mouse/rodent feces in every area of the store. Employees are required to clean up the large amount of rodent feces. Employees are potentially exposed to hantavirus and or other diseases.	Inspection conducted. 1 citation issued \$9,045.
R-2282750	Shoe Palace		04/14/2025	Phone	Y	Y	Closed	O-Health	Located at the facility, the employer allowed music to be played at extremely loud levels exposing employees to hearing damage.	Resolved through the inquiry process.
R-2283758	Water Safety Corporation		04/11/2025	Online	Y	Y	Closed	S-Safety	1. When a truck or trailer is being loaded or unloaded by a powered industrial truck (forklift), the rear wheels are not being chocked. 2. Employees are not properly trained to use PITs (powered industrial trucks) safely in the warehouse.	Resolved through the inquiry process.
R-2283965	CALIFORNIA INDUSTRIAL RUBBER		04/16/2025	Online	Y	Y	Closed	O-Health	1. Located at the facility: There are currently at least two campers living on this property housing numerous California Industrial Rubber employees. Employees are urinating in/on the parking lot pavement due to lack of RV hookups and only one bathroom available in the shop.	Resolved through the inquiry process.
R-2284454	A & K EARTH MOVERS INC.		04/17/2025	Phone	Y	N	Closed	S-Safety	1. On or about 4/17/2025, trenches approximately 5 feet deep were observed without a protective system, exposing employees to cave-in hazards.	Inspection conducted. No citations issued.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2-25 - 4th Quarter April to June 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2284847	ADL CONSTRUCTION		04/18/2025	Phone	Y	Y	Closed	S-Safety	1. Located at 118 West Street, Reno, NV 89501, on 4/15/25 at 9:00 AM an employee suffered an amputation of their left middle finger. The employee's finger was caught between a steel beam and a stack of ply wood. The employee was transported to Renown Regional Medical Center. The employee was released after treatment in the emergency room.	Resolved through the inquiry process.
R-2284944	RED CARPET EVENTS	RED CARPET EVENTS & DESIGN	04/18/2025	Online	Y	Y	Closed	O-Health;S-Safety	1. Employees are lifted on a pallet on a forklift to access products on shelves in the warehouse area exposing them to fall hazards. 2. Chemicals on the chemical shelf near the main office bathroom and in the floral work area are not labeled or are improperly labeled.	Resolved through the inquiry process.
R-2285293	Lakeside Excavating		04/21/2025	Phone	N	N	Closed		1. Located at an unknown jobsite or address, the employer digs deep trenches without using shoring. 2. Located at an unknown jobsite or address, the employer allows workers to use outdated equipment. 3. Located at an unknown jobsite or address, the employer does not use traffic control to protect employees from vehicle struck-by hazards. 4. Located at an unknown jobsite or address, the employer allows workers use improper PPE. The type of work being performed is unknown.	No information to evaluate.
R-2287192	Redwood Materials Tahoe Campus		04/25/2025	Phone	Y	Y	Closed	S-Health	Located in the shipping and receiving outdoor area (area covered by a tent), an employee was bit/stung by a bee or an insect. The employee began showing symptoms of anaphylactic shock, the safety team at Redwood Materials called for an ambulance to transport the employee to the hospital, where they were admitted. The bite occurred at 8:20 am on 4/24/25, the employee notified the employer at 10:39 am on 4/24/25. OSHA was notified of the hospitalization on 4/25/25 at 10 am. The reporting of an employee hospitalization was made within the required time of 24 hours.	Resolved through the inquiry process.
R-2287774	EMPLOYERS		04/28/2025	Phone	N	N	Closed		1. Employee tripped and fell while entering the main lobby of the Wells Fargo building and injured his left knee and was admitted to the hospital.	No action. Non-work related.
R-2287964	Lee, Landrum & Ingle		04/28/2025	Phone	N	N	Closed		1. An employee was attached by unknown assailant while waiting for a rideshare to arrive.	No action. No Jurisdiction.
R-2287969	UNIS		04/28/2025	Online	Y	N	Closed	S-Safety	1. Employees operating forklifts without being certified to operate.	Inspection conducted. 6 citation issued \$6,384.
R-2288006	THE PUBLIC RESTROOM COMPANY		04/28/2025	Phone	N	N	Closed		Throughout the production floor, the lifelines installed as part of the employers fall arrest system have not been verified for breaking strength. Referent couldn't articulate location or an actual issue with the lifelines; just thought maybe they were bought on Amazon. Former employee.	No action. Not enough information to process.
R-2289172	CHEWY Inc	CHEWY FULFILLMENT CENTER	04/28/2025	Online	N	N	Closed		I'm a consumer who received a shipment from this chewy fulfillment center and someone, I assume a worker, wrote what looks to be "help" on the package. Happy to send photos.	No action. No alleged violation.
R-2289271	JIT Transportation		05/01/2025	Phone	Y	Y	Closed	S-Safety	Located on the west side of the facility, at the delivery dock, while unloading sections of chain-linked fences from a 53-foot flatbed trailer, an employee was operating a powered industrial truck (PIT) to push against a wooden 2x4 using the end of the PIT fork attachment while another employee was holding the wooden 2x4 by hand. The wooden 2x4 slipped from position causing the employee's left index finger to become pinched between the edge of the wooden 2x4 and the chain-link fence resulting in amputation of the distal (upper 3rd) section of the employee's left index finger.	Resolved through the inquiry process
R-2289426	EATON B-LINE		04/29/2025	Phone	N	N	Closed	O-Health	Located at the facility, employees are exposed to repetitive motion such as twisting, causing a potential for ergonomic related injuries.	No action. No Criteria warranting inspection.
R-2289476	Abaris Training Resources, Inc.		05/01/2025	Online	Y	N	Closed	S-Safety	1. Located at the facility, the employer is using PVC pipe to transfer compressed air with pressures of 120 psi or greater, exposing employees to an explosion hazard.	Inspection conducted. 1 citation issued \$2,837.
R-2289629	ST. MARY'S REGIONAL MEDICAL CENTER		05/02/2025	Email	Y	N	Closed	S-Safety	On 4/29/25 at 12:50 PM, in the emergency department hallway between room 38-41 a patient punched an EMT and knocked them to the ground. The patient then got on top of the EMT and continued to punch the EMT. The EMT had swelling and bruising to left eye and swelling to left wrist. Code grey for security was called and RPD was called.	Inspection conducted. No citations issued.
R-2289782	Q&D CONSTRUCTION LLC		05/02/2025	Phone	Y	N	Closed	S-Safety	Located on Mill Street, in between Matley Lane and Greg Street, employees are working in a trench deeper than 5' without the benefit of shoring or a ladder.	Inspection conducted. No citations issued.
R-2290862	Dollar Tree		05/06/2025	Phone	Y	N	Closed	S-Health	At the jobsite, employees are cleaning up after the harborage of rodents without the benefit of training or PPE.	Inspection conducted. No citations issued.
R-2291339	THE PUBLIC RESTROOM COMPANY		05/07/2025	Phone	Y	N	Closed	S-Safety	Located on the production floor in the warehouse, the following hazards are alleged: 1. Lifelines used for fall protection are not adequately rated. 2. Most or all of the electric pallet jacks charging stations are plugged into extension cords. 3. Employees are not wearing required PPE in production, management does not enforce PPE requirements. 4. Forklifts used to move completed buildings are used beyond their capacity limits.	Open investigation.
R-2291485	JOHN BOOS & CO.		05/07/2025	Phone	Y	Y	Closed	S-Safety	1. Located at the facility in the loading/unloading yard, while working inside a shipping container situated on a wheeled trailer, an employee was standing on a (one) pallet to gain additional height. Additional pallets were stacked directly in front of the employee that were approximately 4-feet high. The employee reached past the 4-foot high pallets to grab the boxes. As the employee lowered himself, he lost his balance resulting in a fall and fracturing their right hip.	Resolved through the inquiry process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2-25 - 4th Quarter April to June 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2291838	GREENWORKS NORTH AMERICA LLC		05/08/2025	Phone	Y	Y	Closed	S-Safety	1. In the warehouse area, employees are not provided with proper PPE such as gloves and safety glasses, exposing employees to cuts, abrasions, and hazards from flying particles. 2. In the warehouse area, employees operate powered industrial trucks without training or certification. 3. Employees operate powered industrial trucks without wearing seatbelts. 4. In the warehouse area, stored materials are not secured to prevent them from sliding, falling, or collapsing, exposing employees to crush hazards.	Resolved through the inquiry process.
R-2292253	Public Storage		05/09/2025	Online	N	N	Closed		1. Employees exposed to hypodermic needles and potential bloodborne pathogens in rental units during cleaning without Bloodborne Pathogen training. Referrent does not have first hand knowledge to allege employee exposure but was concerned due to finding needles in a unit she won at auction. Could not reach her by phone.	No action. No Jurisdiction.
R-2292825	Unknown Painting Contractor		05/12/2025	Phone	Y	N	Closed	S-Safety	1. Located at the residence, four employees are working from a two story roof without fall protection. Employees are exposed to a fall hazard. 2. Located at the residence, employees are utilizing 20 foot ladders that are not secured to the building. The wind conditions are moving the ladders. Employees are exposed to a fall hazard.	Inspection conducted. No citations issued.
R-2292880	MEI-GSR HOLDINGS LLC	GRAND SIERRA RESORT AND CASINO	05/12/2025	Online	Y	Y	Closed	S-Health;S-Safety	Located throughout the hotel tower and laundry areas: 1. Fire suppression sprinklers are observed with dust and lint accumulations throughout the building. 2. No sharps containers on any floor or housekeeping cart. 3. Employees are not trained on bloodborne pathogens. 4. Linen rooms are filled with dust and lint accumulations. 5. Fire exits are blocked by linen carts.	Resolved through the inquiry process.
R-2293265	RALEY'S		05/13/2025	In person	Y	N	Closed	S-Health	1. Located at the facility, in the janitor's closet within the warehouse, an eyewash station was observed installed in such a manner that, once activated, required the continuous use of the operator's hands for operation. 2. Located at the facility, in the produce receiving area, an eyewash station was observed installed in such a manner that, once activated, required the continuous use of the operator's hands for operation.	Inspection conducted. 2 citations issued \$8,867.
R-2293371	THE ROW		05/13/2025	Phone	N	N	Closed		1. On 5/10/2025 at approximately 11:50 a.m., a Security Officer fell off his bicycle while patrolling the area of 4th and Virginia Street. The Security Officer was transported to Saint Mary's Regional Medical Center by ambulance. At this time, management has not received any medical forms, but has had contact with the Security Officer and at this time they are being told that Security Officer had multiple strokes, which caused him to fall off the bicycle.	No action. No Jurisdiction.
R-2293824	DOLLAR GENERAL		05/13/2025	Online	Y	Y	Closed	S-Health	1. Facility including restrooms are maintained in poor sanitary condition. 2. Facility has pests present in the facility.	Resolved through the inquiry process.
R-2294471	Q&D Construction, LLC		05/15/2025	Phone	Y	Y	Closed	S-Safety	1. On 5/15/2025 at approximately 6:38am, an employee directing traffic went to move a cone for a truck and in doing so, stepped too close to the path of a working excavator and was struck in the leg causing a broken ankle. The employee was taken to the hospital and then admitted.	Resolved through the inquiry process.
R-2294884	JANSSE & COMPANY, INC		05/15/2025	Online	Y	N	Closed	S-Safety	1. Located at lot #8, employees are working from a scaffolding approximately 20 feet with no guard rails installed. 2. Located at lot #8, employees are working from a scaffolding that has no toe boards installed. 3. Located at lot #8, employees are working from a scaffolding approximately 20 feet that does not have proper access. No ladders are installed. 4. Located at lot #8, employees are working from a scaffolding that is not fully planked.	Open investigation.
R-2295524	AUTOMATIC DISTRIBUTORS		05/19/2025	Phone	Y	N	Closed	O-Health;S-Safety	Located in the warehouse, the following hazards are alleged: 1. In section AA, in between areas 24-36, by the packing area, the pallet racking has been damaged by contact with a forklift and is still being used to store merchandise. 2. In the warehouse the restrooms are not being maintained in a sanitary condition.	Open investigation.
R-2296686	THE PUBLIC RESTROOM COMPANY		05/21/2025	Phone	Y	N	Closed	O-Safety	1. At the facility, employees are not provided training in the language employees understand. 2. Employees are grinding material over acetylene tanks. 3. Employees are not provided fall protection equipment.	Open investigation.
R-2296782	NATURE'S BAKERY LLC		05/21/2025	Phone	Y	Y	Closed	S-Health;S-Safety	1. In the mixing area, fine flour dust coats the floor and other surfaces, exposing employees to potential combustible dust hazards. 2. In the mixing area, fine flour dust accumulates on the floor, exposing employees to slip hazards. 3. In the mixing area, oil accumulates on the floor, exposing employees to slip hazards.	Resolved through the inquiry process.
R-2296821	CA FRAMEX, INC.		05/21/2025	Email	Y	N	Closed	S-Safety	1. At the construction site, located 2423 Wingfield Hills Rd. Building E, Sparks, NV 89436, at the northeast end of the building, two employee were observed performing work from an elevated basket of an aerial boom lift without the benefit of fall protection.	Open investigation.
R-2297235	ERICKSON FRAMING NV LLC	ERICKSON CONSTRUCTION	05/22/2025	Phone	Y	N	Closed	S-Safety	1. On 5/21/2025 at approximately 5:00pm, an employee sustained a partial amputation of their left middle finger when a battery operated saw kicked back while the employee was cutting plywood on a truss.	Inspection conducted. 1 citation issued \$250.
R-2297290	Nevada Legislature	Legislative Counsel Bureau	05/22/2025	Email	Y	N	Closed	S-Safety	1. A construction accident shocked/electrocuted a person.	Inspection conducted. No citations issued.
R-2297311	CARBOLINE COMPANY		05/22/2025	Phone	Y	N	Closed	S-Health	1. On the production floor, employees are exposed to Ethoduomeen T/25 without being provided a respirator while cleaning paint out of barrels. 2. The employer does not provide medical evaluations or fit test for employees that do wear respirators. 3. The employer does not have a respirator program and does not provide respirator training.	Inspection conducted. No citations issued.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2-25 - 4th Quarter April to June 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2298027	FAMILY DOLLAR, INC.		05/23/2025	Online	Y	N	Closed	S-Safety	1. Merchandise is constantly blocking walkways, fire extinguishers, and emergency exits. 2. The back room is full of overflowing product and trash, exposing employees to slip, trip, and fall hazards. 3. Chemicals are not being stored in the proper containers and are not properly marked.	Inspection conducted. No citations issued.
R-2298080	NEW RISE RENEWABLES RENO, LLC		05/24/2025	Phone	Y	N	Closed	S-Health	1. On Saturday 5/24/25 at 12:43 a.m., located at the CIP Tank, one employee suffered 3rd degree burns to his arms and shoulders after being sprayed with caustic lye soda and hot water. The employee was in the process of blowing CIP recirculation line back into the CIP tank when he opened the top hatch and was sprayed. The employee was moved to the emergency shower in the 250 HP Boiler Room for 21 minutes until EMS arrived at 2:00 a.m. He was transported to Renown South Meadows Medical Group and admitted at approximately 2:00 a.m. He was subsequently transferred to U.C. Davis Medical Center at around 4:00 a.m.	Open investigation.
R-2298184	Mountain Vista Roof Systems		05/27/2025	Phone	Y	N	Closed	S-Safety	1. Located at a residential facility, 6 workers are performing residential roof construction at heights of 10 feet and higher without any means of fall protection.	Inspection conducted. 1 citation issued \$2,482.50.
R-2298705	RANPAK CORP.		05/22/2025	Online	Y	Y	Closed	S-Safety	1. Near the machinery floor, screws are sticking out. Employees are exposed to trip hazards.	Resolved through the inquiry process.
R-2298732	CAVALLERO HEATING & AIR CONDITIONING, INC.		05/27/2025	Online	Y	Y	Closed	S-Health	1. In warehouse 1412, it is not maintained in a sanitary condition and rats are present. 2. Bathrooms are not maintained in a sanitary condition. There is no paper towels provided.	Resolved through the inquiry process.
R-2298736	CAVALLERO HEATING AND AIR CONDITIONING, INC.		05/27/2025	Online	Y	Y	Closed	S-Health	1. Facility maintained in poor condition, rats present in the warehouse (bathroom and break room.) 2. Bathroom maintained in poor sanitary condition, mold present in the bathroom. 3. Facility contaminated with fiber glass/insulation in the warehouse upstairs from working with fiber glass. 4. Employees are not provided PPE for respiratory hazards (fiber glass and insulation) or gloves. 5. Air conditioner in the warehouse is not working, it has been out a week. 6. Warehouse walls in poor condition, particularly warehouse 5545 in the bathrooms. 7. Wasp nests are present behind the auto shop.	Resolved through the inquiry process.
R-2298947	WONDER LODGE		05/28/2025	Phone	Y	N	Closed	S-Health	1. On or about 5/22/2025, employees were exposed to silica dust while cutting tiles during motel room renovation tasks.	Open investigation.
R-2299400	CAVALLERO HEATING AND AIR CONDITIONING, INC.		05/29/2025	Online	N	N	Closed		1. Located in the restrooms and break area, rat feces and urine have been ignored and these areas are left unsanitary. There is no hand soap available for employees as well. 2. Located in the shop, pre-fabrication employees who cut fiberglass materials that become airborne are not provided with respiratory protection. 3. Located in the shop, pre-fabrication employees who cut fiberglass materials that become airborne are not provided with eye protection protection. According to referent, these conditions existed over a year ago.	Reported past statute of limitations timeframe.
R-2300188	TRANSPORTATION SECURITY ADMINISTRATION	TSA	05/30/2025	Online	N	N	Closed		Hijackers/MHS370/ knife and car attackers for example Tareq Zia from London with Tania are driving Y202 . Clinton and Hillary Clinton backing them.	No action. No Jurisdiction.
R-2300465	Epic Night Club		06/02/2025	Phone	N	N	Closed		1. Exposed electrical wiring throughout the facility.	No action. Not enough information to process.
R-2300469	BeTru Fitness		06/02/2025	Phone	N	N	Closed		1. Exposed electrical wiring throughout the facility.	No action. Not enough information to process.
R-2300487	WALMART SUPERCENTER STORE #2617		06/02/2025	Phone	Y	Y	Closed	S-Health	1. Sub-contractors cutting concrete inside store without the use of wet methods. Work is performed between 10:00 pm and 4:00 am.	Resolved through the inquiry process.
R-2300789	UNKNOWN		06/03/2025	Phone	Y	N	Closed	S-Safety	1. Located at 900 Southern Way, Sparks, NV 89431, 5 employees are conducting roofing activities at approximately 30 feet from the asphalt below without any means of fall protection.	Open investigation.
R-2301284	Nails by Charlee and Marie's Nail Beauty		06/04/2025	Online	Y	N	Closed	O-Health	1. Employees are exposed to Volatile Organic Compounds in the nail salon when applying acrylic nails and the facility has no ventilation system.	Open investigation.
R-2301834	SIERRA NEVADA CONSTRUCTION, INC.		06/04/2025	In person	Y	N	Closed	S-Safety	Located at 1050 Waltham Way, two employees were observed in a trench measuring 17 feet wide, 8 feet deep, and 113 feet in length, without the benefit of cave in protection or adequate sloping.	Open investigation.
R-2302066	SIERRA VIEW LANES		06/03/2025	Email	Y	Y	Closed	S-Health;S-Safety	1. At the facility, located at the pinsetter machines, pins and balls are flying out of the machine and hitting the mechanic. 2. Located at the facility, the roof is leaking creating black mold behind the wall that is shared with the party room and the area know as Jethros, as well as in the storeroom and behind the pinsetter machines.	Resolved through the inquiry process.
R-2302436	WALMART SUPERCENTER		06/05/2025	Phone	N	N	Closed		Located in the produce area of the grocery section, dogs are allowed to run around off leash, dogs are urinating and defecating on food products in the store. The customer reported also being attacked by a dog in the store.	No Jurisdiction
R-2302946	US Ordnance		06/09/2025	Phone	Y	Y	Closed	S-Health;S-Safety	1. Grinders in the shop do not have guards. 2. Loud noise in the facility and hearing protection is not provided to employees.	Resolved through the inquiry process.
R-2303491	The White Rabbit Theater and Lounge		06/10/2025	Online	Y	Y	Closed	O-Safety	1. Located on the stage, there are trip hazards on the walking/working surfaces. 2. Employees are getting cut on the underside of the popcorn maching due to the handle being broken and not being able to lift it correctly.	Resolved through the inquiry process.
R-2303536	THE METAL COMPANY, LLC		06/10/2025	Phone	Y	N	Closed	S-Safety	1. Employees are cutting sheet metal and are not provided gloves to protect from lacerations. 2. Employees are welding and cutting metal and are not provided safety glasses or shields.	Open investigation.
R-2303809	THRIVE MARKET, INC.		06/10/2025	Phone	Y	Y	Closed	S-Safety	1. Located in the facility, employees are allowed to operate forklifts without training or certification.	Resolved through the inquiry process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2-25 - 4th Quarter April to June 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2304183	LITTLE CAESARS PIZZA		06/10/2025	Online	Y	Y	Closed	S-Health	1. Located in the store, temperatures have reached 113 degrees. Employees are exposed to heat illnesses.	Resolved through the inquiry process.
R-2304230	ARMAC CONSTRUCTION		06/11/2025	Phone	N	N	Closed		1. On or about 5/28/2025 at the jobsite, the employer did not cover or mark an open trench of approximately 30 inches in depth, exposing employees to fall hazards.	No action. No applicable standard.
R-2304242	SEQUOIA PACIFIC BUILDERS, INC.		06/11/2025	Phone	Y	N	Closed	S-Health;S-Safety	At the jobsite: 1. There are six sani-huts for over 60 employees, and they are not kept in a sanitary condition. 2. The handwashing stations are not maintained and have no liquid for handwashing. 3. Operators of powered industrial trucks such as boom lifts and forklifts are not certified. 4. Employees working on patio landings and roofs are not provided fall protection.	Open investigation.
R-2305369	INLAND HEAVY HAUL		06/13/2025	Phone	N	N	Closed		1. A pilot car driver was attempting to assist the truck operator with backing up and turning the truck and trailer around on a public roadway by operating a booster on the trailer when his right leg was caught in-between the trailer and the booster. The employee was transferred and admitted to Renown Regional Medical Center with lower leg crushing injuries.	No action. No Jurisdiction.
R-2305380	NV ENERGY, INC		06/13/2025	Phone	Y	Y	Closed	S-Safety	Located at 1340 Spanish Springs Road, Sparks, NV 89434, an employee was at the top of a utility pole to disconnect a service wire, when the utility pole failed at the base. The employee and the utility pole both fell to the ground. The injured employee was transported by ambulance to Renown Regional Medical Center, then was admitted on 6/12/25, 11:36 AM.	Resolved through the inquiry process.
R-2305511	Main Electric Supply Co		06/13/2025	Phone	Y	N	Closed	S-Safety	At the jobsite the following hazards are alleged: 1. In the warehouse, employees are being allowed to operate forklifts while not wearing their seatbelts. 2. In the warehouse employees are not being certified before being allowed to operate forklifts. 3. In the warehouse employees are using the forklifts to lift wire spools that are heavier than the forklifts rated capacity.	Inspection conducted. No citations issued.
R-2306051	SMITH STORAGE SYSTEMS		06/16/2025	Phone	Y	N	Closed	S-Safety	1. Employees are told to use the powered industrial truck and a scissor lift to ram the racking system in the warehouse to reposition the racking system. 2. The employer does not provide powered industrial truck training. 3. Employees are required to work at heights greater than 6-feet and the employer does not provide fall protection training. 4. The employer provides employees with damaged fall protection equipment. 5. The employer does not properly store propane, oxygen, and acetylene tanks.	Inspection conducted. 2 citations issued \$2,733.
R-2306191	RENO ROCK TRANSPORT		06/16/2025	Online	Y	Y	Closed	O-Safety	1. Located in the shop, the floors are greasy and slick causing a potential slip hazard.	Resolved through the inquiry process.
R-2307067	CEMEX CORPORATION	Cemex Construction Materials Pacific, LLC.	06/18/2025	Online	N	N	Closed		They unlabeled radioactive waste on site.	Complainant states alleged hazard does not exist.
R-2307339	Burney's Commercial Service Inc		06/18/2025	In person	Y	N	Closed	I-Safety	1. Employees working from a flat roof with unprotected sides and edges at an approximate height of 20 feet without fall protection.	Open investigation.
R-2307877	CASCADE LIVING GROUP INC	SIERRA PLACE SENIOR LIVING	06/20/2025	Phone	N	N	Closed		1. On 6/19/25 at 4:10am, B7572 received a call on the afterhours phone from an unknown person who would not give their name. He stated that he had an emergency. He was asked what it was, and he hung up the phone. 2. On 6/20/25 at 6:50am, B7572 received a call on the afterhours phone from the OSHA referral office. She stated that they received a phone message from an individual who stated that there was a fatality at this employer's location and did not give any further details or return number. She provided the name of the individual who called. B7572 called this facility and spoke with a manager who had no idea what I was talking about and that there was no fatality. They did say that they had someone who worked there by the name provided by the OSHA referral office. They provided B7572 with the contact info. 3. On 6/20/25 at 7:20am, B7572 made contact with the individual that called the referral office and it turned out to be the same person who call B7572 on 6/19/25. He stated that he never claimed there was a fatality. When asked why he made the call, he stated that Carson City was purposely making everyone sick to benefit workplaces and he was fed up with it. When asked what he meant by making everyone sick, he could not elaborate and stated that Carson City was just making everyone sick to benefit workplaces. No other information was provided.	No action. Not enough information to process.
R-2308064	The Wigwam		06/19/2025	Online	Y	Y	Closed	S-Health	1. Located in the men's restroom, the employer required one employee to clean up a significant amount of blood without PPE or training in bloodborne pathogens.	Resolved through the inquiry process.
R-2308127	Redwood Materials Tahoe Campus		06/18/2025	Phone	Y	Y	Closed	S-Safety	At the jobsite the employer is allowing untrained and unlicensed workers to assemble and install photovoltaic panels.	Resolved through the inquiry process.
R-2308291	WASHOE COUNTY SENIOR SERVICES	WASHOE COUNTY SENIOR SERVICES	06/19/2025	Online	N	N	Closed		There's flies from homeless excrement. The flies come in and land on the food for seniors to consume! About 15 employees and over 1000 seniors are being affected every day! On 03/04, 04/10 and 04/17 as well as 05/19, me and my buddies saw homeless people pooping on the grass and next to their fridges and then when I smelt out bad it was over there. I knew it was because the poop hasn't been cleaned up. I walked over and saw maggots all over and flies collecting on the poop.	No action. Not enough information to process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2-25 - 4th Quarter April to June 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2309193	D&D ROOFING AND SHEET METAL INC.		06/23/2025	Phone	Y	N	Closed	S-Health	a. Located at McQueen High School, on the north face of the main building, 2 employees did not receive training prior to or at the time of initial assignment to indicate the quantity, location, manner of use, release, and storage of asbestos, and the specific nature of operations which exposed employees to asbestos. b. Located at McQueen High School, on the north face of the main building, 2 employees were directed to open a container on a work truck with asbestos material exposing the employees to respiratory hazards. Personal protective equipment was not used. c. Located at the employer's property at 1000 Glendale Ave, Sparks, NV 89431, 2 employees were directed to open a container on a work truck with asbestos material exposing the employees to respiratory hazards. Personal protective equipment was not used. d. Located at McQueen High School, on the north face of the main building, the employer did not attach labels in areas where they will clearly be noticed by employees who are likely to be exposed to asbestos. e. Located at the employer's property at 1000 Glendale Ave, Sparks, NV 89431, the employer did not attach labels in areas where they will clearly be noticed by employees who are likely to be exposed to asbestos.	Inspection conducted. No citations issued.
R-2310537	TREX COMPANY, INC.		06/25/2025	Phone	Y	N	Closed	S-Safety	1. On 6/25/2025 at approximately 4:20 a.m., two employees conducted lockout/tagout procedures on the reproduction line to unclog a jam, to unclog the jam the employees removed the guard on the air lock feeder, one of the employees started up the reproduction line while the other employee still had his right hand in the air lock feeder trying to unclog a jam. The employee suffered an amputation of his ring, middle, and index finger at the top knuckle. The employee was transported to Renown Regional Medical Center.	Open investigation.
R-2310643	Pride Equipment		06/25/2025	Phone	Y	N	Closed	S-Safety	1. Grounding pins are missing from extension cords. 2. Exposed wires are hanging out of the walls by the compressor room. 3. Compressed gas cylinders are not chained or secured in storage. 4. Lifting devices are not certified and in poor repair. 5. Employees are exposed to trip hazards from cords throughout the shop. 6. Emergency fire exits are blocked.	Open investigation.
R-2310878	ASSA ABLOY Fenestration		06/25/2025	Phone	Y	N	Closed	S-Safety	1. Employees are exposed to corrosive battery acid when watering power industrial trucks (PIT) batteries, no accessible eye wash is provided. 2. Pallets stacked over 18 feet high. Employees are exposed to struck by hazards. 3. Employees are driving power industrial trucks (PIT) wrecklessly.	Inspection conducted. No citations issued.
R-2311246	LOSTRA BUILDERS		06/25/2025	Email	Y	Y	Closed	S-Safety	1. On 2/18/2025, the employer caused damage to a 1/2 inch gas line while performing excavation activities with a backhoe at 997 Court St., Elko, NV. The employer failed to identify the estimated location of utility installations prior to performing excavation activities.	Resolved through the inquiry process
R-2311588	Unknown/Invalid Establishment		06/26/2025	Phone	Y	N	Closed	S-Safety	1. On 6/26/2025, employees were observed in a JLG Ultra Boom lift without fall protection and without hard hats.	Inspection conducted. No citations issued.
R-2311637	Arco Construction		06/25/2025	Online	Y	Y	Closed		1. Located at the jobsite, near entrance 28, employees are working in a refrigerated warehouse. The low temperatures produced by the refrigeration system are affecting the employees' ability to work safely while climbing in storage racking with rollers and very limited walking surfaces.	Resolved through the inquiry process.
R-2312612	BRIGGS ELECTRIC INC.		06/27/2025	Phone	N	N	Closed		Located at the jobsite, two employees were involved in an altercation resulting in a stabbing and hospitalization for a Briggs Electric employee.	No action. No Jurisdiction.
R-2312930	Harbor Freight Tools		06/30/2025	Phone	N	N	Closed	O-Health	1. An employee was working at the cash register area when the employee started feeling ill. The employee exhibited symptoms similar to a previous episode that led to the conclusion the employee suffered from a medical condition. The employee was transported and admitted to Northeastern Nevada Regional Hospital in Elko, NV.	No action. No Jurisdiction.
R-2313095	Nevada Cares Campus		06/28/2025	Online	N	N	Closed		1. Employer has fully functional HVAC unit. However, does not keep temperatures at a comfortable level for residents.	No action. No Jurisdiction.
R-2313103	ORMAT NEVADA, INC.		06/30/2025	Phone	Y	Y	Closed	S-Health;S-Safety	1. Located at the maintenance shop, 100 fire extinguishers were removed from service to get an annual inspection done. The plant operated for three hours without any fire extinguishers available for use. 2. Located at the plant, odor additive was not added to a large amount of isobutane used in the system. There were several leaks that occurred without detection until the plant operator conducted tests with the four gas meter.	Resolved through the inquiry process.
R-2313499	PREGIS		06/30/2025	Online	Y	N	Closed	S-Health;S-Safety	Located at the facility, the following hazards are alleged: 1. At the shipping and receiving department, the employer is not providing wheel chocks to prevent truck and trailer movement for the loading and unloading operations involving powered industrial trucks. 2. At the production line, there is no ac or cooling means exposing employees to heat related illnesses.	Open investigation.
R-2313526	WESCO Distribution, Inc.		06/30/2025	Online	N	N	Closed		Pallets block loading dock doors 15 and 16.	No action. Not enough information to process.
C-2278486	Protective Force International		04/01/2025	Online	Y	Y	Closed	O-Health	1. In the headquarters, there are rats and mice running across the desks of the employees. Management is aware of the situation but has not addressed the issue. 4/1/2025 AL	Resolved through the inquiry process.
C-2278581	Dynasty Games		04/01/2025	Phone	Y	Y	Closed	O-Safety	1. Employees are verbally assaulted and physically threatened without recourse by management. 2. Employees are retaliated against for raising concern for unjust verbal threats. 3. On October 22, 2024, an employee was assaulted and management failed to reprimand the aggressive employee. 4/1/2024 AB	Resolved through the inquiry process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2-25 - 4th Quarter April to June 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2278609	Community Outreach Medical Center		04/01/2025	Phone	Y	Y	Closed	O-Health;O-Safety	1. In the Pharmacy waiting room area there are extension cords that are daisy chained to one another and are required to be used to power computers and laptops. 2. There is nuisance construction dust from cutting, installing, and sanding sheetrock in the pharmacy waiting area creating inhalation hazards to neighboring employees. 4/1/2025 AB	Resolved through the inquiry process.
C-2278637	Carparts.com		04/01/2025	Online	Y	N	Closed	S-Safety	1. At facility, emergency exits are blocked. 2. Employee fall protection equipment is not maintained. 3. Racks are not bolted down. 4. Lock-out tag-out procedures are not performed on the demand machine. 5. An evacuation plan has not been made.	Inspection conducted. No citations issued.
C-2278844	Four Queens, LLC		04/01/2025	Online	Y	Y	Closed	O-Health	1. In the women's employee restroom in the basement, two of the four toilets have been broken for months causing long lines. 2. There has not been hot water in the women's employee restrooms in the basement for months. 3. The main casino lacks proper ventilation causing smoke to build up making it difficult to breathe.	Resolved through the inquiry process.
C-2278958	MGM Grand Hotel, LLC	MGM Grand Hotel/Casino	04/02/2025	Phone	Y	Y	Closed	O-Health	1. Due to the remodel, there is a lack of restrooms for employees. JA 4/2/2025	Resolved through the inquiry process.
C-2279003	The D Las Vegas		04/02/2025	Phone	Y	Y	Closed	O-Health	1. The sewage smell in the back of the house makes the employees sick. JA 4/2/2025	Resolved through the inquiry process.
C-2279117	Las Vegas Convention and Visitors Authority	Las Vegas Convention Center	04/02/2025	Phone	Y	Y	Closed	O-Health	1. In the north hall, only six restrooms are available for 500 employees, as the others are locked because the customer has not agreed to pay for cleaning. JA 4/2/2025	Resolved through the inquiry process.
C-2279383	Elara by Hilton Grand Vacations		04/02/2025	Online	N	N	Closed		Personal threats from a co-worker: February 23, 2025 (co-worker) Corey Gholar made threats directly to harm my wellbeing, reminding me, he is gang affiliated. Corey told me he could get a whole army to form against me. Also that he could get me "handled" and he didn't even have to be present at the time of attack. I informed management of these threats and of being bullied by Corey Gholar on February 24th and management dealt with these threads indirectly. Speaking to both Corey and I, making a general statement, that no threats, violence or bullying would be tolerated according to Hilton's code of conduct however, Corey and I remained working together on future scheduling in the weeks to come. March 24th Corey Gholar and I (Matthew Herrmann) worked together at the Golden Nugget downtown location, this is the day of the most recent incident between Corey and I. In short, around or about 1:45pm Corey asked me to go outside with the intentions of fighting me, letting me know he would "fuck me up." full of aggression and anger. I mentioned then and previously, I would not be fighting anyone. A lead "manager" (Bryan Bates) was on duty and present at the time of this incident, Bryan overseen the whole situation from beginning to end. Bryan was prompted to hold back Corey as Corey was attempting to attack me and or pursue towards me at the time. As things cooled down Bryan took Corey outside, after a clear attack attempt during our work-shift and had a 10 minute conversation with Corey. Shortly after their talk, both Corey and I proceeded to work together for an additional 2 hours and mostly unsupervised. Bryan left around 3:30pm. New shift manager (Gregory Peoples) came in, Greg checked on another booth at the Golden Nugget location. As Greg was gone, Corey Gholar grabbed his belongings and left work 2 hours early without manager consent or notification. As Greg returned to our booth location Greg then asked to talked to me in private. Greg, relayed the news that upper management has asked me to go home for the day. March 27th, I was asked to stop by our office at the Elara hotel after my work shift by management. At that time I was informed HR wanted both Corey and I to be suspended so they could do a proper and thorough investigation of this matter. I feel as though the whole situation was forced, and could have been avoided. I mentioned to management that Corey was threatening me as of February 24, 2025. However instead of letting the necessary time pass or letting the tension die down between Corey and I, management rushed the process and ultimately put me in danger. This was negligence on managements behalf due to the severity of the situation. Throughout this short period of time, of threats made to me, I myself clearly underestimated the severity of this whole situation between Corey Gholar and I. Pryor to this altercation, I felt threatened and unsafe working side by side with Corey Gholar. If anything I was embarrassed to admit it. Corey mentioned he grew up in a gang environment in Englewood California. Corey mentioned he was jumped in to the Crips neighborhood gang. - I've had meetings with management about Corey behavior at, Planet Hollywood February 23, 2025. Venetian Hotel February 24, 2025. Elara Hotel March 11th in managements office. And lastly at the Golden Nugget on March 24, 2025.	No Jurisdiction. Referred to local law enforcement and Whistleblower office.
C-2279456	Hey Dude		04/03/2025	Online	N	N	Closed		Excessive NON-Code Speed bumps. Emergency vehicles cannot enter building - Parking lot	No action. No Criteria warranting inspection.
C-2279534	Miracle Mile Shops		04/03/2025	Online	Y	Y	Closed	O-Health	1. In the dispatch surveillance room of the Miracle Mile shops, the air-conditioning unit has not been serviced for a year and is showing signs of mold and dust. 4/3/25 AL	Resolved through the inquiry process.
C-2279943	Cardenas Market		04/03/2025	Online	Y	Y	Closed	S-Health	The employees are exposed to loud music with no protection against the effects of noise exposure.	Resolved through the inquiry process.
C-2279948	Rebel Fuel		04/03/2025	Online	Y	Y	Closed	S-Health	On April 2, 2025, the carbon dioxide alarm went off potentially exposing employees to hazardous gases.	Resolved through the inquiry process.
C-2280388	Diamond Masonry LLC		04/03/2025	Online	Y	Y	Closed	S-Health;S-Safety	1. Employees exposed to and working from unstable scaffolds can cause the entire scaffold to collapse, leading to workers being struck by falling debris or the scaffold itself.	Resolved through the inquiry process.
C-2280554	Ole Red Las Vegas, LLC	Ole Red	04/07/2025	Online	Y	Y	Closed	O-Health	1. Located in the basement liquor room, there is a sewage leak, resulting in mold and mildew growth on the ceiling tiles. 2. Employees are experiencing symptoms such as wheezing, coughing, and respiratory issues due to the unsanitary conditions from the sewage leak. 3. Employees are not provided with personal protective equipment or guidance on how to mitigate exposure to the potential contaminants from the sewage leak.	Resolved through the inquiry process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2-25 - 4th Quarter April to June 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2281327	Silver Sevens Hotel and Casino	Silver Sevens Hotel & Casino	04/07/2025	Online	Y	Y	Closed	S-Safety	1. The employee lounge soda machine has mold. 2. There is human feces in the stairwells. 3. Employee restrooms are not maintained in a sanitary condition. 4. The emergency stairs do not have adequate signage. 5. Breaker boxes in the hotel hallways are unsecured, and employees are unable to lockout and tagout. 6. Housekeeping staff are blocking hallways with their carts, and leave no room for emergency egress. 7. The ground floor has a blocked emergency exit from the casino with unused table games and slots.	Resolved through the inquiry process.
C-2281455	Urban Cafe Operations, LLC	Urban Cafe	04/07/2025	Online	N	N	Closed	S-Health	1. Employees are being exposed to toxic uncured epoxy vapors. 4/9/2025 JC	No action. No Jurisdiction
C-2281476	Amazon.com Services LLC	Amazon	04/07/2025	Online	N	N	Closed		I am writing to file a complaint regarding unsafe working conditions at the Amazon Fulfillment Center located at LAS1. My concern pertains to the inadequate drainage system for the eyewash stations throughout the entire facility. I first reported this on March 30, 2025 and Today April 4, 2025 Description of the Hazard: Upon inspection of every eyewash station in the building, I have found that all of them are equipped with a 5-gallon plastic jug placed directly beneath the unit to collect wastewater. These jugs are not connected to anything. So the water will just go on the ground. Specific Concerns: Slip and Fall Hazard: The 5-gallon jugs are not connected to the drain, resulting in significant and dangerous water accumulation on the floor. This creates a serious slip and fall hazard for employees, especially during emergencies when quick access to the eyewash station is critical. Inadequate Wastewater Management: The reliance on a simple, unconnected jug does not provide a safe and effective method for managing the large volume of water discharged from the eyewash stations during the required 15-minute flushing period. Non-Compliance: I believe this practice does not meet the intent of OSHA and ANSI/ISEA Z358.1 standards, which emphasize the provision of safe and effective eyewash facilities. The current system does not adequately address the safe removal of wastewater. Employer's Response: I have raised this concern with the facility's safety team. They have stated that the current setup is compliant and that no further action is necessary. They do not plan to install any connected drainage solutions or provide any alternative wastewater management system. Request for Action: I request that OSHA conduct an immediate inspection of the eyewash stations at this Amazon facility to ensure compliance with applicable safety standards. I believe the current practice of using unconnected 5-gallon jugs poses a significant and ongoing risk to employee safety and requires prompt corrective action. Thank you for your prompt attention to this matter. Sincerely, Justin Maassen - Amazon LAS1 every single eyewash station	No action. No standard violated.
C-2282015	Bechtel Construction Operations Incorporated		04/09/2025	Phone	Y	Y	Closed	S-Health	1. Employees are not provided adequate shade and water. 2. Employees are not provided appropriate personal protective equipment like ear buds and ear muffs. 3. Employees are not provided enough toilets at the work site. 4/10/2025 JC	Resolved through the inquiry process.
C-2282437	Meridian Adhesive		04/11/2025	Phone	Y	Y	Closed	O-Health	1. Employees started using a new type of caustic chemical last December 2024 without being provided training on how to safely handle them. 4/11/2025 AL	Resolved through the inquiry process.
C-2282460	Make the Road Nevada		04/11/2025	Online	Y	Y	Closed	O-Health	1. The restrooms don't have hot water and the employees are concerned with the hazards associated.	Resolved through the inquiry process.
C-2283018	Pahrump Health and Rehabilitation Center		04/14/2025	Phone	Y	Y	Closed	S-Safety	1. In 300 Hall and courtyard, residents are smoking cigarettes around their oxygen tanks and employees work with and around the residents. Management is refusing to address and prevent residents from smoking around oxygen tanks.	Resolved through the inquiry process.
C-2283240	Mars Retail Group Inc.	M & M World	04/14/2025	Online	Y	Y	Closed	S-Health	1. Located on the first floor, the doors remain open, exposing employees to the heat from outside.	Resolved through the inquiry process.
C-2283243	Vadatech Inc		04/11/2025	Online	Y	Y	Closed	S-Health	1. In the Gibson Building, along the south wall of the production floor, the stations utilized for soldering are not ventilated. During the soldering process, conformal coatings are "burnt" off, with the fumes causing headaches, disorientation and other health concerns. 2. Employees are provided with masks that are not recommended for fume purification, and the employer is requiring them to continue utilizing these as personal protective equipment. 3. Management has not addressed hazard communication program concerns with employees, as staff meetings do not address any specific hazards. Employees have been told "I have soldered throughout my pregnancy and everything came out fine", and are concerned that if they report any concerns that management will take a "passive retaliatory action" against them. 4/15/2025 KR	Resolved through the inquiry process.
C-2283273	Chadwell Supply Nevada, Inc.	Chadwell Supply	04/07/2025	Online	Y	Y	Closed	O-Health	1. In the fabrication department, there is excessive sawdust from cutting doors and blinds in the air and on the ground, and it is blowing into the receiving department and other areas creating slipping hazards, and potential skin and respiratory hazards for 30 employees. AB 04/15/2025	Resolved through the inquiry process.
C-2283463	Target T-0850		04/14/2025	Online	Y	Y	Closed	S-Safety	1. In the backroom warehouse area, employees are operating Powered Industrial Trucks without proper training and certification. 2. In the backroom warehouse area, employees are required to utilize a ladder in an unsafe manner.	Resolved through the inquiry process.
C-2283507	Bella Vita Condos		04/11/2025	Online	Y	Y	Closed	O-Safety	1. The A/C has been broken for several months and the temperatures have reached up to 100 degrees. 2. No housekeeping is taking place in the kitchen and bathroom areas of the guard house.	Resolved through the inquiry process.
C-2283707	The TJX Companies, Inc.	T.J. Maxx #643	04/15/2025	Phone	Y	Y	Closed	O-Health	1. The water to the building has been turned off since 4/14/2025. The employees do not have potable water, no functioning restrooms, or sinks to wash their hands.	Resolved through the inquiry process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2-25 - 4th Quarter April to June 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2283755	Clark County School District		04/16/2025	Phone	Y	Y	Closed	O-Health	1. The facilities maintenance shop is operating without air conditioning turned, with the doors open, subjecting the employees to increased temperatures, while working. 4/16/2025 JC	Resolved through the inquiry process.
C-2283757	Gate Gourmet Inc.		04/15/2025	Phone	Y	Y	Closed	S-Safety	1. The pushcart wheels are damaged, and causes stacked 20-pound boxes to fall when the cart is pushed daily. 2. The steering wheel bolts are loose, the steering pump is going bad, and the vehicles are difficult to steer straight on Truck 4664 and 7008. 3. An older white box truck have no functioning brakes. An employee nearly hit another employee when unable to stop. 4. The doorlocks on numerous older vehicles do not work. Employees are unable to unlock the doors from inside the vehicle and have to open the doors from the outside. Vehicles' suspensions are worn out causing stability issues and making it difficult to steer. 5. The ramps used on the vehicles do not have a retainer causing the ramps to be unstable. When loading the vehicles and walking on the ramps will collapse and employees will fall. 6. The straps used to tie down material on the trucks are ripped and damaged. The material comes loose and falls off of the trucks.	Resolved through the inquiry process.
C-2283875	Sierra Ready Mix		04/14/2025	Online	Y	Y	Closed	S-Health	1. Employees do not have access to drinking water. 2. Employee porter potties are dirty and do not have toilet paper. Restroom in the office is locked.	Resolved through the inquiry process.
C-2283932	Four Queens, LLC		04/14/2025	Online	Y	Y	Closed	O-Health	1. In the women's employee restroom in the basement, two of the four toilets are broken causing long lines. 2. There is no hot water in the women's employee restroom in the basement. 3. The main casino lacks proper ventilation.	Resolved through the inquiry process.
C-2283936	State of Nevada Division of Welfare and Social Services		04/09/2025	Online	N	N	Closed		On 04/08/2025 at approximately 1630 hours an office wide notification was viewed in Teams that all of the bathroom facilities were closed and were, "expected" to reopen in the morning on 04/09/2025. Some employees were scheduled to work until 1800 hours. This is not the first event this year. Every year as summer nears the bathroom facilities are consistently unreliable and flooding has occurred. Mold and other contaminants are a concern. An incident in year 2024 caused employees to have to re-locate. In addition, certain areas of the building are not cooled adequately leaving employees to work in hot conditions. Many fans are utilized and our requests for air adjustments are denied. - Every bathroom to include the kitchen break room and main office.	No action. No alleged hazard.
C-2283945	Caesars Palace LLC	Caesars Palace	04/16/2025	Online	Y	Y	Closed	S-Safety	1. The employer improperly used the designated working space in front of energized electrical equipment for storage, across from the EDR.	Resolved through the inquiry process.
C-2283953	Butler's Construction and Service Solutions, LLC		04/14/2025	Phone	Y	Y	Closed	O-Safety	1. Employees drive a Nissan van, which was previously involved in an accident and not repaired, has a passenger and sliding door that can only be opened from the outside. The steering is damaged, and the vehicle strongly pulls to the right.	Resolved through the inquiry process.
C-2283958	Harmon Hospital		04/15/2025	Online	N	N	Closed		1. The facility is currently understaffed, which has impacted its ability to operate efficiently. As a result, some nurses are unable to provide medical treatment to patients.	No action. No jurisdiction.
C-2283994	ViaTron Systems, Inc.		04/15/2025	Online	Y	Y	Closed	O-Health	1. There is a sewage smell in the warehouse and employees are concerned with the hazards associated with it. 2. There is nuisance dust in the warehouse and employees are concerned with the hazards associated with it.	Resolved through the inquiry process.
C-2284208	Lift-All Company, Inc.		04/13/2025	Online	Y	Y	Closed	S-Health	1. Employees are exposed to respirable dust that comes through the walls. 2. In the sling cutting area, the ventilation is not working properly to remove the fumes. 3. In the warehouse the ventilation for welding is not working properly to remove the fumes. 4. In the warehouse, unprotected electrical cables. Nothing inside the warehouse is marked according to OSHA regulations. 5. The sewing machines are unguarded exposing workers to potential hazards. 6. The forklifts don't have a designated place. They leave them wherever they want and it represents a safety problem. 7. The racks are not properly secured.	Resolved through the inquiry process.
C-2284231	Amazon.com Services LLC	Amazon VGT 1	04/15/2025	Online	Y	Y	Closed	O-Health	1. Located on the second floor in the AFE department along the wall 213-214, the filter for the Quench water cooler has not been changed for approximately one year.	Resolved through the inquiry process.
C-2284261	Amazon Com Services LLC	Amazon Las 7	04/03/2025	Online	Y	Y	Closed	O-Health	1. There is black mold growing inside the tape dispensers on the 1st and 3d floor of the pack areas causing employees to get nauseous and physically ill.	Resolved through the inquiry process.
C-2284274	Aria Resort and Casino, LLC		04/04/2025	Online	Y	Y	Closed	O-Safety	1. There is water leakage in the emergency egress stair well by the pool deck. 2. There is water leakage dripping on electrical panels on level 1 back of the house located behind the main kitchen.	Resolved through the inquiry process.
C-2284284	Smith's Food & Drug Centers 385		04/07/2025	Online	Y	Y	Closed		1. An employee is being sexually harassed by their manager. The manager makes sexual remarks about the employee to their family members. Additionally, the employee is harassed for not dating the manager. The manager has been treating the employee terribly and has written up the employee for declining when the manager asked them out. The manager is spreading rumors about the employee selling drugs.	Referred complainant to EEOC.
C-2284314	Airbender A/C & Heating		04/17/2025	Phone	Y	Y	Closed	S-Safety	1. Employees are working at heights greater than 6 feet without fall protection and they are concerned with the hazards associated.	Resolved through the inquiry process.
C-2284391	Clark County Info Tech Department		04/11/2025	Online	Y	Y	Closed	O-Safety	1. In the IT Operations room and in the server room, there are floor tiles that are loose and the corner tiles are sticking up creating a tripping hazard for employees.	Resolved through the inquiry process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2-25 - 4th Quarter April to June 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2284457	Bellagio, LLC	Bellagio Hotel and Casino	04/09/2025	Online	N	N	Closed	O-Health	My employer refused to have me verify with engineer department and check the HVAC system for air quality and filtration, I reported this to them on 03/31/25. I have occupational asthma in the back office due to the ventilation system. They only verbally told me on 4/7/25 said that they just checked up on it a week later and said the changed the filter. I wasn't there to see if the company actually changed it or if they could've provided me proof of how dirty and unsanitary the filter was. I was sent to concentrate twice due to occupational disease. I have upper respiratory and chest pains while working in the back office its feels at time I cant breath. This only happens when I'm at work. I feel like the company covered this up without providing and proff of the cleanliness of the air filter and air quality. I want to find out how bad the air filtration was during that time I told them and only telling me now on 4/7/25. - Front Desk back office call center. The office is located behind the front desk counters.	No action. No applicable standard.
C-2284462	MasterCorp, Inc		04/17/2025	Online	N	N	Closed		1. Located at the establishment the employees are experiencing verbal harassment and retaliation from management when expressing health and safety concerns. 2. Employees are denied 15-minute breaks. 3. Employees are rushed to complete task increasing stress and risk of errors.	No action. No jurisdiction.
C-2284681	Roberto Cavalli Boutique - Las Vegas		04/17/2025	Online	N	N	Closed		1. Employees are subjected to continuing pattern hostile work environment resulting in constructive discharge. 2. The store director engages in verbal harassment and intimidation, and makes sexually suggestive comments directed to employees. 3. The store director screams at employees and fosters a climate of fear and retaliation. 4/18/2025 JC	Referred to Nevada equal rights commission
C-2284691	The Cosmopolitan of Las Vegas		04/18/2025	Phone	Y	Y	Closed	S-Health	1. In the facility, employees are not provided personal protective equipment while cleaning OPIMs and bloodborne pathogens. 2. In the facility, employees were not provided gloves while cleaning up residue left behind after the usage of a fire extinguisher. 3. Chemicals are placed in unlabeled bottles. 4. Employees are not provided eyewash stations. 5. Employees are not provided Hazard Communication training. 6. Missing door handles prevent the egress of employees. 7. In the top chandelier bar onto the middle bar directly below, employees are exposed to a water leak due to the plumbing.	Resolved through the inquiry process.
C-2284940	JC Hospitality LLC	Virgin Hotels Las Vegas	04/16/2025	Online	Y	N	Open	O-Health	1. Graveyard shift employees do not wash their hands after using the restroom, and then are returning to the cafeteria and touching utensils, plates, trays, soda fountain, glasses, etc.	Open investigation.
C-2285158	Menzies Aviation LAS		04/21/2025	Online	N	N	Closed		1. A fuel tanker (Unit 10415) has recap tires on both the front axles. 4/12/25 AL	No jurisdiction. Referred to NDOT and FMCSA.
C-2285178	GREATER LAS VEGAS ASSOCIATION OF REALTORS	Las Vegas REALTORS	04/17/2025	Online	Y	Y	Closed	O-Safety	1. On April 16, 2025, an individual who was armed with a handgun and had trespassed on the premises the day before returned to the Las Vegas REALTORS building. Staff and members were present in the building. No evacuation was ordered. The employer did not initiate a lockdown. 2. The employer does not train its employees on the emergency action plan procedures. JA 4/21/2025	Resolved through the inquiry process.
C-2285192	Clark County School District		04/21/2025	Online	N	N	Closed		On March 31, 2025, unknown white particles began coming from the East side HVAC system. 4/21/2025 AB	No action. No alleged hazard.
C-2285225	Ken's Foods, Inc.		04/21/2025	In person	Y	N	Closed	O-Safety	1. Employees utilize Enforce-K when cleaning out tanks and piping when switching to new food products. Employees have been using the product for the previous year without being provided PPE. As of last Tuesday 4/15/2025, employees were told that the chemical was corrosive and were forced to sign training forms that they were trained in the PPE usage of the chemical without the employees receiving training. 2. Only employees completing cleaning duties on the tanks and piping are provided PPE when utilizing Enforce-K even though other employees in the area are exposed to the chemical when cleaning occurs.	Open investigation.
C-2285329	Shipdudes		04/16/2025	Online	Y	Y	Open	S-Safety	1. Employees are exposed to slips, trips, and falls, often caused by wet floors, uneven surfaces and cluttered walkways. 2. Employees that have not been trained and certified are allowed to operate forklifts/electric jack. 04/16/2025 EM	Open investigation.
C-2285351	E.GADS, LLC		04/18/2025	Online	Y	N	Closed	S-Health;S-Safety	1. Ventilation is not adequate for the paint booth, welding operations, and resin pouring. 2. Spray painting operations are performed outside of a paint booth. 3. Flammable liquids, such as paint, thinners, lacquers, and epoxy are not stored in approved cabinets. 4. The table saws, grinders, and power tools are not guarded. 5. Receptacles used to power machines are overloaded. 6. Extension cords are utilized as a substitution for permanent wiring. 7. Safety Data Sheets are not available to employees. 8. Forklift operators are not certified. 9. There are not enough toilet facilities for the number of employees working. 10. Personal protective equipment are locked and inaccessible to employees. 11. The fabrication shop and assembly shop are not kept clean. Hazard Locations: Fabrication Shop at 3235 Polaris Avenue, Las Vegas, NV 89102 Assembly Shop at 3310 Polaris Avenue, Las Vegas, NV 89102	Open investigation.
C-2285676	The Cosmopolitan of Las Vegas		04/22/2025	Online	Y	Y	Closed		Water leaking on top of workers due to faulty plumbing from the top chandelier bar onto the middle bar directly below. - Chandelier bar level 1.5	Resolved through the inquiry process.
C-2285921	In-N-Out Burger		04/18/2025	Online	Y	Y	Closed	S-Safety	1. The fryers are exploding while in use causing injuries in multiple employees.	Resolved through the inquiry process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2-25 - 4th Quarter April to June 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2285959	Giving Home Health Care, LLC	Giving Home Health Care	04/22/2025	Email	Y	Y	Closed	S-Health;S-Safety	1. Employer failed to report workplace violence when employee was pistol whipped by a patient. 2. Employer did not provide workplace violence program to Nevada OSHA.	Resolved through the inquiry process.
C-2286214	La Bonita Grocery and Meat Market	La Bonita Supermarkets	04/23/2025	Email	Y	Y	Closed	O-Safety	1. Employees working in the meat department are no longer provided cotton gloves and are provided latex gloves when cutting frozen meat resulting in fingers cramping and becoming numb. Employees also utilized the saw to cut the meat with numb fingers and hands. 2. The employer mandates that employees buy a \$50.00 branded sweater for use in the store. Employees are prohibited from wearing their own sweaters. CW 4/23/2025	Resolved through the inquiry process.
C-2286272	REM Nevada		04/23/2025	Phone	Y	Y	Closed	O-Health	1. An employee worked with sick clients without being provided the proper PPE or knowledge of the illness. The employee became ill as a result of working with the sick client.	Resolved through the inquiry process.
C-2286280	Chico's		04/23/2025	Phone	Y	Y	Closed	O-Health	1. The employer is not providing potable water to employees. The only available water is from the sink in the restroom. 2. Fire exits are blocked by boxes of merchandise. 3. Anti-fatigue mats are worn out.	Resolved through the inquiry process
C-2286310	AutoZone Auto Parts #5737		04/22/2025	Online	Y	Y	Closed	O-Health	1. Located at the establishment, there is no hot water provided in the lavatory.	Resolved through the inquiry process.
C-2286415	United Parcel Service		04/23/2025	Online	Y	Y	Closed	O-Safety	1. At facility, inside the men's restroom, employees are exposed to the smell of sewage and waste.	Resolved through the inquiry process.
C-2286423	WENEVADA LLC	Wendy's #3704	04/23/2025	Phone	Y	Y	Closed	S-Safety	1. The fryer exhaust fans were recently repaired, but stopped working on 4/23/2025. The kitchen and restaurant are becoming foggy due to the buildup of cooking gasses.	Resolved through the inquiry process.
C-2287085	Growth Construction Inc.		04/25/2025	Phone	Y	N	Closed	S-Safety	1. On April 25, 2025, at 8:30 AM, employees are installing windows on the northeast corner of the 5th floor of the building without any railings and are not strapped in. 04/25/2025 CC	Open investigation.
C-2287254	Clark County School District	Kenneth Divich Elementary School	04/25/2025	Phone	Y	Y	Closed	O-Safety	1. At Kenneth Divich Elementary School, the employees are not provided emergency evacuation plan.	Resolved through the inquiry process.
C-2287368	Las Vegas NV Opco LLC	Mission Pines Nursing & Rehabilitation Center	04/19/2025	Online	Y	Y	Closed	O-Safety	1. In the facility, a patient is allowed to inflict physical harm on employees. 2. A workplace violence program has not been implemented.	Resolved through the inquiry process.
C-2287602	LM Construction Co		04/25/2025	Online	Y	Y	Closed	S-Safety	1. On building A, B, and C, when employees utilize the ladder to access the roof, they have to reach approximately 25 inches to step onto the roof. There is also a Unistrut mount on the center of the ladder making accessing the roof hazardous.	Resolved through the inquiry process.
C-2287689	Aircraft Services International, Inc.	Menzies Aviation LAS	04/28/2025	Email	Y	N	Closed	O-Safety	1. In the repair shop, the eye wash station is not working. The eye wash station has not been inspected since 2024. 2. The wheel of the repair shop bench grinder is more than one-eight inch from the work rest and an eye shield has broken off. 3. Items are stored in front of the electrical panels in the shop.	Open investigation
C-2287771	New York-New York, LLC	New York-New York Hotel & Casino	04/28/2025	Phone	Y	Y	Closed	O-Health;O-Safety	1. Corrosive chemicals and ammonia are being improperly stored in the bell desk area, posing a potential safety hazard. 2. The employees are exposed to bloodborne pathogens and potentially infectious materials in the pool area. JA 4/28/2025	Resolved through the inquiry process.
C-2287996	Green Valley Grocery		04/28/2025	Phone	Y	Y	Closed	O-Safety	1. The employer exposes employees to excessive heat, maintaining indoor temperatures around 92 degrees, and has failed to repair the air conditioning system. 2. The employer exposes employees to dust from the ventilation system, resulting in employees experiencing illness. JA 4/28/2025	Resolved through the inquiry process.
C-2288256	Spectrum Dental		04/28/2025	Online	N	N	Closed		1. Mouthguards, "isolights", utilized by clients are not cleaned and may be transferring bloodborne pathogens between clients, as they are often coated in previous clients saliva, and plaque. 2. The ultrasonic device, "shaker", that shakes all of the tools to clean them has not had solution in it for over three months. This has resulted in tools not receiving a full cleaning, and may be spreading other bloodborne pathogens between clients. 3. The traps have not been cleaned, nor have the hoses that are utilized to flush out clients mouths in over a year.	Resolved through the inquiry process
C-2288423	Walmart Market #3356		04/29/2025	Email			Closed	O-Safety	1. The locking glass case located in the health and beauty department recently exploded within the month when an employee attempted to open it. There are other locking glass cases located in the pain, family planning, cold and flu, and make-up aisles which are glass and pose the same hazard.	No action. No alleged hazard.
C-2288518	The Meadows School		04/17/2025	Online	N	N	Closed		1. The school does not run monthly emergency drills.	No action. No applicable standard.
C-2288718	Alamo National Car Rental		04/29/2025	Mail	Y	Y	Closed	S-Safety	1. Employees exposed to a trip and fall hazard with a section of concrete located at Checkpoint #1, near the car seat shed and large vacuum equipment, where clean cars are staged that is cracked and uneven. There is exposed rebar approximately 2"-inches down.	Resolved through the inquiry process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2-25 - 4th Quarter April to June 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2288988	Las Vegas Paving Corp.		04/29/2025	Phone	Y	Y	Closed	S-Safety	1. At approximately 10:30AM on 03/25/2025, while operating a Caterpillar 8,000-gallon Water Pull truck (#425726), an employee drove over an approximately 18-inch deep ledge in the dirt, bottoming the truck out. The air ride system in the seat malfunctioned and failed to absorb the impact, resulting in the employee injuring their back. The employee was taken by ambulance to Centennial Hills Hospital, where he was admitted for three nights and treated for a compression fracture of the L1 lumbar vertebra. 2. The employer did not report the hospitalization to OSHA. AB 04/30/2025	Referred to MSHA.
C-2289445	CVS Pharmacy #5068		05/01/2025	Phone	N	N	Closed	O-Safety	1. Guests have shown their knives from their beltloops at employees. 2. An employee was punched in the face by a guest when the guest was informed they could not purchase alcohol.	Referred to local law enforcement.
C-2289681	3535 LV Newco LLC	The Linq Hotel & Casino	05/02/2025	Phone	Y	Y	Closed	O-Health	1. For at least the past 6 weeks, the toilets in the employee's locker room near main security do not flush and employees continue to use them because out-of-order signs have been posted intermittently. Employees are concerned with the associated sanitation hazards. 05/02/2025 SM	Resolved through the inquiry process.
C-2289749	Foreland Refining Corporation		05/02/2025	Phone	Y	Y	Closed	S-Health	1. Employees are not restricted from accessing confined spaces. There was an incident in April, where a storage tank was damaged and access to this tank has not been restricted. 2. During the loading and unloading of hazardous chemicals, employees are using faulty equipment where they are exposed to the chemicals and their vapors and not provided PPE. 05/02/2025 SM	Resolved through the inquiry process.
C-2289868	Tire Works		04/26/2025	Online	Y	Y	Closed	O-Safety	1. On 04/26/2025, tires were observed to be stacked too high on racks. The tire cages are never used to store the tires. 2. Motor oil has been observed spilled on the shop floor. 3. The used motor oil is being disposed of in drains or outside dumpsters. 4. The tires are being inflated well beyond what it calls for on the tires. 5. Lifts are not inspected regularly with some not even able to engage the locks. 6. Personal protective equipment is never worn, and sometimes the personal protective equipment is not provided by employer. 04/26/2025 EM	Resolved through the inquiry process.
C-2289873	Albertsons		04/24/2025	Online	Y	Y	Closed	O-Safety	1. Pallets are being over stacked on the verge of falling in receiving/back stock. 04/24/2025 EM	Resolved through the inquiry process.
C-2290498	Johnstone Supply Las Vegas South		05/05/2025	Online	Y	Y	Closed	O-Health;O-Safety	1. Materials left in aiseways create tripping hazards for employees. 2. Fire exits are obstructed by heavy equipment and HVAC units. 3. The employer lacks an emergency action plan for responding to emergencies. 4. Employees using sharp-edged tools are at risk of lacerations. 5. The employer does not provide personal protective equipment (PPE), such as gloves or eye protection. 6. Employees transporting heavy equipment without appropriate footwear are exposed to foot injuries. 7. Improperly stacked items pose a risk of falling and causing injury. 8. Various gases, including refrigerants, propane, acetylene, and nitrogen, are stored on site. 9. The employer has not provided an emergency eyewash station. 10. Forklift operators frequently wear earphones while listening to music, which can impair their awareness and create safety risks. 11. Employee restrooms are not regularly cleaned. 12. Hand soap or other cleansing agents are not provided in restrooms. 13. Employees often work under the influence of drugs or alcohol, and the employer fails to address this issue. JA 5/6/2025	Resolved through the inquiry process.
C-2290704	Carvana LLC	Adesa Nevada LLC	05/06/2025	Online	Y	Y	Closed	O-Health	1. At the facility, air conditioning units have been broken exposing employees to heat stress. 2. At the facility, employees are not provided adequate water during high heat conditions.	Resolved through the inquiry process.
C-2290708	CVS Pharmacy #5068		05/06/2025	Online	Y	Y	Closed	S-Health	1. There are rodents and rodent droppings throughout the store.	Resolved through the inquiry process.
C-2290838	Titus Transportation		05/06/2025	Online	Y	Y	Closed	S-Safety	1. On the jobsite, employees are not provided adequate lighting exposing employees to injuries from large moving vehicles. 2. Employees are not provided potable water.	Resolved through the inquiry process.
C-2290940	CarMax Auto Superstores, Inc.		05/06/2025	Online	Y	Y	Closed	S-Health;S-Safety	1. On May 6, 2025, there was an incident around 5pm where the building's fire alarm system was activated and shortly afterward, the "all clear" was given and employees returned to work in the building. However, the alarm remained active and employees were required to work inside the building until the business closed at 9 pm. Employees complained about the noise and associated symptoms. 2. Employee alarms failed to promptly be restored to normal operating conditions. 3. The emergency action plan failed to verify the alarm system had not been reset prior to resuming normal operations. 05/06/2025 SM	Resolved through the inquiry process.
C-2290971	RV Country Nevada LLC	RV Country	05/06/2025	Online	Y	Y	Closed	O-Health;O-Safety	1. Forklifts are not regularly maintained by authorized personnel. 2. Employees in the Service Department are splashed with wastewater when dumping out the wastewater from customer RV units and are not provided with adequate personal protective equipment for their face and body. 3. The floor of the detail area is not sanitized appropriately after wastewater from customer RV units are dumped out onto the floor.	Resolved through the inquiry process.
C-2291021	Golden Entertainment	Aquarius Casino Resort	05/05/2025	Online	Y	Y	Closed	O-Health	1. Employees are exposed to unsanitary conditions in the Riverview Dining Room (the employee break room) Avanti Market area. Specifically, in the employee-used refrigerators.	Resolved through the inquiry process.
C-2291023	Venetian Resort Hotel Casino / Palazzo Resort Hotel Casino		05/06/2025	Online	Y	Y	Closed	S-Health	1. On May 2nd through May 3rd, 2025, located throughout the restaurants, the employer did not ensure that employees were provided with potable water for drinking. Employees who consumed the water experienced headaches, migraines, vomiting, and abdominal cramps due to an anti-freeze contamination.	Resolved through the inquiry process.
C-2291252	Southwest Stone and Tile Inc.		05/07/2025	Phone	Y	Y	Closed	S-Safety	1. Employees are utilizing an unsafe scaffold to install stonework on a fireplace, inside a residential home, currently under construction. 05/07/2025 JC	Resolved through the inquiry process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2-25 - 4th Quarter April to June 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2291274	Allied Consulting & Security Services		05/06/2025	Online	Y	Y	Closed	O-Health	1. The AECOM worksite does not have available potable water. Employees are working 12 hour shifts without access to potable water. The only running water is in the restroom sink.	Resolved through the inquiry process.
C-2291286	Renu Oil of America, Inc	Renuoil	05/06/2025	Online	N	N	Closed		1. Employee are Recircling and there is not protection. Cdl drivers are dumping the waste food with no protection or any safety condition. Employee break time is not respected.	Not enough information to process.
C-2291291	Venetian Resort Hotel Casino / Palazzo Resort Hotel Casino		05/06/2025	Online	Y	Y	Closed	S-Safety	1. On May 1, 2025 in ballroom A-L, a rigging connection failed and dropped. The rigging team for Encore Global had attached a 1-ton motor hook and chain to an electrical conduit rather than to a rigging point. The failure caused damage to the ceiling structure, stretched the conduit and metal framing, and occurred next to employees which could have caused serious physical injury or death had a total collapse occurred.	Resolved through the inquiry process.
C-2291306	All Current Electrical Sales		05/01/2025	Online	N	N	Closed		1. Forklift drivers smoke marijuana in vehicle and use marijuana vapes during work hours.	No action. No jurisdiction.
C-2291378	Letter Ride LLC		05/07/2025	Phone	Y	Y	Closed	O-Safety	1. Employees are required to operate delivery vehicles with broken side mirrors, without backup cameras, with doors that don't fasten properly, without functioning air conditioning, and with air bags that need servicing. 05/07/2025 JC	Resolved through the inquiry process.
C-2291383	True Food Kitchen		05/06/2025	Online	Y	Y	Closed	S-Health	1. The restaurant is infested with rats and cockroaches. Employees have seen rats and cockroaches on multiple times and in various locations throughout the restaurant.	Resolved through the inquiry process.
C-2291477	R & K Concrete Cutting		05/07/2025	Phone	N	N	Closed	O-Safety	1. Employees are operating company vehicles and a Bobcat skid steer after consuming large amounts of alcohol at the jobsite, causing an employee to fear for their safety. 05/07/2025 JC	Referred to local law enforcement LVMPD.
C-2291493	CarMax Auto Superstores, Inc.		05/07/2025	Phone	Y	Y	Closed	O-Safety	1. The fire detection system repeatedly goes off intermittently, when there is no fire, requires maintenance or adjustment. 2. The employer does not provide a restraining device for inflating single piece wheels. 05/07/2025 JC	Resolved through the inquiry process.
C-2291500	Clinical Pathology Laboratories (CPL) - East Charleston		05/06/2025	Online	Y	Y	Closed	S-Health	1. The employer has not reported incidents of workplace violence, including verbal abuse of employees. 2. The employer is not providing personal protective equipment, exposing employees to potential bloodborne pathogens. 3. The employer is not providing bloodborne pathogen training. 5/7/2025 KR	Resolved through the inquiry process.
C-2291502	Shift4 Payments		05/07/2025	Phone	Y	Y	Closed	O-Safety	1. On April 13, 2025, an employee was admitted to the hospital for irregular heartbeat from an improperly grounded outlet, which resulted in electric shock. There is concern the incident was not investigated for validity with no corrective action implemented. 2. On April 20, 2025, an another employee was subject to electric shock from an improperly grounded outlet, which resulted in a visit to the hospital but was not admitted. 5/7/2025 AB	Resolved through the inquiry process.
C-2291959	Warm Hearts Pet Hospital Inc.	Warm Hearts Pet Hospital	05/07/2025	Online	Y	Y	Closed	O-Health	1. Located in the kennel/boarding area, the employer requires kennel attendants to utilize bleach to clean up urine and blood. 2. The employer requires employees to mop the floors with only bleach.	Resolved through the inquiry process.
C-2291976	Bellagio	Bellagio Hotel & Casino	04/08/2025	Online	N	N	Closed		A coworker allegedly stated she'd like to beat my ass and also find me in the parking lot at the Essentials gift shop in front of other employees at different times last night. One employee warned me for my safety, and neither HR nor my executive has described what happened in the surveillance footage of the events. I provided them with the information that was shared with me. It is common knowledge around our department that the threatening coworker brags about keeping a gun in her truck which she parks in the employee parking garage, and being armed at work. When I reported this to management my assistant manager Fernando took no actions and did not even talk not security until I demanded it. I had to call out today for my safety. HR will not tell me what steps they're taking-if any-to ensure my safety at work. Neither has my management team or executive. I was informed of the threats by a coworker and we made statements to security last night. - The retail department gift shops Tutto, Newsstand and Essentials.	Referred to local law enforcement LVMPD.
C-2291978	Bellagio, LLC	Bellagio Hotel and Casino	05/01/2025	Online	N	N	Closed		After filing my previous OSHA complaint 196883, I had to send my employer texts from the coworker who warned me that the one coworker who was threatening me and bragging about how she wanted to beat my ass and find me in the parking lot etc. I sent them texts where he said he was afraid of her and knows she is typically armed, at the very bottom you can see I texted him for a bathroom break. Previously, management only wanted us to call them if we could not find a bathroom breaker on our own. Right after I sent the texts, they changed the policy to where we have to call a manager for bathroom breaks when working alone. My usual coworker is gone this week, and the other one is separated from me due to the HR investigation about the threats. They know that I have IBS, and have to get to the bathroom as soon as possible. They also know I've been sick with diarrhea for a few weeks. I believe they changed the policy to make it hard for me to make it to the bathroom in a timely manner, knowing I have IBS and because I had complained about threats of workplace violence. Previously, this same manager I now have to ask for bathroom breaks was "monitoring" my bathroom usage and stopping me on my way into the bathroom regularly. The date should be in the file data of the picture, a lead cashier sent me the email. I can provide relevant texts and a screenshot of the email. - Retail	Referred to local law enforcement LVMPD and Whistleblower.
C-2291994	Sunrise Hospital and Medical Center		05/08/2025	Online	N	N	Closed	S-Health	1. Employees and visitors are exposed to vapors from the medical helicopter once it lands and takes off. The vapors seep into all the offices and neonatal areas of the hospital. 5/8/2025 JC	Referred to Clark County Air Quality and SNHD.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2-25 - 4th Quarter April to June 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2292196	Compass Group USA, Inc.		05/08/2025	Phone	Y	Y	Closed	O-Health	1. The employer failed to ensure that all walk-in freezers had emergency handles that worked at the 6161 West Charleston Boulevard, Building 4, Las Vegas, NV, 89146 location. In the walk-in freezer outside of Building 4, the handle has fallen off and has not been replaced, which could result in staff being locked inside the unit.	Resolved through the inquiry process.
C-2292202	Albertsons		05/08/2025	Phone	Y	Y	Closed	O-Health	1. The employer has not fixed the air conditioning in the E-Commerce department, which has been broken since the 1st of April, 2025. 5/9/2025	Resolved through the inquiry process.
C-2292248	ERMC Aviation LLC	ERMC Aviation Services	05/06/2025	Online	Y	Y	Open	S-Health	1. Chemicals are being used without proper labels. 2. The employer failed to establish an evacuation plan. 5/9/2025 JC	Open investigation.
C-2292280	Las Vegas Flight Academy		05/09/2025	Phone	Y	Y	Closed	O-Safety	1. Employees walk under aircraft simulator, while it is in motion. 2. There is hydraulic fluid leaking from the simulator. 3. There are exposed electrical wires on outlets in the maintenance office. 05/09/21025 JC	Resolved through the inquiry process.
C-2292378	Consumer Portfolio Services, Inc.		05/09/2025	Phone	Y	Y	Closed	O-Health	1. The employer has not turned on the air conditioning system in the office. As a remedy, employees are told they can pay \$40.00 to wear shorts and sandals to work. 05/09/2025 JC	Resolved through the inquiry process
C-2293006	Clark County School District	Kenneth Divich Elementary School	05/12/2025	Online	Y	Y	Closed	O-Safety	1. The employer has not provided a written safety plan or emergency action plan outlining how employees with ADA limitations may safely evacuate the building / second floor. There are no assistive devices, such as med sleds, for evacuations. 2. Employees are being assigned to the second floor, despite medical notes stating employees are unable to use stairs and assistive devices, which may hamper evacuating the building.	Resolved through the inquiry process.
C-2293342	Walmart #3728		05/09/2025	Online	Y	Y	Closed	O-Safety	1. Located in the pick up area, exit doors are blocked by staging carts.	Resolved through the inquiry process.
C-2293408	Bellagio, LLC	Bellagio Resort and Casino	05/12/2025	Online	Y	Y	Closed	S-Safety	1. In the Prime Steakhouse kitchen, a fire exit has been blocked with a wall.	Resolved through the inquiry process.
C-2293445	Black Tie Exhibit Rentals		05/13/2025	Phone	Y	N	Open	O-Safety	1. The front fire exits are blocked and locked. 2. The storage racks are not anchored. Items are being stored over the aisles with each end on separate storage racks. 3. Electrical transformers are blocked with items stored on top including gasoline. 4. Employees are not provided with personal protective equipment including gloves, safety glasses, and hard hats when assembling and disassembling metal trade show structures. 5. Employees are not utilizing harnesses when walking on the beams of the tradeshow booths. 6. There are electrical cords throughout the building, including daisy chained power strips, causing trip hazards. The power strips are overloaded. 7. There is exposed wiring by the office wall. 8. Fire extinguishers are blocked. 5/13/2025 AR	Open investigation.
C-2293936	Global Resource and Support		05/14/2025	Online	Y	Y	Closed	O-Safety	1. Staff are expected to fully lift 150 pound clients without assistance such as the use of a Hoyer lift, transfer board or gait belt which has resulted in employees receiving ergonomic injuries.	Resolved through the inquiry process.
C-2294024	Amazon.com Services LLC	Amazon VGT1	05/08/2025	Online	N	N	Closed		the work environment at Amazon VGT1 (North Las Vegas) has been physically and psychologically unsafe for several months. On October 10, 2024, I was sexually assaulted by a coworker, Guillermo Aguilar, on the floor during my shift. Despite submitting multiple reports, a police statement, legal correspondence from counsel, and two separate Nevada court rulings mandating Amazon to act under NRS 33.270, the company failed to take appropriate protective action. The assailant remained employed on-site without restriction or reassignment for months after the incident. I was left with no choice but to take unpaid leave for my safety yet even while on protected leave, he continued to contact me through impersonation tactics, including an incident two days before a scheduled court date. 2 judges sent it back under NRS 33.270 and no action. This situation fostered a hostile and dangerous atmosphere not only for myself, but for others who witnessed or were drawn into the fallout. The psychological toll I endured includes documented suicidal rumination, panic attacks, chronic insomnia, and autoimmune flares aggravated by the stress and lack of support. These health issues are now corroborated by both psychological evaluations and medical records. Even prior to the October assault, I was subjected to months of disproportionate scrutiny and targeting, including written warnings and selective enforcement of policies related to my documented autoimmune arthritis. These accommodations were mocked or ignored. In multiple instances, I was assigned “rules” that did not apply to coworkers in identical roles—for example, being forced to individually check in and out Zebra scanners, while others were not. This singling-out became part of a sustained campaign of stress, surveillance, and hostility. The retaliation extended to my younger brother, Richard Badohu, who was hired shortly before the incident. Within weeks, he was misled into committing a procedural error and was subsequently terminated. This occurred shortly before the company launched their second “investigation” into my complaints, raising serious questions about whether his termination was used to discredit me, intimidate us both, or reduce liability. They will bend the rules to their benefit and I have numerous examples. Guillermo Aguilar further retaliated after I reported the incident. He impersonated a coworker I was close with, stole and read our private text messages, mocked my medical condition, and “outed” my sexuality to HR—all tactics seemingly designed to redirect scrutiny away from himself and psychologically destabilize me. Disturbingly, Amazon’s internal investigator questioned me about these retaliatory lies before ever addressing the assault I had initially reported. This pattern of response demonstrates a preference for deflection and containment over accountability or worker protection. It reflects a broader cultural problem at the site—where misconduct is covered up and whistleblowers are discouraged or quietly removed. For example, I was previously disciplined for sending a sarcastic email to a third-party vendor—a matter escalated with surprising urgency. Yet, when I came forward with credible, documented allegations of sexual assault and retaliation, those concerns were minimized or delayed indefinitely. That discrepancy in response is not just unprofessional, it is dangerous. I have reason to believe the broader site culture discourages speaking up. Others have	No action. No applicable standard.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2-25 - 4th Quarter April to June 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2294082	Target		05/13/2025	Email	Y	Y	Closed	O-Health	1. The employer shut the water off for employees, and disallowed the use of bathrooms throughout the facility. 5/14/2025	Resolved through the inquiry process.
C-2294263	Clark County School District	East Career & Technical Academy	05/12/2025	Online	Y	N	Closed	O-Health	1. The entire campus is experiencing extreme heat due to the air conditioner not working. 5/15/2025	Open investigation.
C-2294415	United Parcel Service, Inc.		05/15/2025	Phone	Y	Y	Closed	O-Health	1. In the southwest area of the building, the restrooms have not been functional since May 5, 2025. 2. On the opposite side of the building, the functional restrooms do not have running water. 5/15/25 AL	Resolved through the inquiry process.
C-2294446	Foundever		05/15/2025	Phone	Y	Y	Closed	O-Health	1. On May 14, the training room was sprayed with bug spray and allowed 20 trainees to continue to work in the room. Two employees fell sick from inhalation of the bug spray fumes. At approximately 9:30 a.m., emergency services were called and the employees were brought to Sunrise Hospital and Mountainview Hospital, respectively. 5/15/25 AL	
C-2294481	Dreamscape Companies LLC	Rio Hotel & Casino	05/14/2025	Online	Y	Y	Closed	S-Safety	1. During overnight shifts, there are often only 4 security officers scheduled to cover the entire property, which is far below the required staffing policy and creates an unsafe condition for employees. This issue occurs nightly and has not been addressed by management.	Resolved through the inquiry process.
C-2294564	Rustic Metals Fabrication		05/15/2025	Phone	Y	Y	Closed	O-Safety	1. In the work shop, employees are using power tools including grinders without any safety guards/covers. 2. Work vehicles used by employees have bald tires and not being maintained. 3. Safety glasses and safety gloves are not provided by the employer while employees use power tools including grinders. 5/15/25 AL	Resolved through the inquiry process.
C-2294605	TBC The Boring Company		05/13/2025	Online	N	N	Closed		1. Extending underground Tesla tunnel slowly without approval under the city - Sahara and Paradise by stratosphere.	Referred to building permits department.
C-2294620	Las Vegas Clark County Library District	West Las Vegas Library	05/15/2025	Online	Y	Y	Closed	O-Safety	1.The library has a leaky roof. When it rains, water leaks throughout the library over desks where electronics are located resulting in an electrical hazard. 2. After it rains, black mold is visible in the ventilation system due to ceiling tiles falling and crumbling due to the water saturation. Mold was last observed on 5/14/2025. 3. Ceiling tiles are crumbling over work desk areas resulting in a struck by hazard.	Resolved through the inquiry process.
C-2294746	Christopher Homes Builders		04/16/2025	Online	Y	Y	Closed	O-Safety	At SkyVu on Overlook Rim in Macdonald Highlands: 1. Construction workers are not wearing hard hats. 2. Employees are wearing high heels on the job site. 3. They fail to use fall protection. 4. There is improper use of forklifts.	Resolved through the inquiry process.
C-2294749	Stage House		05/05/2025	Online	Y	Y	Closed	O-Safety	1. In the warehouse, employees are using a malfunctioning forklift. The mast should align with the load backrest when elevating the forks, but this was not happening with the forklift. 2. On May 2, 2025, an employee collided with a wall due to the forklift malfunction.	Resolved through the inquiry process.
C-2294752	Cardinal Paint and Powder		05/05/2025	Online	N	N	Closed		I am one of thir customers and I requested the SDS of the powder that they sell to us, using different ways, and I didn't get the information that I needed. I was contacted by a person that asked what I needed and never replaiad back to me, send a message thru their website and called, and never got an answer from them. - 1900 Aerojet Way	No action. No hazard alleged.
C-2294754	Lowe's Home Center, LLC	Lowe's Home Improvement	05/06/2025	Online	Y	Y	Open	O-Safety	1. In the Receiving Department, excessive trash and poor waste management are not being addressed because the trash compactor is broken. This situation is attracting rodents and increasing health risks for employees.	Resolved through the inquiry process.
C-2294878	Spy Ninjas: HQ		05/15/2025	Online	Y	Y	Closed	S-Safety	1. Employees fell onto a fall pad while climbing a fence at the Action Pass sustaining injuries. 2. There is mold in the axe throwing attraction growing behind the boards and the fruit rage room on the second floor.	Resolved through the inquiry process.
C-2294945	Caesar's Palace		05/11/2025	Online	Y	Y	Closed	O-Safety	1. The egress exit door is blocked near the Qua Baths & Spa, back of house hallway. The area of the hallway adjacent to the treatment rooms is the area where the door is always blocked by large rolling laundry hamper. 05/11/2025 EM	Resolved through the inquiry process.
C-2295000	Green Valley Grocery		05/16/2025	Online	Y	N	Closed	O-Health	1. The store does not have adequate air conditioning or air flow causing employees to feel sick due to the increased heat inside the store. 2. The car wash water and soap containment doesn't drain properly causing water to build up and smell like sewage. Certain areas of the store smell like sewage as well due to improper drainage. 3. In the brick house there is mold growing where soda's and snacks are stored exposing employees to mold.	Open investigation.
C-2295515	McDonald's		05/19/2025	Email	Y	Y	Closed	O-Safety	1. Located in the kitchen, wires are hanging from the ceiling with exposed wires, powering computers and heavy equipment. 2. Located throughout the facility, there are no fire alarms or fire sprinklers. 3. Located in the freezer, the floor is unleveled and creates a trip hazard. 4. Employees in the establishment are required to work with inadequate lighting. 5. On the graveyard shift, two doors located in the lobby do not lock, allowing access to the facility during hours when the lobby is not open.	Resolved through the inquiry process.
C-2295668	S.A.F.E. Management of Nevada, LLC		05/19/2025	Phone	Y	Y	Open	O-Safety	1. On 04/26/2025, an employee was injured in Lot C and was later admitted to the hospital on 04/27/2025. This incident was not reported to NV OSHA within 24 hours of the in-patient hospitalization, as required. 2. The employer failed to develop and implement a written safety program, including procedures for accident investigations.	Open investigation.
C-2295737	THE POOL DOCTOR LLC		05/19/2025	Phone	Y	Y	Closed	O-Health	1. Located at the establishment, hazardous chemicals such as chlorine and ammonia are improperly stored.	Resolved through the inquiry process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2-25 - 4th Quarter April to June 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2295751	Crown Holdings, Inc.	Crown Cork & Seal	05/16/2025	Online	Y	Y	Closed	O-Safety	1. As of May 16, 2025, the guards on 3 of the 4 ovens that protect employees from coming into contact with the high-speed pin chains have been removed. JA 5/19/2025.	Resolved through the inquiry process.
C-2295794	Bell Trans, a Nevada Corporation	Bell Limousine	05/16/2025	Online	Y	Y	Closed	O-Health	1. On May 1, 2025, the employer did not ensure that pigeon waste that was being cleaned off the parking structure was not cleaned in a controlled manner to prevent the dust from being inhaled by employees utilizing the parking structure.	Resolved through the inquiry process.
C-2296157	Tropicana Laughlin, LLC	Tropicana Laughlin Hotel & Casino	05/20/2025	Phone	Y	Y	Open	O-Safety	1. For at least 6 months, 2 Taylor Dunn flatbed electric carts which are used by engineering and other employees to get around the property have not been maintained and do not have working brakes. Management was aware of the hazard and has taken no action to place the carts out of service or to service them.	Open investigation.
C-2296528	Advanced Training Institute, Inc.		05/20/2025	Phone	Y	Y	Closed	O-Health;O-Safety	1. Employer requires employees to make repairs to the building's HVAC and electrical system without using proper safety precautions. 2. In the automotive lab, proper exhaust fans do not exist and employees are breathing in dangerous fumes. DF 05/21/2025	Resolved through the inquiry process.
C-2296563	Vay Technology		05/16/2025	Online	Y	N	Closed	S-Health	1. The employer requires employees to work in the heat without a heat stress program. Employees work in the sun without shade, and without water being provided to them. 5/21/2025 KR	Open investigation.
C-2296574	Walmart Inc.	Walmart #3350	05/14/2025	Online	Y	Y	Closed	O-Health	1. In the garden center and pet's department, pigeons fly around these departments leaving droppings all over the two departments. No action has been taken to mitigate pigeon access to these areas.	Resolved through the inquiry process.
C-2296666	Tropicana Laughlin Hotel & Casino		05/21/2025	Online	Y	Y	Closed		the number of employees exposed or threatened by hazard - over 1000 (the entire staff is exposed) Dates of hazards observed - daily Complaint for Life Safety Hazard, Current and ongoing. Two(2) Taylor Dunn flatbed electric carts that are used daily by the Tropicana Laughlin Engineering and other staff members, neither of these carts have brakes. Complaints have been filed regarding this numerous times. These carts have been in this condition for over 6 months. Several staff members have complained, and the management response is 'we are aware of it, either us it or walk'. No attempt has been made to lockout/tagout these vehicles for their unsafe conditions. These vehicles are driven seven (7) days a week usually loaded down with tools and materials moving to different job sites on the Tropicana Laughlin property. These vehicles not only jeopardize the safety of all who operate them, but they are driven in the general public areas where hotel patrons could be hit and killed, because these carts have absolutely no brakes. Every engineer if an investigation is conducted will confirm the condition of these vehicles and the fact that several small accidents have already occurred. The two (2) managers who are aware of these unsafe vehicles and have been for over 6 months are Facilities Manager Robert Shilling, and Facilities Chief Engineer Daniel Contreras. Neither of them have authorized the repair of these vehicles. Neither of these managers has followed a safety protocol for locked out/tagged out on these vehicles for safety reasons. - Tropicana Laughlin Resort & Casino 2121 S Casino Drive, Laughlin, NV 89029	Resolved through the inquiry process.
C-2296703	E-Gads LLC		05/21/2025	Phone	Y	Y	Closed	S-Safety	1. At the facility, emergency exits are blocked. 2. Employees are exposed to extension cords on the ground that present a trip hazard. 3. Employees are not provided PPE such as safety glasses when soldering.	Resolved through the inquiry process.
C-2296721	Aircraft Services International, Inc.	Menzies Aviation LAS	05/13/2025	Email	Y	N	Closed	S-Health	1. The employer is not providing personal protective equipment for employees working with Jet A. 2. The employer is not providing a paint booth for painting. 3. The employer has failed to provide respirators for more than one employee required to paint. 5/21/2025 JC	Open investigation.
C-2296784	El Cortez Hotel and Casino - Siegel's 1941		05/21/2025	Online	Y	Y	Closed	S-Safety	1. In the facility, mold is found lining the air vents. 2. A broken food slicer is utilized by employees.	Resolved through the inquiry process.
C-2296828	Nevada Stone & Tile Inc		05/16/2025	Online	Y	Y	Closed	S-Safety	1. Six employees are exposed to chemicals, acids, and propane gas. 2. The stone cutting saws do not have the required safety features. 3. Equipment has damaged electrical cords. There is water in and around the damaged cords. 4. The employer does not provide PPE such as safety glasses, gloves, or hard hats.	Resolved through the inquiry process.
C-2297134	InTouch Marketing, Inc.	InTouch Medical Marketing	05/22/2025	Phone	Y	Y	Closed	O-Health	1. There is currently a sewage overflow in the call center restroom that is flooding into the office area, creating health and safety hazards for employees. JA 5/22/2025	Resolved through the inquiry process.
C-2297244	Elara by Hilton Grand Vacations		05/22/2025	Phone	Y	Y	Closed	O-Health	1. While working outside in the pool area, employees are not allowed to keep personal water flasks. Instead, they are only permitted to use plastic water bottles, which become hot in the sun, causing the water to become hot. JA 05/22/2025	Resolved through the inquiry process.
C-2297303	GOLDEN ENTERTAINMENT	The STRAT Hotel, Casino & Tower	05/22/2025	Phone	Y	Y	Closed	O-Health	1. On the third floor, in the IT department, employees are exposed to roaches that fall from the ceilings and air vents, creating an unsanitary and hazardous work environment. JA 05/22/2025	Resolved through the inquiry process.
C-2298049	BDP Management LLC	Planet Fitness	05/22/2025	Online	Y	N	Closed	S-Health	1. The air conditioning is not working properly in the front desk, cardio and functional training areas.	Open investigation.
C-2298441	Alif West LLC	Jimmy John's #2524	05/27/2025	Phone	Y	N	Closed	S-Safety	1. There is no air conditioning in the restaurant for the last 2 weeks. It has reached 110 degrees in the kitchen.	Inspection conducted. No citations issued.
C-2298463	Terry Davis		05/22/2025	Online	Y	Y	Closed	O-Safety	1. Employees are constructing a steel garage and are not wearing hard hats or other safety equipment.	Resolved through the inquiry process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2-25 - 4th Quarter April to June 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2298653	Aria Resort & Casino Holdings, LLC	Aria Resort & Casino	05/27/2025	Online	Y	Y	Closed	S-Safety	1. In the hallway in the back of the house at Carbone, there is sewer water leaking through the hallway. The employee restrooms are down that hallway, and the employees cannot walk back-and-forth through the hallway.	Resolved through the inquiry process.
C-2298797	GV Range, LLC	Green Valley Range	05/28/2025	Phone	Y	N	Closed	O-Health	1. In the breakroom, the employees are exposed to lead by breathing in lead-containing dust and fumes.	Open investigation.
C-2298860	FedEx Ground		05/28/2025	Online	Y	Y	Closed	O-Safety	1. The employer has failed to maintenance delivery trucks. 2. The employer has failed to provide cargo dollies in a condition suitable for intended use. 5/28/2025 AB	Resolved through the inquiry process.
C-2298968	Green Valley Grocery		05/27/2025	Online	N	N	Closed	O-Safety	Have witnessed bathroom being denied to certain customers whilst being offered to other customers. Bathroom closed and denied to all patrons, even when expressing medical need to management and still denied use. Location offers fresh food and grocery items each day and must keep bathroom open to all patrons at all times. Discrimination based on age, race and color is in play here. - Bathroom	Referred to SNHD.
C-2298971	Sinclair Broadcast Group Inc.	KSNV	05/28/2025	Online	Y	Y	Open	O-Health	1. There are rodents throughout the establishment. 2. There is a sewage smell in the building and employees are complaining of headaches, lightheadedness, and fatigue. 5/28/2025 SLT	Open investigation.
C-2299413	Revel Nevada		05/29/2025	Online	Y	Y	Closed	S-Health	1. Some apartments have leaking pipes for at least several months which resulted in intermittent sewage odor and was limited to around the apartments. This odor has recently become constant and throughout the building. Employees have complained about symptoms associated with it. 05/29/2025 SM	Resolved through the inquiry process.
C-2299428	Club K9 LLC		05/29/2025	Online	Y	Y	Closed	O-Safety	1. At the 299 North Jones Boulevard and 2705 West Lake Mead Boulevard location, employees are utilizing chemicals that are unlabeled. 2. At the 299 North Jones Boulevard and 2705 West Lake Mead Boulevard location, employees are not provided personal protective equipment.	Resolved through the inquiry process.
C-2299434	Saddle Creek Logistics Services		05/29/2025	Online	Y	Y	Closed	S-Safety	1. In the outbound dock area, a trailer that had been docked on the door and being actively loaded, was pulled off the dock.	Resolved through the inquiry process.
C-2299468	Swissport USA		05/29/2025	Online	Y	N	Closed	S-Health;S-Safety	1. Employees are working out on the airport's tarmac, the employer does not provide adequate water, breaks, or an area to cool off.	Inspection conducted. No citations issued.
C-2299612	Walmart Inc.	Walmart # 1584	05/28/2025	Online	Y	Y	Closed	O-Health	1. On May 27, 2025, employees in the Asset Protection Office were exposed to strong chemical fumes due to ongoing construction work on the roof above the office. The area lacked proper ventilation or exhaust systems, resulting in persistent headaches and other health issues among staff. Despite the severity of this health and safety concern, management has failed to take corrective action. JA 5/30/2025	Resolved through the inquiry process.
C-2299636	Nevada Department of Corrections	Ely State Prison	05/29/2025	Online	Y	Y	Closed	O-Safety	1. There is a severe mice infestation throughout the prison. Employees have been placing traps and must touch the mice without proper PPE. There is a pest control company coming in to address insects, but not the mice.	Resolved through the inquiry process.
C-2299654	TEAM Construction		05/30/2025	Phone	Y	Y	Closed	O-Health	1. Employees of TEAM Construction are performing a tower remodel at the MGM Grand. Employees of TEAM Construction are painting resulting in fume exposure to the TEAM Construction employees working directly below them. The employees are only provided N95 masks. Employees have complained of headaches, eye pain, and nausea. The issue has been reported to management but has been dismissed by telling employees to go home if they cannot handle the fumes.	Resolved through the inquiry process.
C-2299663	Wee Care UC, LLC	Over The Rainbow Pediatrics Urgent Care	05/22/2025	Online	Y	N	Open	S-Health	1. The employer did not ensure that the air conditioning unit was functioning properly in the font office and lobby; temperatures ranged from 80°-90°. 5/30/2025 JC	Open investigation.
C-2299725	Best Western Plus North Las Vegas Inn & Suites		05/30/2025	Phone	Y	N	Closed	S-Health	1. In the kitchen of the Best Western, employees are working with no functional air conditioning unit. The issue has been brought up to management many times with no result. 6/3/2025 KR	Open investigation.
C-2300120	The LINQ Hotel & Casino		06/02/2025	Online	Y	Y	Closed	S-Health	1. The employer has exposed the employees in the theater to Sika Sarnacol 2170, a chemical adhesive which is off-gassing vapors into the heating and air conditioning. 6/2/2025 AB	Resolved through the inquiry process.
C-2300223	Original Tommy's World Famous Hamburgers	Original Tommy's World Famous Hamburgers	06/02/2025	Phone	Y	Y	Closed	O-Safety	1. Located near the drive-through, the drain for the soda machine does not work, allowing the area to flood and creating a slip hazard. 2. Located at the establishment, the employer has not implemented preventive measures, employee training, or emergency response procedures to address heat exposure hazards in the workplace.	Resolved through the inquiry process.
C-2300254	Trego/Dugan Aviation of Grand Island, Inc.		06/02/2025	Phone	Y	Y	Closed	O-Health;O-Safety	1. Located at the establishment, the restroom and breakroom are not maintained in a clean and sanitary condition. 2. Located at the establishment, employees have not been trained in the company's emergency action plan.	Resolved through the inquiry process.
C-2300423	Santa Fe LLC	Santa Fe Station Hotel & Casino	06/02/2025	Phone	Y	Y	Closed	O-Health	1. Located throughout the casino and in the team dining room, the HVAC is unsanitary; and causing employees to experience respiratory issues.	Resolved through the inquiry process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2-25 - 4th Quarter April to June 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2300503	Clark County School District	Fay Galloway Elementary School	06/02/2025	Phone	Y	N	Open	O-Health	1. Located at the establishment, the HVAC is unsanitary; and causing employees to experience respiratory issues.	Open investigation.
C-2300754	RYDER LOGISTICS		05/31/2025	Online	Y	N	Closed	O-Health	1. Employees are exposed to working in high heat temperatures at the facility. 2. At the driver storage racks, components of the storage racking system are buckling under the weight of the stored items. 3. At the driver storage racks, boxes of goods are not stored in a secure manner.	Open investigation.
C-2300855	Vision Sign, Inc.		06/03/2025	Online	Y	N	Closed	O-Safety	1. Employees operating forklifts are not certified in accordance with OSHA requirements. 2. Forklifts are not being inspected prior to use as required for safe operation. 3. Fire extinguishers have not been recharged; pressure gauges indicate they are in the red zone. 4. Emergency exit routes are obstructed, posing a hazard during an evacuation. 5. OSHA 300 logs are not being completed following workplace incidents. 6. Neither employees nor management possess valid OSHA 10-hour or 30-hour training cards. 7. Field employees have not received fall protection training. 8. Employees operating man lifts are not certified to do so.	Inspection conducted. 1 citation issued \$0.
C-2300981	ConAm Management Corporation	The Resort at the Lakes	06/03/2025	Online	Y	N	Closed	O-Safety	1. The AC Unit for the guardhouse initially broke in April 2025 and the interior of the guardhouse has reached temperatures close to 90 degrees. Employees are still required to work inside the guardhouse in those temperatures.	Inspection conducted. No citations issued.
C-2301010	Tuscany Suites & Casinos		06/03/2025	In person	Y	Y	Closed	O-Health;O-Safety	1. The employer has installed metal tables into the hotel rooms that have created limited walking working surfaces. 2. On May 11, 2025, an employee's left knee was injured by a metal table and the employer failed to conduct an accident investigation. 6/3/2025 AB	Resolved through the inquiry process.
C-2301028	Moonbeam Leasing Management	Laughlin Outlet Center	05/31/2025	Online	Y	Y	Closed	O-Health	1. Employees do not have access to restrooms at the facility because they are locked by the Leasing Company. 2. When accessible, the restroom stalls are unsanitary exposing employees to fecal matter. 3. The restrooms do not have hot water to facilitate sanitary handwashing. 06/03/2025 JC	Resolved through the inquiry process.
C-2301188	Clark County Division of Child Support		06/03/2025	Online	Y	Y	Closed	O-Health;O-Safety	On May 29, 2025 at the DAFS Administration Office, 50-75 employees were exposed to paint fumes and volatile organic compounds (VOCs) from painting and construction work being performed at an adjacent building with no enclosures or ventilation. No air filtration or monitoring was in place at the DFAS Administration office and no personal protective measure were provided to employees. DF 06/04/2025	Resolved through the inquiry process.
C-2301259	Eagle Graphic Systems, Inc.	Image 360	06/03/2025	Online	Y	Y	Closed	S-Safety	1. Electrical sign service employees were operating a vehicle-mounted boom lift without utilizing fall protection.	Resolved through the inquiry process.
C-2301268	Walmart, Inc.	Walmart Neighborhood Market #5423	06/02/2025	Online	Y	Y	Closed	O-Safety	1. The receiving door at the back of the store is broken, requiring employees to pull pallets through the front entrance and around the exterior of the building. 2. Despite frequent vehicle traffic on the back road, employees perform this task even at night. 3. When working in the parking lot or during nighttime hours, employees do not receive reflective vests. 4. Workers are sometimes required to transport pallets alone at night, increasing safety risks. 5. In one instance, a manager directed an employee to move three pallets alone at midnight, despite the employee expressing discomfort and concerns about a nearby homeless population. 6. The manager neither provided nor encouraged the use of reflective safety gear. JA 6/4/2025	Resolved through the inquiry process.
C-2301579	National Trench Safety, Inc.		06/04/2025	Phone	Y	Y	Closed	S-Safety	1. Employees are being allowed to operate forklifts but are not certified. 2. Employees are not wearing PPE such as hardhats or safety glasses when operating the forklifts.	Resolved through the inquiry process.
C-2301845	Certified Aviation Services, LLC		06/04/2025	Phone	Y	Y	Closed	S-Health;S-Safety	1. The employer does not provide required personal protection equipment, such as gloves and safety glasses, for employee use when handling hazardous chemicals. 2. Employees are allowed to operate arial lifts, such as scissor lifts and boom lifts, without certification. 3. The employer's arial lifts, such as scissor lifts and boom lifts, are not regularly maintained or serviced. 4. Ladder's provided for employee use are not parallel or level, and employees have complained about their stability. 06/04/2025 SM	Resolved through the inquiry process.
C-2301877	New York-New York, LLC	New York-New York Hotel & Casino	06/04/2025	Online	Y	Y	Closed	O-Safety	1. There are approximately 20 to 25 employees in the pool area during a storm and lightening was visible. Management would not close the pool area until it rained and hailed for a couple of minutes.	Resolved through the inquiry process.
C-2301884	Amazon CXO Returns Counter LLV3		06/05/2025	Online	Y	Y	Closed	O-Safety	1. Employees were unaware that the front handles of the carts have been cable-tied/zip-tied to the other front handles of the other carts that are placed against a wall. These caused the carts to accidentally tip over when pulled by employees. 2. Tamper-proof cables and locks on the LLV3 site carts have caused cuts to employees' hands. 6/5/25 AL	Resolved through the inquiry process.
C-2302278	Knight Transportation, Inc.		06/04/2025	Online	Y	Y	Closed	S-Health	1. The employer failed to ensure the vehicles being operated at the T.J. Maxx trailer lot have an effective climate control system. 6/6/2025 JC	Resolved through the inquiry process.
C-2302974	Commerce Park Medical RD264 LLC	Thrive Cannabis Marketplace	06/02/2025	Online	Y	N	Closed	S-Health	1. The air conditioner has not been working for approximately three weeks. The temperature inside the store is 80 degrees, and higher. 06/03/2025 EM	Open investigation.
C-2303023	RYDER LOGISTICS		05/30/2025	Online	Y	N	Closed	O-Safety	1. The pallets are stored with significant overhang, and without proper support on the racking system in various locations (Locations 23 - 27 High Rack). 2. Pallets with boxes are placed on higher racks unsecured or unwrapped, increasing the risk of falling items. 06/09/2025 EM	Open investigation.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2-25 - 4th Quarter April to June 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2303050	Host International, Inc.	Jose Cuervo Tequileria	06/09/2025	Phone	Y	N	Open	O-Health	1. The A/C is not functioning properly at Jose Cuervo Tequileria. 2. Employees working in standing water in back-of-house by the bar. 3. Employees have to walk approximately 1.7 miles from the parking area to the bar, and staff are wearing all black uniforms in the direct sunlight waiting for the bus to pick staff up.	Open investigation.
C-2303063	Marco's Franchising LLC	Marco's Pizza	06/06/2025	Online	N	N	Closed		1. employees are forced to use and reuse old towels. The three partition sink used to clean, and sanitize does not properly drain. The Owners do not replace mop heads. Hand washing, and overall cleanliness isn't watched over at all. This is all within inches of dough preparation as well as all the food preparation. 06/09/2025 EM	Referred to other agency.
C-2303089	Cret LLC	Nellis Auction Outlet	06/08/2025	Online	Y	Y	Closed	O-Safety	1. In the warehouse area, a light fixture is improperly secured and hanging, creating a potential falling object hazard for employees. 2. In the soft sort area, electrical wires are exposed, with inner wiring visible, posing an electrical hazard. 3. In the soft sort area, protruding nails in the floor present a trip hazard for employees. 4. On the main floor, the area lacks air conditioning.	Resolved through the inquiry process.
C-2303204	Aircraft Service International, Inc.	Menzies Aviation	06/09/2025	Online	Y	N	Closed	S-Safety	1. Employees working out in the heat have no adequate cooling stations, the trucks have no AC, and the break room is outside in the heat.	Inspection conducted. No citations issued.
C-2303207	Aircraft Service International, Inc.	Menzies Aviation	06/09/2025	Online	Y	N	Closed	S-Safety	1. Employees working in the excessive heat/ extreme heat with no break room, no AC, and no cooling station.	Inspection conducted. No citations issued.
C-2303208	O'Reilly Auto Enterprises LLC	O'Reilly Auto Parts	06/09/2025	Online	Y	N	Closed	O-Safety	1. The employer does not allow employees to have bottles of water in the trucks unless they are in a cooler in the bed of the truck. JA 6/9/2025	Inspection conducted. No citations issued.
C-2303225	Amazon.com Services LLC	Amazon VGT 1	06/09/2025	Online	Y	Y	Closed	S-Health	1. In the Amazon VGT1 building. hazardous chemicals classified for disposal are not effectively contained or removed. 2. The HVAC system is not regularly maintained or serviced, where system components like vents are not operational in the Amazon VGT1 building. 06/09/2025 SM	Resolved through the inquiry process.
C-2303661	HMS Host _ Jose Cuervo Tequileria		06/10/2025	Phone	Y	N	Closed	S-Health;S-Safety	1. Employees exposed to temperatures in excess of 110+degrees in entire restaurant, front and back-of-house. 2. Employees working in standing water in back-of-house by the bar.	Inspection conducted. No citations issued.
C-2303693	HMS Host _ Jose Cuervo Tequileria		06/10/2025	Phone	Y	N	Closed	S-Health;S-Safety	1. Employees exposed to temperatures in excess of 110+degrees.	Inspection conducted. No citations issued.
C-2303710	Nacho Daddy, LLC	Nacho Daddy Downtown	06/10/2025	Phone	Y	N	Closed	S-Health;S-Safety	1. Employees exposed to temperatures in excess of 100+degrees inside restaurant.	Inspection conducted. No citations issued.
C-2303738	PHC of Nevada, Inc.	Harmony Healthcare	05/14/2025	Online	Y	Y	Closed	S-Health	1. The employer failed to implement an emergency action plan for the facility. 2. The employer failed to implement a bloodborne pathogen program. 3. The employer failed to provide receptacles for sharps to be disposed of into. 4. The employer failed to address the hostile work environment and has not provided a way for employees to express concerns pertaining to what is occurring on site. 6/10/2025 JC	Resolved through the inquiry process.
C-2303777	Nacho Daddy, LLC	Nacho Daddy Downtown	06/10/2025	In person	Y	N	Closed	S-Health;S-Safety	1. Employees exposed to temperatures in excess of 100+degrees in front and back-of-house inside restaurant. 2. Employees exposed to Managers that are intoxicated while on the clock. 3. Employees are penalized for taking too many breaks due to heat overexposure.	Inspection conducted. No citations issued.
C-2303870	HMS Host	Starbucks	06/10/2025	Phone	Y	N	Closed	S-Safety	1. Employees exposed to temperatures over 90 degrees in the front and back of the restaurant.	Inspection conducted. No citations issued.
C-2304107	Renu Oil of America, Inc	Renuoil	06/09/2025	Online	Y	Y	Closed	O-Health	1. Employees are exposed to potential heat stress due to heat generated by engines seeping into the cabs of the trucks, which do not have functioning air conditioning. 2. Truck operators and helpers are forced to work without breaks. 3. There is a fly infestation in the backyard area of the facility. 06/11/2025 JC	Resolved through the inquiry process.
C-2304232	Arizona Charlie's, Inc.	Arizona Charlie's Hotel & Casino	06/10/2025	Online	Y	Y	Closed	S-Health	1. On June 9, 2025, a sewage tank was being drained and spilled onto the casino floor by the PT's and Dunkin' Donut's located near the sportsbook. Management failed to evacuate employees and required them to continue working as bleach was used to clean the spill. Employees within the vicinity experienced symptoms of nausea, headaches, and stomach pain after exposure to sewage vapors. 6/11/2025 JC	Resolved through the inquiry process.
C-2304271	ER Laser Productions Inc.		06/11/2025	In person	Y	Y	Closed	S-Safety	1. Equipment has been modified to delay detection from the fire protection system. 2. The fire protection system is not regularly maintained or serviced to maintain proper reliability and operating condition. 3. Pyrotechnic testing does not follow the procedures within the emergency action plan. 4. Flammable liquids are improperly stored. 5. Flammable liquids cabinets are damaged.	Resolved through the inquiry process.
C-2304332	Gaughan South LLC	South Point Hotel and Casino	06/11/2025	Online	Y	N	Closed	O-Safety	On June 8th, 2025 in the pool area, the lifeguard office/break-room/treatment room does not have Air Conditioning thus not meeting proper temperatures to curb heat exhaustion. This is a hazard for the lifeguards and management team. This affects approximately 20 total employees. DF 06/11/2025	Inspection conducted. No citations issued.
C-2304391	Nacho Daddy, LLC	Nacho Daddy - Downtown	06/11/2025	Phone	Y	N	Closed	S-Health	1. The air-conditioning in the building has been out for a week with temperatures reaching up to 86 degrees inside the building.	Inspection conducted. No citations issued.
C-2304393	THI OF NEVADA AT LAS VEGAS I, LLC	Harmon Hospital	06/11/2025	Online	Y	N	Closed	O-Safety	1. In 100 hall and the nursing stations, the air conditioning system has not working. It has been over a month since the air conditioner system worked. DF 6/11/25	Inspection conducted. No citations issued.
C-2304410	US Postal Service	Winterwood Station	06/11/2025	Phone	N	N	Closed	S-Health	1. Inside of the building, employees are exposed to working in high heat temperatures. One of the air-conditioning units has been inoperable for more than a month.	Referred to Federal OSHA.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2-25 - 4th Quarter April to June 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2304413	Penske Truck Leasing Corporation	Penske Truck Leasing CO. L.P.	06/11/2025	Phone	Y	Y	Closed	S-Health	1. The water to the facility has been turned off and employees working on vehicles cannot use an eyewash station.	Resolved through the inquiry process.
C-2304577	Best Buy		06/10/2025	Online	Y	N	Open	O-Health	1. Inside the store and warehouse, the air conditioning is not functioning exposing employees to working in high heat temperatures. 6/12/2025 AR	Open investigation.
C-2304585	Best Buy		06/10/2025	Online	Y	N	Open	O-Health	1. Inside the store and warehouse, the air conditioning is not functioning exposing employees to working in high heat temperatures.	Open investigation.
C-2304587	Best Buy		06/10/2025	Online	Y	N	Open	O-Health	1. Inside the store and warehouse, the air conditioning is not functioning exposing employees to working in high heat temperatures.	Open investigation.
C-2304594	Best Buy		06/10/2025	Online	Y	N	Open		Inside the store, the air conditioning is not functioning exposing employees to working in high heat temperatures.	Open investigation.
C-2304615	Best Buy		06/10/2025	Online	Y	N	Open	O-Health	1. Inside the store, the air conditioning is not functioning exposing employees to working in high heat temperatures.	Open investigation.
C-2304681	Ernie Cragin Terrace		06/11/2025	Online	Y	Y	Closed	S-Health;S-Safety	1. Employee does not have access to a restroom onsite at work location, employee driving more than 10 minutes in traffic for a restroom.	Resolved through the inquiry process.
C-2304736	Leslie's Poolmart Inc	Leslie's Pro	06/12/2025	Phone	Y	N	Closed	S-Health	1. Employees are exposed to working in high heat temperatures up to 98 degrees inside of the store. The air conditioning has been out since 5/2/2025.	Inspection conducted. No citations issued.
C-2304762	Southern Nevada Regional Housing Authority		06/12/2025	Phone	Y	Y	Closed	S-Health	1. For three to five months maintenance employees have not received gloves and glasses for inspecting toilets and the job description requires personal protective equipment.	Resolved through the inquiry process.
C-2304797	Zak Bagans' The Haunted Museum, LLC	The Haunted Museum	06/09/2025	Online	Y	Y	Closed	O-Health	1. On 6/4/2025, there was no hot water in the men's restroom, and it is believed that there is no hot water in the building.	Resolved through the inquiry process.
C-2304997	IntouchCX Solutions, Inc.	IntouchCX - Las Vegas	06/12/2025	Phone	Y	Y	Closed	S-Health	1. On 6/4/2025, exterminator came overnight to spray Suspend Polyzone 2.0. Employees were not informed of the areas sprayed and started to experience chest tightening, nausea, and headache.	Resolved through the inquiry process.
C-2305250	AGP Foods, LLC	KFC	06/13/2025	Online	Y	N	Closed	S-Health	1. Employees are working in high indoor temperatures, where they have complained about the heat and are concerned with the hazards associated with heat illness. 06/13/2025 SM	Open investigation.
C-2305421	Cret LLC	Nellis Auction Outlet	06/13/2025	Phone	Y	N	Closed	O-Health	1. The air conditioning is not sufficient because multiple units are not operational dating back to Black Friday 2024, exposing employees to heat stress illness. For the past 4 weeks 1-2 employees each week have gone home early due to heat stress. 06/13/2024 JC	Open investigation.
C-2305717	Valley Health System LLC	Centennial Hills Hospital Medical Center	06/13/2025	Online	Y	Y	Closed	S-Health	1. The gray 32-gallon utility cans located in the soiled-utility closets of each floor contain mixed red infectious waste bags, blue soiled linen bags, and black trash bags. 2. The gray 32-gallon utility cans are overfilled with red, blue, and black waste bags, preventing the cans from being closed properly. Additional bags are stacked on top or left on the floor. 3. The gray 32-gallon utility cans are not labeled to indicate regulated waste.	Resolved through the inquiry process.
C-2305782	24 Seven Pro, Inc.	24 Seven Productions	06/10/2025	Online	Y	Y	Closed	S-Safety	1. The pallet racking is not bolted to the floor in the main warehouse and two other secondary warehouses. 2. The employees are standing on a pallet and being lifted by a forklift to retrieve product from the pallet racking.	Resolved through the inquiry process.
C-2305783	Best Buy		06/12/2025	Online	Y	N	Open	O-Health	1. Inside the store, the air conditioning is not functioning exposing employees to working in high heat temperatures. 6/16/2025	Open investigation.
C-2305799	Center for Autism and Related Disorders		06/16/2025	Online	N	N	Closed		1. Employees are not allowed to take the required time for breaks after 6 hours of work.	No jurisdiction. Referred to labor comissioner.
C-2305839	M Resort Spa Casino		06/11/2025	Online	Y	Y	Closed	O-Health	1. Employees at the establishment are being affected by the dust produced by nearby construction.	Resolved through the inquiry process.
C-2305850	BELLA + CANVAS Warehouse		06/13/2025	Online	Y	N	Closed	O-Health	1. On the third floor, employees are exposed to high heat temperatures while working 12 hours shifts. There is no air-conditioning in the building.	Open investigation.
C-2305859	Carvana LLC	ADESA LAS VEGAS	06/13/2025	Online	Y	Y	Closed	O-Health	1. Employees are exposed to working in high heat temperatures inside Building A (main building). The air-conditioning has been inoperable for over a year.	Resolved through the inquiry process.
C-2305973	Caesars Forum		06/16/2025	Online	Y	Y	Closed	O-Safety	1. Employees (Runners) are operating motorized pallet jacks without proper training or certification.	Resolved through the inquiry process.
C-2306161	Transdev Services, Inc.		06/16/2025	Phone	Y	N	Closed	O-Safety	1. Drivers do not have access to potable water, while working in high heat temperatures assisting handicapped passengers getting on and off the bus. 6/16/25 AL	Open investigation.
C-2306193	Clark County School District Transportation Department		06/16/2025	Phone	Y	N	Closed	O-Health	1. On June 16, 2025, around 27 bus drivers were made to stand in the bus yard after cleaning the buses while waiting for the seatbelts to dry. They did not have access to shade and potable water for 1.5 hours. 6/16/25 AL	Open investigation.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2-25 - 4th Quarter April to June 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2306516	Goodwill Clearance Center		06/11/2025	Online	Y	N	Open	O-Health	1. Inside the building, the air conditioning is not functioning exposing employees to working in high heat temperatures. 6/17/2025	Open investigation.
C-2306621	Sphere Entertainment Co.	MSG Sphere	06/17/2025	Phone	Y	Y	Closed	S-Health	1. Employees working outside of the Plaza and Bridge entrances work six to eight hours and are not provided with adequate breaks from the heat. 2. The employer does not have a heat illness prevention plan or trained employees on heat illness. 3. On June 18th, 2025, a Guest Service employee experienced heat illness. On June 20th, 2025, the employee was still experiencing heat-related symptoms and was required to work outdoors when temperatures were at least 100 degrees Fahrenheit.	Resolved through the inquiry process.
C-2306911	Horseshoe Las Vegas		06/17/2025	Phone	Y	Y	Closed	S-Health	1. Located in the Versailles Tower, the temperature is hot in the back of the kitchen on the second floor in Normandy. Management does not allow the doors to be open to allow for airflow.	Resolved through the inquiry process.
C-2306916	Mountain Valley Express Co., Inc.		06/12/2025	Phone	Y	Y	Closed	S-Safety	1. The dock leveler on 16 of 20 doors have broken springs with Doors 9 and 10 dock levelers falling off and hanging. The employees are using forklifts to pick up the dock levelers. 2. The dock doors for Doors 4, 5, and 12 are coming off the tracks. Employees are using a forklift to open Door 5. 3. Male bathroom sink does not work.	Resolved through the inquiry process.
C-2306941	Desert Parkway Behavioral Healthcare Hospital, LLC		06/13/2025	Online	Y	Y	Closed	O-Health;O-Safety	1. The employer has failed to provide supplemental forms of air conditioning. 2. The employer has failed to provided heat stress training. 6/13/2025 AB 3. The employer requires training to be conducted during nightshift's regular time off, when the employees are required to return the same day. 7/3/2025 AB 4. On the First floor, in the Unit 100 and 200, the employer has failed to provide the sufficient numbers of toilet facilities for the number of employees. 7/9/2025 AB	Resolved through the inquiry process.
C-2307153	New-Com Inc.		06/10/2025	Phone	Y	Y	Closed	S-Health;S-Safety	1. Work truck engine catches fire while being driven by employee on I-215 West on 04/29/2025.	Resolved through the inquiry process.
C-2307170	Hotspur Resorts Nevada LTD	J.W. Marriott Las Vegas Resort & Spa	06/16/2025	Online	Y	Y	Closed	O-Health	1. Employees are experiencing difficulty breathing, stomach aches, and burning and watery eyes due to a strong smell in the back area of the casino which started on 6/14/2025. The Biohazard smell started at 11pm last night on the 14th.	Resolved through the inquiry process
C-2307201	Diversified Restaurant Group	Taco Bell	06/12/2025	Online	Y	Y	Closed	O-Safety	1. There are major issues with the HVAC system and the restaurant is over 87 degrees inside.	Resolved through the inquiry process.
C-2307288	MM Development Company, Inc.	Medizin/Plane t 13	06/18/2025	Online	Y	Y	Closed	O-Health	1. At the facility, the first aid boxes are not restocked and have expired items.	Resolved through the inquiry process.
C-2307323	Bojangles Opco, LLC	Bojangles	06/17/2025	Online	N	N	Closed		Too many people on the clock. Sexual harassment. Bad management. Inappropriate behavior and language - Whole store	No recognized hazards.
C-2307328	J.C. Penney Corp #2620-0		06/18/2025	Phone	Y	N	Closed	S-Safety	1. For the last two weeks, the entire store has had no air conditioning. Fans and water are not provided for the employees. 2. On 6/17/2025 around 6:00 PM there was a roof leak near the men's department and ceiling tiles began to fall to the floor.	Open investigation.
C-2307335	Resorts World Las Vegas, LLC	Resorts World Las Vegas	06/18/2025	Online	Y	N	Open	O-Health	1. Since 2021, at the entry door areas of Crockfords, Conrad, and Hilton, 100+ valet and bell desk employees are being exposed to hot outdoor conditions. Employees are not provided with shade, water stations, designated heat breaks, or fans. 2. At the Crockford entry door area, employees are not permitted to get into air conditioned vehicles to cool down while other entry door area employees at the Conrad and Hilton entry are allowed to do so. 3. At the Crockford entry door area, valet and bell desk employees have new uniforms which have an extra layer of material which does not allow employees to cool down. 4. Employees have brought personal fans and water coolers to work, which were removed by the employer. 5. Located throughout the hotel, housekeeping employees performing work in the guest check out rooms are not provided with working air conditioning. The air conditioning is shut off and only allowed on for approximately 5 minutes.	Open investigation.
C-2307337	Core-Mark International, Inc.		06/18/2025	Phone	Y	Y	Closed	S-Safety	1. Employees are driving truck trailers around the valley with no cooling or AC.	Resolved through the inquiry process.
C-2307932	The Signature at MGM Grand		06/16/2025	Online	N	N	Closed	O-Health	1. In Towner One Valet garage, the employer has failed to utilize the exhaust fans to remove smoke and ash. 6/20/2025 AB	No action. Smoke and Ash from smoking considered nuisance.
C-2308078	McCarran International Airport		06/04/2025	Online	Y	Y	Closed	S-Health	1. The employer has failed to ensure that employees working at various checkpoints in Terminal 1 are protected from heat stress. Fans, and additional breaks are not being permitted for employees to utilize. 6/4/2025 KR	Resolved through the inquiry process.
C-2308084	Empowered OBGYN		06/05/2025	Online	N	N	Closed	O-Safety	1. Ceiling is falling on employees.	Complainant clarified hazards did not exst.
C-2308104	Wells Enterprises, Inc.		06/10/2025	Online	N	N	Closed	S-Health	1. The employer failed to ensure that ventilation was sufficient with Blue #1 food coloring. Employees have blown blue from the nasal passages, had sore throats and headaches over lines 16, 18, and 20 within the facility. Light fixtures, and the air ducts, have this chemical trapped in them.	No action. No hazard alleged.
C-2308107	Two Magic Cabinets, LLC		06/13/2025	Online	Y	Y	Open	O-Health	1. The employer is requiring employees to spray a lacquer spray outside, exposing them to respiratory hazards.	Open investigation.
C-2308110	Elite Legal Practice		06/20/2025	Online	Y	Y	Closed	S-Health	1. The employer has required all employees to continue working in a facility that has been without air conditioning for two days and has a gas leak.	Resolved through the inquiry process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2-25 - 4th Quarter April to June 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2308690	Valley Hospital Medical Center		06/20/2025	Online	Y	N	Closed	O-Safety	1. The air conditioning in the cafeteria is inoperable, exposing employees utilizing heat-generating cooking equipment to heat-stress illness.	Open investigation.
C-2308712	Red Lobster Hospitality, LLC	Red Lobster #6257	06/20/2025	Online	Y	N	Open	S-Health	1. There is no air conditioning and temperatures are 125F in the kitchen.	Open investigation.
C-2308727	Circus Circus LV, LLC	Circus Circus Hotel & Casino	06/18/2025	Online	Y	N	Closed	O-Health	1. Employees working as lifeguards are exposed to heat-stress illness, while working poolside in temperatures reaching 100 Fahrenheit, without access to shade. 2. Employees working as lifeguards are exposed to heat-stress illness, and are not provided with rest breaks, when needed. 3. Employees have not received training on the hazards associated with heat-stress illness.	Open investigation.
C-2308840	OnTrac Logistics Inc.		06/23/2025	Online	Y	Y	Closed	O-Safety;S-Health	1. The employer has failed to supply air conditioning to the warehouse. 2. The employer has failed to implement heat stress training literature 3. The employer has failed to store items on conveyor belts as to not create a hazard. 4. The employer has failed to address insect infestation in the warehouse. 6/23/2025 AB	Resolved through the inquiry process.
C-2309288	McDonald's #25293		06/23/2025	Phone	Y	N	Closed	S-Health;S-Safety	1. Air conditioning not working in front and back of restaurant, employees exposed to temperatures over 90 degrees.	Inspection conducted. No citations issued.
C-2309290	The Rock Center For Dance, LLC		06/23/2025	Online	N	N	Closed	S-Health	On 06/01/2025, the air conditioning unit went out in Studio 4 went out and has not been repaired. 06/23/2025 SM	Resolved through the inquiry process.
C-2309299	Command Logistics LLC		06/23/2025	Phone	Y	Y	Closed	S-Safety	1. Employees have no training with forklifts. 2. Forklifts have horns that do not work consistently. 3. Forklifts have seatbelts that do not work consistently, if worn at all.	Resolved through the inquiry process.
C-2309317	TH Foods, Inc.		06/20/2025	Online	Y	Y	Closed	O-Health	1. On the production floor, the air conditioning is not working, creating an uncomfortable work environment.	Resolved through the inquiry process
C-2309640	Golf Galaxy, LLC	Golf Galaxy	06/24/2025	Online	Y	Y	Closed	O-Health	1. Both the male and female restrooms have been blocked, or have had backed up with drainage and sludge. 2. The female restrooms have been closed for over a week, and the men's restroom stall was also closed.	Resolved through the inquiry process.
C-2309742	United Parcel Service Las Vegas South		06/24/2025	Online	Y	N	Open	O-Safety	1. Packages are overloaded on belts and slides causing multiple egress issues in the UPS South building Blue Belt and Yellow Belt areas. 2. The elevated sorting positions are overcrowded with packages blocking exits in the UPS South building Blue Belt and Yellow Belt areas. 3. Packages are blocking fans causing elevated temperatures in the UPS South Building in the Blue Belt and Yellow Belt areas. 4. The ice machine is locked, preventing employees from obtaining ice in temperatures up to 110 degrees, in the building between Belts 5 and 6.	Open investigation.
C-2309849	Tuscany Suites & Casinos		06/24/2025	Online	N	N	Closed		1. Housekeeping employees are discriminated and harassed by supervisors who use vulgar language. Employees have told the Manager but no corrective action against the supervisors has been taken.	Provided contact info for EEOC and labor comissioner
C-2309872	Mirage Builders, Inc.		06/18/2025	Online	Y	N	Closed	O-Health	1. Employees are not provided breaks, cool water, or no sun protection equipment supplied. ATB 06/24/2025	Open investigation.
C-2310030	Sphere Entertainment Co.	MSG Sphere	06/24/2025	Online	Y	Y	Closed	S-Health	1. Guest service employees are required to work outside for 5-10 hours daily. Employees wear black uniforms, are not always provided water, are not provided shade, and are not rotated out of the outdoors shift which has resulted in heat illness with employees getting sunburns or throwing up.	Resolved through the inquiry process.
C-2310064	Nevada Contract Carpet, Inc	Nevada Contract Carpet, Inc	06/24/2025	Online	Y	Y	Closed	O-Health;O-Safety	1. The employer has failed to ensure that all exit doors are available for employees to utilize without moving equipment on or around it to access. 2. The employer has failed to train employees on forklifts, which are utilized by employees. 3. Forklifts do not possess horns and are not routinely checked to ensure they are safe to utilize. 4. The employer has failed to ensure that employees receive heat stress training and have a program to ensure that they are safe. 5. The employer has failed to ensure that water is available to all employees. 6. The employer has failed to provide personal protective equipment to all employees.	Resolved through the inquiry process.
C-2310074	T&D Power, Inc		06/21/2025	Online	Y	Y	Closed	O-Safety	1. Employees hired more than 15 days ago have not completed an OSHA 10- or 30-hour course. 2. Employees on site are not wearing proper personal protective equipment (PPE), including hard hats. 3. No eyewash stations are available on site. 4. There is no designated individual overseeing the safe operations of the work being conducted on site.	Resolved through the inquiry process.
C-2310081	Pacific Island Taste, Hawaiian Restaurant		06/18/2025	Online	Y	Y	Closed	O-Health	1. There is a roach infestation in the entire building.	Resolved through the inquiry process.
C-2310082	Republic Silver State Disposal Inc.		06/21/2025	Online	Y	Y	Open	O-Safety	1. Truck #1658 on site has no power steering, making the vehicle unsafe to operate.	Resolved through the inquiry process.
C-2310103	UPS Customer Center		06/24/2025	Online	Y	N	Closed	O-Safety	1. Packages are overloaded on belts and slides causing multiple egress issues in the UPS South Building blue belt and yellow belt area. 2. The elevated sorting positions are overcrowded with packages blocking exits in the UPS South Building blue belt and yellow belt area. 3. Packages are blocking fans causing elevated temperatures in the UPS South Building blue belt and yellow belt area. 4. The lock to the ice machine is preventing employees from obtaining ice in temperatures up to 110 degrees in the building between belts 5 and 6.	Open investigation.
C-2310123	Smith's Marketplace #367		06/24/2025	Online	Y	Y	Closed	O-Health	1. In the Pick-Up Department and back room, air conditioning is not working. ATB 06/24/2025	Resolved through the inquiry process.
C-2310347	The Bedabox, LLC	ShipMonk	06/24/2025	Online	Y	N	Closed	O-Safety	1. In the warehouse, employees are exposed to working in high heat temperatures.	Open investigation.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2-25 - 4th Quarter April to June 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2310379	Stage Stop Cafe		06/24/2025	Online	Y	Y	Closed	O-Health	1. There are insects and pests, like cockroaches, in the dining area and kitchen, and no pest control is utilized. 06/25/2025 SM	Resolved through the inquiry process.
C-2310481	UNLV School of Dental Medicine		06/25/2025	Phone	Y	Y	Closed	O-Safety	1. An employee reported being harassed by a co-worker. The reported behavior includes the co-worker raising their hand as if to strike the employee and making unwanted physical contact, including touching the employee's hair and back. Although the situation was brought to management's attention, no action has been taken to address or investigate the incident. JA 6/25/2025	Resolved through the inquiry process.
C-2310613	Best Buy		06/13/2025	Online	Y	N	Open		1. Inside the store, the air conditioning is not functioning exposing employees to working in high heat temperatures. 6/25/2025 AR	Inspection conducted. 1 citation issued \$0.
C-2310618	Best Buy		06/13/2025	Online	N	N	Open	O-Health	1. Inside the store and warehouse, the air conditioning is not functioning exposing employees to working in high heat temperatures. 6/25/2025 AR	Inspection conducted. 1 citation issued \$0.
C-2310622	Best Buy		06/13/2025	Online	N	N	Open	O-Health	1. Inside the store and warehouse, the air conditioning is not functioning exposing employees to working in high heat temperatures. 6/13/2025 AR	Inspection conducted. 1 citation issued \$0.
C-2310626	Best Buy		06/13/2025	Online	N	N	Open	O-Health	1. Inside the store and warehouse, the air conditioning is not functioning exposing employees to working in high heat temperatures. 6/25/2025 AR	Inspection conducted. 1 citation issued \$0.
C-2310812	Nevada Comprehensive Pain Management		06/06/2025	Online	N	N	Closed		1. At the front desk of the medical office, a wet substance of unknown origin dropped on an employee's hand while also identifying a dried green substance on her clothes after the said incident. 6/25/25 AL	No action. No alleged hazard.
C-2310842	Nevada Comprehensive Pain Management		06/18/2025	Online	N	N	Closed		1. An employee's knee was hit by a drawer that was opened by two employees. 2. An employee's water bottle seal was removed after placing it in the work cabinet 6/25/25 AL	No action. No alleged hazard.
C-2310864	Spencer's		06/20/2025	Online	Y	N	Closed	O-Health	1. Inside the store, employees are exposed to high heat temperatures.. The air-conditioning has been malfunctioning for a week and a half.	Open investigation.
C-2310869	Host International, Inc.	Ruby's Diner	06/25/2025	Phone	Y	N	Closed	S-Safety	1. Employees working in the diner have been exposed to temperatures over 90 degrees for the last couple of weeks.	Open investigation.
C-2310876	J.C. Penney Corp #2620-0		06/25/2025	Online	Y	N	Open	O-Health	1. Inside the store, the air conditioning is not functioning, exposing employees to working in high heat temperatures. 6/25/2025 AR	Inspection conducted. No citations issued.
C-2310886	J.C. Penney Corp #2620-0		06/25/2025	Online	Y	N	Open	O-Health	1. Inside the store, the air conditioning is not functioning, exposing employees to working in high heat temperatures. 6/25/2025	Inspection conducted. No citations issued.
C-2310891	ShipMonk Logistics		06/25/2025	Phone	Y	N	Closed	S-Safety	1. The warehouse has been without A/C for nearly 2 months. Temperatures inside reach 110-115 degrees. The employer has set up fans, but they aren't sufficient.	Inspection conducted. No citations issued.
C-2311306	Jiffy Lube		06/26/2025	Phone	Y	N	Closed	S-Safety	1. The air conditioning in the garage has been out for approximately 3 months. The employer is providing a portable A/C unit that is ineffective past 98 degrees. An employee became sick and threw up about 2 weeks ago due to overheating.	Open investigation.
C-2311440	Limitless USA Inc.		06/20/2025	Online	N	N	Closed		1. On June 16th 2025, the employer removed all the chairs in the warehouse and made employees stand for 4 hours to conduct their work before giving them a 40-minute break. After their break, they are made to stand for 4 more hours while working.	Referred to office of labor comissioner.
C-2311453	The Barricade Company, LLC		06/25/2025	Online	Y	N	Open	S-Health	1. At numerous job sites, flaggers are out in traffic all day in the heat and are not provided with water. Employees are suffering from heat illness, are unable to complete their shifts, and are missing days away from work due to heat exhaustion. 2. The employer is not recording heat illness and days away from work on the OSHA log. 6/26/2025 SA	Open investigation.
C-2311595	Avolta	Hudson News Group	06/24/2025	Online	Y	N	Open	O-Health	1. At Hudson News Group B19-2185 employees are exposed to working in high heat temperatures inside the store. The air-conditioning has been malfunctioning since the beginning of summer. 2. At Hudson News Group B9-2185 employees are exposed to working in high heat temperatures inside the store.	Open investigation.
C-2311607	Golf Galaxy, LLC	Golf Galaxy	06/26/2025	Phone	Y	Y	Closed		1. Both bathrooms are out of service, with a sewage problem. No alternative bathrooms have been provided. Employees have no location to use the restroom. 2. The employer had a company inspect the issue but has chosen not to take measures to correct the blockage.	Resolved through inquiry process.
C-2311629	Amazon.com Services LLC	Amazon Fulfillment Center VGT1	06/26/2025	Online	N	N	Closed		1. An employee alleges they are being sexually harassed in the workplace by another employee. There is a police investigation pending and a court direction to file a Work Protection Order on the employee. Company HR has been notified but sexual harassment continues.	No action. No standard applicable
C-2312085	Host International, Inc. dba HMS Host		06/27/2025	Phone	Y	N	Closed	O-Safety	1. Over 100 degrees inside the restaurant due to a broken A/C unit.	Inspection conducted. No citations issued.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2-25 - 4th Quarter April to June 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2312197	McDonald's		06/25/2025	Online	N	N	Closed		Hello my name is rueven Flores I am Jewish. I want to start by saying my job requires you to shave your beard, but I am Jewish and because of my religion I cannot shave. My job did have facemasks before, and I would comply and wear them regularly, but they have recently ran out of facemasks and now when I don't have one at work, they ask me to either shave or bring my own mask. I already looked up the Nevada OSHA laws and it's unlawful for them not to provide it when required, especially because of my religious beliefs I told my employer that they needed to provide it and they said that they do not need to under OSHA but I've looked up the law and I'd like them to provide them without a problem please help. Thank you you - Beard, facemasks office and front counter area	No action. Complaint withdrawn.
C-2312740	Venetian Resort Hotel Casino / Palazzo Resort Hotel Casino		06/25/2025	Online	N	N	Closed	O-Health	1. On August 8, 2024, an employee experienced a heat stroke while working at a hotel, which was not reported to their employer. The management initially suggested sending them home to recover, but the manager refused due to business demands. The heat was exacerbated by the heat from vehicles operating 12-hour shifts, including taxis, Ubers, Lyft's, limos, and shuttles, causing significant health issues. JA 06/30/2025	No action. Timeframe exceeded statute of limitation.
C-2312745	Team Car Care West LLC	Jiffy Lube #2037	06/30/2025	Online	Y	N	Open	S-Health	1. Employees are exposed to working in high heat temperatures. The swamp cooler is inoperable. 6/30/2025 SA	Open investigation.
C-2312781	Valley Hospital Medical Center		06/30/2025	Online	Y	N	Closed	O-Safety	1. On Monday, 06/30/2025 at 6 am, all morning staff, during the morning huddle, were threatened because a claim was filed about our air conditioning not working. Management in the cafeteria area and hospital management was previously aware, but was not willing to fix it. Management stated they would find out with HR who made the "false claim" and threatened to retaliate against and threatened further consequences. 06/30/2025 JC	Open investigation.
C-2312804	Certain Teed Gypsum Manufacturing, Inc		06/25/2025	Online	Y	Y	Closed	S-Safety	1. At the facility, roof panels are dislodged and missing above breaker panels with exposed electrical wiring. 2. Dislodged roof panels are hanging and fall where forklifts are operated.	Inspection conducted. No citations issued.
C-2312805	NYU Langone Health		06/30/2025	Phone	Y	Y	Closed	O-Health	1. Since 06/01/2025, the air conditioning in the call center has stopped working at least three times, and the employer has not taken measures to mitigate temperatures of up to 100°F in the office. 2. Employees are made to wait outdoors for several hours while the air conditioning is being repaired and are not allowed to leave without disciplinary action or using paid time off.	Resolved through the inquiry process.
C-2312810	Albertsons	Albertson's #129	06/29/2025	Online	Y	Y	Closed	O-Health	1. In the store, the air conditioning is not working causing employees to experience heat stress symptoms while working in very hot conditions. 2. There is little or no access to hot water throughout the store. 3. There is a strong odor coming from the trash compactor in the backroom.	Resolved through the inquiry process.
C-2312913	Las Vegas Metropolitan Police Department		06/30/2025	Phone	Y	Y	Closed	O-Health	1. In the evidence vault warehouse there is no air conditioning or sufficient ventilation. 2. Employees are not provided with heat illness prevention training.	Resolved through the inquiry process.
C-2313000	Little Caesar Enterprises, Inc.	Little Caesars	06/30/2025	Phone	Y	N	Closed	O-Health	1. Throughout the store, there is no air conditioning.	Open investigation.
C-2313188	Mirage Builders, Inc.		06/30/2025	Phone	Y	Y	Closed	S-Safety	1. Near the corner of Convention Center Drive and Paradise Road, east of the Silver Parking Lot, there is a large scaffold structure with unsecured planking, missing guardrails, and unstable footings with excess movement. 2. Employees have raised concerns with management, but were told if they weren't comfortable going up onto the scaffold, they could go home, and the company would find someone who would.	Resolved through the inquiry process.
C-2313474	Village Road, Inc.	Bodyheat Tanning	06/26/2025	Online	Y	N	Closed	O-Safety	1. Employees have been working with little to no air conditioning since last summer. The store is over 90 degrees inside without any tanning beds running.	Inspection conducted. No citations issued.
C-2313947	Nevada Comprehensive Pain Management		06/19/2025	Online	N	N	Closed		1. An employee opened up a drawer quickly and it grazed my knee. - Back office	No action. No jurisdiction
C-2313962	Newage Lake Las Vegas, LLC	Hilton Lake Las Vegas Resort and Spa	06/20/2025	Online	Y	Y	Closed	S-Health	1. 12-14 lifeguards are exposed to extreme heat and have experienced symptoms of heat stress. Life guards are forced to sit outside of a room that has air conditioning since only two employees are allowed to rest there at a time. 7/1/2025 JC	Open investigation.
C-2313972	Valvoline Instant Oil Change		05/13/2025	Online	Y	Y	Closed	O-Safety	1. Employees are conducting air conditioning repairs without being certified to conduct maintenance and repairs. 7/1/2025 JC	Resolved through the inquiry process.
C-2313980	Kinetico Quality Water Systems of Las Vegas		06/26/2025	Online	Y	Y	Closed	S-Safety	1. Forklifts are being operated by employees who are not trained or certified. 2. Forklifts are not being maintained and kept in a safe, operating condition.	Resolved through the inquiry process.
C-2314349	Aria Resort & Casino Holdings, LLC	Aria Resort & Casino	06/27/2025	Online	Y	Y	Closed	O-Health	1. Poorly maintained water plumbing in Cocktail Service Wells number 1, 2, 3 and 4 have caused standing water behind the sinks and dishwashers. 2. Water leaks from the pipes have flooded the baccarat hallway on multiple occasions. 3. The water pipes above the Pit 1 casino floor constantly leak water. 4. There are water leaks in the employee back hallways causing standing water potentially exposing employees to slip and trip hazards. 7/2/25 AL	Resolved through the inquiry process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2-25 - 4th Quarter April to June 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2314637	NYU Langone Health		06/30/2025	Online	Y	Y	Closed	O-Health	1. Employees are exposed to working in high heat temperatures over 100 degrees inside of the building with no access to windows for ventilation. The air conditioning stops functioning several days per week over the previous month. 2. Employees are not given breaks during periods of high heat temperatures.	Resolved through the inquiry process.
C-2314647	Founder's Club		06/25/2025	Online	N	N	Closed	S-Health;S-Safety	1. In the walk-in cooler on the east wall with kegs employees are exposed to substantial amounts of mold spanning from the ceiling in the northeast corner and down the east wall, continuing through the beer lines and along the keg taps and fresh fruit on the west wall of the walk-in cooler. 2. Employees exposed to mold in the main drains under the bar and spreading on the floors behind the bar.	Resolved through the inquiry process.
C-2314671	Cory Reade Dows & Shafer		06/26/2025	Online	Y	Y	Closed	S-Health;S-Safety	1. Employees exposed to workplace violence in and around the front office of the law firm from other employees.	Resolved through the inquiry process.
C-2314704	McDonald's		06/16/2025	Online	N	N	Closed		I was burned by scalding hot coffee at the above McDonald's on: 4/2/2025. I observed their server (who burned me) was rushing to back and forth to customers cars while parked in the app/waiting spaces. My son and I waited for approximately 30 minutes to get a cup of coffee and fries only. We noticed the server literally SHOVING food bags, drinks into customer's car windows, not turning around to even see if they actually received the orders and walking back into the restaurant. As my son and I continued to wait, we decided for my son to go into the restaurant to check on our order. My son wasn't even near the front door when the same server came dashing out of the door with my order of SCALDING HOT COFFEE AND FRIES. She shoved the SCALDING HOT COFFEE AND FRIES TOWARDS MY SON WITH THE COFFEE CUP LID NOT SECURED OR TIGHTENED ONTO THE CUP. ALSO THERE WAS NO CUP COVER AROUND IT OR EVEN A CUP TRAY. AS SHE SHOVED THE SCALDING COFFEE TOWARDS MY SON, WITH THE LID NOT SECURE AND THE BAG OF FRIES, MY SON OBTAINED THE COFFEE CUP NOT KNOWING THE LID WAS INSECURE WITH NO HOLDER OR TRAY. THE SERVER WALKED AWAY FROM US FRANTICALLY WITHOUT LOOKING BACK AT US TO SEE THAT SHE GAVE US A SCALDING HOT CUP OF COFFEE WHICH BURNED MY LEFT AND RIGHT HANDS, LEFT AND RIGHT FOREARMS AND MY LEFT FOOT. THE COFFEE WITH THE FRIES SPILLED ALL OVER MY SON'S NEWLY PURCHASED VEHICLE, THE CARPETS AND THE GROUND OUTSIDE OF HIS VEHICLE. I RAN INSIDE OF THE McDONALD'S BURNING AND ASKED FOR THE SUPERVISOR. AFTER TELLING THE WOMAN WHAT HAPPENED TO ME BECAUSE OF HER SERVER; SHE RESPONDED TO ME SAYING SOMETHING LIKE, "WELL YOU ASKED FOR HOT COFFEE, SO THAT'S WHAT YOU GOT". BY THIS TIME I WAS IN SHOCK. I BELIEVE THIS McDONALD'S HAS IMPROPERLY TRAINED STAFF AND THE SUPERVISOR IS INSENSITIVE (WHICH IS AN UNDERSTATEMENT) TO HER PATRONS. ALSO WHEN I ASKED FOR "AN INCIDENT FORM TO PUT MY COMPLAINT IN AND EXPLANATION OF MY INJURIES" SHE DIDN'T KNOW WHAT ONE WAS; NEITHER DID SHE HAVE ANY ON HER PREMISES. - THE ACTUAL PARKING LOT OF THE McDONALD'S WAS WHERE I WAS BURNED WITH THE COFFEE.	No action. No applicable standard.
C-2315112	J GURSEY COFFEE, INC.	J Gursey Coffee Roasters	05/12/2025	Online	N	N	Closed		Power strip behind sink in the kitchen next to open water mold and water damage inside the office walls. No air conditioning outside There is no water inside only water bottles Management does nothing to protect or prevent anything. - In the main office / warehouse	No action. No valid source information.
C-2316598	Worldwide Flight Services		06/30/2025	Online	N	N	Closed	O-Safety	Employees have to work extensive hours in a row outside during high heat days without scheduling a break in a timely manner and when asked about this they said there's nothing they can do - Terminal 3 gates E8,E9,E10,D18,D16 With the manger office being located under E9	Referred to dept of labor
C-2316819	Little Caesar Enterprises, Inc.	Little Caesar's #3395	06/05/2025	Phone	Y	N	Closed	S-Health	1. Employees are working in the kitchen where temperatures have reached 89° Fahrenheit. 6/5/2025 JC	Open investigation.
C-2317047	Goodwill Industries of Southern Nevada, Inc.		06/30/2025	Online	Y	Y	Closed	O-Safety	1. In the donation area, bins are overflowing with merchandise causing a tripping hazard.	Resolved through the inquiry process.
C-2323012	Demo Business		06/11/2025	Phone	Y	Y	Open	I-Safety	Add	Open investigation.
F-2279319	Nevada Department of Corrections-Southern Desert Correctional Center		04/01/2025	Phone	N	N	Closed		On 3/31/2025 at approximately 11:25 AM a cadet collapsed while taking the PPRT (POST Physical Readiness Test) after completing a mile and a half run. CPR was administered, emergency services were called, and Southern Desert Correctional Center (SDCC) infirmiry medical staff responded to render aid. The cadet was taken to the SDCC infirmiry where Fire Engine 45 of Las Vegas Fire Department and American Medical Response arrived. Fire Engine 45 contacted Dr. Samant of Centennial Hills Hospital via radio who pronounced the decedent's death at approximately 12:28 PM.	No action. Non-work related.
F-2306768	Ganda Concrete		06/17/2025	Phone	Y	N	Closed		On 6/17/2025, an employee started their work shift at 6:00 AM. The employee went to their truck for a water break and was later found at approximately 7:45 AM unconscious. Subsequently, the employee passed away in the ambulance on their way to Desert View Hospital. At time of reporting, there are no indications of work-relatedness.	Open investigation.
R-2278643	Las Vegas Metropolitan Police Department		04/01/2025	Phone	Y	Y	Closed	O-Health	1. On April 1, 2025, in the secured South side transport parking lot, a correctional officer fell which resulted in an inpatient hospitalization to preform surgery on the right broken ankle. 4/1/2025 AB	Resolved through the inquiry process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2-25 - 4th Quarter April to June 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2278862	SC Vegas Airport, LLC	Doubletree By Hilton Hotel Las Vegas Airport	04/02/2025	Phone	Y	N	Closed	O-Safety	1. Fire extinguishers are not inspected monthly. 2. The fire detection system is not being maintained. Smoke detectors have not been inspected to ensure they are working. 3. Housekeeping and maintenance employees are not provided safety glasses. Employees utilize chemicals and operate electrical saws without them. 4. Employees do not have access to safety data sheets. 5. Flammable chemicals are stored in the exit stairways of the hotel possibly creating an unsafe exit if flammable chemicals were to catch on fire.	Inspection conducted. No citations issued.
R-2278890	SeaMonster Studios		04/02/2025	Phone	N	N	Closed	O-Safety	1. An employee was attending a conference and had sustained a head injury. The employee returned home to Seattle, WA, and went to the hospital and was admitted. JA 4/2/2025	No action. Hospitalization occurred in different state.
R-2279338	Sunrise Hospital and Medical Center		04/02/2025	Phone	N	N	Closed	O-Safety	1. In the kitchen near the dishwasher, standing water is creating slipping hazards. Although the employer has placed mats, the water remains present. JA 4/2/2025	Resolved through the inquiry process.
R-2279426	Cort Business Services Corporation		04/03/2025	Phone	Y	Y	Closed	O-Safety	1. On 3/31/25 at 12:30PM a temporary employee was dollyng furniture down a cargo truck ramp when they stepped off the ramp and landed on their foot. The temporary employee was hospitalized on 3/31/2025 and underwent surgery on 4/2/2025.	Resolved through the inquiry process.
R-2279490	Johnson Brothers of Nevada		04/03/2025	Phone	Y	Y	Closed	O-Safety	1. On 4/2/25 at 12:00PM, an employee was involved in a car accident while they were Southbound on Nellis Blvd and a vehicle turned in front of the employee's car. The employee was transported to Sunrise Hospital.	Resolved through the inquiry process.
R-2279602	Timet	Henderson Technical Laboratory	04/03/2025	Phone	Y	Y	Closed	S-Safety	1. On 4/3/2025 at 10:30AM, an employee was attempting to shave down an aluminum measuring rod with sandpaper. The rod was then inserted into a drill press where the rotating rod had an imperfection and snagged the employee's gloved hand which amputated the tip of their right index finger.	Resolved through the inquiry process.
R-2279825	Live Edge Slabs of Las Vegas LLC		04/03/2025	Online	Y	Y	Closed	O-Safety	1. The employer does not provide safety training for its employees. 2. Employees are required to lift heavy slabs of wood, each weighing over 500 pounds, with only two people and no equipment, resulting in injuries. JA 4/4/2025	Resolved through the inquiry process.
R-2279843	COSTA MAYA KITCHEN AND BAR		04/04/2025	Phone	Y	Y	Closed	S-Health	1. On or about April 4, 2025, asbestos removal is ongoing with a non licensed ACM contractor and no asbestos abatement permit was obtained.	Resolved through the inquiry process.
R-2279865	Pizza Rock II LV LLC	Pizza Rock	04/02/2025	Email	Y	N	Closed	S-Health	1. The noise level throughout the restaurant is or exceeds 90 dBA.	Inspection conducted. No citations issued.
R-2279970	NDX, LLC		04/04/2025	Phone	Y	Y	Closed	S-Safety	On April 3, 2025, at approximately 2:00 pm, an employee was conducting a sewer line pressure test when the sewer lines air plug sprung and fractured the employee's right lower leg. The employee was transported by EMS to Mountain View Hospital, where he was admitted. The employer reported the incident on 0/4/04/2025.	Resolved through the inquiry process.
R-2280454	Gallagher Bassett		04/05/2025	Phone	Y	Y	Closed	S-Health	1. Employees exposed to blood in the bathroom on November 6, 2024.	Resolved through the inquiry process.
R-2280516	PICO DE GALLO L.L.C.	La Vecindad Cantina	04/07/2025	Email	Y	Y	Closed	O-Safety	1. An employee was using alcohol for a presentation while serving food to a patron. The alcohol caught fire, and the employee received burns to the face. The employee was transported to UMC by ambulance. JA 4/7/2025	Resolved through the inquiry process.
R-2281007	Cimarron-Memorial High School		04/08/2025	Phone	N	N	Closed		1. There is a strong epoxy smell emanating from the bathrooms throughout the facility. Students and teachers are concerned that the epoxy may cause adverse health effects in the future. 4/8/2025 KR	No action. No applicable standard.
R-2281010	Bell Trans	Bell Limousine	04/08/2025	Phone	Y	Y	Closed	O-Health	1. Employees are instructed to not utilize air conditioning units within their vehicles, even if guests have concerns or if the heat rises. Employees are concerned that with rising temperatures that they may pass out or face adverse health risks.	Resolved through the inquiry process.
R-2281702	First Legal		04/22/2025	Online	Y	Y	Closed	O-Safety	1. At the facility suite 514, employees are not provided working restrooms. 2. At the facility suite 514, employees are exposed to a smell of sewage.	Resolved through the inquiry process.
R-2281987	REAL RESULTS Fitness		04/10/2025	Phone	Y	Y	Closed	O-Safety	1. Employees conducting alternation work are using circular saws with missing guards. 2. Employees are using ladders that have broken/missing footings. 3. Employees are using electrical cords that are partially sitting in water puddles. 04/10/2025 EM	Resolved through the inquiry process.
R-2282389	CZAR Marketing Group		04/11/2025	Phone	Y	Y	Closed	O-Health	1. There has been no running water in the women's restrooms for a week. 2. The toilets in the women's restrooms have not been working for a week. 4/11/25 AL	Resolved through the inquiry process.
R-2282732	Swissport USA, Inc.		04/12/2025	Email	Y	Y	Closed	O-Safety	1. Employee was driving aircraft tug when he was ejected from tug after running over a wheel chock. Employee was transported to Sunrise Hospital and treated for a fractured left foot.	Resolved through the inquiry process.
R-2282757	Edge Restoration Las Vegas, LLC		04/11/2025	Phone	Y	Y	Open	S-Health	1. On April 4th, 2025, employees conducted demolition work at Angel Court Condominiums without any asbestos sample clearance. 4/14/25 AL	Open investigation..
R-2282822	Freeman Expositions, LLC		04/14/2025	Phone	Y	Y	Closed	S-Safety	1. On 4/12/2025, an employee left a cordless drill on top of a 14-foot ladder. The employee went to move the ladder, and the drill fell and struck the employee on the head. The employee was transported to Sunrise Hospital the same day and was admitted.	Resolved through the inquiry process.
R-2282974	One Hour Electric		04/03/2025	Email	N	N	Closed	O-Safety	1. An employee fell of an unstable chair while working in a home office. 2. Employees went to 1501 Strong Drive to install panels, but the panels were not actually installed because Nevada Energy had not been out to deenergized the power. 04/04/2025 EM	No action. No applicable standard.
R-2283009	Delaware Depository		04/14/2025	Online	Y	Y	Closed	O-Safety	1. Forklift operators have not been evaluated and trained while moving pallets of gold bars around the warehouse. 4/14/25 AL	Resolved through the inquiry process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2-25 - 4th Quarter April to June 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2283033	Patti Pitcher		04/14/2025	Phone	Y	N	Closed	S-Health	1. Employees are using saws and hammers and are removing tile from the walls and floor which contain asbestos and are creating dust clouds from the garage and a storage cube in the driveway. The employees are not using personal protective equipment including masks, suits, and gloves. 2. Regulated asbestos containing materials are being removed, placed in open buckets and on the ground, and discarded in the back of trucks. 3. Employees are removing asbestos containing materials without contamination or decontamination area(s). 4/14/2025 SB	Open investigation.
R-2283048	Jerk Dat Inc		04/14/2025	Phone	Y	Y	Closed	O-Health	1. Water is leaking from the ceiling in the bathroom and in the kitchen by the sink. There were black marks on fallen kitchen ceiling tiles that may be mold.	Resolved through the inquiry process.
R-2283514	Henderson Police Department		04/15/2025	Phone	Y	Y	Closed	S-Safety	1. On 4/10/2025, a corrections officer discharged his firearm, shot himself in his left index finger, and fractured the proximal phalanx. The employee was transported and admitted to UMC.	Resolved through the inquiry process.
R-2283679	Chick-fil-A		04/09/2025	In person	Y	N	Closed	S-Safety	1. On 4/7/2025, a truck drove into the side of the building injuring five employees. The employees were hospitalized and the employer did not provide NV OSHA with a 24 hour hospitalization notification.	Inspection conducted. No citations issued.
R-2283735	Bonanza LV Holdings, LLC	Siegel Suites Bonanza	04/15/2025	Phone	Y	Y	Closed	S-Safety	1. On 4/14/2025, an employee attempted to remove a command hook installed on the shower wall with a screwdriver. A portion of material broke free, and the employee stabbed himself in the left eye with a screwdriver. The employee was transported to Concentra and later admitted to UMC Hospital.	Resolved through the inquiry process.
R-2283792	FYR Group, LLC	Frank Yee Racing Solutions, LLC	04/15/2025	Phone	Y	Y	Closed	S-Safety	1. Three car lifts installed by the owner have not been inspected or serviced. 2. In Bay 21, there are exposed wires in the electrical panel, the panel cover is off and has loose ground wires in Bay 21. 3. The electrical wiring was done in house and not properly installed. When welding, the circuit breakers are tripped. When resetting the circuit breaker, the wiring to the panels is hot to the touch. 4. Restroom has a leak, not been cleaned, and unsanitary. The toilet and sink have not worked since 2023. 5. The employer does not have a hazard communication program. Chemicals and coolant are being improperly handled. 6. While cars are being tuned with racing alcohol in the garage exhaust, fumes build up and are not sufficiently ventilated. Employees are experiencing cough, difficulty breathing, burning lungs, and watering eyes.	Resolved through the inquiry process.
R-2283817	Dave's Hot Chicken		04/16/2025	Phone	Y	Y	Closed	O-Health	1. The employees are exposed to hot temperatures in the food preparation area of the restaurant because, the air conditioning system is not being utilized. 04/16/2025 JC	Resolved through the inquiry process.
R-2283828	Sinclair Broadcast Group Inc.	KSNV	04/15/2025	Phone	Y	Y	Closed	O-Health	1. Multiple employees have been diagnosed with cancer, but the employees do not know of what may be causing it within the last six months.	Resolved through the inquiry process.
R-2283845	Luxor Hotel and Casino		04/04/2025	Online	N	N	Closed		1. An incident occurred in multiple areas where a threatening guest approached another guest and threatened them after being removed from the premise.	No action. No applicable standard
R-2283863	SURGE Staffing, LLC		04/09/2025	Online	Y	Y	Closed	O-Health	1. On April 4, 2025, the restroom toilet flooded the bathroom contaminating the floor with fecal matter. The bathroom floor has not been cleaned. The employer is not repairing the toilet because they said the estimate cost too much. 2. Employees are being asked to snake the broken toilet and clean up fecal matter without any training or cleaning supplies.	Resolved through the inquiry process.
R-2283962	Southern Hills Medical Center, LLC	Southern Hills Hospital and Medical Center	04/09/2025	Email	N	N	Closed	O-Safety	1. From the dates of 03/26/2025 through 04/14/2025, at the pavilion employees were exposed to workplace violence. Southern Hills Hospital has a work place violence program in place. 04/16/2025 KH	No action. WPV program previously reviewed.
R-2283986	Summerlin Hospital Medical Center		04/16/2025	Email	N	N	Closed	O-Health	1. On 3/26/2025 at approximately 11:00 a.m., a patient from the emergency department began verbally abusing staff while making threatening physical gestures. After hospital security arrived, Las Vegas Metro was also called to assist in the situation. 4/16/25 AL	No action. WPV program previously reviewed.
R-2283993	Summerlin Hospital Medical Center		04/16/2025	Email	N	N	Closed		1. On 4/2/2025 at approximately 5:25 p.m., a patient from Room 424 scratched a security officer. 4/16/25 AL	No action. WPV program previously reviewed.
R-2283998	Maryland Park Apartments		04/15/2025	Phone	Y	Y	Closed	O-Safety	1. The asphalt in the parking lot is cracking and unsafe. 2. The maintenance storage room is cluttered. 3. There is no eyewash station for housekeepers. 4. The restroom in the main office does not have running water. 04/16/2025 JC	Resolved through the inquiry process.
R-2284000	Summerlin Hospital Medical Center		04/16/2025	Email	N	N	Closed	O-Health	1. On 4/6/2025 at approximately 5:55 p.m., a patient from the Emergency Department verbally threatened hospital staff. 4/17/25 AL	No action. WPV program previously reviewed.
R-2284006	West Henderson Hospital Medical Center, LLC		04/16/2025	Email	Y	Y	Closed		1. Patients became aggressive towards nursing staff. Workplace Violence Program was reviewed in UPA #2257523.	Resolved through the inquiry process.
R-2284291	Henderson Health and Rehabilitation Center		04/16/2025	Online	Y	Y	Closed	O-Health	1. There is a cockroach infestation in the entire building. 2. There are mice in the building.	Resolved through the inquiry process.
R-2284311	Colorpoint Body Shop and Auto Detailing		04/17/2025	Phone	Y	Y	Closed	S-Health	1. Employees are not provided personal protective equipment such as gloves, respirators, and paint suits when utilizing the paint booth. 2. Flammable liquids, such as paint thinner and paint waste, are not being properly stored and employees are concerned with the hazards associated.	.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2-25 - 4th Quarter April to June 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2284458	Valley Health System, LLC.	Henderson Hospital	04/16/2025	Email	N	N	Closed	S-Safety	1. On 04/13/2025 at 12:45PM in the Emergency Department a patient was brought into ED by EMS. Patient lethargic on arrival-admitted to possibly taking too many Xanax. Patients parents report that patient recently lost her job and has been "depressed" Patient placed on Mental Health Hold. Patient became aggressive with staff at approximately 1245PM- she did not want to remove all her clothing. She was attempting to bite staff members and punched RN in the nose.	No action. WPV program previously reviewed.
R-2284706	Steel Solutions		04/18/2025	Phone	Y	Y	Closed	S-Safety	1. On the 2nd floor of a building, employees were installing metal decking without being tied off.	Resolved through the inquiry process
R-2284754	T S Painting and Drywall		04/17/2025	In person	Y	N	Closed	I-Safety	1. Four employees were observed working on a two-level scaffold. Both levels had no visible method of fall protection.	Inspection conducted. 4 citations issued \$15,724.
R-2284826	Desimone Gaming Inc.	Railroad Pass Hotel & Casino	04/18/2025	Phone	Y	Y	Closed	S-Safety	1. In the facility, on 04/17/2025 at approximately 3:11 pm, an employee was doing security rounds on the bike and fell off the bike resulting in a shoulder fracture in the right shoulder. The employee was transported to Henderson Hospital by ambulance at approximately 3:30 pm.	Resolved through the inquiry process.
R-2284856	University Medical Center of Southern Nevada		04/18/2025	Phone	Y	Y	Closed	O-Health	1. At the facility on 04/18/2025 at approximately 9:30 AM, an employee was preparing the operating room for a procedure and experienced fumes from the sealant used by the construction company, resulting in an allergic reaction. The employee was transported to UMC hospital.	Resolved through the inquiry process.
R-2284877	Valley Health System LLC	Centennial Hills Hospital Medical Center	04/16/2025	Email	N	N	Closed	O-Safety	1. At 5:40PM on 03/31/2025, in unit MS8 room 831, a CNA was trying to ambulate a patient into a bed, when the patient became agitated. Two additional CNAs and an RN attempted to restrain the patient and administer medication. Before being restrained, the patient punched a CNA in the chin. 2. At 1:00 AM on 04/01/2025, in the ICU, room 523, a combative and confused patient punched an employee in the eye. 3. At 8:55AM on 04/05/2025, in 3 Tower, room 348, an agitated patient threw an IV at a nurse. 4. At 11:10PM on 04/06/2025, a restrained patient kicked an RN in the face while being administered medication. 5. At 9:30AM on 04/12/2025 in the ICU, Room 512 an agitated patient spat on a nurse's leg. 6. At 4:45AM on 04/14/2025, in the ICU room 518 a confused patient kicked an RN in the face during a blood draw. 7. At 12:30AM on 04/14/2025, in room 705 a paranoid patient grabbed an RN, scratching their arm AB 04/18/2025	No action. WPV program previously reviewed.
R-2284946	Boulder City Hospital, Inc.		04/16/2025	Email	N	N	Closed	S-Safety	1. A patient with advanced dementia with behavioral disturbances was attempting to access the nurses station. The RN attempted verbal redirection and verbal de-escalation without success. The RN attempted to physically redirect the patient away from the area and the patient punched the RN in the stomach.	No action. WPV program previously reviewed.
R-2285188	Sam's West, Inc.	Sam's Club #4974	04/21/2025	Email	Y	Y	Closed	S-Safety	1. On 04/15/2025, an employee operating a forklift, extended his leg outside the cab prior to running into a bollard, pinning his left foot between the bollard and the forklift. 4/21/2025 JC	Resolved through the inquiry process.
R-2285255	North Vista Hospital		04/16/2025	Email	N	N	Closed	O-Safety	1. On March 14, 2025, at approximately 9:30 am. In the Adult Psychiatric Unit, a patient punched a nurse in the chest.	No action. WPV program previously reviewed.
R-2285306	Absolute Dental		04/20/2025	Online	N	N	Closed		1. On 04/17/2025, a Dental Assistant who was taking x-rays was not being sanitary, and was not sterilizing the utensils after each patient. The plastic on the machine was not being changed in between patients. 04/20/2025 EM	No jurisdiction. Referred to Dental Compliance Board.
R-2285387	Safe Life Defense LLC		04/21/2025	Phone	Y	N	Closed	S-Safety	1. On 4/21/2025 at approximately 1:10p.m., an employee was running a binding machine when their hand and arm were pulled into the machine resulting in a possible amputation to the hand or arm. The employee was taken to an unknown hospital and the employer had to disassemble the machine to remove the rest of the employee's limbs. There was no guard present on the machine, and multiple employees had reported the plexiglass guard missing prior to the incident.	Inspection conducted. 1 citation issued \$11,585.
R-2285390	Adaven Air Conditioning & Sheet Metal, LLC		04/17/2025	In person	Y	N	Closed	I-Safety	1. An employee was working on a roof of a car wash being constructed at a height over six feet without using fall protection. 4/17/2025 SB/SA	Open investigation.
R-2285404	Amazon Fulfillment Services	Amazon.com Services LLC	04/21/2025	Phone	Y	Y	Closed	O-Safety	1. For approximately a month, employees fill totes on a new shelving system. When the totes are full, they are pushed down the conveyor belt, but due to the way the shelving was installed, the totes get stuck resulting in employees needing to put part of their bodies into the shelving area to push the totes down the conveyor belt which causes occasional injuries. CW 4/21/25	Resolved through the inquiry process.
R-2285448	UWW Logistics L.L.C.		04/21/2025	Phone	Y	Y	Closed	O-Safety	1. Employees must handle bottles of other employees' urine when driving their Amazon trucks. 2. Employees do not have access to restrooms when driving the trucks due to tight time constraints to complete deliveries on time.	Resolved through the inquiry process.
R-2285792	Siegel Suites	Gateway Motel	04/18/2025	Online	Y	Y	Closed	S-Health	1. Employees are performing asbestos removal and are not provided with any personal protective equipment.	Resolved through the inquiry process.
R-2285848	Shrine Studios		04/17/2025	Online	Y	Y	Closed	O-Safety	1. On March 28, 2025, a private event was held for a recording artist where the fire alarms were taken down while fog machines were utilized creating a fire hazard for the employees. 2. There are no readily accessible fire extinguishers available for use.	Resolved through the inquiry process.
R-2286115	Safe Life Defense LLC		04/22/2025	Phone	Y	N	Closed	S-Safety	1. On 4/21/2025 at 1:10 PM, an employee was operating the break-in machine when her right arm got pulled into the machine causing multiple fractures. The employee was admitted to Sunrise Hospital for treatment.	Inspection conducted. 1 citation issued \$11,585.
R-2286296	Shred-it		04/23/2025	Online	Y	Y	Closed	S-Safety	1. Shredding trucks are not being maintained. Employees are being required to manually push paper into the shredder blades with a stick, potentially exposing themselves to the blades.	Resolved through the inquiry process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2-25 - 4th Quarter April to June 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2286360	Spanish Hills Wellness Suites		04/16/2025	Online	Y	N	Closed	S-Health	1. Biohazard waste is left on the hallway and patient room floors. 4/23/2025 JC	Open investigation.
R-2286392	Albertson's #3207		04/23/2025	Phone	Y	Y	Closed	O-Safety	1. The employees are unloading semi-trucks with broken pallet jacks. The pallets are approximately 1 ton or larger.	Resolved through the inquiry process.
R-2286406	Lithion Battery Inc.		04/17/2025	Mail	Y	Y	Closed	S-Health;S-Safety	1. Employees are concerned with the slippery floors in the mixing area and the hazards associated. 2. Employees use hazardous chemicals without proper ventilation, and they are concerned with associated hazards.	Resolved through the inquiry process.
R-2286426	Shenker Academy		04/23/2025	Phone	Y	Y	Closed	O-Health	1. A student recently had a confirmed case of Hand-foot-and-mouth disease (HFMD) and went to school while displaying symptoms. School administration is not notifying staff of potential exposure.	Resolved through the inquiry process.
R-2286797	Giroux Glass Inc		04/24/2025	Phone	Y	Y	Closed	S-Safety	1. On 4/23/25, an employee was changing out the blade on his utility knife. He accidentally punctured the palm of his left hand with the blade. He was sent to UMC Trauma Center, and he had surgery on 4/24/25.	Resolved through the inquiry process.
R-2287040	CTI Industrial Supply		04/23/2025	Online	N	N	Closed	O-Health	Came in 4/21/25 and could smell mold , grabbed my car paint and left immediately due to strong odor - Mold and high intense fumes upon entering building	No action. No applicable standard.
R-2287804	VIPER TRADESHOW TRANSPORTATION, INC.	Viper Tradeshow Services, Inc.	04/28/2025	Phone	Y	N	Closed	O-Safety	1. Employees are not certified to operate forklifts, which increases the risk of accidents or injuries. 2. Improper storage of pallets, which could lead to safety hazards. 3. The safety guards were removed from the cutting machine, creating a serious risk of injury to operators. JA 4/28/2025	Inspection conducted. 3 citations issued \$4,615.
R-2287993	La Bonita Grocery and Meat Market	La Bonita Supermarkets	04/28/2025	Phone	Y	Y	Closed		1. The employer mandates that employees buy a \$50.00 branded sweater for use in the store. Employees are prohibited from wearing their own sweaters. JA 4/28/2025.	Resolved through the inquiry process.
R-2288460	Mesa Energy Systems, Inc.	EMCOR Services Nevada	04/29/2025	Phone	Y	Y	Closed	O-Safety	1. On April 28, 2025, at 8:20 AM, a Service Technician was performing a routine service inspection on HVAC Rooftop Unit 3. During the process, the employee's hand was caught in the equipment's belt and pulley system, resulting in a degloving injury and the amputation of the tip of the employee's right thumb.	Resolved through the inquiry process.
R-2288462	Decorative Concrete Supply LLC		04/29/2025	Phone	Y	N	Closed	O-Safety	1. In the warehouse, and outside truck loading area, employees are overloading the forklifts, creating a tip-over hazard for 3 forklift operators. 2. Forklift operators are not trained or certified. 3. Forklift operators are operating under the influence of drugs and alcohol, with the employer's knowledge. 4. In the warehouse area, threaded rods extend several feet from shelves into the walkways creating a protruding-object hazard for 6 employees. ATB 04/29/2025	Inspection closed. No citations issued.
R-2288472	Grape Holdings, LLC	Sage Creek Post-Acute	04/28/2025	Online	Y	Y	Closed	O-Safety	1. There are medical supply boxes blocking access to the hallway, the biohazard room, and the emergency exit door. RC 4-29-25	Resolved through the inquiry process.
R-2288491	Source 4 Industries, Inc.		04/29/2025	Phone	N	N	Closed		1. Employees are not provided personal fall protection systems while working on scissor lifts at heights up to 30'. 2. Employees are not provided gloves while installing warehouse racking. 3. Employees are intoxicated on the job. ATB 04/29/2025	No action. No applicable standard.
R-2288521	Q2 Collision Center		04/29/2025	Phone	Y	N	Closed	O-Health	1. In the paint booth, 2 employees are using sprayers to paint cars without being provided any respiratory PPE or respiratory protection training. 2. Employees are voluntarily using self-purchased filtering facepiece masks without being provided voluntary use Appendix D by the employer. ATB 04/29/2025	Open investigation.
R-2288930	Walmart Inc	Walmart Store #1559	04/29/2025	Phone	Y	Y	Closed	S-Safety	1. Employee was helping a customer and was approaching the register when she tripped and fell on her hip, she fractured her hip and was taken to the hospital.	Resolved through the inquiry process.
R-2288978	Meyer Distributing Inc.		04/30/2025	Online	Y	Y	Closed	S-Safety	1. At the facility, forklifts do not have alarms when backing up. 2. While on the forklift, employees cannot see behind while backing up.	Resolved through the inquiry process.
R-2288984	MountainView Hospital, Inc.		04/30/2025	Email	N	N	Closed	O-Safety	1. On 4/11/2025 at 2:25 PM, an agitated patient walked into another patient's room. An employee tried to get the patient to return to their room when the patient shoved the employee against the door. The employee was initially treated in the emergency room and has followed-up with occupational health.	No action. WPV program previously reviewed.
R-2289292	Unknown/Invalid Establishment		04/23/2025	Online	N	N	Closed		1. A construction crew is blocking tenant access.	No action. No jurisdiction.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2-25 - 4th Quarter April to June 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2289309	University Medical Center of Southern Nevada		05/01/2025	Email	N	N	Closed	S-Safety	1. On 4/14/2025 at approximately 4:45am in the Trauma ICU a patient with altered mental status was trying to get out of bed and the staff was trying to stop them. The patient was flaring their arms and swatted an employee on their left arm. 2. On 04/17/2025 at approximately 11:00am in the Adult ED MSC Nurse Station a RN responded to the MSC for a call of a PSO who took down a patient. The patient was combative and kicking and swinging. RN was assisting with holding down the patient's head. The patient turned his head and bit the RN's left hand. 3. On 04/20/2025 at approximately 12:30am in the PEDS ER Rm 12 a PEDS patient arrived in 4-point restraints by ambulance screaming and uncooperative. Medication was given but patient remained aggressive. During the transfer from the ambulance gurney to the hospital bed, the patient fought with staff. Staff attempted to place patient back in 4-point restraints and while doing so, the patient's leg got free, and a nurse was kicked in her chest and right hip. 4. On 04/21/2025 at approximately 3:20pm in the 2 South 205-1 an employee was struck in the face/right eye by a patient who was trying to eat a crayon. The employee tried to stop the patient from eating the crayon when the incident occurred. 5. On 04/22/2025 at approximately 1:30am in the SICU Rm 9 a family member for patient in Rm 9 called for a nurse through the call light system. Room was dimly lit due to being nighttime. Nurse moved bedside next to the patient to ask what was needed and the patient reached and punched both the family member and nurse in the chest area. 6. On 04/26/2025 at approximately 3:30pm in the 5 North 501-1 a patient in Rm 501-1 kicked a staff member while they were removing a dirty Pure wick. No other information was provided. 7. On 04/26/2025 at approximately 5:50am in the 3 South Rm 312 a patient became confused and agitated while staff was cleaning him. The patient tried to get up from the bed and staff attempted to stop him due to him being a fall risk. More staff arrived trying to control the patient. While placing the patient in restraints, the patient was swinging his arms and struck one of the staff members on their right shoulder.	No action. WPV program previously reviewed.
R-2289478	Sierra Paint & Drywall, LLC		05/01/2025	Phone	Y	Y	Closed	S-Safety	1. At approximately 8:10 AM at the Marlowe South Las Vegas job site, an employee was extending a ladder against the south side of Building 6. The gravel ground was uneven, resulting in the ladder shifting to the right. The employee jumped to the left and fell approximately 10-12 feet to the next level, hit the rails from the first floor balcony, and sustained an injury to their right foot or right shin. The employee was transported and admitted to University Medical Center.	Resolved through the inquiry process.
R-2289481	MountainView Hospital, Inc.		04/30/2025	Email	N	N	Closed	O-Safety	1. On 4/23/2025 at 10:30 PM, a patient came in with ETOH intoxication. The patient stated they need to urinate and the nurse assisted the patient to the restroom. The patient became belligerent and slapped the patient in the middle of the chest. Another nurse intervened and placed patient in restraints for safety. The patient continued to scratch the nurse and kicked another nurse. Security then responded. 5/1/2025	No action. WPV program previously reviewed.
R-2289483	Terri Tracey Bookkeeping Service		05/01/2025	Online	N	N	Closed	O-Health	1. There is limited air conditioning in the employee office areas. 2. There is a perceived carbon dioxide hazard, however there is not a working source inside the accounting office. 5/1/2025 AB	No action. No applicable standard.
R-2289485	MountainView Hospital, Inc.		04/30/2025	Email	N	N	Closed	O-Safety	1. On 4/27/2025 at 1:10PM in room 4010, a patient was delusional and required intramuscular medication. After the injection, the patient became agitated and pushed the registered nurse into a wall. The patient drew their arm back and was going to grab the nurse by the neck. The patient was restrained by the nurse. A Behavioral Response was called and subsequently a Security Assist. While waiting for the police, the patient attempted to stab the engineer in the eye with a needled syringe. The security officer was able to stop the patient's arm from harming the engineer. Police arrived and medical doctor was paged to determine medical clearance status. The patient was then taken into custody by the police. 5/1/2025	No action. WPV program previously reviewed.
R-2289487	Spring Valley Hospital Medical Center		05/01/2025	Email	N	N	Closed	O-Safety	1. On April 19, 2025, in the Radiology Department, a patient physically assaulted an employee. The patient was restrained and no other incidents occurred. 2. On April 23, 2025, in the Intensive Care Unit, a patient physically assaulted an employee. The patient was medicated for agitation without further incident. 5/1/2025 AB	No action. WPV program previously reviewed.
R-2289645	Kalb Construction		05/02/2025	Phone	Y	Y	Closed	S-Safety	1. At construction site at corner of Tropicana Avenue & South Nellis Blvd near the Dollar Tree, employees have been working at heights greater than 15 feet without fall protection for the past week. 05/02/2025 SM	Resolved through the inquiry process.
R-2289773	Lowe's Home Center		05/02/2025	Phone	Y	Y	Closed	S-Safety	1. On 5/1/2025 at approximately 3:30 PM an employee was placing a beam onto a steel storage rack. One of their thumbs was caught between the storage rack's beam and column, which resulted in the thumb tip being amputated. EMS transported the employee to Sunrise Hospital.	Resolved through the inquiry process.
R-2290156	Valley Health System LLC	Centennial Hills Hospital Medical Center	04/30/2025	Email	N	N	Closed	O-Safety	1. On April 16, 2025, at approximately 2:50 PM, in room 312, a patient became combative; a security guard suffered a knee injury and came into contact with blood. 2. On April 18, 2025, at approximately 3:00 AM, in room 735, a patient kicked a nurse. 3. On April 18, 2025, at approximately 3:30 AM, in room 819, a patient pinned a nurse's hand against the wall with their walker. 4. On April 19, 2025, at approximately 1:00 AM, in room 819, a patient grabbed a nurse's arm. 5. On April 19, 2025, at approximately 12:00 PM, in room 735, a patient kicked a CNA in the face, causing lip swelling. 6. On April 23, 2025, at approximately 12:00 AM, in room 735, a patient kicked an employee in the left side of the face and pinched the right breast. 7. On April 24, 2025, at approximately 4:30 PM, in hallway 3T, a patient hit a security guard on the left side of the hip area. 8. On April 25, 2025, at approximately 5:00 PM, in room 407, a patient bit a nurse in the arm, causing pain and swelling. 9. On April , 2025, at approximately 5:00 AM, in room 817, a patient grabbed a lab techs arm to get her to touch his genitals.	No action. WPV program previously reviewed.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2-25 - 4th Quarter April to June 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2290162	Southern Nevada Drywall Systems LLC		05/02/2025	In person	Y	N	Closed	O-Safety	1. Eight employees were observed working from a three-level scaffold. All levels had no visual toe-boards.	Open investigation.
R-2290203	V.T. Construction, Inc.	VT Construction	04/09/2025	Online	Y	Y	Closed	S-Health	1. Located at the Lakemoor Canyon/Three Kids Mine redevelopment project, employees have been performing grading and excavation work since October 2024 and have been disturbing a former mine containing toxic and hazardous substances, such as arsenic, lead, and silica. Control measures are not implemented to ensure employees are protected from the toxic and hazardous substances.	Resolved through the inquiry process.
R-2290231	Bellavue Health LLC		05/02/2025	Phone	Y	Y	Closed	S-Health	1. Sharps containers do not remain upright and have fallen over, because they are kept on the floor in patient rooms. 2. The employer does not have a written bloodborne pathogen exposure control plan and employees are not provided training. 3. The employer has not offered employees the Hepatitis B vaccination and do not maintain declination forms. 05/02/2025 SM	Resolved through the inquiry process.
R-2290239	Unknown/Invalid Establishment		05/05/2025	Phone	N	N	Closed		1. Employees are painting without proper respiratory protection. 2. Employees are jack hammering floors, walls, and ceilings without proper hearing protection.	No action. Not enough information to process.
R-2290339	West Henderson Hospital Medical Center, LLC		05/01/2025	Email	N	N	Closed		1. Patient became violent, threatening, and aggressive to staff. 2. Patient threw objects at staff. 3. Visitor became violent and threatening toward staff and security.	WPV program previously reviewed
R-2290476	Liquid Auto Wraps		05/05/2025	Phone	Y	Y	Closed	S-Health	1. Employees are conducting painting operations without a paint booth.	Resolved through the inquiry process.
R-2290500	AVCO Builders		05/05/2025	Online	Y	Y	Closed	S-Health;S-Safety	1. Employees exposed to fall hazards with no fall protection when working on roofs and ladders without the correct PPE. 2. Managers and Supervisors have no OSHA-30 cards as needed. Affected Work Sites: 2221 N Lola Ln Pahrump, NV 1790 N Appaloosa Ln Pahrump, NV 2282 N Balzar St Pahrump, NV 520 E Kenny Ave Pahrump, NV	Resolved through the inquiry process.
R-2290696	Southern Hills Medical Center, LLC	Southern Hills Hospital and Medical Center	05/06/2025	Email	N	N	Closed	O-Safety	1. From the dates of 04/14/2025 through 04/28/2025, at the pavilion employees were exposed to workplace violence. Southern Hills Hospital has a work place violence program in place.	No action. WPV program previously reviewed.
R-2290731	Trusted Nail Spa		05/06/2025	Online	N	N	Closed	O-Health	1. Neighboring customers can smell the odor threshold. 5/6/2025 AB	No action. Not enough information to process.
R-2290833	CRET LLC	Nellis Auction	05/06/2025	Online	Y	Y	Closed	S-Safety	1. At the facility, shelves are stacked unsafely. 2. At the facility, employees are not provided restrooms.	Resolved through the inquiry process.
R-2290897	Unknown		05/06/2025	Online	N	N	Closed	O-Health;O-Safety	1. Employees required to work in area with exposed electrical equipment. 2. Employees are required to work in areas with human excrements without personal protective equipment such as rubber boots and Tyvek suits. 5/6/2025 AB	No action. Not enough information to process.
R-2290912	Wildfire		05/02/2025	Phone	Y	Y	Closed	S-Health	1. Employees utilize hazardous chemicals to clean the kitchen, dish, and customer areas and are not provided personal protective equipment. 2. In the kitchen, dish, and customer areas, employees utilize hazardous chemicals and have not received training in the hazards associated with the chemicals. 05/02/2025 SM	Resolved through the inquiry process.
R-2290991	Riverside Resort Hotel and Casino		05/06/2025	Phone	Y	Y	Closed	S-Health	1. On Monday, May 5, 2025, at approximately 11:16am, an outside maintenance employee was sweeping the second floor of the parking garage when the individual began to stumble before collapsing. Security was dispatched and life saving measures were taken to assist the employee before Clark County Fire Department arrived at the scene. They arrived at approximately 11:30am and attempted to revive him. The employee was transported to the hospital where he was pronounced dead at 12:40pm. 2. The employer failed to report the fatality to Nevada OSHA within 8 hours. 5/6/2025 JC	Resolved through the inquiry process.
R-2291013	North Vista Hospital		05/01/2025	Email	N	N	Closed	S-Safety	1. On 3/31/25 at 6:15pm, in the Adult Psychiatric Unit, a Patient using phone, became agitated and started to yell and scream. Patient became physically aggressive then punched a staff member.	No action.
R-2291018	Bozarth Custom Woodworks LLC		05/05/2025	Online	Y	Y	Closed	S-Safety	1. The owner and the shop manager frequently operate industrial woodworking machinery, including a CNC router, edge bander, table saw, and forklift, while under the influence of alcohol or cannabis. One to two other employees are usually present, and some also appear to be under the influence while working. 2. No lockout/tagout procedures are followed, especially on the CNC router. Employees often change bits or perform maintenance without powering down machines. 3. Employees do not utilize proper PPE when operating equipment. 4. The is no safety signage in the facility.	Resolved through the inquiry process,
R-2291411	The Americana		05/07/2025	Phone	N	N	Closed	O-Safety	1. The walkways are slippery when it rains. 05/07/2025 JC	Referred to DPBH
R-2291490	Airbender A/C & Heating		05/06/2025	Online	Y	Y	Closed	S-Safety	1. On 4/16/2025 at the resident address located at 8608 Copper Falls Avenue Las Vegas, NV, 89129, the employer did not provide personal fall protection for employees.	Resolved through the inquiry process.
R-2291728	Robertson's Ready-Mix		05/07/2025	In person	Y	N	Closed	O-Safety	1. An employee was seen working from the top of a platform with no form of fall protection.	Inspection conducted. No citations issued.
R-2291897	Asset Impact		05/08/2025	Online	N	N	Closed		1. https://www.demolition.pro/ go to this website - go to about section - look at the picture of the unsafe work conditions! This owner has no care in the world! - https://www.demolition.pro/ Look at the picture, I'm sure your people can identify it!	No action. Not enough information to process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2-25 - 4th Quarter April to June 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2291906	Four Queens, LLC		05/08/2025	Phone	Y	Y	Closed	O-Health	1. Employees in the count room are working while exhibiting symptoms of illness and the employer has not taken appropriate steps to ensure the health of employees	Resolved through the inquiry process.
R-2291985	HF Foods Group		05/01/2025	Online	Y	Y	Closed	O-Safety	1. Emergency exits are blocked. 2. The employer does not provide adequate personal protective equipment (PPE). DF 05/08/25	Resolved through the inquiry process.
R-2292001	The Haunted Museum		05/07/2025	Online	N	N	Closed	S-Health	1. Artificial fog from a machine is being used inside a house with closed rooms and hallways. It made it difficult to see and caused eye irritation, coughing, throat irritation and lightheadedness. 5/8/2025 JC	No action No alleged hazard to employees.
R-2292188	GP Glass and Mirror LLC		05/08/2025	Phone	Y	Y	Closed	S-Health	1. On May 8th, 2024, an employee was performing routine work involving glass and cut the inside of their hand. They were sent at 12 PM to Summerlin Hospital, and were released after an hour with stitches. 5/9/2025	Resolved through the inquiry process.
R-2292199	Capriotti's Sandwich Shop		05/06/2025	Online	Y	Y	Closed	O-Safety	1. Employees are utilizing meat slicers with no safety gloves or training. 2. The store has not fixed the air-conditioners.	Resolved through the inquiry process.
R-2292222	Redhead Supports		05/09/2025	Online	N	N	Closed		1. At jobsite employees are using marijuana on the job.	No action. No jurisdiction.
R-2292226	CERTAINTED GYPSUM MANUFACTURING INC	CERTAINTED GYPSUM MANUFACTUR	05/08/2025	Phone	Y	Y	Closed	S-Health	1. The Lock-Out/Tag-Out program is not being enforced by the employer, and any on-site violations or bypassing of systems do not result in employees being disciplined.	Resolved through the inquiry process.
R-2292335	American Building Systems L.L.C.		05/09/2025	Phone	Y	Y	Closed	O-Safety	1. On 05/08/2025, an employee was drilling a 2x4 wood framing stud, utilizing a cordless drill, when his hand came in contact with the drill chuck or bit, injuring three fingers on their left hand. The employee is hospitalized at Valley Hospital, pending a consult with a hand specialist. 05/09/2025 JC	Resolved through the inquiry process.
R-2292525	Certain Teed Gypsum Manufacturing, Inc		05/09/2025	Phone	Y	Y	Closed	S-Safety	1. At the facility, while employees were performing maintenance on a machine that required lockout/tagout procedures, supervisors failed to follow the established lockout/tagout protocols.	Resolved through the inquiry process.
R-2292691	MountainView Hospital, Inc.		04/16/2025	Email	N	N	Closed	S-Health	1. On 2/18/2025 in room 522 a patient inappropriately touched a RN. 2. On 2/25/2025 in 5 North room 550 a patient punched a CNA in the abdomen when she was changing bed sheet. 3. On 2/27/2025 in 4 Center room 433 a patient punched a CNA in the shoulder when unable to locate a pen. The patient also threw objects at staff. 4. On 3/26/2025 in NSICU a patient was being assisted out of bed by employee, and the patient grabbed and twisted the employee's wrist. The employee was treated in ED. 5. On 3/27/2025 in 4 South room 4114 a patient cursed and used abusive language demanding medication. 6. On 3/29/2025 in 5 North room 569 an employee attempted to stop a patient from self harm, and the patient grabbed and twisted their left wrist and forearm. 7. On 3/29/2025 in 5 North room 569 a patient hurt a RN's wrist. 8. On 4/2/2025 in 4 South room 4029 a patient swung and hit an employee in the head with a telemetry box. The employee was treated in ED. 9. On 4/2/2025 in 4 South a patient hit a nurse with a tele box on the left side of her head/ear causing ear ringing and loss of balance. 10. On 4/3/2025 in Emergency Room ED 36 a male patient kept making graphic sexual comments and gestures to a female employee. 11. On 4/4/2025 in ERH; ED 36A a patient verbally and attempted to physically sexually assault a RN. 12. On 4/14/2025 in 5 North room 537 a patient got aggressive with a NAP and stomped his foot.	No action. WPV program previously reviewed.
R-2292759	Hillcrest Dental, LLC		05/09/2025	Online	Y	Y	Closed	S-Health;S-Safety	1. The employer has not provided employees annual training in their bloodborne pathogen exposure control plan. 2. The employer has not offered the Hepatitis B vaccination and the employer has not had employees that declined the offer sign the declination form. 3. Contaminated sharps containers are not replaced routinely and are overfilled 4. Prior to leaving the work area, contaminated personal protective equipment, such as gloves and gowns, are not removed immediately or when feasible. 5. A sharps injury log is not maintained and employees have complained that injuries have not been recorded. 6. The employer has not offered training in their hazard communication program when new chemicals are introduced for employee use. 7. Exit doors are locked. 8. OSHA safety and health posters are not displayed where they are visible to employees. 05/12/2025 SM	Resolved through the inquiry process.
R-2292801	Hanwha Convergence USA Corp.		05/12/2025	Phone	Y	N	Closed	S-Safety	1. An employee of a subcontractor put a hose into a transformer switch box and drained too much fluid, causing the hose to cross the phases. Hanwha's employee was standing about 7 feet away when a fireball occurred. The employee sustained 1st degree burns to the face below their safety glasses and 2nd degree burns on their right hand. The employee was taken to Boulder City Hospital then moved to Sunrise Hospital.	Open investigation.
R-2293027	NE Inc.		05/12/2025	Phone	Y	Y	Closed	S-Safety	1. On 5/12/2025 an employee was working on a circuit to a cooler, climbed into the rafters of a ceiling, and fell 16 feet to the ground. The employee broke their ankle and gouged their leg. They were transported to UMC Hospital.	Resolved through the inquiry process.
R-2293397	Apex Bulk Commodities, LLC		05/13/2025	Phone	Y	Y	Closed	S-Health	1. In the sweep out area, employees are not provided with respirators when utilizing an acid to clean chemicals off a truck and when sweeping out quick lime, lime, fly ash, and rock salt from trailers. 5/13/2025	Resolved through the inquiry process.
R-2293420	Excalibur Hotel & Casino		05/13/2025	Phone	Y	Y	Closed	O-Safety	1. On May 10, 2025, the area by the center bar and table games was hot exposing employees to working in high heat temperatures. 5/13/2025 AR	Resolved through the inquiry process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2-25 - 4th Quarter April to June 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2293512	The Paradise Spas		05/11/2025	Online	Y	N	Closed	S-Health	1. The employer is demolishing asbestos containing buildings 21 and 25 and did not establish a containment area. 2. The employer did not perform testing to determine what is asbestos containing material in Buildings 21 and 25.	Inspection conducted. No citations issued.
R-2293553	Tropicana Laughlin, LLC	Tropicana Laughlin Hotel & Casino	05/13/2025	Phone	Y	Y	Closed	O-Safety	1. In the pool pump house, there are two electrical panels and an electrical transformer near a pool pump. 2. In the pool pump house, a disconnect does not have a cover. 5/13/2025	Resolved through the inquiry process.
R-2293750	Your Logistics		04/03/2025	Phone	Y	Y	Closed	O-Safety	1. Forklift operators are driving fast and are not honking. 2. Employees are operating forklift without closing down the aisle and putting the caution line out.	Resolved through the inquiry process.
R-2293769	Sletten Companies		05/13/2025	Phone	Y	Y	Closed	O-Safety	1. On 5/13/2025 at about 8am, a labor employee was walking across the parking lot when a subcontractor backed into him with their utility vehicle. The labor employee was knocked down and emergency medical services were called and took the labor employee to UMC.	Resolved through the inquiry process.
R-2293935	Roofing Troops LLC		05/14/2025	Phone	Y	Y	Closed	S-Safety	1.The employer has employees on a roof without fall protection such as a harness or tie off anchor. 2. It is believed the employer has an employees working without an OSHA-10 card. 5/14/2025 AB	Resolved through the inquiry process.
R-2293956	Southern Hills Medical Center, LLC	Southern Hills Hospital and Medical Center	05/14/2025	Email	N	N	Closed	O-Health	1. From the dates of 05/01/2025 through 05/06/2025, at the pavilion employees were exposed to workplace violence. Southern Hills Hospital has a work place violence program in place.	No action. WPV program reviewed and implemented.
R-2293977	Northshore Learning Center		05/14/2025	Online	Y	Y	Closed	O-Health	1. At the facility, employees were exposed to mold lining the ceiling.	Resolved through the inquiry process.
R-2293990	Jake Berry Productions		05/14/2025	Phone	Y	N	Closed	S-Safety	1. The employer failed to provide an anchor for adhering fall protection when climbing the "Kinetic Fields", Stage 1. 2. The employer failed to enforce the use of lanyards and vertical lifelines, then proceeded to allowed the use of household rope to adhere to the aluminum lighting trusses at heights approximately 70-feet. 5/14/2025 AB	Inspection conducted. 1 citation issued \$1,507.50.
R-2294018	Red Apple Fireworks		05/14/2025	Online	Y	Y	Closed	S-Safety	1. In the new warehouse, employees are unpacking and repackaging fireworks that have mold. 2. Employees are climbing ladders and the warehouse racking to get fireworks rather than using the forklifts.	Resolved through the inquiry process.
R-2294034	Valley Health System, LLC.	Henderson Hospital	05/13/2025	Email	N	N	Closed		1. On May 5, 2025, at approximately 12:30 AM. A patient kicked an employee in their back.	NO action. WPV program previously reviewed.
R-2294052	Summerlin Hospital Medical Center		05/14/2025	Email	N	N	Closed	O-Safety	On 5/11/2025 at 12:45 P.M., a patient in 4W(490) pushed and tried biting a Safety Sitter. 5/14/2025 PG	No action. WPV program previously reviewed.
R-2294053	North Vista Hospital		05/14/2025	Email	N	N	Closed	S-Safety	1. On 04/08/2025 at approximately 7:30PM in the Adult Psychiatric Unit a psych patient came up behind RN and punched her on her head, knocking her to the floor. Patient hit her multiple times, meanwhile two other nurses intervened, pulled patient off of victim RN. Code Grey Called, security removed patient from area. NLVPD called, patient was arrested. 2. On 04/09/2025 at approximately 12:15AM in the Adult Psychiatric Unit when redirecting agitated patient, patient walked briskly towards nurse the struck her in the head. Code gray was called. Patient was restrained and place in 4-point locking restraints for psychotic agitation. MD notified. Patient was removed from restraints when release criteria were met. WPV4708 3. On 04/11/2025 at approximately 10:50AM in the ED - Adult Psychiatric Unit when patient angry because he wanted to be admitted to T3 Psych unit, lunged at MHT, then spit on a nurse when trying to give him medications. Security notified, NLVPD contacted, patient arrested and taken to jail. WPC4716 4. On 04/17/2025 at approximately 8:50AM in the Adult Psychiatric Unit a patient was recently admitted to the unit and was observed pacing while talking to self. Apparently responding to internal stimuli, patient became aggressive and broke an exit sign and inappropriately touched the RN's breast. Patient's outburst was sudden, so there were no identified opportunities to prevent it. WPV4742 5. On 04/17/2025 at approximately 10:15PM in the Adult Psychiatric Unit a psych patient on isolation precautions wanted to leave his room, when the 1:1 sitter told him he could not leave the room, he became physically aggressive, hit and twisted the sitter's wrist. Security intervened, patient was medicated which was effective in calming the patient down. WPV4743	No action. WPV program previously reviewed.
R-2294071	Stageco US Inc		05/14/2025	Phone	Y	N	Closed	S-Safety	1. The employer failed to provide an anchor for adhering fall protection when climbing the "Kinetic Fields", Stage 1. 2. The employer failed to enforce the use of lanyards and vertical lifelines, then proceeded to allowed the use of household rope to adhere to the aluminum lighting trusses at heights approximately 70-feet. 5/14/2025 AB	Inspection conducted. 1 citation issued \$1,507.50
R-2294073	Mesquite Gaming LLC	Virgin River Hotel and Casino	05/14/2025	Phone	N	N	Closed	O-Safety	1. The Food Supervisor sexually harasses her female workers by unwanted physical contact and kisses on the lips on work property. 2. Human Resources failed to address sexual harassment concerns and did not conduct an investigation. 3. Management has disregarded the concerns due to the family relations of the members of management involved. 5/14/2025 AB	No action. No jurisdiction

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2-25 - 4th Quarter April to June 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2294080	JD Stairs, Inc.		05/14/2025	Phone	Y	Y	Closed	S-Safety	1. On May 2, 2025, an employee suffered a laceration from an overhead crane accident. In a follow up, it was determined the employee was to be admitted to the hospital to remove gangrene for the bone and tissue of the right middle finger.	Resolved through the inquiry process.
R-2294275	AKNV Inc		05/13/2025	Phone	Y	Y	Closed	S-Health	On May 13, 2025, an employee was hospitalized and admitted overnight for observation following an physical confrontation with a thief. 5/15/2025 AB	Resolved through the inquiry process.
R-2294375	RJC Engineers		05/15/2025	Phone	Y	Y	Closed	O-Safety	1. On March 15, 2025, an employee participated in a voluntary track race at Cimarron High School representing the employer. The employee tripped and fractured two fingers. He was taken to UMC Trauma Center where he was admitted overnight and had surgery the next day. 5/15/25 AL	Resolved through the inquiry process.
R-2294587	MountainView Hospital, Inc.		05/13/2025	Email	Y	Y	Closed	O-Health	1. On March 17, 2025, at approximately 6:45 pm, a female patient verbally abused towards a nurse. The incident took place at 4 south nurse station. 2. On March 18, 2025, at approximately 10:50 pm, a female patient became verbally abusive towards a nurse. The incident took place at 4 center, room 418B. 3. On March 18, 2025 at approximately 6:45 am, a patient with dementia and paranoia kicked a Certified Nurse Assistant in the head and shoulder while the nurse was attempting to adjust the restraints. The incident took place at 5 Center, room 503. 4. On April 01, 2025, at approximately 11:20 pm, the badge of a Registered Nurse was ripped off, and the nurse was verbally abused by a female patient while starting an IV. The incident took place in the emergency department, room 56. 5. On April 04, 2025, at approximately 2:45 pm, a male patient made sexually inappropriate and racist remarks to ED staff. The incident took place at ED room 39. 6. On April 05, 2025, at approximately 2:00 pm, a male patient, who was a fall risk, was trying to get out of bed. A PCT tried to redirect the patient back to bed when he punched her in the abdomen. The incident took place at 5 Center room 511. 7. On April 07, 2025, at approximately 7:00 am, a male patient with dementia and recurrent seizures became confused, shouted at staff and attempted to hit staff. The incident took place at 5 South, Oncology Room 5007. 8. On April 12, 2025 at approximately 6:00 am, an employee was scratched on the wrist when a patient what was developmentally delayed became violent while they were being cleaned. The incident took place in 4 Center, room 426. 9. On April 14, 2025 at approximately 4:50 am, a nurse extern tried to awake a male patient to take the vital signs. The patient cursed at the nurse extern, and stomped on the foot of the nurse extern. The incident took place at 5 North, room 537. 10. On April 15, 2025, at approximately 11:00 am, a female patient verbally abused a Registered Nurse. The incident took place in the Rehab area, room 5534. 11. On April 17, 2025, at approximately 4:00 pm, a Registered Nurse was verbally abused and slapped in the arm by a female patient while an IV was being put onto the patient. The incident took place in 4 North, room 469. 12. On April 22, 2025, at approximately 8:20 pm, a nurse in the emergency department was slapped in the chest by a female patient while being treated for possible seizures. The incident took place in the emergency department, 22 HW. 13. On April 22, 2025, at approximately 9:00 pm, a Registered Nurse was scratched on the right arm while attempting to deescalate a situation where a patient with dementia became confused. The incident took place at 4 North, room 466. 14. On April 22, 2025, at approximately 5:45 pm, staff was verbally abused by a family when the family accused staff of kidnapping a patient. The incident took place in 5 Center, nurse station. 15. On April 27, 2025, At approximately 1:00 pm, a male patient pushed a nurse into a wall while holding a needle. The needle was dropped by the nurse, and picked up by the patient. The male patient threatened a second employee with the needle. The patient was discharged, and taken to jail. The incident took place at 4 South, room 4010. 16. On April 30, 2025 at approximately 8:30 pm, a male patient became agitated then verbally abused a doctor in response to the doctor prescribing a clear liquid diet. The incident took place in 4 North, room 461. 17. On May 06, 2025, at approximately 11:00 am, a male patient became agitated and threatened staff. The incident took place in 4 North, room 461. 18. On May 06, 2025, at approximately 11:00 am, a male patient became agitated and threatened staff. The incident took place in 4 North, room 461. 19. On May 06, 2025, at approximately 11:00 am, a male patient became agitated and threatened staff. The incident took place in 4 North, room 461. 20. On May 06, 2025, at approximately 11:00 am, a male patient became agitated and threatened staff. The incident took place in 4 North, room 461.	Resolved through the inquiry process.
R-2294862	Essence Tropicana, LLC	RISE	05/16/2025	Online	Y	Y	Closed	S-Safety	1. The employer failed to ensure that exit routes doors at the facility were properly maintained to allow self-closing. 5/16/2025 JC	Resolved through the inquiry process.
R-2294887	Air Duct LV Heating & Cooling		05/16/2025	Phone	Y	Y	Closed	O-Safety	1. During a residential HVAC duct-cleaning job at 1517 Canyon Rose Way, Las Vegas NV 89108, the power cable of a backpack-style industrial vacuum began sparking and burning after being plugged in, exposing two employees to electrical hazards. One employee mentioned to the client that this was not abnormal for that particular vacuum. AB 05/16/2025	Resolved through the inquiry process.
R-2295099	Capital Energy		05/16/2025	Phone	Y	Y	Closed	S-Safety	1. At 5720 West Twain Avenue, Las Vegas, NV 89103, two Capital Energy employees were observed conducting a residential solar panel installation on a second-story roof without fall protection for approximately two hours. AB 05/16/2025	Resolved through the inquiry process.
R-2295178	The Arcticom Group Refrigeration, LLC	TAG Refrigeration	05/16/2025	Phone	Y	N	Closed	S-Safety	1. At approximately 12:20PM on 05/16/2025, Employee #1 of The Arcticom Group (refrigeration company) was part of a crew servicing a Sam's Club. The crew moved a cart, and two metal beams that were leaning on the cart fell, and struck Employee #1 in the head, knocking them unconscious. Employee #1 was transported to UMC - Charleston by ambulance, and is in critical condition as of 5:40PM, 05/16/2025. AB 05/16/2025	Inspection conducted. No citations issued.
R-2295378	The Arcticom Group Refrigeration, LLC	TAG Refrigeration	05/16/2025	Phone	Y	N	Closed	S-Safety	1. On May 16, 2025, in the receiving department of Sam's Club #4983 an employee was struck by two 12-foot storage rack beams in the temple, which resulted in a hospitalization. 5/16/25 AB	Open investigation.
R-2295661	Dr. Paul Meacham Senior Apartments		05/19/2025	Phone	Y	Y	Closed	O-Safety	1. Located at the establishment exit stairs do not have step identifiers to prevent accidental trips.	Resolved through the inquiry process.
R-2295752	Dynamic Scenery and Supply		05/19/2025	Online	Y	Y	Closed	O-Safety	1. Employees and members of management are allowed to smoke cigarettes throughout the shop area where flammable chemicals and paints are being utilized creating a potential fire hazard.	Resolved through the inquiry process.
R-2295768	LVCore Ventures Inc.	RestoPros of Las Vegas	05/14/2025	Online	Y	Y	Closed	O-Health	1. Located at 8020 Pottery Creek Drive, Las Vegas, NV 89128, between April 11 - 15, 2025, employees conducted demolition work in the upstairs bathroom where mold was present and the employer did not ensure employees utilized personal protective equipment.	Resolved through the inquiry process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2-25 - 4th Quarter April to June 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2295797	OnTrac Logistics Inc.		05/16/2025	Online	Y	Y	Closed	O-Safety	1. The employer does not ensure that employees working in the middle and back areas are not riding on the hand-held pallet jacks. 2. Employees and supervisors are allowed to stand and walk on moving conveyor belts in the back of the building and middle ladder area. 3. The warehouse floor is not maintained in a dry, clean, and orderly manner.	Resolved through the inquiry process.
R-2296084	Insomniac Holdings, LLC		05/20/2025	Email	Y	N	Closed	S-Safety	1. On 05/20/2025 on the main stage, at approximately 08:44 AM, employees were not using fall protection when climbing onto the truss.	Inspection conducted. 1 citation issued \$1,507.50.
R-2296204	Stageco US Inc		05/20/2025	Phone	Y	Y	Closed	O-Safety	1. On the east side of the EDC site, employees are disassembling the main stage and are not tying off. Some employees do have positioning devices, but they are only equipped with one tie off point versus 2 to ensure 100% tie off while climbing the only allow partial tie off with one clip while climbing. 2. While disassembling the main stage on the EDC site, there were no methods to control the crane load when lowering the load.	Resolved through the inquiry process.
R-2296269	Affordable Dentures & Implants		05/20/2025	Phone	Y	Y	Closed	O-Safety	1. In the halls and the breakroom, there are metal pieces hanging from the ceiling which present a struck by hazard to an employee if they were to fall. 2. In room 2 and 3, there is a toilet above which occasionally leaks water or sewage. 3. Masks and gloves are frequently unavailable. 4. The dental unit is in disrepair and has caused multiple injuries due to pieces of the unit falling off resulting in injuries to fingers. About a week ago, the unit fell on an employee's finger resulting in that employee needing to go to Concentra. 5. No hot water is available throughout the building. 6. The tabby spray used to clean the rooms causes employees headaches even though they are wearing surgical masks. 7. In the breakroom the coffee maker, toaster oven and microwave are all plugged into a wall charger with multiple ports which cause the breaker to trip constantly when using more than one device at a time.	Resolved through the inquiry process.
R-2296274	Max Art Productions LLC		05/20/2025	Phone	Y	Y	Closed	O-Safety	1. In the paint booth/production area, ceiling work is being completed and pieces of fiberglass insulation is falling on employees working in the area, resulting in eye irritation and difficulty breathing due to employees not receiving the appropriate personal protective equipment.	Resolved through the inquiry process.
R-2296603	Sequoia Meadows Apartments		05/16/2025	Online	Y	Y	Closed	S-Safety	1. In building 5221, an employee was required to climb an unsafe ladder in windy conditions.	Resolved through the inquiry process.
R-2296644	Tropicana Royale		05/21/2025	Online	N	N	Closed	O-Safety	5/19/25 the bathroom ceiling starting leaking over 2 weeks ago where it turned into a hole. I contacted the fire department this took place at 11pm they would not come. For all I know the hole could be full of black mole that is hazardous to myself and my 4 year old daughter. The ceiling could give way and hit myself or my daughter. The entire complex is not safe. Some weeks there is no running hot water. The managers will not relocate me to another apartment nor will they repair this one. I am more than certain there are many code violations at this establishment. No one does anything it falls on deaf ears. But they do not hesitate to collect their rent every month - 1900 East Tropicana Blvd Building 19 apt 200 I am on the ground floor	No action. No jurisdiction.
R-2296730	Emerald Carpets, Inc.		05/21/2025	Phone	Y	Y	Closed	S-Safety	1. At the facility, employees are not provided with fans and air conditioning exposing them to elevated heat temperatures.	Resolved through the inquiry process.
R-2296731	Little White Chapel	A Little White Wedding Chapel	05/21/2025	Online	Y	Y	Closed	S-Safety	1. Employees exposed to falls from heights over 4-feet with no fall protection on the roof of the Chapel.	Resolved through the inquiry process.
R-2296823	Unicon LLC		05/20/2025	Phone	Y	N	Closed	I-Safety	1. Employees are working in an approximately 10 feet deep trench without a method of cave in protection.	Open investigation.
R-2296826	Acme Underground, Inc.		05/20/2025	Phone	Y	N	Closed	I-Safety	1. Employees are working in an approximately 10 feet deep trench without a method of cave in protection.	Open investigation.
R-2296832	Eagle Graphic Systems, Inc.	Image 360	05/16/2025	Email	Y	Y	Closed	S-Safety	1. On 5/16/2025 at 5325 South Valley View Blvd there were two employees working from the basket of a boom lift truck while not being secured to the basket with a harness and lanyard.	Resolved through the inquiry process.
R-2296851	JBM Construction, Inc.	JBM Underground	05/21/2025	Phone	Y	Y	Closed	O-Safety	1. At a Lowes parking lot on the intersection of Loose and Craig, on 05/15/2024 at approximately 5:15 pm, an employee was loading material on the bed of the work truck, slipped, and experienced a fracture to the right knee. The employee was transported to Spring Valley Hospital and was admitted on 05/16/2025 at approximately 1 am. 2. The hospitalization was not reported within 24 hours.	Resolved through the inquiry process.
R-2297151	CONAM Management Corporation	Resort At Coronado Ranch Apartments	05/22/2025	Phone	Y	N	Closed	O-Safety	1. On May 21, 2025, an employee sustained an electric shock while working on a dishwasher. The employee was initially treated at Concentra and subsequently transported to Spring Valley Hospital. They were released the following morning. JA 5/22/2025	Open investigation.
R-2297191	Southern Nevada Welding Inc		05/22/2025	Phone	Y	Y	Closed	O-Safety	1. The employer fails to enforce policies requiring the use of personal protective equipment (PPE), including welding gloves and welding shields. 2. Employees have been observed smoking inside the shop in close proximity to flammable materials, posing a significant safety hazard. JA 5/22/2025	Resolved through the inquiry process.
R-2297259	Nucor Insulated Panel Group LLC		05/22/2025	Phone	Y	N	Closed	O-Safety	1. While on the phone, the employee reached their left hand into the pinch roller, resulting in injuries to four fingers and the wrist. The employee was transported to UMC Hospital. JA 05/02/2025	Open investigation.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2-25 - 4th Quarter April to June 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2297729	Jack in the Box		05/23/2025	Phone	Y	Y	Closed	O-Safety	1. On 5/23/25 between 9am-11am, there were repeated loud explosions coming from the kitchen area which shook the building and sent employees running out of the building for safety. There was a previous occurrence of the same description approximately four months ago. DF 05/23/2025	Resolved through the inquiry process.
R-2297736	Resorts World Las Vegas, LLC	Resorts World Las Vegas	05/23/2025	Phone	Y	Y	Closed	O-Safety	1. The electric gate at the Crockfords valet entrance has an unsafe counterweight which causes a tripping and crushing hazard when the gate is opened. 2. An employee was required to paint an electronic activated gate without the gate being locked out and tagged out. DF 05/23/2025	Resolved through the inquiry process.
R-2297741	CTS Mechanical Inc.		05/23/2025	Phone	Y	Y	Closed	O-Safety	1. An employee suffered a crushed finger while getting the middle finger on his right hand caught between a pipe and angle iron. The employer was performing one of his regular duties while working on a Costco Warehouse construction site. 05/23/2025 DF	Resolved through the inquiry process.
R-2297749	Panda Windows & Doors, LLC		05/23/2025	Phone	Y	N	Closed	O-Safety	1. The air-conditioner at the 3935 North Pecos Road location has been broken for the last 8 months, subjecting employees to extremely hot temperatures while working. 2. Employees have not been trained to recognize heat illness. 3. Forklift operators for the 3415 Bellington Road location as well as the 3935 North Pecos location are not properly certified to operate forklifts and powered industrial trucks DF 05/23/2025	Inspection conducted. 1 citation issued \$10,641.
R-2297774	USA Auto Service #13		05/23/2025	Online	N	N	Closed		They had my wife and 8 month old child underneath loaded auto lifts trying to sell them on unneeded repairs. They would not have been under the lift if the manager was not trying to pretend there were issues. He was luring my wife and son into unsafe areas to help upsell his sales pitch. They also transited under other lifted vehicles to get to ours	No action. No applicable standard.
R-2298197	Baker Distributing Company		05/19/2025	Online	N	N	Closed		1. The office has mold, and rotten food.	No action. No applicable standard.
R-2298391	MGM Grand Hotel/Casino		05/27/2025	Phone	Y	Y	Closed	S-Safety	1. On 5/23/2025, an employee was performing routine maintenance on an electric cart when the wrench he was using slipped and he injured the middle finger on his left hand, resulting in surgery.	Resolved through the inquiry process.
R-2298407	Northcap Residential LLC		05/27/2025	Phone	Y	Y	Closed	S-Health	1. There is a strong odor in the facility due to work being done on the roof. The odor is causing the employees to get headaches and get sick.	Resolved through the inquiry process.
R-2298454	CVS Pharmacy		05/27/2025	Phone	Y	Y	Closed	S-Safety	1. An employee tripped and fell; sustained a pelvic fracture.	Resolved through the inquiry process.
R-2298470	Best Price Flooring		05/22/2025	Fax	Y	Y	Open		1. Employees are working at heights without a compliant method of fall protection. 2. The employer does not provide PPE such as gloves, eye protection, respirators, or hearing protection. 3. Hazardous chemicals are stored improperly, and the employer does not maintain safety data sheets for the chemicals. 4. Employees have not been provided hazard communication training. 5. Jobsites have damaged extension cords, ungrounded power tools, and exposed wiring. 6. OSHA 300 injury and illness logs are not being maintained.	Open investigation.
R-2298479	Yo Mochi Cafe		05/27/2025	Phone	Y	Y	Closed	O-Safety	1. In the bakery area, there is an unsafe walking-working surface; employees are exposed to slip and fall hazards. 2. The company does not provide proper PPE to the employees.	Resolved through the inquiry process.
R-2298483	Nye County Sheriff's Office		05/27/2025	Phone	N	N	Closed	S-Safety	1. On 5/23/2025, a sheriff's officer suffered a stroke, off-duty, at home.	No action. Non-work related.
R-2298647	Regional Transportation Commission of Southern Nevada		05/22/2025	Online	Y	N	Closed	S-Health	1. At the Southbound Las Vegas and Bellagio bus stop #3590 and Northbound Las Vegas and Paris stop # 1332, a group of security officers have had to stand post outdoors for 3+ hours in 90+ degree weather. No air conditioning or water were provided, and employees were told not to take breaks even if they felt overheated. Employees are wearing heavy gear in the heat, including bulletproof vests and duty belts.	Inspection conducted. No citations issued.
R-2298658	Richtech Robotics Inc		05/28/2025	Online	Y	Y	Closed	O-Safety	1. There is not enough space for employees to egress to an exit in the case of the fire because the width between desks are only about 18 inches and there are boxes cluttering the exit path. This hazard is located in the parts warehouse and areas where employee desks are, such as the utility closet and the office areas.	Resolved through the inquiry process.
R-2298668	Tuff Shed Inc.		05/28/2025	Phone	Y	Y	Closed	O-Safety	1. The employees are instructed to operate forklifts without certification or training.	Resolved through the inquiry process.
R-2298785	Amusement Exhibit and Event Services LLC		05/28/2025	Phone	Y	N	Closed	S-Safety	1. Employees are being lifted unsafely on forklifts. 2. There are uncertified forklift operators. 3. Emergency exits/doorways are blocked. 4. The employees are not provided with proper PPE, specifically, respiratory protection. 5. The employee restrooms are not being cleaned.	Open investigation.
R-2298964	YC Signs LLC		05/28/2025	In person	Y	N	Closed	I-Safety	1. An employee was working in a boom lift with no fall protection at a height of 15 feet. 5/28/2025 SMB	Open investigation.
R-2298970	Bank of America #7088		05/28/2025	Phone	Y	N	Closed	O-Safety	1. In the back area of the branch, employees are working in hot conditions due to lack of air conditioning.	Establishment temporarily closed.
R-2299168	Silver Lake Construction Company		05/23/2025	Online	Y	Y	Closed	S-Safety	1. Employees stand of the forklift to change the lights in the shop area. 2. Employees don't wear face shields of gloves when welding.	Resolved through the inquiry process.
R-2299334	In-N-Out Burger		05/29/2025	Online	Y	Y	Closed	S-Health;S-Safety	1. Exit doors to the establishment were locked due to an unexpected and unplanned flash mob of children both inside and outside the restaurant. Doors were reopened upon the arrival of the police.	Resolved through the inquiry process.
R-2299431	Speakeasy Therapy Services		05/29/2025	Online	Y	Y	Closed	O-Health	1. In the treatment rooms and GM area, employees are exposed to heat stress in the summer.	Resolved through the inquiry process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2-25 - 4th Quarter April to June 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2299461	Saks OFF 5th		05/29/2025	Phone	Y	Y	Closed	S-Health;S-Safety	1. A/C has been out of service for several weeks.	Resolved through the inquiry process.
R-2299723	Cowabunga Bay Las Vegas		05/30/2025	Phone	Y	N	Closed	S-Health	1. At approximately 10:08am, the Henderson Fire Department was dispatched to 900 West Galleria Drive, Henderson, NV 89011 for an employee who was unresponsive. The employee had inhaled muriatic acid fumes and proceeded to lose consciousness. The employee was transported to Sunrise Hospital.	Open investigation.
R-2300319	MARBLEOZ		06/02/2025	Phone			Closed	S-Safety	1. Located at the establishment, four skylights openings are not protected to prevent accidental falls to the lower level.	Open investigation.
R-2300494	Dillard's		06/02/2025	Phone	Y	Y	Closed	O-Health	1. Located at the establishment, the air conditioning is not working, creating an uncomfortable work environment.	Resolved through the inquiry process.
R-2301218	Black Mountain Fulfillment		06/03/2025	Online	Y	Y	Closed	O-Safety	1. Employees are smoking cigarettes while using the sit down forklift. 2. Forks of the forklift are damaged and straps/ropes are used to keep material from moving. 3. Trip hazards including misplaced pallet jacks, boxes and trash are scattered everywhere in the warehouse. 4. Pallet jacks are being used by associates as scooters throughout the warehouse 6/4/2025 AL	Resolved through the inquiry process.
R-2301289	Sphere Entertainment Co.	MSG Sphere	06/03/2025	Online	Y	Y	Closed	S-Safety	1. On May 2, 2025, an employee was eating in the employee dining room and suffered a laceration in their mouth, secondary to eating a rusty screw that was in her food.	Resolved through the inquiry process.
R-2301360	KNL Construction		06/04/2025	Phone	Y	N	Closed	S-Safety	1. In the big lot across the street from 6295 Racel Street, the employer is operating equipment, such as jumping jacks, inside a trench greater than 5 feet deep without cave-in protection. 06/04/2025 SM	Open investigation.
R-2301463	Cafe Landwer Las Vegas	Cafe Landwer	06/04/2025	Online	Y	Y	Closed	S-Safety	1. There are several housekeeping issues, such as overstocked shelves and broken glass, in the kitchen and back of the restaurant and these issues can be contribute to potential hazards. 2. In the back of the restaurant, egress pathways are blocked. 06/04/2025 SM	Resolved through the inquiry process.
R-2301483	McDonald's		06/04/2025	Online	Y	Y	Closed	O-Health	1. The air conditioning unit has not been working for weeks while the temperatures are starting to rise due to summer approaching. Employees have reported the issue but it is not being addressed. 6/4/2025 AL	Resolved through the inquiry process.
R-2301513	EVOQ Apartments Homes		06/04/2025	Online	N	N	Closed	S-Health	1. Six months ago in December 2024, the employer removed potentially asbestos containing material from a tenant's apartment as a result of water damage. 2. Six months ago in December 2024, the employer failed to notify tenants there was going to be an asbestos abatement company that will be addressing the water damage. 6/4/2025 AB	No action. No employee exposure to hazards.
R-2301849	Newage Lake Las Vegas, LLC	Hilton Lake Las Vegas Resort and Spa	06/02/2025	Online	Y	Y	Open	S-Safety	1. There are 12 to 14 lifeguards exposed to cleaning supplies, do not wear personal protective equipment when cleaning, and received no Hazard Communication or blood-borne pathogen training. 2. There are unlabeled bottles in the Pool Kitchen and chemicals are improperly stored inside the spa back of house. 3. There is no eyewash station or SDS book available. 4. About 12 to 14 lifeguards are regularly exposed to the heat on long shifts, given short breaks, and yelled at if more than 1 lifeguard uses the air-conditioned break room. Lifeguards have overexposure to the sun on the pool deck. 5. The stairs to the cooling tower are man made and unstable.	Open investigation.
R-2301868	Newage Lake Las Vegas, LLC	Hilton Lake Las Vegas Resort and Spa	06/02/2025	Online	Y	Y	Closed	S-Safety	1. There are 12 to 14 lifeguards exposed to cleaning supplies, do not wear personal protective equipment when cleaning, and received no Hazard Communication or blood-borne pathogen training. 2. There are unlabeled bottles in the Pool Kitchen and chemicals are improperly stored inside the spa back of house. 3. There is no eyewash station or SDS book available. 4. About 12 to 14 lifeguards are regularly exposed to the heat on long shifts, given short breaks, and yelled at if more than 1 lifeguard uses the air-conditioned break room. Lifeguards have overexposure to the sun on the pool deck.	Open investigation.
R-2301979	Casa El Desayuno, Inc.	Casa El Desayuno #3	06/04/2025	Online	Y	N	Closed	S-Health	1. The kitchen is over 100 degrees Fahrenheit, and employees have complained about symptoms associated with heat illness. 06/04/2025 SM	Open investigation.
R-2302257	SWOOP LLC	SWOOP	06/04/2025	Online	N	N	Closed	O-Health	1. Employees are operating machinery while under the influence of marijuana. 6/6/2025 JC	Referred to Las Vegas Metropolitan Police Department.
R-2302301	Milkcow NV, LLC	Milkcow Cafe	05/28/2025	Online	Y	Y	Closed	S-Safety	1. Employees are utilizing an unstable ladder to access items stored in out of reach locations. 2. Employees are utilizing damaged waffle makers that do not have handles. 3. The middle rinse sink is leaking and has resulted in flooding of the area where employees are required to walk through while transporting four-gallon mix containers. 4. Boxes are not securely stored and have nearly fallen on employees attempting to retrieve supplies. 6/6/2025 JC	Resolved through the inquiry process.
R-2302473	Aveda Institute Las Vegas		06/06/2025	Phone	Y	Y	Closed	O-Safety	1. Employees in the nail area are working in a small room with 4 pedicure chairs arm to arm, there is no ventilation. There are also concerns about how employees would exit in the event of a fire.	Resolved through the inquiry process.
R-2302520	4 Wall Entertainment Inc		06/06/2025	Phone	Y	Y	Closed	S-Safety	1. At approximately 8:50pm on Thursday June 5th, an employee of 4 Wall Entertainment Inc. was moving a truss in the warehouse at 3165 West Sunset Road, Las Vegas, NV 89118 for storage purposes. The truss fell on the employees hand causing an amputation from above the first knuckle of the finger. The employee was transported from the warehouse via ambulance to UMC Trauma Center.	Resolved through the inquiry process.
R-2302526	The Grandview at Las Vegas		06/06/2025	Phone	Y	Y	Closed	S-Safety	1. The employer has not turned on the hallway air conditioning in all 8 of the hotel buildings, potentially exposing employees to heat stress illness.	Resolved through the inquiry process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2-25 - 4th Quarter April to June 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2302823	Angry Chickz - Las Vegas		06/07/2025	Phone	Y	Y	Closed	S-Safety	1. The A/C has not been working for a couple of days. It is 90-95 degrees inside the kitchen.	Resolved through the inquiry process.
R-2302845	Dreamgirls of Las Vegas, LLC	Deja Vu's Adult Emporium	06/09/2025	Phone	Y	N	Closed	O-Health	1. The A/C has not functioned properly since April which has caused employees to experience heat illness. 6/9/2025 AR	Open investigation.
R-2302858	Panera Bread		06/05/2025	Online	Y	Y	Closed	O-Safety	1. Employees are required to retrieve gallon-sized bottles of dressing from high shelves. 2. The employer does not provide ladders or step stools to assist with safely reaching elevated storage areas. 3. An employee sustained a head injury when a gallon bottle of dressing fell and struck them. The manager on duty failed to report the injury until the following day. 4. Despite company policy, the manager and employees stored knives in the line area. JA 6/9/2025	Resolved through the inquiry process.
R-2302870	Walmart Supercenter #2592		06/06/2025	Online	N	N	Closed		They discriminated against me and I have proof . - Walmart	No action. No jurisdiction.
R-2302964	Summerlin Hospital Medical Center		06/05/2025	Online	N	N	Closed		1. In April 2025, an ER nurse was assigned four hallway patients with no gurneys for two beds and one heart monitor. Mobile monitors were not connected to central telemetry despite the patients requiring continuous monitoring. The employee brought up the unsafe conditions to management, management refused to correct any of the issues and terminated the employee.	Referred to Whistleblower Unit and Bureau of Healthcare Quality and Compliance.
R-2303037	Aria Resort & Casino, LLC	ARIA Resort & Casino	06/09/2025	Phone	Y	Y	Open		1. There is a bed bug infestation in the employee dining room and back of the house.	Open investigation.
R-2303079	Dotty's 50		06/09/2025	Online	Y	N	Closed	O-Health	1. Within the Dotty's Casino, employees are exposed to working in high heat temperatures of up to 90 degrees. The air conditioning has been broken for more than one week. INVALID Complaint. 6/9/2025 EH	Open investigation.
R-2303150	AG Production Services Inc		06/09/2025	Phone			Open	O-Safety	1. At the Mr. Beast popup, employees were redoing the bottom of a pallet with the forklift forks lifted up	Open investigation.
R-2303531	Dunnottar Management, Inc.	Burger King #16795	06/10/2025	Phone	Y	N	Closed	S-Health;S-Safety	1. Employees exposed to temperatures over 90+degrees in the kitchen and lobby with no working air conditioning for several months.	Inspection conducted. No citations issued.
R-2303565	Dotty's		06/09/2025	Phone	Y	N	Closed	S-Health;S-Safety	1. Employees exposed to temperatures over 90+degrees inside with no working air conditioner.	Inspection conducted. No citations issued.
R-2303614	QUALCAN LLC	Jade Cannabis Co.	05/21/2025	Online	Y	Y	Closed	O-Health	1. The employer failed to ensure that the air conditioning filter in the guard booth has been changed for over two years and may contain mold from trapped water. 6/10/2025 JC	Resolved through the inquiry process.
R-2303819	Vons Grocery Co #2396		06/10/2025	Phone	Y	Y	Closed	S-Health;S-Safety	1. Employees exposed to slips and trips on wet floors with no wet floor signs being used throughout store and in restrooms.	Resolved through the inquiry process.
R-2303826	Commercial Roofers, Inc.		06/10/2025	Phone	Y	N	Closed	S-Health;S-Safety	1. Employee taken to ER for heat exhaustion after work.	Inspection conducted. No citations issued.
R-2303839	Dillard's		06/10/2025	Phone	Y	Y	Closed	S-Health;S-Safety	1. Employees exposed to temperatures over 90+degrees in the entire store with no a/c working.	Resolved through the inquiry process.
R-2303845	LVBD Charleston Land Holdings LLC		06/10/2025	Phone	Y	N	Closed	S-Health	1. Employees are exposed to asbestos removal without proper PPE. 6/10/2022 LL	Open investigation.
R-2303861	Hermod Wheels LLC	Las Vegas Wheels	06/10/2025	Phone	Y	N	Closed	S-Health;S-Safety	1. Employees exposed to temperatures over 90 degrees in shop. 2. Employees exposed to acid paint remover on the floors of the shop. 3. Employees exposed to exposed wires from the welding machine. 4. Employees exposed to blades while sticking hands in fans to get them to work and move the air.	Open investigation.
R-2304109	I Heart Sushi Catering, LLC		06/11/2025	Online	Y	Y	Closed	S-Health;S-Safety	1. Employees are using chemicals in unlabeled containers. 2. Safety Data Sheets for chemicals utilized by employees are not accessible. 3. Egress pathways and exits are blocked. 4. Access to electric panels is blocked. 5. There is not at least 18 inches of clearance between the sprinklers on the ceiling and materials below them. 06/11/2025 SM	Resolved through the inquiry process.
R-2304134	Grand Lux Cafe		06/10/2025	Online	N	N	Closed		1. A customer was subjected to second hand smoke by a member of the public. 6/11/2025 AB	No jurisdiction. Referred to the Southern Nevada Health District.
R-2304164	FedEx Ground		06/11/2025	Online	Y	N	Closed	S-Health	1. The employer has employees in delivery trucks without air conditioning. 2. The employer has failed to provide potable water to employees. 3. The employer has failed to provide access to shade during extreme heat. 4. The employer has failed to implement a formal heat illness prevention plan and training program. 6/11/2025 AB	Open investigation.
R-2304204	Universal Urethane, Inc.		06/10/2025	Online	Y	Y	Closed	S-Health;S-Safety	1. The employer has not provided employees with water. 2. The employer has failed to ensure the worksite is climate controlled. 3. Employees are utilizing machinery on site without training. 4. The employer has failed to ensure that employees are wearing appropriate personal protective equipment. 6/11/2025 JC	Resolved through the inquiry process.
R-2304263	Dunnottar Management, Inc.	Burger King #16795	06/11/2025	Phone	Y	N	Closed	S-Health;S-Safety	1. AC has been broken for a couple of weeks and inside the building it has been 99-degree Fahrenheit every day. On 6/10/2025, the thermostat read 99 degrees Fahrenheit. Employees are sweating and exhausted.	Inspection conducted. No citations issued.
R-2304341	MMC Contractors West, Inc.	Cerris Systems West, Inc.	06/11/2025	Phone	Y	Y	Closed	S-Safety	1. On 6/10/2025, an employee was hoisting piping in the Hard Rock central plant when a pipe came loose, fell, and struck an employee fracturing his right fibula. The employee was admitted to UMC hospital.	Resolved through the inquiry process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2-25 - 4th Quarter April to June 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2304404	7860 West Ann LLC	AA Auto Care #800	06/11/2025	Phone	Y	Y	Closed	S-Health	1. Inside the buildings, employees are exposed to working in high heat temperatures up to 90 degrees. The air conditioning has been broken since last summer 2024.	Resolved through the inquiry process.
R-2304618	Clark County Parks & Recreation - Desert Breeze Recreational Center		06/11/2025	Phone	N	N	Closed		1. On 6/11/2025, the volunteer was cleaning trash in the area, got their foot caught on a rail, slid down, and broke left fibula.	No action. No jurisdiction.
R-2304633	Caesar's Palace		06/11/2025	Phone	N	N	Closed	S-Health	1. On 6/10/2025 at 11:30AM an employee was in a security briefing and while seated fell on his right arm and began having a seizure.	No action. Non-work related.
R-2304988	Drive Sally, LLC		06/12/2025	Phone	Y	Y	Closed	S-Safety	1. On June 6, 2025, an employee was driving a company-owned vehicle back to the facility, and while attempting to take evasive maneuvers to avoid hitting rocks in the roadway, struck another vehicle. The employee sustained injuries to his left knee, and presented to UMC hospital for treatment. 6/13/2025 JC	Resolved through the inquiry process.
R-2305208	AG Production Services Inc		05/28/2025	Online	Y	Y	Closed	O-Health	1. Inside the warehouse, there is not enough ventilation to dissipate the smell of the diesel coming from the forklifts.	Resolved through the inquiry process.
R-2305238	AGP Foods, LLC	KFC	06/13/2025	Online	Y	N	Closed	S-Health	1. Indoor temperatures have been over 100 degrees Fahrenheit for the past week and employees are concerned with the hazards associated with heat illness. 06/13/2025 SM	Open investigation.
R-2305312	El Jen SNF Operations LLC	El Jen Skilled Care	06/12/2025	Online	Y	Y	Closed	S-Health	1. Located in the kitchen and the back of the building, the temperature is extremely hot.	Resolved through the inquiry process.
R-2305405	DH Pace Denver		06/13/2025	Phone	Y	Y	Closed	O-Safety	1. An employee was installing metal brake for a store front utilizing a non-powered scraping blade when the blade slipped and struck another employee resulting in a laceration to the top of the left index finger. The employee received a bandage and antibiotics at a local hospital. 06/13/2025 JC	Resolved through the inquiry process.
R-2305501	Fong Construction, LLC, a Nevada Corporation		06/13/2025	Phone	Y	N	Closed	O-Safety	1. There are no fire extinguishers at the jobsite. 2. There is a locked exit door in the medical suite that is undergoing a remodel. 6/13/2025 JC	Open investigation.
R-2305505	Dotty's		06/13/2025	Phone	Y	Y	Closed	O-Health	1. The air conditioning is not functioning in the facility exposing employees to heat stress. 06/13/20256 JC	Resolved through the inquiry process.
R-2305796	Planet Hollywood Resort & Casino		06/13/2025	Email	N	N	Closed	O-Health	1. Located at the establishment, multiple bars are in operation without proper permits. 2. Located at the establishment, multiple bars do not have running hot water.	Referred to the Southern Nevada Health District.
R-2305831	Silver State Bell	Taco Bell	06/16/2025	Online	Y	N	Closed	O-Safety	1. Inside the restaurant, employees are exposed to 100-degree temperatures resulting in heat stress. 2. Inside the restaurant, the air conditioning unit is broken.	Open investigation.
R-2305879	Dotty's		06/16/2025	Phone	Y	Y	Closed	O-Health	1. Inside the bar, employees are exposed to working in high heat temperatures. The air-conditioning unit has been breaking down. 6/16/25 AL	Resolved through the inquiry process.
R-2305915	Bodyheat Tanning		06/16/2025	Phone	Y	Y	Closed	O-Health	1. In the tanning salon, employees are exposed to working in high heat temperatures. The air conditioning unit is nonfunctional, and management has not addressed the issue. 6/16/25 AL	Resolved through the inquiry process.
R-2306090	EMD Acquisition, LLC	Borman Specialty Materials	06/16/2025	Phone	Y	N	Closed	S-Health	1. On June 16, 2025 at approximately 7:30 a.m., an employee was moving a pump while on an overhead plank above a vat of anolyte. The employee slipped and fell into the vat of anolyte. He was brought to an emergency shower at the facility and then driven by management to Henderson Hospital at approximately 8:00 a.m. The employee was later transferred to the Burn Unit of Sunrise Hospital at approximately 10:00 a.m., where he will undergo surgery. The employee suffered chemical burns from his left foot all the way to his groin. 6/6/25 AL	Open investigation.
R-2306201	White Pine County Hospital District	William Bee Ririe Hospital	06/16/2025	Email	Y	N	Closed	O-Safety	1. On 05/22/2025 in the emergency room, a visitor was verbally aggressive towards medical staff.	No action. WPV program previously reviewed.
R-2306426	Swig		06/16/2025	Phone	Y	Y	Closed	O-Health	1. Two employees taking orders from the drive-thru area were working in high heat temperatures while not in a shaded area. 6/16/25 AL	Resolved through the inquiry process.
R-2306472	Erickson International, LLC		06/10/2025	Online	Y	Y	Closed	O-Safety	1. An employee operated an overhead crane without formal training or safety instructions, resulting in the unintentional release of the crane and subsequent injury to a coworker. 2. The employer has not provided adequate training or supervision for employees tasked with operating hazardous equipment. JA 6/17/2025	Resolved through the inquiry process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2-25 - 4th Quarter April to June 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2306476	MountainView Hospital, Inc.		06/16/2025	Email	Y	N	Closed	S-Safety	1. On 5/13/2025 at 7:00 pm at the emergency room triage desk, a male in a karate costume was jumping up and down threatening staff members to "take them out". He harassed and threatened staff members and blocked the entrance to Emergency Room for 45 minutes until LVMPD arrested him. 2. On 5/13/2025 at 11:00 pm in the emergency department, radiology, two radiology techs argued about a way an x-ray should be taken. Tech 1 complained of Tech 2's poor work history. Tech 2 called Tech 1 a "Baby Bitch." Tech 1 asked Tech 2 if they would like to discuss it outside. Tech 2 felt threatened and advised the Leach Tech. 3. On 5/18/2025 at 12:40 pm in DOU in emergency department, a patient was assisted by a nurse to the restroom, and the patient punched the nurse in the face. The patient then scratched two more staff members who came to restrain them. The patient verbally threatened staff. 4. On 5/21/25 at 4:45 pm in 4 South on the phone, a family member threatened staff with physical harm and used insulting and profane language to staff. 5. On 5/24/25 at 5:00 am in 5 South, Room 5007, a PCT tried to keep a patient in bed due to safety concerns, and the patient kicked the PCT's chest and twisted their left hand/wrist. 6. On 5/24/2025 at 8:30 pm in 5 North, Room 538, a patient scratched a RN who was drawing blood. 7. On 5/24/25 at 8:30 pm in 5 North, Room 538, an employee was attempting to put restraints on a patient, and the patient scratched the employee. 8. On 5/26/2025 at 8:30 am in 4 Center, Room 402, an employee was attempting to assist a patient from their bed to a chair, and the patient scratched the employee's right upper arm. 9. On 5/30/2025 at 12:45 pm on the phone in the quality department, an employee made a follow-up phone call, and the person on the line was verbally abusive to the employee. 10. On 5/30/2025 at 8:00 pm in 5 north, Room 538, a patient scratched and broke the skin of two employees. 11. On 5/30/2025 at 10:50 pm in 5 North, Room 538, a patient scratched an employee's arms when the employee was attempting to put restraints on a patient. 12. On 5/31/25 at 9:00 pm In 5 North, Room 538, an employee was attempting to put restraints on a patient, and the patient scratched the employee's arms. 13. On 6/1/25 at 1:45 pm in ED Psych, hallway 17, an employee performing routine patient care had their right index finger grabbed and bent backwards by a patient.	No action. WPV program previously reviewed.
R-2306490	Flamingo Las Vegas Operating Company, LLC	Flamingo Hotel & Casino	06/17/2025	Phone	Y	Y	Closed	O-Safety	1. On 6/13/2025, an employee was carrying a case of sparkling water to the bar of the Gold Pool when he missed two steps and fell. The employee sustained a dislocated right knee, bruising to their left leg, and an ankle injury. The employee was admitted to Sunrise Hospital and underwent surgery on 6/14/2025 for a torn quadricep.	Resolved through the inquiry process.
R-2306499	Grimaldi's Pizzeria #3		06/11/2025	Online	Y	N	Closed	O-Safety	1. Indoor temperatures reached excessive levels of 95°F or higher. 2. There was no adequate air conditioning or ventilation system in place to reduce or mitigate the heat. JA 6/17/2025	Inspection conducted. No citations issued.
R-2306526	Las Ventanas Retirement Community		06/10/2025	Online	N	N	Closed		1. There are Electrical hazards, HVAC hazards, maintenance shop hazards, kitchen hazards, electrical room hazards in Independent living, maintenance shop, main kitchen, skilled center kitchen. Etc.	No action. Complainant non-responsive to request for more information.

item 7

47 of 52

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2-25 - 4th Quarter April to June 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2308117	AT&T Store		06/20/2025	Phone	Y	Y	Open	S-Health	1. The employer has required employees to work within the store without air conditioning for two weeks.	Inspection conducted. No citations issued.
R-2308131	Bellagio	Bellagio Hotel & Casino	06/20/2025	Phone	Y	Y	Closed	O-Safety	1. The employer has not removed pallets blocking the clock out areas, which have caused employees to trip or sprain their ankles when attempting to perform routine work duties in the back halls.	Resolved through the inquiry process.
R-2308219	Clark County School District	Canarelli Middle School	06/20/2025	Phone	Y	Y	Closed	S-Safety	1. On 6/12/2025 at approximately 6:25 AM an employee was moving furniture in a golf cart, the employees hands became caught between a second golf cart. The employee's left hand middle and ring finger from below the finger nail, were both amputated. The employee was taken to UMC Trauma. 2. The employer failed to report the amputation to Nevada OSHA within 24 hours per NRS 618.378.	Resolved through the inquiry process.
R-2308285	A4 Builders LLC		06/20/2025	Phone	Y	N	Closed	S-Safety	1. An employee was taping the soffit for painting, on the roof of a single-story home above the garage, when he fell from the roof injuring his head, collarbone and ribs. The employee was transported by ambulance to UMC hospital for treatment and observation. 06/20/2025 JC	Open investigation.
R-2308932	University Medical Center of Southern Nevada		06/18/2025	Email	N	N	Closed	S-Safety	1. On 5/9/25 at 11:40 pm, in the Adult ED, an employee was placing monitor leads on a patient when the patient grabbed her forearm with one hand and twisted her arm around. The patient also grabbed her fingers and thumb and twisted them. Employee escaped the patient's grip and secured their arm. 2. On 5/15/25 at 9:40 pm, in the Peds ED, a patient was trying to get out of bed and the employee was trying to redirect them. The patient started punching and kicking the employee injuring multiple parts. 3. On 5/17/25 at 1:30 am, in the Pediatric Emergency Room, the employee told a patient not to curse while talking on the phone due to the younger patients in the area. The patient became aggressive and punched the employee in the chest and continued to follow the employee to the Nurse's station. The patient punched the employee again and pulled their hair. The employee attempted de-escalation with the patient. Public Safety was notified. 4. On 6/1/25 at 5:30 am, in 1400 MS Rm 1434, an employee was attempting to perform a blood draw on a patient when the patient slapped her left forearm with their hand. Employee exited the patient room and informed the patient's nurse and Charge nurse. 5. On 6/6/25 at 4:50 pm, in 5 North 506-2, an employee was changing a patient who was confused slightly due to being under anesthesia from a surgical procedure. The patient slapped the employee in the face when the employee attempted to turn the patient. The patient's husband was present and assisted the employee by holding the patient's arms.	No action.
R-2309160	Valley Hospital Medical Center		06/17/2025	Email	N	N	Closed	S-Safety	1. On December 25, 2024, in the Behavioral Health Unit, a patient grew agitated and attack a registered nurse. Patient was placed in the seclusion room no treatment required. 2. On December 27, 2024, in the Behavioral Health unit, a patient grew aggressive and proceeded to attack down. Security and staff restrained patient authorities were not contact. 3. On January 5, 2025, in the emergency department, a patient he proceeded to verbally threat staff. The patient was moved to psychiatric pod. Patient grew physically violent towards staff. Additional security came to deescalate. Metro was contact patient was placed in custody. 4. On January 16, 2025, in the emergency department, Patient the grew physically violent and had to be restrained. 5. On January 17, 2025, in the NVL FED, a patient grew violent and verbally assaulted staff. Patient was discharged and refuse to leave security escorted patient off property and metro was contacted. 6. On January 19, 2025, in the IMC 355a, a patient and patient's significant other became agitated and verbally attacked staff. The patient and the patient's family members were escorted off the property by Metro. No harm to staff. 7. On January 20, 2025, in the Behavioral Health Unit, a patient approached a staff member and punched the employee in the face. The patient was placed in seclusion and chemical sedation. No staff was reported injuries. 8. On January 22, 2025, in the Parking Lot, a member of the public became violent and used a vehicle to attack staff member. The security reviewed area, no staff had reported injuries. 9. On January 23, 2025, in 3N 308, a patient became verbally aggressive with staff and screaming. A code grey was called and security deescalated. Patient was placed in restraints and no staff was harmed. 10. On January 25, 2025, in the DSF FED, a discharged patient grew aggressive and threw objects at the staff. Security deescalated the patient. Patient was escorted of the property. 11. On January 28, 2025, in the MICU 19, a patient grew aggressive and attacked staff. Patient deescalated and not injuries were reported. 12. On January 29, 2025, in the SICU 1 area, a patient grew aggressive and pushed staff. Staff deescalated patient. No injuries were reported. 13. On January 9, 2025, in the Elite FED, a patient grew aggressive and attacked staff. No medical treatment was required. 14. On December 26. 2024, Room 40. in 476a, a patient grew aggressive with an attendant. Grab the attendance wrist. Patient was de-escalated. No harm to staff no medical treatment. 15. On February 26, 2025, in the MICU Department. A patient grew aggressive, patients threw items at staff. Patient was de-escalated. Metro was contacted. No staff was harm. No medical treatment was sought. 16. On March 8, 2025, in the behavioral health units room 5A, a patient verbally. Grew verbally aggressive. Proceeded to kick staff. Patient was de-escalated. No harm to staff. No further medical treatment was sought. 17. . On March 15, 2025, in the emergency department, a patient grew aggressive. Proceeded to hit staff and form additional staff and security de-escalated and restrained patient. Staff proceeded to seek medical treatment. Metro was not contacted. 18. On March 17, 2025, in. the MICU room, a patient grew verbally aggressive and proceeded to push staff. Other staff members presented and notified security. Patient was deescalated and placed in restraints. No harm to staff. No medical treatment sought.	No action. WPV program previously reviewed and deemed incompliance for the allegations stated.
R-2309174	The Glenn Apartments		06/23/2025	Phone	Y	Y	Closed	S-Health;S-Safety	1. On approximately June 9, 2025, a maintenance employee was potentially exposed to asbestos while working in the ceiling of apartment #620.	Resolved through the inquiry process.
R-2309197	Galleria At Sunset		06/23/2025	Phone			Closed	S-Health;S-Safety	1. Air conditioning is not working properly if at all, seems to be blowing heat.	Resolved through the inquiry process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2-25 - 4th Quarter April to June 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2309296	Women's Health Associates of Southern Nevada – Martin PLLC - PLLC	Women's Health Associates of Southern Nevada	06/18/2025	Online	Y	Y	Closed	O-Health;O-Safety	1. The floors are uneven through the whole back office which is causing trip and fall hazards. 2. The HVAC filters have never been changed and the vents have never been cleaned which is causing employees to feel sick. 3. There is a rodent infestation.	Resolved through the inquiry process.
R-2309303	Newage Lake Las Vegas, LLC	Hilton Lake Las Vegas Resort and Spa	06/03/2025	Online	Y	Y	Closed	O-Safety	1. There are exposed electrical wires and outlets at the pool area. 2. Inside the pool, the lighting is detaching and has exposed wires. 3. At the pool bar, there are wires hanging down and exposed hoses creating trip hazards	Resolved through the inquiry process.
R-2309308	Pahrump Valley Fire-Rescue Services		06/23/2025	Phone	N	N	Closed	S-Health;S-Safety	1. On 6/22/2025 a firefighter was kept over night for observation after responding to a structural fire.	Instance does not meet reportable requirements/hospitalization.
R-2309311	Southern Nevada Funeral Services, LLC	Lee Funeral Home & Cremation Services	06/13/2025	Online	Y	Y	Closed	O-Health	1. In the crematory, employees are exposed to working in high heat temperatures up to 130 degrees. The air-conditioning and swamp coolers are inoperable.	Resolved through the inquiry process.
R-2309313	HOTSPUR CASINOS NEVADA, INC	Rampart Casino At the Resort at Summerlin	06/23/2025	Phone	Y	Y	Closed	S-Health;S-Safety	1. Employee found unconscious due to blood sugar numbers being so low a number could not be read.	Resolved through the inquiry process.
R-2309315	Drive Sally, LLC		06/23/2025	Phone	Y	Y	Closed	S-Health;S-Safety	1. Employee stood up from table and employee's right foot twisted forward and the leg broke.	Resolved through the inquiry process.
R-2309707	Santa Fe LLC	Santa Fe Station Hotel & Casino	06/23/2025	Phone	Y	Y	Closed	S-Health;S-Safety	1. After 7:00pm employees exposed to noise levels in excess of permissible exposure limits.	Resolved through the inquiry process.
R-2309781	T4 Construction Company		06/24/2025	Phone	Y	N	Open	S-Safety	1. On 6/24/2025, an employee was working on the second floor and stepped into a wooden box mounted on the forks of a boom lift truck. The wooden box fell off from the forks of the boom lift truck. The box and the employee fell to the ground below.	Open investigation.
R-2309807	INW Living Ecology Opco, LLC		06/23/2025	Phone	Y	N	Closed	S-Health;S-Safety	1. Employee was cleaning the chain of a motor with his finger and his fingers got snagged in the chain of the A Line Wrapper at approximately 6:45pm on 06/20/2025.	Open investigation.
R-2309836	TREASURE ISLAND LV, LLC		06/23/2025	Phone	Y	N	Closed	O-Safety	1. An employee was entering a freight elevator when the top door struck them in the head. JA 6/24/2025	Open investigation.
R-2309962	Valley Health System, LLC.	Henderson Hospital	06/16/2025	Email	Y	N	Closed	O-Safety	1. On April 30, 2025, at approximately 4:30 AM, in the emergency department. A patient struck multiple staff members while trying to run out of the emergency department. 2. On April 27, 2025, at approximately 4:40 PM, in room 2B. A patient struck a staff member as they attempted to redirect her back to bed. 3. On June 9, 2025, at approximately 12:30 AM, in room 2B. A patient made racist and homophobic remarks to staff and threatened to harm them once he was out of restraints. 4. On June 13, 2025, at approximately 10:55 PM, in room 3204. A patient kicked a nurse in the right thigh. 5. On June 16, 2025, at approximately 2:50 AM, in room 3204. A patient kicked one security guard, hit a second security guard, and hit an RN in the face.	WPV program previously reviewed.
R-2310075	HD Barricade Inc.		06/24/2025	Online	Y	Y	Closed	S-Safety	1. In the facility, employees are not provided forklift training. 2. In the facility, forklifts do not have seatbelts. 3. Employees are intoxicated while driving company vehicles.	Resolved through the inquiry process.
R-2310080	T S Drywall and Painting		06/23/2025	Phone	Y	Y	Closed	O-Safety	1. The employer does not provide water to the employees. When water is provided, it is often left on the foreman's truck and the foreman is not always onsite. 2. Employees are not provided face masks and safety glasses when painting. 3. The employer does not enforce the wearing of hard hats while on the construction site. 4. Scaffolds are not built correctly. 5. There is no scaffolding training offered to employees. 6. Extension cords are damaged and are missing the grounding pins. 7. SDS sheets are not often located on the construction site, and if they are, the employee doesn't know where to find them. 8. No first aid kits are available on the construction sites.	Resolved through the inquiry process.
R-2310096	Smith's Food & Drug Centers 385		06/24/2025	Online	Y	Y	Closed	O-Safety	1. At the jobsite, employees are limited bathroom usage. 2. In the portable bathroom, sanitary supplies are not provided.	Resolved through the inquiry process.
R-2310100	Amazon Com Services LLC	Amazon Las 7	06/24/2025	Online	N	N	Open	O-Safety	1. In the packer area, the tote vision monitors are hanging by its wires. 2. There is packaging tape wrapped around the tote vision monitor cables located in the packer area. 3. In the packer area, the better packages tape dispenser is leaking water and accumulating build up that appears to be mold in the container. 4. The keypad for the tote vision monitor is being held together by packaging tape.	No action. No jurisdiction.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2-25 - 4th Quarter April to June 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2310588	Caesars Palace LLC	Caesars Palace	06/25/2025	Phone	Y	Y	Closed	O-Health;O-Safety	1. Electrical rooms are being used as makeshift offices and storage areas, which may pose safety hazards. 2. Employees working in the valet area of the parking garage are regularly exposed to vehicle exhaust fumes, potentially affecting their health and safety. JA 6/25/2025	Resolved through the inquiry process.
R-2310634	Best Buy		06/13/2025	Online			Closed	O-Health	1. I. Inside the store, employees are exposed to working in high heat temperatures. 6/25/2025 AR	Open investigation.
R-2310690	CJF Automotive, LLC	Findlay Chevrolet	06/25/2025	Phone	Y	Y	Closed	O-Health	1. Employees are exposed to a persistent sewage odor in the showroom, which has caused some to feel ill. JA 6/25/2025	Resolved through the inquiry process.
R-2310819	ON TIME OIL LLC	On Time Oil	06/25/2025	Phone	Y	N	Closed	O-Health;O-Safety	1. Pallets are being improperly stored by leaning them on their sides, creating a risk of struck-by incidents. 2. Chemicals are not properly labeled, posing a hazard to employees. 3. Chemicals are being mixed without proper procedures, increasing the risk of dangerous reactions. 4. Employees working outdoors are exposed to excessive heat, with some exhibiting signs and symptoms of heat illness. 5. The employer is not properly sealing customer propane tanks, resulting in leaks during filling. Additionally, customer vehicles are idling in close proximity to the leaking propane tanks, creating a potential safety hazard. JA 6/25/2025	Open investigation.
R-2310827	Resco Restaurant Equipment & Supply Co.		06/12/2025	Online	Y	Y	Closed	S-Safety	1. Forklifts are being operated by uncertified drivers. 2. Sections of ceiling tiles are missing and other pieces are falling on employees while they are working. 3. There is pigeon waste on the floor throughout the warehouse. 4. It is extremely hot inside store and employees are exposed to high temperatures while working.	Resolved through the inquiry process.
R-2310839	Walmart Inc.	Walmart Market #5259	06/24/2025	Online	Y	Y	Closed	S-Health	1. Located at the front end of the store, it is very hot due to the air conditioning is not working.	Resolved through the inquiry process.
R-2310873	Victory Towing LLC		06/24/2025	Online	Y	N	Closed	S-Safety	1. The employer does not provide personal protective equipment (PPE) to their drivers. 2. Employees are unable to take breaks, and are working in extremely hot conditions. 3. There are no bathrooms at the main office building.	Open investigation.
R-2310889	Popeyes Louisiana Kitchen		06/25/2025	Online	Y	N	Closed	S-Safety	1. In the facility, employees are exposed to temperatures above 100° due to a broken air conditioning unit. 2. In the kitchen, the floor has a buildup of grease causing employees to slip.	Open investigation.
R-2311297	Host International, Inc. dba HMS Host		06/26/2025	Phone	Y	N	Closed		1. The heat in the building and the restaurant is excessive, and staff were told to not bring fans or neck fans. 2. The restaurant is busiest around 9:00am - 12:00pm, and employees are overheating during this time. 3. On 6/25/2025 a employee was taken to the hospital due to heat exposure.	Inspection conducted. No citations issued.
R-2311534	ROAD AND HIGHWAY BUILDERS, LLC		06/26/2025	Phone	Y	Y	Open	S-Safety	1. On 6/25/2025, around 11:10 AM, an employee was setting a piece of reinforced concrete pipe when his right pointer finger was caught between the pipe and an the pipe-picker attachment. The employee was transported to William Bee Ririe Hospital in Ely, and then subsequently to the IMM Hospital in Murray, UT. The employee was admitted, and received surgery on the finger for the crushing injury.	Resolved through the inquiry process.
R-2311594	Henderson Harley-Davidson		06/26/2025	Phone	Y	Y	Open	S-Safety	1. The forklift front tires are chunking and the rear tires are bald. 2. There are some uncertified employees using the forklift.	Resolved through the inquiry process.
R-2311603	ON TIME OIL LLC	On Time Oil	06/26/2025	Phone	Y	N	Closed	S-Safety	1. Tanks of compressed gasses are mislabeled. 2. The employer is not sealing customer tanks correctly, and propane tanks are leaking, even while being filled. 3. Customer vehicles are idling nearby to the leaking propane tanks.	Inspection conducted. No citations issued.
R-2311642	Eagle Trace Apartments		06/26/2025	Phone	Y	Y	Open	O-Health	1. The front gate security booth air conditioning is not working. 2. The employer purchased misting fans and water rather than repair the air conditioning. 3. The security booth chairs are damaged and are unsafe to sit on.	Resolved through the inquiry process.
R-2311646	MAC.BID - North Las Vegas		06/26/2025	Online	Y	N	Closed	O-Health	1. In the main building and warehouse, the air conditioning is not functioning, exposing employees to extreme heat temperatures. 6/26/2025 AR	Open investigation.
R-2311659	Smith's Food and Drug Centers, Inc #347		06/26/2025	Phone	Y	Y	Open	O-Health	1. The store restrooms have been out of order, and there are not enough bathrooms for both employees and customers.	Resolved through the inquiry process.
R-2312108	Smith's Food and Drug Centers, Inc #347		06/27/2025	Phone	Y	Y	Open	O-Safety	1. For more than one week, there has been no toilet facilities available to employees. DF 6/27/2025	Resolved through the inquiry process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2-25 - 4th Quarter April to June 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2312240	Hire Quest L.L.C.	Hirequest	05/05/2025	Online	N	N	Closed		On May 2, 2025, at approximately 6:00 am, I reported to work at HireQuest's Las Vegas office. Upon arrival, I checked in with an employee (name unknown). I was informed that I would not be allowed to return to a job site managed by Road Safe. I acknowledged this decision. At approximately 5:45 am, while waiting for another job assignment, I overheard the same unknown employee instructing another worker, Rodney, to go to the Henderson job site (the same site I worked at the previous day). Rodney expressed concern, stating, "But I'm not certified." The unknown employee responded, "Just tell them to call me, they already know what's up," and then instructed a driver to take Rodney to the job site. I raised a concern with the unknown employee regarding the fairness and safety of sending an uncertified worker to a job site, especially since I was being denied work for unrelated reasons (my car being parked on a public road). The unknown employee called me a liar and, after I stated I would report the violation to OSHA, demanded that I leave the premises. My request to speak with a supervisor was refused. Shortly after leaving, I received a call from an unidentified individual who accused me of being aggressive and admitted to instructing the unknown employee to send Rodney to the job site. She further stated that I was being terminated, which I believe was in retaliation for raising a safety concern and threatening to contact OSHA.	No action. Unable to reach complainant to obtain more information.
R-2312317	JMAC Plumbing & Air Conditioning, LLC		06/27/2025	Phone	Y	Y	Closed	S-Safety	1. On 6/27/2025 at approximately 5:35 AM, an employee slipped while climbing a ladder. He was transported by ambulance to UMC hospital and admitted for treatment.	Resolved through the inquiry process.
R-2312645	Adrenaline Mountain		06/30/2025	Phone	Y	Y	Closed	S-Health;S-Safety	1. An employee was hit by shrapnel and received a laceration.	Resolved through the inquiry process.
R-2313164	H Mart Las Vegas, LLC	H Mart Las Vegas	06/30/2025	Phone	Y	Y	Closed	O-Safety	1. Employees were observed improperly using A-frame ladders by standing on the top step. JA 6/30/2025	Resolved through the inquiry process.
R-2313899	Flamingo Las Vegas		06/28/2025	Phone	Y	Y	Closed	S-Safety	1. An employee fainted in the employee marketing office. The employee's right forearm was cut during the fall. The employee was transported to Sunrise Hospital.	Resolved through the inquiry process.
R-2314298	Lennar	Vita in Henderson	04/28/2025	Online	N	N	Closed		1. At the Vita at Henderson jobsite, construction activities are producing excess dust without using mitigation measures causing poor air quality for surrounding residence. Construction work continued after midnight.	No Action. No alleged exposure to hazard(s).
R-2314699	North Vista Hospital		06/18/2025	Email	N	N	Closed	S-Health;S-Safety	1. On 05/10/2025 at 1:30PM in the Adult Psychiatric Unit a Psych patient was agitated and attempting to inflict self-harm by cutting himself with a hairbrush that he broke to get a sharp end. MHT intervened and was punched in the attempt to confiscate the hairbrush. A Code Grey was called; DCI techniques were used to de-escalate the situation. The MHT was seen and treated in the ED, NLVPD was contacted, and the patient was arrested for assault of a protected healthcare worker. Event ID: WPV4818	No action. Workplace Violence Program previously reviewed.
R-2315042	Matchme4u, LLC	JLon Beauty Bar	06/26/2025	Online	Y	N	Closed	S-Health	1. Employers are requiring employees to work in the nail side of the establishment where temperatures have reached 117°. 7/3/2025 JC	Open investigation.
R-2316413	Skyline Moving Company		06/09/2025	Email	N	N	Open		1. The manager is cutting an employees hours and does not allow them to drive when other drivers do drugs, coke, marijuana while working. 7/8/2025	Referred to Whistleblower Unit.
R-2316551	Destinations Pebble		06/30/2025	Online	N	N	Closed		1. On June 27, 2025, 88-year-old Marie Wernicke was stuck in an elevator for 45 minutes, unable to call 911. She contacted the dispatch lady but was unsuccessful. The elevator had a nonfunctioning exhaust fan and unlit lights, causing intense heat.	Referred to Mechanical Compliance Section.
R-2320816	Spring Valley Hospital Medical Center		06/17/2025	Email	N	N	Closed	O-Safety	1. On May, 24, 2025, in the Emergency Department, a patient grew aggressive and physically attached staff. No injuries were reported. Patient was restrained and deescalated. The patient was later arrested by local officials once released. 2. On June 5, 2025, in the Emergency Department, a patient making verbal threats of violence and grew aggressive then proceeded to physically attack staff. The patient was restrained and transferred to police custody once released from the hospital. No injuries were recorded. 3. On June 14, 2025, in the 4N Medical Surgical Unit, a patient grew aggressive and attempted to physically violence, however the staff restrained the patient and deescalated, no other future incidents occurred. No injuries were reported. 4. On June 15, 2025, in the 3S Medical Surgical Nursing Unit, a patient grew verbally violent and proceeded to spit on the employee. The patient was deescalated with no future incidents. No injuries were reported. \ 6/17/2025 AB	No action. Workplace Violence Program previously reviewed.
R-2320955	ASAW L.L.C.	Ragnar Underground	06/26/2025	Email	Y	Y	Open	O-Safety	1. The employer failed to determine the estimated location of underground utilities before starting any excavation work. 2. The employer permitted an unqualified employee to attempt containment of a leaking gas line. JA 7/16/2025	Resolved through the inquiry process.
R-2320959	ALVAPRO SERVICES LLC	Mr. Rooter Plumbing of Las Vegas	06/26/2025	Email	Y	Y	Closed	O-Safety	1. The employer failed to determine the estimated location of underground utilities before starting any excavation work. 2. The employer failed to protect employees from hazards posed by gas lines. JA 7/16/2025	Resolved through the inquiry process.
R-2320962	Gentry Equipment LLC		06/26/2025	Email	Y	Y	Open	O-Safety	1. The employer failed to determine the estimated location of underground utilities before starting any excavation work. 2. The employer failed to protect employees from hazards posed by gas lines. 7/17/2025 JA	Resolved through the inquiry process.
R-2321207	NEW VIEW SERVICES LLC		06/26/2025	Email	Y	Y	Closed	O-Safety	1. The employer failed to determine the estimated location of underground utilities before starting any excavation work. 2. The employer failed to protect employees from hazards posed by gas lines.	Resolved through the inquiry process.
R-2322850	Valley Health Specialty Hospital		06/17/2025	Email	N	N	Closed	S-Safety	1. On May 24, 2025, in the Patient Room 211, a patient grew agitated and began to swing their arms and attack staff. Patient was deescalated and chemically restrained. Family presented to help ease the patient. 6/17/2025 AB	No action. Workplace Violence Program previously reviewed.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2-25 - 4th Quarter April to June 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2323479	Spring Valley Hospital Medical Center		05/13/2025	Email	N	N	Closed	S-Safety	1. On May 12, 2025, in the 4N Medical Surgical Unit, a patient attacked an employee. The employee sought care from the incident. The patient was deescalated and redirected. The employee was clear to return to work the following day. 2. On May 9, 2025, in the 4W Medical Surgical Nursing Unit, a patient attacked an employee. The employee suffered no recordable injury. The patient was redirected and no further injuries occurred. 3. On Unknown date ("NOT ANSWERED"), in the Emergency Department, a patient attacked an employee. The patient was restrained and the employee suffered no recordable injury. 5/13/2025 AB	Resolved through the inquiry process.



State of Nevada
Division of Industrial Relations
Occupational Safety & Health Administration

COMPLAINT LOG SUMMARY FY2026 - Quarter 1
July - September 2025

Number Complaints Received Las Vegas - Reno	Number Phone/Hotline Complaints Received	Number In-person Complaints Received	Number Inspections Conducted	Number No Inspections Conducted	Cases Open
957	402	21	196	761	100

Safety	Health	Both Safety / Health	N/A
383	375	83	116

FISCAL YEAR COMPARISON TOTALS - Quarter 1

Fiscal Year	Total
FY 2026	957
FY 2025	809
FY 2024	385
FY 2023	125
FY 2022	109

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2313664	NATIONAL GUARD PRODUCTS, INC.		07/01/2025	Phone	Y	Y	Closed	S-Safety	1. On 6/30/2025 in the loading dock area, the brakes of trucks were not set and wheel blocks were not placed under the rear wheels to prevent the trucks from rolling while they were boarded with powered industrial trucks, exposing employees to struck-by and crush hazards. A semi-truck was told to drive away while a forklift was still unloading from the truck and still in the truck.	Inspection conducted. 9 citations issued - \$12,515.
C-2314433	TESLA INC.		07/01/2025	Online	Y	N	Closed	S-Safety	1. Located on the second floor mezzanine, a guardrail section on the walking working surface was removed, exposing employees to falls of approximately nine feet to the ground below.	Resolved through inquiry process
C-2314949	RENO GREEN LANDSCAPING, INC.		07/01/2025	Online	Y	N	Closed	S-Health	1. Located at the job sites, employees working outside when the temperature is above 95 degrees, employees do not have access to water and have no where to rest that is shaded.	Resolved through inquiry process
C-2315250	NUGGET CASINO RESORT		07/03/2025	In person	Y	N	Closed	S-Health;S-Safety	Located at the workplace, the following hazards are alleged: 1. Located in section 7, near the horseshoe bar, slot machine 10721-703B has a piece of plywood covering the area where the screen is. The plywood is being held in place with tape, creating potential head injuries if an employee needs to open the machine to service it. 2. Employees are not being provided with masks or safety glasses when working on and cleaning the inside of slot machines. 3. Employees are not being properly trained on how to access SDS sheets.	Resolved through inquiry process
C-2315711	ROCKET EMS, INC.		07/03/2025	Online	Y	Y	Closed	S-Health	1. In the rework area in building 2 at 1558 Forrest Way, employees are soldering lead circuit boards and no hoods are provided.	Inspection conducted. 3 citations issued - \$19,152.
C-2316702	Silver State RV Park		07/08/2025	Phone	Y	N	Closed	S-Safety	Located at the facility near space #116, a fault on an electrical circuit continuously trips a breaker causing arcs and flames to shoot out of the electrical junction box.	Resolved through inquiry process
C-2317458	UPS		07/09/2025	Phone	Y	N	Closed	S-Safety	1. The pedestrian door used as a fire exit in the north east corner of the building does not operate. 2. Motorized carts are blocking exits and walkways. 3. Hand rail in PD-1 area on the belt and shoot system is damaged. 4. Walking/Working surfaces: facility production floor has many boxes, garbage and pallets. Employees exposed to slips and trips.	Resolved through inquiry process
C-2317793	ORMAT TECHNOLOGIES, INC.	Ormat McGinness Hills Geothermal Plant	07/10/2025	Online	Y	Y	Closed	S-Safety	1. On 7/9/2025, the employer had not provided Management of Change and Pre-Startup Safety Review for the introduction of highly hazardous material into new equipment. Process Safety Information and scope of work were not provided to evaluate the change. Engineering justification for removal of Pressure Safety Valves, updating Piping & Instrumentation Diagrams, or operating procedures was possibly omitted. Location of the process is McGinness Hills Geothermal Plant, Process MGH 2.	Inspection conducted. No citations issued.
C-2317795	McDonald's		07/10/2025	Email	N	N	Closed		1. Management has not updated the employee handbook to reflect new safety protocols for the extended hours 2. Management has not established clear procedures for ensuring that all customers vacate the dining room by the 12:00 AM closing time 3. Management has not provided adequate training to employees regarding security procedures during late-night operations 4. Management has allowed customers to remain in the dining room after the 12:00 AM closing time, creating potential security risks for employees	No action. No jurisdiction.
C-2318083	Xpress Cuts & Tans		07/10/2025	Phone	Y	N	Closed	O-Health	1. Toilet provided for employees does not work. 2. Employees are not provided paper towels for hand washing. 3. Employees are not provided soap for hand washing.	Resolved through inquiry process
C-2319090	GENEVA SUPPLY, INC.	Geneva10, G10	07/12/2025	Online	N		Closed	O-Safety	At the jobsite, an employee was run over by a piece of equipment.	No action. Not enough information to process.
C-2319627	The Ranch Golf Course at Desert Lakes		07/14/2025	Phone	Y	N	Closed	S-Health	1. Employees are working outdoors and are not provided adequate breaks. 2. Employees are working outdoors and are not provided water.	Resolved through inquiry process

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2320152	TELLWORKS LOGISTICS		07/15/2025	Phone	Y	Y	Closed	S-Health	1. Throughout the warehouse area, and particularly in zones 3 and 4 and in the middle of the warehouse where there are no ceiling fans and no floor fans, employees are exposed to the hazard of high ambient heat up to 90°Fahrenheit. Employees have been experiencing nausea, fainting, and dehydration.	Inspection conducted. No citations issued.
C-2320550	ST. OF NV DEPARTMENT OF CORRECTIONS	NORTHERN NEVADA CORRECTIONAL CENTER	07/15/2025	Phone	Y	Y	Closed	S-Health	1. On the second floor of the medical facility building, employees are exposed to the hazard of high ambient heat reaching 95° Fahrenheit during the performance of their job duties. The climate control system is nonfunctional and the fans provided do not adequately alleviate the heat.	Inspection conducted. No citations issued.
C-2320585	SILVER SCREEN PRINTING AND EMBROIDERY, INC.		07/14/2025	Online	Y	N	Closed	S-Safety	Located at the facility in both buildings, the following hazards are alleged: 1. There are multiple instances of trip and slip hazards from leaking machines. 2. The temperature is too high, exposing employees to occupational heat illness. 3. Open bay doors are not guarded, exposing employees to fall hazards. 4. Machinery is not in a safe operating condition.	Resolved through inquiry process
C-2320759	INSPECTORATE AMERICA CORPORATION	BUREAU VERITAS MINERALS	07/15/2025	Online	N	N	Closed		We're supposed to have a cool down room because we work with 2000 degree furnaces, the cool down room was 89 degrees this morning and won't go under 84. And the showers won't cool down to a safe temp. We're required to shower after every shift and our core body temp is very hot. There are 5 of us that have dealt with this for a couple years, but this is the first year we've had a gage back there to tell the temp. - Fire assay locker/ shower room.	No action. Alleged hazard no longer exists per Complainant.
C-2320964	MARY'S GONE CRACKERS, INC.		07/15/2025	Online	Y	Y	Closed	S-Health	At the facility, there is no effective cooling system, there are five bakery ovens and when in use, the temperature increase substantially exposing employees to heat related illnesses.	Inspection conducted. 1 citation issued - \$0.
C-2321425	BURLINGTON		07/17/2025	Phone	Y	N	Closed	S-Health;S-Safety	Located at the worksite, the following hazards are alleged: 1. Employees are lifting boxes weighing 100# without the benefit of training in proper lifting techniques. 2. Employees are not provided appropriate PPE for the work they are performing, i.e. box cutters/no gloves. 3. The employer does not have a first aid kit available for employees. 4. Sanitation, there is no soap provided in the restrooms. 5. Employees have not been trained to perform the job tasks they are assigned, i.e. employees tasked with building furniture and displays are told, "the instruction are in the box".	Resolved through inquiry process
C-2321632	SILVER SCREEN PRINTING AND EMBROIDERY, INC.		07/17/2025	Phone	Y	N	Closed	S-Safety	Located in the Fulfillment Building on the workplace the following hazards are alleged: 1. The orange Toyota reach truck is not being properly maintained. The mast will lower by itself under load, creating potential struck by hazards. 2. The Nissan sit down forklift is leaking hydraulic fluid onto the floor, creating slipping hazards for employees. 3. The horn on the Nissan sit down forklift does not work.	Resolved through inquiry process
C-2321942	WASHOE COUNTY SCHOOL DISTRICT		07/17/2025	Online	Y	N	Closed	O-Health	Located at 425 E. 9th Street, Reno, NV 89512, Building C, the following hazards are alleged: 1. The HVAC system consistently does not work in the building and the temperature hits upwards of 86 degrees in some offices. 2. Dozens of fans have been placed in walkways and hallways which are creating tripping hazards.	Resolved through inquiry process
C-2322211	Evco Interiors		07/17/2025	Online	Y	N	Closed	S-Safety	1. Located at the jobsite, an employee was observed on more than one instance of displaying a firearm while acting erratically around others. Employees are being exposed to potential workplace violence.	Resolved through inquiry process

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2322583	NORTHERN NEVADA ADULT MENTAL HEALTH SERVICES (NNAMHS)		07/20/2025	Online	Y	N	Closed	S-Health	1. On 7/14/2025, located in the kitchen of building #26, at approximately 10:30 am, an employee became nauseated, dizzy and started vomiting due to the heat in the kitchen. The employee was sent home for the day. The internal temperature in the kitchen was close to 100 degrees Fahrenheit. Two of the HVAC cooling units were not working in the kitchen. The employer has been made aware of the situation. The HVAC maintenance employee stated that they could not fix the units because how much it would cost. In lieu of fixing the cooling units, maintenance provided a swamp cooler for the kitchen. The swamp cooler had little to no affect on the internal temperature in the kitchen.	Resolved through inquiry process
C-2322615	FAMILY EYECARE ASSOCIATES		07/21/2025	Online	Y	N	Closed	S-Health	1. AC has been broken in the building for a month. Even with fans that employees have supplied and portable AC units which just blow the heat around, temperatures range from 80-90 degrees indoors over the past week. Staff have reported headaches, fatigue, nausea, and lightheadedness.	Resolved through inquiry process
C-2322703	RENO BEHAVIORAL HEALTHCARE HOSPITAL, LLC.		07/18/2025	Online	Y	N	Closed	O-Health	1. located in Unit 200 and 400 rooms 1 & 3, there is possibly mold present due to a strange odor in those areas.	Resolved through inquiry process
C-2322739	BARNES & NOBLE DISTRIBUTION		07/18/2025	Online	Y	Y	Closed	S-Health	1. Employees exposed to heat related illness. 2. Indoor facility is not effectively climate controlled.	Inspection conducted. No citations issued.
C-2323433	FEDEX GROUND		07/18/2025	Online	Y	Y	Closed	S-Health;S-Safety	1. Located at the load areas, employees are required to work inside trailers to remove boxes. The internal temperature of the trailers reach 100 degrees during the day. The fans that are provided in the trailers are not effective in cooling the trailers. Employees are exposed to heat illness. 2. Located in Load Area 1, employees are required to work inside trailers that have hundreds of boxes. Employees are stuck inside the trailers because of the amount of boxes. Employees are exposed to struck-by hazards from falling boxes. 3. Located in Load Area 1, employees are required to work inside trailers with hundreds of boxes. Employees are stuck in the trailers until all boxes are cleared out of the trailer. In the event of an emergency, employees would not be able to get out of the trailers because of the amount of boxes.	Inspection conducted. No citations issued.
C-2323642	374 LABS LLC		07/21/2025	Online	Y	N	Closed	S-Health	At the workplace, located in the weigh out room, dilution tables in the main lab, and near the machines that data analysts sit next to for long periods of time, the following hazard is alleged: 1. Sixteen employees (data analysts, diluters, and weigh out analysts) are exposed to chemicals, including but not limited to, hexane, methanol, and acetonitrile. Exposure occurs when pouring chemicals into beakers, again when samples awaiting analysis are punctured before being put in the machine, when samples are processing the machine releases gases and vapors, then further exposure when samples are removed from the machine.	Resolved through inquiry process
C-2323762	DHD HANDYMAN SERVICES, LLC.		07/22/2025	Phone	N		Closed	O-Safety	The following hazards are alleged: 1. Located at various jobsites, employees are not provided fall protection equipment nor providing the benefit of fall protection training exposing them to fall hazards. 2. Located at various jobsites, the employer is not providing PPE. 3. Located at various jobsites, the employer is exposing employees to unsafe ladders that have structural defects such as missing rungs.	No action. Not enough information warranting an inspection.
C-2324062	CROSS-CHECK AVIATION INC		07/23/2025	Online	Y	N	Closed	S-Health	1. Located at the Northwest corner of the building, unknown levels of noise are coming from a compressor and two power units that run all day. Employees working nearby are not provided with hearing protection and are concerned about the noise and duration levels of the hazard.	Resolved through inquiry process

Division of Industrial Relations

Occupational Safety and Health Administration

Complaint Log Detail FY2026 - 1st Quarter July to September 2025

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2324442	H&T NEVADA, LLC	H&T Recharge	07/22/2025	Online	Y	Y	Closed	S-Health;S-Safety	1. Exits are blocked at the back wall of the site 1 material handling area, exposing employees to injuries or death in the event of an emergency. 2. At site 2, the machine guarding and sorter guards are missing or broken on the Vision Units, exposing employees to amputations and laceration injuries. 3. Located at the jobsite, there are no provisions in place to protect employees from fall hazards in the washer area. 4. At the production floor and material handling area, pallets and trays are stored and stacked above 6 feet, exposing employees to struck by hazards. 5. At site 2, a broken eyewash station has not been serviced or repaired for an extended period of time, preventing employees from having immediate access to an eyewash station in the event of chemical exposure. 6. Throughout the production area, spray bottles filled with unknown chemicals are not labeled, exposing employees to skin irritation or other injuries. 7. Located at the jobsite, Powered Industrial Trucks are exceeding their lift capacities, and careless operational use by operators is exposing employees to potential struck-by hazards and PIT tip-over accidents.	Inspection conducted. No citations issued.
C-2324454	TACO BELL		07/23/2025	Online	Y	N	Closed	S-Health	One employee was directed by the manager to clean up the bathroom that was contaminated with blood without any training or proper protective equipment, exposing the employee to bloodborne pathogens.	Resolved through inquiry process
C-2325338	APPLE NEVADA LLC	APPLEBEE'S	07/25/2025	Online	Y	Y	Closed	S-Health	1. Employees are exposed to the hazards of heat illness in the kitchen area due to high ambient air temperatures. The kitchen area does not have effective climate control and the employer has not implemented measures that address the hazards that are causing the symptoms of heat illness in employees who are experiencing tiredness, headache, nausea, and dizziness. 2. The employer has not made a good faith effort to reestablish an effective climate control system. 3. During their shift, employees do not have ready access to water. Employees are reprimanded for leaving the cook line to get water which is on the other side of the restaurant.	Inspection conducted. No citations issued.
C-2325390	PRIME HEALTHCARE SERVICES INC.	SAINT MARY'S REGIONAL MEDICAL CENTER	07/23/2025	Online	Y	N	Closed	S-Safety	1. Located in the Housekeeping Department, on 7/23/25 a housekeeping employee slipped and fell landing on their head. The employee attempted to report the injury but was told Supervisors and managers were in a meeting and couldn't help with addressing the injury. Employees are discourage to report injuries by Managers and Supervisors and have been threatened to be fired for reporting injuries.	Resolved through inquiry process
C-2326092	UPS		07/28/2025	Phone	Y	N	Closed	S-Safety	1. Conveyor belt when starting does not have an audible alarm. 2. Motorized carts are blocking fire exits. 3. Door #1 at the facility has been replaced with particle board next to employee fire exit, employees exposed to struck by hazard from the large particle board door.	Resolved through inquiry process
C-2328060	BRIGGS ELECTRIC INC.		07/29/2025	Online	Y	N	Closed	O-Health	1. There are Unsanitary conditions and no toilet paper available in the portable restrooms located at the jobsite of Astro Novva on Peru Dr off of USA Parkway.	Resolved through inquiry process
C-2328140	TESLA, INC.		07/29/2025	Online	N		Closed	O-Safety	The following hazards are alleged: 1. Located at the battery department, the employer is overworking employees and making the jobsite unsafe.	No action. Not enough information to process.
C-2328226	MSC INDUSTRIAL DIRECT CO, INC.		07/30/2025	Phone	N	N	Closed		1. On Thursday 7/24/25 an employee was allowed to operated a order picking powered industrial truck (P.I.T.) while intoxicated.	No action. No jurisdiction.
C-2328856	WALMART INC.	WALMART SUPERCENTER #2453	07/25/2025	Online	Y	N	Closed	S-Health;S-Safety	Located in the Auto shop area the following violations are alleged: 1. Located at the facility employees are allowed to work under damaged vehicle lifts causing a struck by hazard. 2. Located at the facility employees are exposed to multiple chemical hazards without SDS's present and improper training.	Resolved through inquiry process

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2329598	TESLA, INC.		08/01/2025	Online	N	N	Closed		1. The employer does not provide cold drinking water while employees work outside in the heat during the summer; only warm water is available. 2. The employer refuses to keep ice in stock for the coolers, no ice is available any where on the jobsite.	No action. No applicable standard.
C-2329823	Golden Nugget Lake Tahoe Hotel & Casino		08/01/2025	Phone	Y	N	Closed	O-Health	The following hazards are alleged: Located in the east break room since 7/23, there is a sewer leak coming from the floor above exposing employees to unsanitary conditions.	Resolved through inquiry process
C-2330193	MACY'S		08/02/2025	Online	Y	N	Closed	O-Health	1. Located on the first floor of Macy's men's store, the air conditioning system doesn't appear to be working and the sales floor is hot.	Resolved through inquiry process
C-2330242	CHEWY INC.	CHEWY FULFILLMENT CENTER	08/03/2025	Hotline	Y	N	Closed	O-Safety	Located in the Outbound section of the facility, empty pallets are being left in the mods, creating tripping hazards for employees.	Resolved through inquiry process
C-2332114	Peik Construction 130 Woodland Ave		08/07/2025	Online	N	N	Closed		Flagrant disobedience to what is expected. - Oil.	No action. Not enough information to process.
C-2332346	TA OPERATING LLC	TA Truck Stop	08/07/2025	Phone	Y	N	Closed	O-Health;O-Safety	Located at the property, the following hazards are alleged: 1. Located in the restaurant kitchen, the floor is collapsing, exposing employees to holes and fall-through hazards. 2. Located throughout the facility, employees are exposed to respiratory illness as a result of sewer leaks below the kitchen area.	Resolved through inquiry process
C-2332926	UPS		08/08/2025	Phone	Y	N	Closed	S-Safety	1. Door #1 at the facility has been replaced with particle board, employees exposed to struck by hazard from the particle board door. 2. Automated carts are blocking fire exits. 3. The facility does not have a functioning fire alarm. 4. The loading dock does not have functioning lights.	Resolved through inquiry process
C-2333727	DEVCON CONSTRUCTION INCORPORATED		08/11/2025	Phone	Y	N	Closed	S-Health;S-Safety	Located on the Southeast corner of 100 Italy Drive and USA Parkway the following hazards are alleged. 1. Concrete cutting is being performed without water or any means of dust control creating respiratory hazards. 2. Contractor employees are being allowed to use powder actuated tool without being certified. 3. Daisy chaining of electrical cords on the ground creating tripping hazards.	Resolved through inquiry process
C-2333967	STARBUCKS CORPORATION		08/08/2025	Online	Y	N	Closed	O-Health	1. At the facility, the employer has not provided working bathrooms for their employees on multiple shifts for 2 days.	Resolved through inquiry process
C-2334309	UPS		08/12/2025	Phone	Y	N	Closed	S-Health	1. In the sort aisle, by door 6, the electric fans have stopped working, subjecting employees to potential heat illness.	Resolved through inquiry process
C-2334334	McCarthy Building Companies, Inc.	McCarthy Building Companies Inc.	08/12/2025	Phone	N		Closed	O-Health	1. At the Vantage Data Center construction jobsite an employee was sprayed in the face and body with non potable water from a commercial water truck being used for dust control.	No action. No criteria warranting an inspection.
C-2334652	YESCO SIGN AND LIGHTING		08/13/2025	Online	Y	N	Closed	O-Health	1. Since the beginning of summer, the employer has not turned on the A/C and the office's temperature is set between 79-82 degrees. There are approximately 7-9 employees working in the office	Resolved through inquiry process
C-2334716	RENOWN HEALTH	RENOWN REGIONAL MEDICAL CENTER	08/12/2025	Online	Y	N	Closed	O-Health	Graveyard shift security dispatch employees are not being allowed access to restrooms when needed.	Resolved through inquiry process

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2335326	CASCADES OF THE SIERRA		08/10/2025	Online	N	N	Closed		80% of the cooks at cascades are incompetent and unqualified for their jobs. They dont cook the food properly they dont handle the food properly they dont cool down the food properly and they dont store the food properly. They also dont follow fist in first out procedures, it actually seems like they will wait untill something is too old to use before they use it. It's insane. They chicken noodle soup is particularly gross they make two weeks worth at a time which is so much more than we need because the residents dont like it so it doesn't get ordered much, and they keep it in 2 big ass 22 quart cambro containers that never get cleaned. Just add new soup to it every week then change the date on it. And its hot soup covered containers. If they need rice for something like soup of the day or one of the specials they cook it 3-5 days before they need it and then they dont cool it down properly, instead they let it sit out at room temp still covered and then they wait 4-6 hours before they put it in the walk in still covered to hold onto as much heat as possible. There's no fingernail brushes by the handwashing sinks anymore because a couple of the cooks where using them to CLEAN THEIR SHOES! And the solution that management came up with was get rid of the brushes, not educating employees on the proper use of equipment and hand washing techniques no way just get rid of the brushes all together. Im seriously starting to suspect there's a plot to kill the residents at cascades because its crazy the shit that goes on here and nobody cares to do anything about it. These are just some of the many many things terribly wrong with this place. The residents here deserve better than this. Oh yeah there all sick again, honestly I'm surprised they dont get sick more often considering how much rotten food they eat. - Kitchen	No action. No jurisdiction.
C-2335374	FEDEX FREIGHT		08/13/2025	Online	Y	N	Closed	O-Health	1. Located at the front of the building, there is raw sewage coming out of a utility box.	Resolved through inquiry process
C-2335571	AutoSavvy Reno		08/11/2025	Online	Y	N	Closed	O-Health	1. Two employees are exposed to high heat conditions with poor cooling and ventilation in the sales shop.	Resolved through inquiry process
C-2335625	FEDEX FREIGHT		08/14/2025	Online	Y	N	Closed	O-Health	1. Located outside of the main entrance to the workplace, employees are having to walk around and over raw sewage coming out of the ground to enter the building.	Resolved through inquiry process
C-2335664	PANASONIC CORPORATION OF NORTH AMERICA		08/13/2025	Online	Y	N	Closed	S-Health	Located at Cell 2 on the first floor near the robo-trains (RTN-X's): 1. Airborne particulates including dust believed to contain copper alloy is present, possibly above the action level for allowable exposure.	Resolved through inquiry process
C-2335907	RENOWN HEALTH	RENOWN REGIONAL MEDICAL CENTER	08/15/2025	Online	N	N	Closed		1.On the 6th floor of the Sierra Tower, nurses in the medical/surgical unit are routinely required to work a large part of their shift without meal breaks or restroom breaks. This compromises their own health and the health of the patients under their care.	No action. No jurisdiction.
C-2336075	McCarthy Building Companies, Inc.	McCarthy Building Companies Inc.	08/15/2025	Online	Y	N	Closed	O-Safety	1. At the Vantage Data Center jobsite, the employer is not providing lighting to the job site entrance while it is dark, and employees are working.	Resolved through inquiry process
C-2336209	PREMIER ENTERTAINMENT TAHOE, LLC	BALLY'S LAKE TAHOE CASINO RESORT	08/12/2025	Online	Y	N	Closed	O-Health	1. Located in the pool area, there is mold growing on the walls.	Resolved through inquiry process
C-2336462	AIR CARGO WAY		08/17/2025	Online	N	N	Closed		A lot of hazards from Clinton Foundation - Taxi loading zone	No jurisdiction. Not enough information to
C-2336488	Spanish Springs KinderCare		08/18/2025	Online	N		Closed	O-Safety	1. At the jobsite, there are no provisions in place to ensure that the heavy metal gate located at the back of the facility, doesn't close abruptly on employees while throwing trash into the dumpsters.	No criteria warranting inspection.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2337819	AIR CARGO WAY		08/18/2025	Online	N	N	Closed		Hillary Clinton, Chelsea Clinton, Tania , Tareq Zia, Joy, Tulip, MHS 370 hijackers are active with interaction disturbing me mentally and physically . - Airport passenger lounge	No action. No applicable standard.
C-2337827	Reno Tahoe Airport Authority		08/19/2025	Online	N	N	Closed		A lot of hazards from Hillary Clinton, Chelsea Clinton, MHS 370 hijackers, Tareq and Tania. - Airport area	No action. No applicable standard.
C-2337845	PLASTIC SPECIALTIES AND TECHNOLOGIES, INC.	TEKNI-PLEX, INC.	08/19/2025	Online	Y	N	Closed	S-Safety	1. At the facility, located at the receiving side, pallets are being stacked too high, exposing employees to potential struck-by hazards.	Resolved through inquiry process
C-2337996	Walgreens		08/20/2025	Phone	Y	N	Closed	O-Health	1. Located in the hallway by the storeroom, employees are being exposed to unknown vapors coming from leaking building sprinkler pipes. Employees are experiencing headaches and dizziness.	Resolved through inquiry process
C-2338059	Unknown/Invalid Establishment		08/16/2025	Email	N		Closed	O-Health	1. At McDonald's, headsets are not being sanitized before employees utilize them.	No action. Not enough information to process.
C-2338707	AIR CARGO WAY		08/20/2025	Online	N		Closed		Tulip (a British Labor Party Politician)and Tareq (a fled criminal politician) both Bangladeshi decedents attack my brain and nervous system with a lot of power. They reside in England.They can cut any locks and volts in Bangladesh with their political powers but they can do the same in this country . They are torturing me in this country. - Airport area	No action. No jurisdiction.
C-2338819	PPG Industries Distribution Center		08/21/2025	Phone	N		Closed		Located at the distribution center, it is alleged that an employee is consuming alcohol during work hours and operating various PITs.	No jurisdiction. No standard applies.
C-2339438	Unknown		08/22/2025	Phone	N		Closed	S-Safety	1. At various locations, employees are exposed to fall hazards greater than 6-ft without the means of fall protection or training.	No action. Not enough information to process.
C-2341177	YELLOW CAB		08/22/2025	Online	N		Closed		Clinton , Moinul and Anowar built ISIS from decades. They disappeared MHS 370 a Malaysian flight. Hijackers have dummies almost in each and every airport of USA. They sent me to Labor Works. I lost one of my eyes. - Airport area	No action. No jurisdiction.
C-2341353	Corwin Ford Reno		08/22/2025	Online	Y	N	Closed	S-Health;S-Safety	At the jobsite the following hazards are alleged: 1. Technicians are not provided or required to wear appropriate personal protective equipment (PPE) while working with hazardous chemicals and heavy machinery. 2. Employees are not receiving hazard communication training. 3. Employees who work with chemicals do not have access to SDS sheets.	Resolved through inquiry process
C-2341368	REVIVE SPARKS LLC	WINGFIELD SKILLED NURSING & REHABILITATION CENTER	08/25/2025	Online	Y	N	Closed	O-Safety	Located at the facility, the following hazards are alleged: 1. Employees are required to transport patients using broken lifts and beds, exposing employees to lift/lower and overexertion injuries. 2. Showers used for patients are not adequately cleaned exposing employees to unsanitary conditions. 3. Showers are not adequately maintained, creating slip and fall hazards for walking-working surfaces.	Resolved through inquiry process
C-2341371	Unknown/Invalid Establishment		08/26/2025	Online	N	N	Closed		Located at the jobsite, the following hazards are alleged: 1. Impalement hazards on fences are not adequately protected.	No action. Not enough information to process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2341382	ITS LOGISTICS, LLC		08/25/2025	Online	Y	Y	Closed	S-Health;S-Safety	1. Located in the facility, the employer is not providing gloves to employees that handle pallets and are exposed to hand injuries. 2. The employer does not have an emergency evacuation plan. 3. Located in the facility, the employer is not requiring the use of safety shoes. Employees are exposed to foot injuries from heavy boxes and forklift operations. 4. Located in the facility, forklift drivers are operating recklessly and are not using their horns when going around corners which exposes employees to a struck by hazard when walking in the facility. 5. Located in the facility, boxes are stacked haphazardly which exposes employees to a struck-by hazard. 6. Located at the docks, employees working inside truck trailers are suffering from heat illness. There are no fans or ventilation for the employees.	Open Investigation.
C-2341403	ELDORADO RESORTS, INC.	CIRCUS-CIRCUS, RENO	08/22/2025	Online	Y	N	Closed	S-Health	1. In the Sky Tower third, fourth, and fifth floor linen rooms, the climate control system does not function effectively and the employer has not implemented measures that address the hazard of high ambient heat. Employees experience symptoms including nausea and heat cramps.	Resolved through inquiry process
C-2341416	NORTHERN NEVADA CORRECTIONAL CENTER		08/24/2025	Online	Y	N	Closed	S-Health	1. In the Unit 8 office area, the climate control system does not function effectively and the employer has not implemented measures that address the hazard of high ambient heat.	Resolved through inquiry process
C-2342383	Redwood Materials		08/29/2025	Phone	Y	Y	Closed	S-Safety	1. Inside the fabrication shop area, employees are being exposed to fall hazards up to 12 feet, during the fabrication of metal structures. 2. No fall protection training is being provided by the employer. 3. Inside the fabrication shop area, employees are required to operate overhead cranes without the benefit of being trained or qualified. 4. Slings, fastenings, and attachments, are not being inspected for damage by a competent person designated by the employer.	Inspection conducted. No citations issued.
C-2343193	Walgreens		09/02/2025	Phone	Y	N	Closed	O-Health	1. In the hallmark and candy section of the store, several rats have been observed. Rat droppings are underneath the hallmark storage area. The employer has put down glue traps, yet they are not enough to be effective. 2. Sprinkler piping system in the women's restroom are under repair yet there is still a strong smell causing employees to experience headaches and dizziness.	Resolved through inquiry process
C-2343275	WALMART FULFILLMENT CENTER		08/31/2025	Online	N		Closed	O-Safety	1. Employer recently switched weekend shifts to 12 hrs. per shift, but are only giving 2 breaks (20 mins and 15 mins) and a 30 minute lunch. Per NV OSHA over 11 hrs. per shift require 3 breaks not including a clocked out lunch break.	No action. No criteria warranting inspection.
C-2343278	KFC		08/31/2025	Online	N		Closed		Employee not provided gloves for handling raw chicken.	No action. No jurisdiction. Referred to health
C-2343279	COSTCO WHOLESALE		09/02/2025	Online	Y	N	Closed	S-Health	Located in the tire center: Indoor temperatures potentially reach 90+ degrees F due to improper installation of air conditioner. The evaporator freezes over and starts putting out hot air when outside temperatures go above 90+ degrees.	Resolved through inquiry process
C-2343302	WALMART SUPERCENTER		09/01/2025	Online	Y	N	Closed	S-Safety	1. At the jobsite, an emergency exit is currently blocked by pallets of freight, posing a safety hazard and putting employees at risk of injury in the event of an emergency.	Resolved through inquiry process
C-2343670	WALMART SUPERCENTER #2189		09/02/2025	Online	Y	N	Closed	S-Safety	1. Located in the parking lot, lights have been out for over a month. The lack of lighting is exposing employees to be struck-by motor vehicles while retrieving carts from the parking lot at night.	Resolved through inquiry process
C-2344479	Holiday Inn Club Vacations Incorporated	Holiday Inn Club Vacations David Walley's Resort	09/04/2025	Phone	Y	N	Closed	S-Health	In the kitchen area of 1862 David Walley's Restaurant & Saloon: 1. When the broiler is on, the employees are exposed to airborne contaminants from smoke due to the kitchen hood being inoperable. 2. Employees are exposed to the hazard of heat illness due to the climate control system being ineffective.	Resolved through inquiry process

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2345431	WALMART STORE #3408		09/06/2025	Online	Y	N	Closed	O-Health	1. Located at the facility, the water was shut off and employees can not wash their hands or use the restrooms.	Resolved through inquiry process
C-2345541	INSPECTORATE AMERICA CORPORATION	BUREAU VERITAS MINERALS	09/04/2025	Online	Y	N	Closed	S-Health	The following allegations are related to work currently being performed by a sub-contractor performing a remodel: 1. Located in the Fire Lab, construction employees are bringing drinks into the lab with lead dust exposure and food/drinks are not allowed in this area. 2. Located in the High Grade Acid Lab, construction employees are not wearing eye protection in the lab where acid exposure is possible.	Resolved through inquiry process
C-2345570	HYATT REGENCY LAKE TAHOE SPA, RESORT & CASINO		09/08/2025	Online	Y	Y	Closed	S-Health	1. Located in the housekeeping department; employees are being directed to place biohazard bags/containers that are filled with discarded sharps and blood stained linens, to be placed into regular black plastic garbage bags and discarding into the regular disposal dumpster.	Inspection conducted. 1 citation issued - \$6,029.00
C-2345847	Cimpress Manufacturing	Vistaprint	09/04/2025	Phone	N		Closed		1. Big Presses: Employees are exposed to harmful chemicals while purging machines and cleaning injectors by hand without proper ventilation. 2. Employees not being provided proper protective gloves when hand applying cleaning chemicals, such as 2-Ethoxyethyl acetate, to a cloth and hand-cleaning injectors. 3. Employees do not have ready access to safety data sheets (SDS).	No action. Complainant withdrew complaint.
C-2345885	UPS		09/08/2025	Phone	Y	N	Closed	O-Health	In the small sort area, the following hazards are alleged: 1. Contractors are not ventilating their welding fumes while building a new platform. 2. Employees are not being provided with hearing protection while contractors are working on installing a new platform.	Resolved through inquiry process
C-2346404	MASON SMITH VALLEY CONSERVATION DISTRICT		09/09/2025	Online	Y	N	Closed	S-Health;S-Safety	At the Mason Valley Wildlife Management Area job site: 1. Blades used on handheld Stihl brand gas-powered brush cutters have cracks, exposing employees to struck-by hazards. 2. Eye protection is not provided to employees using handheld Stihl brand gas-powered brush cutters. 3. The types of PPE, such as chaps, that will protect affected employees from contact and struck-by hazards are not provided. 4. On or about 8/19/2025, an employee sustained a laceration requiring stitches to their leg from a brush cutter. 5. Backpack sprayers used for herbicide application have leaks, exposing employees to hazardous chemicals such as Garlon.	Resolved through inquiry process
C-2348550	NORTHERN NEVADA APPLIANCE OUTLET LTD.		09/13/2025	Online	Y	N	Closed	S-Health	1. Located in the store, there is a smell of gas causing employees to feel dizzy and nauseous while triggering burning eyes and headaches. 2. Located in the store, offices, and breakroom; conditions are unsanitary due to a rat infestation.	Resolved through inquiry process
C-2349113	SWITCH		09/16/2025	Phone	Y	N	Closed	O-Health	1. In the construction area, the 24 portable toilet facilities are in an unsanitary condition, rendering them unusable and therefore not available; employees are exposed to the hazard of adverse health effects that can result if toilets are unavailable.	Resolved through inquiry process
C-2349321	UNITED PARCEL SERVICE		09/16/2025	In person	Y	Y	Open	S-Safety	1. Located in UMD6 area, welding sparks from an ongoing construction project on the floor above are showering down to the ground below where employees are working. 2. Located in PD 1-5, autonomous vehicles stop and block emergency exits for long periods of time throughout the work shift. 3. Located in the small sort area, packages are falling from the conveyor system approximately twelve feet above to the ground below exposing employees to struck by hazards. 4. The emergency action plan throughout the facility has not been updated and exit route maps are incorrect.	Open Investigation.
C-2349727	MONIN INC		09/17/2025	Online	Y	Y	Closed	S-Safety	1. Multiple employees are operating the forklift without the benefit of being trained. 2. Multiple employees are not wearing hard hats on the production floor in the manufacturing building and are exposed to overhead hazards.	Inspection conducted. 1 citation issued - \$14,895.00

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2349756	MSC INDUSTRIAL SUPPLY CO.		09/16/2025	Online	Y	N	Closed	S-Health;S-Safety	The following Alleged Hazards, at the warehouse, located at Dog Pound Aisles, 5-701: 1. Employees using exiting bins with accumulated thick nuisance dust are being exposed to potential respiratory illnesses. 2. Housekeeping is not being maintained. Trash is overflowing and accumulating on the floor.	Resolved through inquiry process
C-2349889	THE HERTZ CORPORATION		09/17/2025	Online	Y	N	Closed	S-Health	1. Rodent and bird droppings near the main office, under the fuel canopy, pumps, car wash, and inside the buildings is not being cleaned up. The rodents and birds are not being mitigated by any means.	Resolved through inquiry process
C-2350044	URBAN RAG CO. LLC		09/17/2025	Phone	Y	Y	Closed	S-Safety	1. Employees operate powered industrial trucks without having been certified that they are trained and evaluated, exposing employees to struck-by and other hazards.	Open Investigation.
C-2350338	JIFFY LUBE STORE #2234		09/17/2025	Online	Y	N	Open	O-Safety	Located at the facility, bay floors are severely cracked posing potential trip hazards.	Open Investigation.
C-2350388	ALERT SECURITY ASSET PROTECTION		09/18/2025	Online	N	N	Closed		1. Located at 18400 Village Pkwy, Reno, NV 89508, one employee is required to drive a patrol vehicle on public streets with a nail in the rear passenger side tire, and the passenger side front tire has extreme balding.	No action. No jurisdiction. Referred to health department.
C-2350396	LYON COUNTY SCHOOL DISTRICT- Silver Stage		09/17/2025	Online	Y	N	Closed	S-Health	Kitchen Dry Storage: On 9/15/2025, Employees instructed to clean mouse droppings, without utilizing safe cleaning methods.	Resolved through inquiry process
C-2351151	PANASONIC ENERGY OF NORTH AMERICA		09/18/2025	Online	Y	N	Closed	S-Safety	Located on the Panasonic side of the Gigafactory the following hazard is alleged: Located by the south entrance, heading towards top cap press phase 2, a roll up garage door is being held open with locking vice grip pliers. Powered industrial trucks are allowed to drive through this open doorway, creating potential struck by hazards.	Resolved through inquiry process
C-2351824	Kiewit		09/22/2025	Online	N		Closed		Located at the southern array: 1. Employees are improperly lifting and resting solar panels on their heads while setting the panels in place.	No action. No applicable standard.
C-2351885	CARRY-ON TRAILER, INC.		09/22/2025	Phone	Y	N	Closed	S-Health;S-Safety	1. Located throughout the facility, the fire alarm system within the facility is not functional exposing employees to burns in the event of a fire. 2. Located at the south end of the facility, the employer is allowing employees to perform commercial spray painting activities using paint sprayers outside of a paint booth within the facility exposing employees to respiratory hazards. 3. Located at the south end of the facility, employees are not wearing respiratory protection while performing commercial spray painting activities outside of a paint booth within the facility.	Resolved through inquiry process
C-2353963	PANASONIC ENERGY OF NORTH AMERICA		09/26/2025	Online	Y	N	Open	O-Health	Hazard Location: Gigafactory, 2nd Floor, Visual Inspection, Phase 2, and the hallway leading from elevator to process: 1. Widespread visible dust (graphite, copper rail, EPDM off gassing/shedding), housekeeping seems to be inadequate.	Open Investigation.
C-2354954	PANASONIC CORPORATION OF NORTH AMERICA		09/29/2025	Phone	Y	N	Closed	S-Health	1. Employees are working with paint in the coating cathode department and are not provided respirators.	Resolved through inquiry process
C-2354979	RENOWN HOSPITAL		09/27/2025	Online	N		Closed	O-Health	The lower-level I.T. bathroom is not being properly cleaned as the carpeting around the toilet is becoming soiled with human urine, exposing employees to potential health hazards.	No action. No criteria warranting inspection.
C-2355313	Rosendin Electric Inc		09/30/2025	Phone	Y	N	Open	O-Safety	Located at the job site, the employer did not provide safety training for possible new construction project hazards prior to directing 200 workers job tasks. The employer signed off training records without providing training.	Resolved through inquiry process
C-2355622	Rosendin Electric Inc		09/30/2025	Phone	Y	N	Open	S-Safety	1. At the jobsite at 1121 USA Parkway, there is no lighting on pathways between the parking area and the work area, exposing employees to trip hazards.	Resolved through inquiry process

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2355637	UNKNOWN ESTABLISHMENT		09/24/2025	Online	N		Closed		The following hazard is alleged: The employer is directing employees to unload a truck with black mold on the products.	No action. Not enough information to evaluate. Unable to reach complainant.
R-2313662	STELLA-JONES CORPORATION		07/01/2025	Online	Y	Y	Closed	S-Health;S-Safety	1. In the framing yard, wizard, chain saw and drill bits are dull and in poor repair, employees are exposed to injuries when operating equipment. 2. In the framing yard, employees are exposed to heat stress and are not provided adequate breaks and shade.	Inspection conducted. No citations issued.
R-2313975	ASPEN DEVELOPERS CORPORATION		07/01/2025	Phone	Y	Y	Closed	S-Safety	On 6/30, at 9:30 am, at the East Slope Catchment Improvement Project jobsite, employees were fusing 20-inch diameter HDPE pipe together. The employees were using an excavator to lift the pipe to move the fusing machine down, when the pipe came loose striking one employee. The employee suffered serious injuries that required hospitalization.	Open Investigation.
R-2315046	Unknown/Invalid Establishment		07/03/2025	Phone	N	N	Closed		1. Located between the intersection of Buckeye Road and Bentley Parkway in Minden, NV, 2 construction workers were observed walking outside the coned area and in the roadway causing an obstruction to traffic and not directing traffic exposing employees to struck-by vehicle hazards. 2. Located between the intersection of Buckeye Road and Bently Parkway in Minden, NV, construction equipment (grader, dump trucks, compactor, semi-trucks) was observed in operation without a flagger to control traffic exposing employees to struck-by hazards.	No action. Not enough information to process.
R-2315643	PERSONALIZED RADIATION ONCOLOGY		07/04/2025	Online	Y	N	Closed	O-Health;O-Safety	Located at the facility, the following hazards are alleged: 1. At the hallways of the facility multiple fans and portable air conditioners with exhaust hoses are blowing hot air into the hallways. 2. Unsecure electrical wires and cables that are located in the hallways leading to the treatment room are exposing employees to trip and fall hazards. 3. At a treatment room, loud fans and air-conditioners are exposing employees to high noise levels.	Resolved through inquiry process
R-2315649	Clean Image Mobile Detailing		07/07/2025	Online	Y	N	Closed	S-Health	Located in the chemical room, shop and washing bay: 1. Employees are not trained on how to safely use or safely mix hazardous chemicals such as multiple different kinds of acids and corrosive chemicals. No safety data sheet, or hazard communication program. 2. No SDS sheets. 3. No eye wash stations. 4. Improper PPE. 5. No respiratory program nor training. 6. No bloodborne pathogens training, program or offering hepatitis-b vaccine. 7. Working in extreme heat without breaks or HVAC.	Resolved through inquiry process
R-2317280	JCPENNEY LOGISTICS CENTER		07/09/2025	Phone	Y	Y	Closed	S-Safety	1. An employee's hand was caught in a machine and sustained sever injury. The employee is being transported to the area hospital.	Inspection conducted. 1 citation issued - \$9,045.00
R-2317501	PACIFIC CHEESE CO. INC.		07/09/2025	Phone	Y	N	Closed	S-Safety	1. On 7/8/2025 at 8:35pm, an employee was cleaning a conveyor, reached for a spatula that had been caught in the conveyor, and his left middle finger got caught in the conveyor. The employee suffered an avulsion, partial traumatic amputation, and a non-displaced fracture of his left middle finger.	Resolved through inquiry process
R-2317879	ROADWAY COMPANY		07/10/2025	Phone	Y	N	Closed	S-Safety	1. An employee was mowing weeds with a lawn mower in the company yard. He stopped to check a noise on the lawn mower. He got his fingers near the blade of the lawn mower while it was running and cut his middle, index and ring finger on their right hand. He suffered an avulsion on the tip of his right middle finger and was taken to a hospital in SLC, UT.	Resolved through inquiry process
R-2318704	RSCVA NATIONAL BOWLING STADIUM		07/11/2025	Phone	Y	N	Closed	S-Safety	1. On 07/10/2025; An employee was operating a UTV when they struck a fixed object resulting in the employee being injured. The employee suffered a leg injury that required transportation to the hospital for treatment.	Resolved through inquiry process
R-2319201	American Paper Bag		07/12/2025	Online	Y	N	Closed	O-Safety	1. Located at the bagging machines at the north end of the facility, employees packing finished bags are not required to wear PPE and are exposed to paper cuts.	Resolved through inquiry process

Division of Industrial Relations

Occupational Safety and Health Administration

Complaint Log Detail FY2026 - 1st Quarter July to September 2025

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2319646	BZI Construction LLC		07/14/2025	Email	Y	Y	Closed	S-Safety	At the jobsite, the following hazards are alleged: 1. Employees are being allowed to perform steel erection operations without the benefit of fall protection. 2. A fully planked or decked floor is not being maintained within two stories or 30 feet, directly under any erection work being performed. 3. Employees using boom lifts are being allowed to exit the basket without the benefit of 100% tie-off protection.	Inspection conducted. 2 citation issued - \$14,470.00
R-2320189	Unknown/Invalid Establishment		07/15/2025	Phone	Y	Y	Closed	S-Safety	Located at the intersection of Wessex Cir. and Coleman Dr., the following hazard is alleged: 1. Employees are working in and around a 15-foot wide by 15-foot-long trench over 6 feet deep without proper meaning of cave-in protection.	Inspection conducted. No citations issued.
R-2320262	Malta Ready Mix		07/15/2025	Phone	Y	N	Closed	S-Safety	1. No fall protection is used on the boom lift.	Resolved through inquiry process.
R-2320617	Discount Tire		07/15/2025	Online	N	N	Closed		Located at the facility, in the service bay, 4 employees were exposed to hot indoor temperatures while repairing tires.	No action. Not enough information to process.
R-2320650	WINCO FOODS		07/10/2025	Online	Y	N	Closed	S-Safety	At the jobsite, inside of the dairy cooler, the following hazards are alleged: 1. Pallets are being stored in an unsecure manner, standing upright and on their sides, creating potential struck by hazards for employees. 2. Spills are not being cleaned up in a timely manner, creating slipping hazards for employees.	Resolved through inquiry process.
R-2320896	SK FOODS		07/15/2025	Online	N		Closed		1. Employees are not provided the correct size of steel toed boots. 2. Employees are not provided breaks.	No action. No standard applies.
R-2320950	Unknown		07/16/2025	Phone	Y	Y	Closed	S-Health;S-Safety	1. Asbestos in tile, drywall, and sheet rock is not being properly removed or contained. 2. Employees working in the basement are removing dirt, and the home is being held up by jackstands and 4"x4" lumber.	Inspection conducted. No citations issued.
R-2321262	Carl's Jr.		07/16/2025	Online	Y	N	Closed	S-Safety	1. There are exposed electrical wires in the kitchen that have shocked employees.	Resolved through inquiry process.
R-2321470	SCOUGAL RUBBER CORPORATION		07/17/2025	Phone	Y	N	Closed	O-Safety;S-Health	On 7-16-205 at 1:30 pm, an employee was taking her lunch break when she reported feeling chest pain. The employee was transported via ambulance to Renown Regional Medical Center where she was admitted.	Resolved through inquiry process.
R-2321528	PETERSON PRODUCTS, INC.		07/17/2025	Phone	Y	Y	Closed	S-Health;S-Safety	a. Located at the south end of the facility, there are exposed electrical wires above the exit door that is within reach of employees creating a shock hazard. b. Located near the south end of the facility, an inflatable paint booth was being operated inside the facility without proper ventilation exposing employees to respiratory hazards. The shop fills with fumes. c. Located at the facility, employees were not provided personal protective equipment to handle fiberglass and acetone. d. Located at the facility, employees are using reusable respirators without a fit test. e. Located at the facility, employees are performing spraying paint without using respirators. f. Located at the facility, at the northwest corner near the front entrance, the ceiling is in poor repair creating a struck-by hazard should the ceiling tiles fall.	Open Investigation.
R-2322087	HHP EQUITY, LLC	T-Rix Bike Shop	07/18/2025	Phone	Y	N	Closed	S-Health	At the jobsite, the following hazards are alleged: 1. The employer does not have a method to protect employees from the heat or the cold. 2. The employer does not have restrooms available for employees to use.	Resolved through inquiry process.

State of Nevada

item 7

Division of Industrial Relations

Occupational Safety and Health Administration

Complaint Log Detail FY2026 - 1st Quarter July to September 2025

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2322114	MARTIN-HARRIS CONSTRUCTION, LLC		07/18/2025	Phone	Y	N	Closed	O-Health	Located at the south end of the first and second floors of the jobsite, the following hazards are alleged: 1. For about two weeks now, spray cellulose insulation has been getting applied to surfaces in the building without ventilation, there are fans blowing the fog around the inside of the building, however it is not clearing the air out of the building. A visqueen barrier was hung to contain the fog that is produced to the zone where they are spraying cellulose, however it does not contain the fog which is irritating the lungs, eyes, and skin of the exposed employees. 2. Paint is also being applied to the interior walls of the building using paint sprayers without ventilation. There is no barrier between the paint spraying and the other trades working in the nearby area. Employees are exposed to the fog from the paint.	Resolved through inquiry process.
R-2322182	TELLWORKS LOGISTICS		07/18/2025	Phone	Y	Y	Closed	S-Health	Located at the facility, the following hazards are alleged: 1. Temperatures within the facility are exposing employees to occupational heat illness. 2. Employees are not given adequate break periods to alleviate exposure to occupational heat illness.	Inspection conducted. No citations issued.

Division of Industrial Relations

Occupational Safety and Health Administration

Complaint Log Detail FY2026 - 1st Quarter July to September 2025

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2322278	NATIONAL GUARD PRODUCTS, INC.		07/17/2025	Online	Y	Y	Closed	S-Health;S-Safety	Located at the workplace, the following hazards are alleged: 1. Located in the aluminum line and the custom fabrication line, the employer does not have a lockout/tagout program in place for maintenance workers to perform maintenance on the 480-vac hardwired saws. 2. The employer does not have an emergency evacuation plan. 3. Located outside of the shipping department emergency exit door, a gate is kept locked until 9:00 am, preventing employees working in the aluminum line from safely evacuating the facility in the event of an emergency. 4. The employer has not provided employees with Appendix D of the Respiratory protection standards. Employees in powder coating and welding wear dust masks 5. Located in the steel production line, employees are allowed to weld galvanized steel without being provided proper ventilation. 6. The employer does not have SDS sheets available for employees. Chemicals used in the workplace include MEK and muriatic acid. 7. The employer does not have a heat illness prevention plan in place to protect employees. 8. Located in the powder coating area, eye wash stations are not capable of providing the proper flow of water needed. 9. The employer does have procedures in place to protect employees in the event of a chemical spill. 10. Located in the aluminum line, one of the A-Frame racks used to hold aluminum has been damaged from a forklift contacting one of the vertical supports. 11. In the production area, employees are allowed to utilize an overhead gantry crane that has not been properly inspected. 12. In the production area, employees are allowed utilize an overhead gantry crane without having received training. 13. On the CTL main line, a punch machine next to the cutting machine has a damaged power switch. 14. On the CTL 1 line, by the threshold are, a mechanical power press has a non-functioning e-stop button. 15. Located on the threshold line where it ends at the heat tunnel, the conveyor belt is not guarded, subjecting employees to potential pinch points. 16. Employees packing glass in shipping containers are not provided cut resistant gloves. 17. The employer has not evaluated the workplace for confined spaces including the powder coating ovens and wash vessels. 18. The employer does not have a fall protection program in place for maintenance employees to perform maintenance on the top of the powder coating ovens. 19. The employer has not performed hearing conservation testing in the powder coating room. 20. The employer is not recording injuries on their OSHA 300 logs. 21. Employees are not inspecting a scissor lift before utilizing it in their daily tasks. 22. On the steel cutting line, there are unguarded saws being used by employees. 23. On the steel and aluminum lines, there is no machine guarding on the projection/spot welders to keep employees from getting their hands caught in between the electrodes. 24. On the steel and aluminum lines, the employer has not provided employees with the proper safety glasses to protect employees from injurious light radiation while operating the projection/spot welders. 25. On the loading dock, the employer does not methods in place to prevent vehicles from moving while being loaded or unloaded by a forklift. 26. On the steel and aluminum lines, hydraulic cutting oil is being sprayed and leaking on the floor, creating a slipping hazard for employees. 27. Located on the steel line, a chevron cutter and coil feeder have not been bolted to the ground. 28. Located in the powder coating room, employees are not using an intrinsically safe vacuum while in the presence of flammable dust. 29. The employer does not have a safety committee.	Open Investigation.
R-2322651	THE TAHOE MOTEL		07/10/2025	Email	Y	Y	Closed	S-Health	Maintenance employee was required to remove contaminated items and clean in a unit where a decedents body had been decomposing since November 2024 without being issued training in what precautions to follow to protect that employee from possible exposure to infectious pathogens.	Inspection conducted. No citations issued.
R-2322743	Skyline Pet Hospital		07/21/2025	Online	N	N	Closed		1. The lobby/waiting area is hot.	No action. Not enough information to process.
R-2322836	SYMBIA LOGISTICS		07/21/2025	Email	Y	N	Closed	S-Safety	Located at the job site, on 7/19/25, an employee was performing inventory in the warehouse. The employee suffered an amputation of his ring finger when exiting a scissor lift, his ring finger was caught on a bolt that was protruding on the lift. The employee was transported and admitted to Renown Regional Medical Center.	Resolved through inquiry process

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2324254	QMS Construction Inc.		07/23/2025	Phone	Y	Y	Closed	S-Safety	Located at The Club at Rancharra, the following hazard is alleged: 1. On the second floor, contractors are working around a 500 square foot hole in the floor without the protection of guard rails, creating a fall hazard for employees.	Inspection conducted. No citations issued.
R-2324422	Full Tilt Logistics		07/18/2025	Online	N		Closed	S-Health	1. Located at the jobsite, on June 14, 2025, two children under the age of 10 years old are exposed to heat illness and are not provided respiratory PPE while working in shipping containers.	No action. Not enough information warranting inspection.
R-2324861	HUMBOLDT HUMAN DEVELOPMENT SERVICES		07/24/2025	Online	N		Closed		1. One of the employees has extreme hygiene issues to the point where other employees have gotten sick.	No action. No applicable standard.
R-2326404	Fallon Ford-Toyota		07/28/2025	Phone	Y	N	Closed	S-Health	1. Employees in an indoor facility without climate control are exposed to heat related illness.	Resolved through inquiry process
R-2326448	A & A Towing		07/28/2025	Phone	Y	N	Closed	S-Health;S-Safety	1. Employees exposed to slip and trip hazards in the shop from loose equipment and oil stains. 2. Employees are not provided PPE for working with chemicals. 3. Flammable liquids are not stored in the flammable cabinet after they are used.	Resolved through inquiry process
R-2326674	INCLINE VILLAGE GENERAL IMPROVEMENT DISTRICT		07/25/2025	Phone	Y	N	Closed	S-Safety	1. On 6/5/2025 at 10:00 AM, an employee was on a golf cart when it stopped running. The employee checked the belt manually underneath the golf cart and the belt amputated his finger tip. The employee was transported to Incline Village Community Hospital for treatment. 2. The employer did not notify NV OSHA within 24 hours of the amputation occurring.	Resolved through inquiry process
R-2326802	CNQ LLC	HOLIDAY INN EXPRESS	07/29/2025	In person	Y	Y	Closed	S-Health	1. Located at the facility, housekeepers stored chemicals in containers that were not labeled, tagged or marked with the product identifier, words, pictures, symbols or combination thereof. . The unlabeled containers remained on the cleaning carts and stored within the housekeeper's closet for the next shift and cleaning sessions. 2. Located at the facility, housekeepers stored chemicals in mislabeled containers. Colored cleaning fluid was stored in water bottles, a McDonald's McCafe container, and a Jackson's Really Big Drink container. All containers were stored at the end of the day in the housekeeper's closets. The employer indicated the fluid in the containers was not water, but was a cleaner. 3. Located at the facility, housekeepers stored mislabeled and unlabeled containers immediately next to food and drinks. 4. Located at the facility, plumbed eyewashes were not activated and inspected weekly for a period long enough to verify operation and ensure that flushing fluid is available.	Open Investigation.
R-2328039	CARSON MEADOWS APARTMENTS		07/25/2025	Email	N		Closed		1. Dust created by two employees cutting asphalt in the parking lot are exposing residents to potential respiratory illnesses.	No action. No jurisdiction.
R-2329224	Manchester Enterprises		07/31/2025	Phone	Y	N	Closed	S-Safety	1. Gas cylinders are stored unrestrained, employees exposed to struck by hazards. 2. Tires are stacked on top of the roof unrestrained, employees exposed to struck by hazards. 3. Facility is not maintained in a clean, orderly, and sanitary condition.	Resolved through inquiry process
R-2329615	SAFEWAY		08/01/2025	Online	Y	N	Closed	O-Health	On the main grocery floor, chemicals, yet to be identified, used to strip and reseal the floor exposed 6 store employees and 9 employees of an outside vendor to vapors which may be hazardous.	Resolved through inquiry process
R-2330102	CUBE SERVICES, INC.		08/01/2025	Online	Y	Y	Closed	S-Safety	Located in the 1350 Neil Way building: 1. Employees are operating a forklift without performing routine safety inspections. The PIT is in need of new tires. 2. In the production department, two 14x22 die cut machines are being operated without the machine guards installed.	Inspection conducted. 2 citation issued - \$14,068.00

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2330191	SEQUOIA PACIFIC BUILDERS, INC.		08/04/2025	Phone	Y	N	Closed	O-Safety	1. Employees are working on drywall and are not controlling dust, employees exposed to excess dust. 2. Housekeeping: Construction site is not kept in a clean and orderly condition. Site has excess debris and insulation on the ground.	Resolved through inquiry process
R-2330869	Unknown/Invalid Establishment		08/01/2025	Phone	N	N	Closed		1. Heavy equipment operating on downhill dirt roads that do not have sufficient berms to protect employees from roll overs.	No action. Not enough information to process.
R-2331013	SK FOOD GROUP INC.		08/05/2025	Email	N	N	Closed		1. Failure to Provide Required Rest Breaks: Employees at this facility work nine (9) hour shifts but are not provided with the legally required 10-minute paid rest breaks for every four (4) hours worked or major fraction thereof. Nevada law explicitly requires these breaks in addition to meal periods. 2. Inadequate Break Substitution: The company attempts to substitute proper rest breaks with brief 2-5 minute stretching exercises on production line/s, led by a team lead. These abbreviated stretching sessions do not satisfy the legal requirements for proper rest breaks under Nevada law, which specifies a minimum of 10 minutes per rest period. 3. Excessive Work Periods Without Rest: Employees are scheduled for 9-hour shifts with only a 30-minute meal break, creating extended periods of continuous work without the legally mandated rest periods. This practice violates both Nevada state law and Fair Labor Standards Act provisions regarding paid short breaks. 4. Inadequate Potable Water Facilities: The facility provides only a single water dispenser in the break room that is wholly inadequate to serve the needs of 30+ employees during lunch periods (and 60+ employees total). This limited capacity creates a situation where employees cannot reliably access sufficient drinking water during their authorized breaks. 5. Commercialization of Basic Hydration Needs: While failing to provide adequate free potable water, the company simultaneously profits by selling bottled water at the food bar. This practice effectively monetizes a basic workplace safety requirement and creates a financial barrier to proper hydration for employees. 6. Health Risk from Inadequate Hydration: The food production environment involves physical labor in a facility where proper hydration is essential for employee health and safety. The current water dispenser capacity is demonstrably insufficient for the number of employees, creating foreseeable health risks including dehydration, heat stress, and related medical complications.	No action. No jurisdiction.
R-2331197	MEI Industrial Solutions Nevada		08/05/2025	Phone	N	N	Closed	S-Safety	1. At 6:15 AM an employee asked another employee to move their car in the parking lot. There was an argument that developed into a physical altercation between the two employees in the parking lot. The victim was stabbed in the back on the lower left side below the ribs with a knife by the other employee. The other employees in the area broke up the fight and separated the employees. The attacker was arrested by the local police department. The victim was transferred via ambulance to Renown Regional. The employee was admitted in the hospital and received stitches for a stab wound and they are currently under observation at the hospital.	No jurisdiction.
R-2331217	PINECREST CONSTRUCTION & DEVELOPMENT CO.		08/05/2025	Phone	Y	Y	Closed	S-Safety	1. Employees are rolling waterproof paint without respirators on the stem wall, employees exposed to respiratory hazards. 2. Open trenches are not taped off, employees exposed to fall hazards. 3. Employees are working in trenches that are 15 feet in depth without the benefit of cave-in protection.	Inspection conducted. 1 citation issued - \$6,190.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2331240	GRAY CONSTRUCTION, INC.		08/05/2025	Phone	Y	N	Closed	O-Health	1. In building RNO4 at the Switch construction site, employees and employees of subcontractors are being exposed to the hazard of gasoline and diesel exhaust from Gradall large equipment movers due to inadequate ventilation in the building.	Resolved through inquiry process
R-2331585	Terra Tile Arts Inc.		08/06/2025	Phone	Y	Y	Closed	S-Health	1. At the facility dust control methods are not used when cutting stone, employees exposed to inhalation hazards from dust. 2. Facility has a strong chemical smell, employees exposed to hazardous chemicals used during cutting stone.	Inspection conducted. 3 citations issued - \$3,937.
R-2331761	N.R.C. Roofing Inc.		08/06/2025	Phone	Y	Y	Closed	S-Safety	1. Five employees working on a residential rooftop removing asphalt shingles are doing so without fall protection.	Inspection conducted. 3 citations issued - \$9,457.
R-2332194	Peabody & Associates, Inc.		08/07/2025	Phone	Y	Y	Closed	S-Health;S-Safety	1. Frayed electrical cord on drill used to mix paint outside of the large paint booth on the west side of the production floor. 2. Employees are allowed to operate forklifts without being trained. 3. Employees are not given medical evaluations before using tight fitting half mask respirators. 4. Employees are not fit tested for tight fitting half mask respirators.	Open Investigation.
R-2332247	STELLAR SNACKS, LLC.		08/06/2025	Online	Y	N	Closed	O-Health	Located in the workplace, the following hazards are alleged: 1. Located in the upstairs administrative offices the air conditioning has stopped working and has not been repaired, exposing employees to heat related illness.	Resolved through inquiry process
R-2332635	AIR CARGO WAY		08/08/2025	Online	N	N	Closed		1. Located in the passenger lounge, Tareq(fled criminal politician from England) , Oleg Chustrak (Hijackers of MHS 370) want money from me. They got joint dummies of Clinton and Tareq.	No action. Not enough information to process.
R-2333411	DOLLAR TREE STORE INC	DOLLAR TREE	08/08/2025	Online	Y	Y	Closed	S-Safety	Multiple merchandise aisles and exit paths are blocked with boxes, which limited employees' egress and created trip hazards.	Inspection conducted. 1 citation issued - \$2,360.
R-2333520	Urban Rag Co		08/08/2025	Online	Y	Y	Closed	S-Safety	In the warehouse, the following hazards are alleged: 1. Employees are being required to operate powered industrial trucks without the benefit of being trained. 2. No inspections are being performed on powered industrial trucks before being used by employees. 3. Employees are required to use fall protection while using order pickers without the benefit of being trained.	Open Investigation.
R-2334023	Lowe's Home Improvement		08/09/2025	Online	Y	N	Closed	S-Health	1. At the front door of the store, 5 employees are required to work outdoors in a Rubbermaid shed without proper ventilation and being subject to potential heat illness.	Resolved through inquiry process.
R-2334038	FAULSTICH & RAND CONSTRUCTION CO., INC.		08/07/2025	Online	Y	N	Closed	S-Safety	The following hazards are alleged at Smokey Plaza Drive and Smokey Drive: 1. At the jobsite, employer is not providing PPE for employees such as hard hat and reflective vests while performing trenching work and replacing waterlines. 2. At the jobsite, the employer is not providing flaggers to direct traffic.	Resolved through inquiry process.
R-2334153	CLASTIC DESIGNS		08/12/2025	Phone	Y	Y	Closed	S-Health	Located at the worksite, the following hazard is alleged: 1. Wet methods are not being used to polish and clean finished products, exposing employees to respirable silica.	Inspection conducted. 2 citations issued - \$4,472.
R-2334277	M D Construction & Consulting Incorporated		08/12/2025	Phone	Y	Y	Closed	S-Safety	On 8/11/2025 at 10:13 a.m., an employee was working on a ladder (at 8 feet high) installing house wrap with a stapler on the exterior of a house. Another employee was working nearby on a ladder. The other employee's ladder tipped and knocked the employee off their ladder. The soil was soft and unstable where employees were working. The injured employee was transferred by REMSA ambulance to Renown Regional on Mill St and was admitted to the hospital. They suffered a broken left leg above the ankle.	Inspection conducted. 3 citations issued - \$8,776.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2334412	SMART & FINAL EXTRA!		08/12/2025	In person	Y	Y	Closed	S-Health	1. Located in the warehouse near the receiving roll-up door, near the electrical panels H2 and H3, the employer did not ensure that no obstructions existed between the forklift battery filling station and the emergency eyewash equipment. The eyewash station is located approximately 100 feet from the forklift battery filling station and employees would be required to navigate around the warehouse corner and hallway to access the eyewash station. 2. Located in the warehouse, near the trailer used for storage, the employer provided a portable eyewash station that did not provide at least 15 minutes of continuous irrigation.	Open Investigation.
R-2334667	YESCO SIGN AND LIGHTING		08/13/2025	Online	Y	N	Closed	O-Health	1. Since the beginning of summer, the employer has not turned on the A/C and the office's temperature is set between 79-82 degrees. There are approximately 7-9 employees working in the office.	Resolved through inquiry process.
R-2335250	OLAM WEST COAST, INC.		08/09/2025	Phone	N	N	Closed		1. On 8/9/25, an employee passed out and was hospitalized due to a medical event that was determined to be non-work related.	No action. Not work related.
R-2335282	KEVA JUICE		08/13/2025	Online	Y	N	Closed	O-Health	1. Located at the facility, the AC is inoperative for two weeks exposing employees to heat related illnesses.	Resolved through inquiry process
R-2335359	ALOHA MEDICINALS		08/13/2025	Online	Y	Y	Closed	S-Health	1. In the analytical lab, chemicals are not labeled with their name or hazard and are improperly stored. 2. Employees are diluting 70% sulfuric acid using positive pressure fume hoods. Employees do not have access to negative pressure ventilation hoods for handling chemicals.	Open Investigation.
R-2335640	SANDER BROTHERS INVESTMENT	SURESTAY HOTEL BY BEST WESTERN WELLS	08/10/2025	Online	Y	Y	Closed	O-Safety;S-Health	1. Throughout the facility, there are bottles with chemicals in them that are not labeled. 2. The third floor housekeeping room is full of junk and is creating a tripping/fire hazard.	Open Investigation.
R-2335682	BONNANO CONCRETE		08/14/2025	Phone	Y	N	Closed	O-Health	Employees are not provided water at the job site.	Resolved through inquiry process.
R-2336007	LAXMI HOTELS, INC.	HAMPTON INN & SUITES BY HILTON RENO SOUTH	08/14/2025	Phone	Y	Y	Closed	S-Safety	1. Employees are exposed to unprotected electrical wiring in the pool control room.	Inspection conducted. 3 citations issued - \$4,020.
R-2336233	CLASTIC DESIGNS		08/15/2025	Email	Y	Y	Closed	S-Health	1.The facility is spreading silica dust all over area with no containment apparatus or PPE for employees.	Inspection conducted. 2 citations issued - \$4,472.

Division of Industrial Relations

Occupational Safety and Health Administration

Complaint Log Detail FY2026 - 1st Quarter July to September 2025

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2336485	BLAKE EXPRESS, INC.		08/15/2025	Online	N	N	Closed		Hazard Description: Over the past couple months I have been requesting that they fix the fan in my truck. They say they'll do it but then they don't then they said it's not more important than tires and other vehicle repairs. I contacted one of my supervisors on Monday August 11, 2025 told them that my truck temperature said 119° and I'm getting a very bad headache. I have high blood pressure and it was hard for me to focus or even see because I believe I had heat exhaustion. I found some shade while I waited for them to respond to me, which they did not. I attempted to contact him again with no avail so for my own protection, I started driving back to the warehouse I needed to cool off and get home before I passed out. on my way back he finally text messaged me, but I was already almost to the warehouse when I got back They then told me that I quit because I brought my boxes back, which I did not quit. I even offered to come back later in the evening when it cools off to finish my route and they kept saying I quit my job which I didn't. They ignored my plead for a fan several times. I have text messages if needed. I feel like my health and safety was not important to them whatsoever. Not to mention I have had three different trucks since working there the first one would die completely on the road as I'm driving, which was pretty dangerous. I'd have to pull over with no power steering and restart it the next truck I had the entire tire back tire fell off while I was driving and I believe I have pictures of that and then the next truck, the gear shifter broke during the middle of my shift and I had to sit and hold my foot on the break for 20 minutes or so because they hadn't gotten back to me to tell me what to do. I ended up letting it roll backwards to the curb until they could come and fix me fix it. Meanwhile, they gave me a different truck while I waited, and that one actually had a fan, which was very nice after the old truck was fixed, I asked them can you please put that fan in my truck now because apparently the truck I was driving as a temporary truck they said, had more problems than the one I was getting back they did not ever fix my fan. The only thing they did was buy me a squirt bottle which was like a kick in the face the day that I brought my boxes back that morning I had asked them if they fix the fan they said no so I asked where's my squirt bottle that was in the other truck. I'm driving and they said oh I guess it went to the shop with the mechanic so I didn't even have that for the day they offered me nothing to help. Keep me cool not to mention they don't even dispatch us in the morning till about 9:30 or 10 so already by 10 o'clock it's hot. I believe it was around 2:30 in the afternoon when I sent him a picture of the temperature saying 119°. He actually told me I was exaggerating when I told him how hot it was so I then sent him the picture but didn't hear back from him until I was already almost to the station. I was shocked when they told me I didn't work there anymore, and that they considered me quitting when I brought my boxes back, even though previous to that I explained to my supervisor that I would be willing to come back in the evening to finish my route, I had no intention of ever quitting that job, especially without having another job before that now I am Unemployed. And they keep trying to tell me that I quit when I did not.	No action. Hazard no longer exists per complainant.
R-2336539	UHS OF NORTHERN NEVADA, LLC	WILLOW SPRINGS CENTER	08/18/2025	Email	Y	N	Closed	S-Safety	On 8/13/2025 at 5:50 pm a patient became aggressive and began hitting and kicking staff. Patient responded to clinically and staff used behavior management training to apply a restrictive intervention to prevent further aggression.	Resolved through inquiry process.
R-2336575	Skyline Pet Hospital		08/15/2025	Online	N	N	Closed		1. The customer lobby is 80 degrees.	No action. Not enough information to process.
R-2336586	DISCOUNT TIRE		08/18/2025	Online	N	N	Closed		1. Employees not wearing safety glasses in the shop area.	No action. Not enough information to process.
R-2336608	OTIS ELEVATOR COMPANY		08/11/2025	Phone	Y	N	Closed	O-Safety	1. Employees are not being provided or signing the Nevada Workplace Safety: Rights and Responsibilities document.	Resolved through inquiry process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2337267	Kohl's		08/19/2025	Phone	Y	Y	Closed	S-Safety	1. One of the front main entrances to the store is locked preventing employees proper egress from the building in the event of an emergency.	Open Investigation.
R-2337454	Gurrs Roofing		08/19/2025	Phone	Y	Y	Closed	S-Safety	1. Roofers working from heights greater than 6 feet without the benefit of fall protection.	Open Investigation.
R-2338160	LUCKY MOTEL		08/20/2025	Phone	Y	Y	Closed	S-Health	Located at the facility, on the first floor, at rooms 1-8 & 16-22, 8 workers are performing demolition and remodeling within the interior of the motel rooms. The debris is presumed to contain asbestos, and the activities are creating flyings and airborne respiratory inhalation hazards. The employees are not provided any means of respiratory protection.	Inspection conducted. No citations issued.
R-2338414	Les Schwab Tire Center		08/20/2025	Phone	Y	N	Closed	S-Safety	1. On August 19, 2025, an employee suffered an injury to the right eye. One employee was chiseling a wheel bearing race on a hub, while the injured employee was standing at approximately ten feet away, and was struck by a flying metal fragment. At the time of the incident, the employee was not wearing eye protection.	Resolved through inquiry process.
R-2338457	LUCKY MOTEL		08/20/2025	Phone	Y	Y	Closed	S-Health	1. In multiple guest rooms, demolition for renovations is occurring without the material such as drywall and textured ceiling finish having been tested for the presence of asbestos. Approximately 6 employees are potentially exposed to the hazard of airborne asbestos fibers.	Inspection conducted. No citations issued.
R-2338790	AZZ GALVANIZING - RENO, LLC		08/21/2025	Phone	Y	Y	Closed	S-Safety	1. On 8/20/2025 at approximately 8:00am in the yard at the facility, an employee suffered an amputation of part of their left index finger as a result of it being caught between a forklift fork and dunnage.	Inspection conducted. 1 citation issued - \$2,625.
R-2338807	UPS		08/21/2025	Phone	Y	N	Closed	S-Health;S-Safety	1. Contractors welding in the small sort area creating welding fumes that are not quickly dissipated due lack of ventilation. 2. Employees working in the area where the welding is being conducted are exposed to potential eye damage from the welding arc. There are no welding curtains or other means of protection to the employees in the area.	Resolved through inquiry process.
R-2338822	Unknown/Invalid Establishment		08/21/2025	Phone	Y	Y	Closed	S-Safety	1. On 8/21/2025 at approximately 3:00pm, a sign was being installed with a crane and a lift with employees and the sign and employees were within 10 feet of a high voltage power line, exposing the employees to electrocution hazards.	Open Investigation.
R-2338841	THE CLUB AT ARROWCREEK		08/21/2025	Phone	Y	N	Closed	S-Health	An employee scraped his knuckle while replacing or repairing a sprinkler head. A few days went by and the wound started to look infected. The employee was admitted to the hospital for observation.	Resolved through inquiry process
R-2339134	INCLINE VILLAGE GENERAL IMPROVEMENT DISTRICT		08/20/2025	Online	Y	N	Closed	O-Safety;S-Health	At the workplace, the following hazards are alleged: 1. Spanish speaking employees that work on the Mountain Golf Course are not receiving safety training in a language that they can understand. 2. Spanish speaking employees that work on the Championship Golf Course are not receiving safety training in a language that they can understand. 3. Employees that apply pesticides in the Parks & Recreation department have not received hazard communication training.	Resolved through inquiry process.
R-2339183	KP CONSTRUCTION		08/22/2025	Phone	Y	Y	Closed	S-Safety	1. Employees are actively working in a trench that is approximately 20 - 25 feet deep without any means of cave-in protection. 2. It was reported that a gas line was struck by the contractor and a Washoe County Building Inspector has issued a stop work order for the project.	Open Investigation.
R-2339198	THE WHITING-TURNER CONTRACTING COMPANY		08/19/2025	Email	Y	N	Closed	S-Safety	At the construction site know as Big Horn located at 3800 Peru Dr. Sparks, NV, the following conditions are alleged: 1. Perimeter safety cable is not being installed following the criteria for guardrail systems, around the perimeter columns of multi-story buildings under construction, . There are numerous sections where the height of the top rail is less than 39 inches, and the safety cable has been compromised by welding burns. 2. The wire rope being used as perimeter safety cable is not being being joined correctly to ensure proper safe installation. 3. The general contractor is not inspecting and accepting custody of fall protection to be used by other trades.	Resolved through inquiry process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2339395	RALEY'S #121		08/22/2025	Phone	Y	Y	Closed	S-Safety	1. Located in the warehouse area, materials are not stacked securely, and an employee was almost struck by falling merchandise.	Inspection conducted. 3 citations issued - \$7,093.
R-2339419	NEVADA DEPARTMENT OF TRANSPORTATION	NDOT	08/22/2025	Phone	N	N	Closed		1. An employee was walking into work when they became ill and needed to be transported to and admitted into a hospital.	No action. Not work related.
R-2341358	DOLLAR TREE STORES, INC. #1224		08/25/2025	Online	Y	N	Closed	S-Safety	At the jobsite the following hazards are alleged: 1. Boxes are scattered throughout the aisle floors, creating tripping hazards for employees. 2. Boxes are being stacked on carts in an unstable manner, creating struck by hazards for employees.	Resolved through inquiry process.
R-2341385	Gray Construction Inc		08/27/2025	Online	Y	N	Closed	S-Safety	1. At the Switch NAP 4 jobsite, while on a lightning stand down and lightning activity was present, the employer attempted to have employees leave a bus and walk to the building under construction. The employer is not practicing elements within their safety plan related to weather conditions exposing employees to being struck-by lighting.	Resolved through inquiry process.
R-2342542	Five Below		08/29/2025	Phone	Y	N	Open	S-Safety	1. By the Halloween decor, there is metal racking and shelves not secured creating a struck-by hazard. 2. There are several boxes in the same area as the unsecure racking, scattered throughout the isles, creating trip hazards. 3. Housekeeping is not being maintained. Trash is overflowing in front of the main entrance and in the employees back-office area.	Open Investigation.
R-2343309	WESCO DISTRIBUTION INC	WESCO INTERNATIONAL	09/02/2025	Online	Y	Y	Closed	S-Safety	Located at the facility, the following hazards are alleged: 1. Powered industrial truck operators are operating at excessive speeds and are not addressed or retrained by management exposing employees to struck-by hazards. 2. Walk paths are blocked by pallets of shipments and are under 28 inches throughout the 13 storage rows in the facility exposing employees to delays in exit. 3. When employees report injuries to management, injury reports are not submitted or recorded in OSHA 300 logs. 4. Pallets are not stacked in a safe and secure manner, exposing employees to struck-by hazards.	Inspection conducted. No citations issued.
R-2343330	Terra Titan Construction		08/28/2025	Online	Y	Y	Closed	S-Health;S-Safety	At the Panther View Highland jobsite, the following hazards are alleged: 1. There is not a competent person to evaluate confined spaces before employees enter manholes. 2. Employees are entering manholes without first testing the atmosphere. 3. There is not a competent person on site to evaluate open trenches. 4. Employees are allowed to work in unprotected trenches up to 5 feet deep that have water present in the bottom of the trench.	Open Investigation.

State of Nevada

item 7

Division of Industrial Relations

Occupational Safety and Health Administration

Complaint Log Detail FY2026 - 1st Quarter July to September 2025

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2343354	MANAGEMENT AND TRAINING CORPORATION DBA SIERRA NEVADA JOB CORPS CENTER	SIERRA NEVADA JOB CORPS CENTER	08/31/2025	Online	N	N	Closed		1. Located at the facility, electric hazards near open bucket of water can cause electric shock. 2. Located at the facility, Job Corps students being scene not using proper lifting techniques. Job Corps should have safety lifting techniques training monthly in the all hard construction trades at Job Corps. 3. Located at the facility, Job Corps students being scene of safety violations happening at Sierra Nevada Job Corps Center. Multiple Sierra Nevada Job Corps students have mentioned there should be a safety inspection survey put in place weekly. 4. Located at the facility, Sierra Nevada Job Corps students definitely should start having proper lifting techniques training each month especially women in all hard trades set in place to lift safely and properly. 5. Located at the facility, Sierra Nevada Job Corps students should be able to have weekly check ins from their supervisors to avoid misunderstandings and to ensure Job Corps all Job Corps students have knowledge about who there supervisor is at all times prior to completing the Job Corps program. Job Corps all students should be aware of who their supervisor is in case a Job Corps student needs to take action in case a work-related injury incident happens and all Job Corps students need to practice more often how to report a work-related injury incident including why it is important for all Job Corps students to report to their supervisor first and why it is important to document a work-related injury incident statement to have all Job Corps students learn why it is always important to detail your work-related injuries. 6. Located at the facility, describe evidence of date, time, and location of the incident. Describing how and where the injury occurred, describing what happened along with addresses, supervisors name and contact information. Provide examples and describe final medical actions such as having to be at Job Corps Wellness medical clinic for referrals for MRI and X-ray or that the Job Corps Well-ness medical clinic told you had to be escorted to get an MRI and X-ray. 7. Located at the facility, all Job Corps students should practice monthly to prepare for the real world to know why it is so important to detail the work-related incident and students actions taken that way all Job Corps students across Sierra Nevada Job Corps can learn their legal rights and be prepared for defending themselves in case a work-related injury incident does occur working on the clock at work. 8. Located at the facility, Sierra Nevada Job Corps Center Reno Nevada, the future of young adults succeeding and protecting their rights at work while on the clock that should include fully making sure all Job Corps students are aware who their supervisor is that way Job Corps students know who to report to incase of an emergency like for example a work-related injury. Being prepared and learning what workers compensation is. The future of safety for all Job Corps students is understanding why it is important to report work injuries to their supervisor immediately. 9. Located at the facility, alot of Job Corps students have mentioned they do not know who their supervisor is. Job Corps students need to be prepared entirely prior to leaving the Job Corps program. Multiple Sierra Nevada Job Corps students have mentioned there should be a safety inspection survey put in place weekly. 10. Located at the facility, Sierra Nevada Job Corps students definitely should start having proper lifting techniques training each month especially women in all hard trades set in place to lift safely and properly. Sierra Nevada Job Corps students should be able to have weekly check ins from their supervisors to avoid misunderstandings and to ensure Job Corps all Job Corps students have knowledge about workers compensation and all Job Corps students should fully	No action. No jurisdiction.
R-2343738	NICHOLS COMPANY		09/02/2025	Online	N		Closed	S-Health;S-Safety	At the worksite, the following conditions/hazards are alleged: 1. There are no restrooms provided for employees. The facility has not had a restroom since this company began occupying the space a month or two ago. Employees are told to go down the street to the gas station, which is a few blocks away. 2. Trailers are not loaded securely, products are palletized with collapsible cartons at the bottom of pallets and heavy cartons on top which lead to tipped pallets and spilled products such as flour, sugar, and milk covering walking surfaces in the trailer.	No action. Unable to reach referent for information.
R-2343740	CITY OF RENO		09/02/2025	Phone	Y	N	Closed	S-Safety	1. On 9/2/2025, at 3600 Kietzke Lane, Reno, an employee contacted an electric fence and claimed to have been rendered unconscious for a brief time as a result. The employee was seen in an emergency room but was not admitted to a hospital.	Resolved through inquiry process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2344422	MEI-GSR HOLDINGS LLC	GRAND SIERRA RESORT AND CASINO	09/03/2025	In person	N		Closed	S-Safety	The following conditions/hazards are alleged: 1. On July 16, 2025, in the stockroom for the north end bar, an employee was verbally threatened and his exit route was physically blocked by a coworker.	No action. No criteria warranting an inspection.
R-2345048	Nevada Humane Society		09/05/2025	Phone	Y	N	Closed	O-Safety	1. An employee was working in the intake room, doing an intake examination of a cat. The cat bit the employees left hand. The employee went to urgent care, and later formally admitted to the hospital.	Resolved through inquiry process.
R-2345445	PROTECTION TECHNOLOGIES INC.		09/06/2025	Online	Y	N	Closed	S-Safety	1. At the facility, in the main tower assembly floor of the warehouse, employees are being allowed to climb onto a forklift and access racks over 30 feet high without fall protection.	Resolved through inquiry process.
R-2345820	CARSON VALLEY HEALTH HOSPITAL		09/04/2025	Online	N		Closed		: I'm a Patient, Sharon Flores, wanting to report a dangerous hazard for other HCAP Patients visiting the Labs location. I'm talking specifically about the high curbs one must maneuver when exiting one's car in order to get on level Parking Lot grounds. There are no graded entrances/ramps anywhere where the HCAP parking spaces are located! One must walk around concrete medians on one end or traverse the lot to reach a flat surface. I am not as disabled as others, and not in a wheelchair any longer, but your inattention to this layout means extra effort on the person in a wheelchair to get across the lot from their car. I stepped up on the curb but am not stable stepping down and others may experience the same conditions. Add to that, the crumbling concrete blocks that mark the stopping point in a space. These are falling apart and have exposed rebar! Talk about a tripping accident waiting to happen. When I was ill last year, and being seen in the ER at the same location, using the same HCAP Parking spaces, I wanted to report it then, but was too ill to do so. I forgot all about it especially thinking that in all your Fabulous and Extensive remodeling and rebuilding, you'd certainly NOT LEAVE such a poor condition overlooked! I guess it was deemed unimportant. When I went to the Labs this month, it brought it all back. You should not be proud of leaving such a mess, especially since it's been reported in past years and again, currently in 2025. I know, factually, that in 2025 this Parking Lot and these conditions have been brought to CVH's attention at least 2 times prior to me writing to you. That means that they were already reported in previous years too, as this is NOT a new situation. You may already have some plan of action in the works by your Facilities Dept., but nothing can wait on this repair. It needs to be addressed today and your scrutiny as CEO needs to play a part in any actions. Please give me the courtesy of a reply and a status of whatever plans you have, or will have, and an estimate as to when repairs may start and conclude. I look forward to your information. I've received a generic "it will be done in the near future". When I wrote a 2nd time for specific dates in the future, I was again given generic information. I guess reporting this is my only recourse for specifics.	No action. No jurisdiction.
R-2346207	IM SPARKS OPCO, LLC	FAIRFIELD INN & SUITES BY MARRIOTT RENO SPARKS	09/09/2025	Phone	Y	Y	Closed	S-Safety	1. Located in the housekeeping room, vacuums have damaged electrical cords and are shocking employees.	Open Investigation.

**State of Nevada
Division of Industrial Relations**

item 7

**Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025**

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2346408	NORTHERN NEVADA 3PL		09/08/2025	Online	Y	N	Closed	O-Health;S-Safety	1. The facility lacks proper ventilation and cooling, exposing employees to high heat environments without temperature control. 2. Workstations lack adequate access to potable drinking water. The available water sources are unfiltered, and in some areas, no water station is readily accessible. 3. Multiple cherry pickers are becoming stuck in the elevated position and fail to move up, down, forward, or backward, creating potential for entrapment or delay in emergency evacuation. 4. Management personnel have been observed riding "electric scooters" under forklifts that are in the raised position creating an unsafe environment without regard for traffic control or safe operating measures.	Resolved through inquiry process.
R-2346488	Ed Cook Tree Service		09/09/2025	Phone	Y	N	Closed	S-Safety	Located at 2118 The Back Road, Glenbrook, NV 89413, residential home, an employee fell out of a tree at a height of 12 feet.	Resolved through inquiry process.
R-2346796	ASPEN EARTHWORKS INC		09/10/2025	Phone	Y	Y	Closed	S-Safety	Located at the intersection of Opal Point Drive and Opal Bluff Drive, approximately 200 feet east of the cul-de-sac, 4 employees were observed working at the bottom of a trench that is up to 12-feet deep and 100 feet long without any means of soil cave-in protection.	Inspection conducted. No citations issued.
R-2347182	LOBO ROOFING LLC	ABC ROOFING	09/10/2025	Phone	Y	Y	Closed	S-Safety	1. At the jobsite, around building 16 of an apartment complex, an employee was observed using an portable A frame ladder and extension ladder with a wooden plank across as a makeshift scaffold. The employee was working at a height up to 9 feet while performing stucco work.	Open Investigation.
R-2347340	Hines Facility Corporation		09/11/2025	Phone	Y	N	Closed	O-Health	1. Employees are working with hazardous chemicals (ionizer and cleaning spray) for cleaning mold and are not provided proper respiratory protection when required.	Resolved through inquiry process.
R-2347536	SAVE MART SUPERMARKETS		09/11/2025	Phone	Y	Y	Closed	S-Safety	1. Materials in the back of the store are not securely stored creating a struck by hazard. Material has already fallen and has almost hit employees.	Inspection conducted. 1 citation issued - \$8,038.
R-2347821	V & C CONSTRUCTION, INC.		09/12/2025	Email	Y	N	Closed	S-Safety	On 06/20/2025, located at 1770 Pinewood Drive, Carson City, Nevada, V & C employees damaged a 4 - inch natural gas PE pipeline main while performing excavation for a water utility installation. V & C failed to call 811 dig and properly identify the gas line prior to excavating with mechanical equipment, and exposed the employees to an explosion hazard.	Resolved through inquiry process.
R-2347853	R. & J. JOY, INC.	JOY ENGINEERING	09/12/2025	Phone	Y	Y	Closed	S-Health	1. Four workers were cutting and jackhammering concrete without dust control, no wet methods being incorporated. 2. Four workers were not wearing any respiratory protection.	Inspection conducted. No citations issued.
R-2347883	Desert Valley Dental		09/12/2025	Online	Y	N	Closed	S-Health;S-Safety	1. The guard on the Ultrasonic basket is damaged, employees exposed to struck by hazards. 2. Sinks in room 1 and 2 are leaking. Employees are exposed to slip hazards. 3. There are blood stains in the facility, employees potentially exposed to bloodborne pathogens.	Resolved through inquiry process.
R-2347913	Global Commercial Roofing Inc.		09/12/2025	Phone	Y	Y	Closed	S-Safety	1. On 9/12/2025 at 10:30am, approximately six people are on the roof performing tasks without fall protection. Employees are exposed to the hazard of falls to a lower surface.	Open Investigation.
R-2347918	Flores Landscaping LLC	Flores Landscaping and Handyman	09/12/2025	Email	Y	N	Closed	S-Safety	1. On June 17, 2025, located at 2768 Squires Street Minden, NV, the employer failed to call before digging and as a result, a 1/2-inch natural gas pipeline was struck with a backhoe exposing employees to an explosion hazard.	Resolved through inquiry process.
R-2348108	Schell Creek Construction, Inc.		09/12/2025	Email	Y	N	Closed	S-Safety	1. On June 18, 2025, located at 7475 Old US Highway 395 North, Carson City, NV, the employer failed to call before digging and as a result, a 1/2-inch natural gas pipeline was struck with a backhoe while performing garage construction type work exposing employees to an explosion hazard.	Resolved through inquiry process.
R-2348620	TOTAL WINE & MORE		09/15/2025	Phone	Y	N	Closed	S-Safety	1. Ladders in the facility used for stocking product are in poor repair. 2. Ladders in the facility that employees use are not inspected.	Resolved through inquiry process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2348744	Junk King Reno		09/15/2025	Phone	Y	N	Closed	S-Safety	Located at the facility, the employer requires that employees supply their own personal protective equipment while performing waste disposal activities. Employees are not wearing gloves when disposing of glass, and not wearing toe protective footwear.	Resolved through inquiry process.
R-2349142	SWITCH TAHOE RENO - THE CITADEL CAMPUS		09/16/2025	Online	Y	N	Closed	S-Health	1. Located in NAP 3, the restrooms are kept in an unsanitary condition.	Resolved through inquiry process.
R-2349157	Saint Mary's Regional Medical Center Business Offices		09/15/2025	Online	Y	N	Closed	S-Safety	1. Stationary ladders located at the loading dock and outside MR5, third floor, do not have cages to prevent falls. 2. Ladders for general use are not inspected prior to use.	Resolved through inquiry process.
R-2349342	TESLA INC.		09/16/2025	Phone	Y	Y	Closed	S-Safety	1. At approximately 11:01am on 9/15/2025, in the Column 89W area, an employee contacted the blade of a table saw that had had the blade guard removed and sustained an amputation of fingers on their right hand.	Open Investigation.
R-2349346	McKuin Pipeline Inc		09/16/2025	Phone	Y	Y	Closed	S-Safety	On September 15, 2025, at approximately 2:30 p.m. in Yerington, NV, along NV-208 in Wilson Canyon, an employee was working inside a trench, clearing it to prepare the pathway for pipe installation. The trench was approximately 44 to 45 inches deep. During the work, the trench collapsed, pushing the employee against the trench wall and burying him from the chest down in dirt and rock. Another employee who was also in the trench attempted to dig him out using a shovel. The injured employee was then transported by truck to South Lyon Medical Center, where a CT scan revealed a fractured pelvis. Later that day, he was transferred to Renown Regional Medical Center for further treatment.	Inspection conducted. 4 citations issued - \$14,188.
R-2349446	Lucky Motel		09/16/2025	Phone	N		Closed		1. In various guest rooms, demolition for renovation included disturbing walls and flooring, potentially exposing employees to the hazard of airborne asbestos fibers.	No action. No asbestos activity being conducted.
R-2350049	MCDONALDS	MCDONALDS	09/17/2025	Phone	Y	N	Closed	S-Safety	1. Walkways are frequently blocked by obstructions such as a pallet jack, boxes, and other items, exposing employees to trip hazards.	Resolved through inquiry process.
R-2350454	SIERRA NEVADA CONSTRUCTION, INC	SNC	09/18/2025	Phone	Y	Y	Closed	S-Safety	1. Multiple open trenches, ranging in depth from 5 to 10 feet, with employees working inside them without any means of cave-in protection.	Inspection conducted. No citations issued.
R-2350686	PINECREST CONSTRUCTION & DEVELOPMENT CO.		09/18/2025	Online	Y	Y	Closed	S-Safety	1. On the Eagles Landing- phase 3 construction project jobsite, 2945 North Roop Street, Carson City 89706, there are safety concerns regarding head protection not being worn while overhead work is being performed. Overhead work consists of HVAC vent installation, roof work, working from scaffolding, painting, staircase installation, and safety railing installation. 2. On the jobsite, there are safety concerns with employees taking breaks under semi-trailers and exposed to potential crushing hazards.	Open Investigation.
R-2350977	A+ Tires Inc & Services Inc.		09/19/2025	Phone	Y	Y	Closed	S-Safety	On 9/19/2025 at approximately 9:30 am at 355 Boxington Ave Sparks, NV in the trailer yard of TSI Trucking, an employee was working under a trailer when the landing legs gave out and the trailer fell and hit the employee in the legs from the waist down. The employee was transported to Renown Regional Medical Center. The injuries sustained were a fractured leg and hip.	Inspection conducted. 1 citation issued - \$3,547.
R-2351054	OASIS ACADEMY		09/19/2025	Phone	Y	N	Closed	S-Health	The following alleged conditions are potentially exposing two custodial/maintenance employees to unknown hazards: 1. Safety Data Sheets (SDSs) for hazardous cleaning chemicals used at the school are not available or accessible. 2. Cleaning products are stored in unlabeled containers, making it difficult to identify their contents and associated hazards.	Resolved through inquiry process.

State of Nevada

item 7

Division of Industrial Relations

Occupational Safety and Health Administration

Complaint Log Detail FY2026 - 1st Quarter July to September 2025

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2351843	CARSON DODGE CHRYSLER JEEP RAM		09/22/2025	Phone	Y	N	Closed	S-Safety	1. At the dealership's business office, an employee brought her four-month-old puppy to work. Another employee tripped over the dog, resulting in a broken hip.	Resolved through inquiry process.
R-2352478	Greenworks North America LLC		09/23/2025	Phone	Y	Y	Closed	S-Safety	1. Located at the facility, in the warehouse, 3 employees are operating a powered industrial truck without training and certification exposing employees to struck by injuries. 2. Located at the facility, in the warehouse, employees are stacking wooden pallets up to 30 feet high. The wooden pallets are not stable and wobbly exposing employees to struck-by hazards should the pallets fall.	Inspection conducted. 2 citations issued - \$0.
R-2352488	Vice Versa Home Services		09/23/2025	Phone	Y	N	Open	S-Safety	At the jobsite, the following hazards are alleged: 1. The employer does not have a lockout/tagout program to protect employees from working with live electrical power. 2. The employer is not providing employees with electrical safety training.	Open Investigation.
R-2352501	CCC & RR, INC.	CRUMMETT CONSTRUCTION & ROOFING	09/23/2025	Email	Y	Y	Closed	S-Safety	Two employees were observed performing roofing work on a residential home at heights exceeding 11 feet. The employees were observed not being tied-off and were wearing harnesses without lanyards.	Open Investigation.
R-2352845	MORGAN CONSTRUCTION, INC.		09/23/2025	Online	Y	Y	Closed	S-Safety	Located at the jobsite, the following hazards are alleged: 1. There are no effective traffic controls in place to guide traffic away from work areas to protect workers. 2. Employees are not wearing hi-visibility vests.	Inspection conducted. No citations issued.
R-2353135	ARAMARK	UNION SUPPLY GROUP, INC.	09/24/2025	Online	Y	Y	Closed	S-Health;S-Safety	Throughout the warehouse the following hazardous conditions are alleged: 1. Multiple storage racks have been struck by forklifts or PIT equipment causing damage that has not been repaired. Racking has potential to collapse exposing employees to struck by and caught in hazards. 2. PIT operators are not reporting rack strikes or near misses. 3. PIT operators are not certified and there is no retraining for PIT operators that are operating in an unsafe manor. 4. PIT operators have struck the walls and door of the refrigerated area. 5. Forklift and pedestrian traffic patterns are unsafe, and employees are frequently at risk of being struck. 6. Electrical hazards are created by temporary power cords being daisy chained and being used as permanent wiring. 7. Electrical systems appear poorly maintained, with wires and outlets looking improvised. 8. Poor housekeeping, water on floor is often left unaddressed creating slip and fall hazards. 9. Rat feces and other pest contamination are present inside the facility and not cleaned. 10. PPE is difficult to access, and there is no clear program for replenishment. 11. First aid supplies are inadequate or unavailable. 12. Safety training is not conducted. 13. Exits are blocked throughout the warehouse, more so on the inbound side of the warehouse. 14. Boxes are on placed on pallets, the pallets do not get wrapped, the pallets are then placed high in the racks. Boxes have fallen to the ground below.	Open Investigation.
R-2353137	UNCLE FREDIE'S HOUSE OF PETS		09/24/2025	Online	Y	N	Closed	S-Health	1. At the establishment, in the back room termed the "large play yard", employees are tasked with mixing chemicals including bleach and ammonia products, potentially exposing them to the hazards of toxic gases. 2. The employer does not provide suitable facilities for quick drenching or flushing of the eyes and body that is within the work area for immediate emergency use by employees exposed to bleach, a corrosive material. 3. The employer does not check the self-contained eyewash located in the 'kennel run' area weekly, nor does the employer perform maintenance in accordance with manufacturer's instructions, potentially exposing employees to permanent eye damage.	Resolved through inquiry process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2353447	ROOF CRAFTERS, INC.		09/25/2025	Phone	Y	Y	Closed	S-Safety	1. At 1475 Linda Way, Sparks, NV, approximately eight employees are approximately 30 feet above ground level on a roof without fall protection, exposing them to fall hazards. 2. At 1475 Linda Way, Sparks, NV, approximately eight employees are on a roof that has skylights that are not covered and do not have guardrails, exposing them to fall hazards.	Inspection conducted. No citations issued.
R-2353500	NATURE'S BAKERY LLC		09/24/2025	Online	Y	N	Open	S-Health;S-Safety	1. Employees are exposed to slip hazards from food product on the floor. 2. Employees are exposed to hazardous chemicals and are not provided proper PPE.	Open Investigation.
R-2354106	Speedco, Inc.		09/25/2025	Hotline	Y	N	Closed	S-Safety	On 9/24/2025 at approximately 7:30 p.m., one employee was struck in the face and sustained injuries, when a mounting bracket became dislodged. The employee was assisting in the replacement of a tire airbag. The employee was transported by medical services to Renown Regional Medical Center where was admitted.	Resolved through inquiry process.
R-2354213	PONDEROSA MEAT CO.		09/23/2025	In person	N		Closed	S-Safety	1. Employees are being exposed to electrical shock hazards from meat cutting equipment and machinery.	No action. Not enough information to process.
R-2354648	AUTHENTIC ROOFING, LLC.		09/29/2025	Phone	Y	Y	Closed	S-Safety	1. Three employees were observed performing roofing work on a residential home not being tied-off, and wearing harnesses without lanyards.	Open Investigation.
R-2354746	Bechtel		09/23/2025	Email	Y	Y	Open	S-Health	Approximately six employees from the worksite have been seen in a local medical clinic for skin conditions that are believed to be caused by exposure, possibly to lithium, during various work activities at the site of the Thacker Pass lithium mining project.	Open Investigation.
R-2356165	Vice Versa Home Services		09/22/2025	Online	Y	N	Open	S-Safety	The following hazards are alleged: 1. The employer is not providing training to employees for them to perform their job tasks in a safe manner. 2. The employer does not have a lockout/tagout program to prevent employees from working on electrical circuits with live power present.	Open Investigation.
R-2356476	Vice Versa Home Services		09/23/2025	Online	Y	N	Open	S-Safety	The following hazards are alleged: 1. The employer is not providing training to employees to ensure their job tasks in HVAC, plumbing, and electrical are performed in a safe manner. 2. The employer does not have a lockout/tagout program to prevent employees from working on electrical circuits with live power present.	Open Investigation.
C-2313650	JC Hospitality LLC	Virgin Hotels Las Vegas	07/01/2025	Phone	Y		Closed	S-Health	1. The employer does not provide engineer employees with adequate personal protective equipment for their face and body when performing work on broken pipes for ice machines, freezers, and the water test system. The pipes have chemicals pumped through such as CMB-6, CBP 2175, Sodium Hypochlorite, CS1010, and CT140X. 2. The employer does not provide engineer employees with the appropriate respiratory protection when they perform work involving the chemicals CMB-6, CBP 2175, Sodium Hypochlorite, CS1010, and CT140X. 3. The employer does not provide employees with hazard communication training to ensure they understand the hazards associated with chemicals located in the Central Plant. 4. The employer does not provide employees with safety data sheets for the chemicals located in the Central Plant.	Resolved through inquiry process.
C-2313807	Resorts World Las Vegas, LLC	Resorts World Las Vegas	07/01/2025	Phone	N		Closed	S-Health	1. Located throughout the hotel, housekeeping employees performing work in the guest check out rooms are not provided with working air conditioning. The air conditioning is shut off and only allowed on for approximately 5 minutes.	Inspection conducted. No citations issued.
C-2313885	Edgewater Hotel Casino Laughlin		07/01/2025	Phone	Y		Closed	O-Health	1. Ant control powder and granules are poured into the bar game slot machines and employees that are required to perform maintenance on the machines are not provided with adequate personal protective equipment for their body, face, and respiratory. Employees that were exposed have experienced symptoms such as sore throat, nausea, headaches, sinus pressure, and stuffy nose. 2. The employer does not provide employees with the safety data sheets for the ant control powder and granules that are poured into the bar game slot machines.	Resolved through inquiry process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2313936	Sunrise Paving Inc		07/01/2025	Phone	Y		Closed	S-Health	1. Employees are working approximately 13-hour shifts outdoors to pave roads and the employer does not provide them with water, breaks, or shade. The employer only provides ice and the employees are only allotted breaks as they travel between job sites. 2. The employer does not provide the employees with personal protective equipment such as safety glasses or hard hats when they are performing work outdoors to pave roads.	Resolved through inquiry process.
C-2314351	Affordable Dental at Flamingo & Sandhill		07/02/2025	Online	Y		Closed	O-Health	1. The employer has a compressor that is emitting unknown vapors. 7/2/2025 AB	Resolved through inquiry process.
C-2314393	Nevada Ready Mix Corporation		07/02/2025	Online	Y		Closed	O-Safety	1. There are several trip hazards throughout the property that management has not addressed. 2. Handrails have not been fixed. 3. Muriatic acid is not properly labeled and the safety data sheet for this chemical is not present on-site when requested. 7/2/25 AL	Resolved through inquiry process.
C-2314498	State of Nevada DWSS Child Support		07/01/2025	Online	Y		Closed	O-Safety	1. On 7/1/2025 there was a power outage throughout the building. Employees were required to stay in the building without air conditioning, and the outside temperature was over 100 degrees.	Resolved through inquiry process.
C-2314602	Flamingo Las Vegas		07/01/2025	Online	Y		Closed	O-Safety	1. On 5/18/2025, Various types of debris and electrical cords were obstructing the walking path in the back-of-house construction zone where employees were stocking the walk-in cooler. 2. Employees directed to enter areas under construction. 3. Employees are asked to perform work across a narrow working surface. The working surface is located above water and a staircase. 4. There is no guardrail system or fall protection provided near the entrance/exit of the Flamingo GO Pool bar where water and a staircase are present.	Resolved through inquiry process.
C-2314687	PedalPoint Recycling		07/02/2025	Online	Y		Closed	S-Health;S-Safety	1. Employees exposed to blocked hallways and limited access to emergency exit routes.	Resolved through inquiry process.
C-2314691	NYU Langone Health		07/02/2025	Online	N		Closed		Temperatures in the building were above 90 degrees and we weren't given the option to leave - Entire building	Resolved through inquiry process.
C-2314990	Goodwill Industries of Southern Nevada, Inc.		07/03/2025	Online	N		Closed		1. The employer stores items in an unsafe manner in the donation area. 7/3/2025 AB	No action. Not enough information to process.
C-2314997	Unknown/Invalid Establishment		07/02/2025	Online	N		Closed		Over a week ago a gas truck delivered over 500 gallons of diesel fuel for the personal use of tim witzel. There are zero safety precautions or regulations being followed. This creates a hazard for the entire community. There are storage tanks of oils laying loosely around the grounds. This is a major fire hazard as well. - Gas storage tank underground next to buikding. Oil containers stacked outside along fence.	No action. Referred to NDEP.
C-2315097	PHENOMENAL TOWING		07/01/2025	Online	Y		Closed	O-Health;O-Safety	1. Bathroom facilities are not operational. 2. Exposed wires are trying to be hid in walls. 3. Smoke/carbon monoxide detectors are not operational. 4. Hazardous waste is improperly stored inside and outside the building.	Resolved through inquiry process.
C-2315133	Amazon Com Services LLC	Amazon LAS7	07/02/2025	Online	Y		Closed	O-Safety	1. The employees assigned to the Stow and Pick work areas, on 2nd, 3rd, and 4th floors, are exposed to possible heat-stress illness due to a limited number of cooling fans. 2. Management does not consider additional rest and water breaks for the employees, when needed, due to exposure to hot working conditions in the LAS7 Pack (AFE and Singles) work areas. 07/03/2025 JC	Resolved through inquiry process.
C-2315138	Unimacts Manufacturing		07/03/2025	Phone	Y		Closed	S-Health	1. Following power lines being knocked out of place on June 2nd, 2025, the employer is requiring employees to work with no lights or power within the facility. 2. There are no bathrooms in the facility that can be utilized. KR	Resolved through inquiry process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2315248	Enterprise Rent-A-Car		07/02/2025	Online	N		Closed		1. A truck struck the individual on September 27, 2023, while they were working in the company garage. They reported the incident and went to an urgent care provider. Despite multiple attempts to contact supervisors, no one followed up with them. The individual still suffers from pain and lacks employer-sponsored health insurance, leaving them financially vulnerable. The employer failed to ensure proper follow-up care and confirm recovery before closing the case. Despite being terminated in June 2025, the individual actively sought help and was ignored for weeks without resolution or medical support. They request a formal review of the matter.	Resolved through inquiry process.
C-2315546	Tapestry, Inc.	Kate Spade	07/02/2025	Online	Y		Closed	O-Health	1. Employer does not allow for reasonable access to restroom facilities. Restroom facilities are not located in the store. Employees may have to wait 10 to 30 minutes for customers to exit the store in order to use the restroom, as one employee may not be left unattended in the store at a time.	Resolved through inquiry process.
C-2315933	C and S Company, Inc.		07/07/2025	Phone	Y		Closed	O-Health;O-Safety	1. Employees have been on the jobsite for 4-5 months. Employees are working in the heat and are not provided breaks or water during night and day shifts.	Resolved through inquiry process.
C-2315976	Valley Hospital Medical Center		07/07/2025	Online	N		Closed	O-Safety	1. Most employees feel uncomfortable, unsafe, and threatened by the management of food and nutrition departments. Management threatens to retaliate against employees following an OSHA inspection for having no air conditioning. The morning following the OSHA inspection on 6/30/2025, Fred Patterson, Executive Chef and Glenn McKinnon, Dir of Nutrition Services, threatened to fire employee who filed the complaint with OSHA. 07/07/2025 JC	No action. Complainant did not provide sufficient contact information.
C-2316034	InTouch Marketing, Inc.	InTouch Medical Marketing	07/07/2025	Online	Y	Y	Closed	S-Health	1. For the last two months, the air conditioning has not been functioning in the entire building. 2. The employer failed to report a hospitalization on June 26, 2025. 3. There are not enough restrooms for the number of employees employed in both Suite B and C. 7/7/2025 AR	Open Investigation.
C-2316288	Greens and Proteins		07/01/2025	Online	Y	Y	Closed	O-Health	1. The air-conditioning unit has been broken for months and has not been fixed. The temperature behind the counter is over 90 degrees.	Inspection conducted. No citations issued.
C-2316328	MGM Grand Hotel LLC	MGM Grand Hotel & Casino	07/02/2025	Online	Y		Open	S-Health	1. At the Centrifuge Bar and lounge area there is excessive noise above safety limits for prolonged duration. Earplugs provided do not provide adequate protection from hearing damage.	Resolved through inquiry process.
C-2316339	Lovisa America, LLC	Lovisa	07/08/2025	Online	Y		Closed	O-Health;O-Safety	1. Employees are required to purchase their own drinking water. 2. The employer does not provide safety training for ladder and box cutter use. 3. There has been inadequate lighting in the back room and break room for over two months.	Resolved through inquiry process.
C-2316361	PUMA Flagship		07/08/2025	Online	Y		Closed	O-Safety	1. In the stockrooms on all three levels of the store, boxes weighing more than 30 pounds are stacked more than 6 feet high and blocking the fire exits. 2. Management is allowing associates to take merchandise from storage bins that are almost 16 feet tall without using any ladders. 7/8/25 AL	Resolved through inquiry process.
C-2316630	InTouch Marketing, Inc.	InTouch Medical Marketing	07/08/2025	Phone	N		Closed	S-Health	1. The employer failed to ensure the climate controlled work environment has had a functioning air conditioning unit during the past 2 to 2.5 months. Employees have experienced symptoms of heat stress as a result of increased indoor temperatures. 2. The employer failed to report a hospitalization on June 26, 2025. 7/8/2025 JC	Resolved through inquiry process.
C-2316790	Stark Medicine Khurana, Jeider, PLLC	Nevada Mental Health	07/02/2025	Online	Y	Y	Closed	S-Health	1. In suite 142, employees are exposed to working in high heat temperatures. 7/8/2025 SA	Open Investigation.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2328482	TTEC Services Corporation		07/30/2025	Phone	Y	Y	Closed	O-Safety	1. There is no working air conditioning. The air conditioning has been out since Monday 7/28/2025. 2. No drinking water is available for employees. 3. Lavatories have no running water. 4. There is not a sufficient number of operational toilets for the number of employees. 5. There are biohazards in restrooms from fecal matter left in the restroom for months. DF 07/30/2025	Inspection conducted. No citations issued.
C-2328483	Estes Express Lines		07/30/2025	Online	Y	Y	Closed	S-Health	1. In the truck yard, employees are exposed to high temperatures up to 110°F. Employees are also not provided shade or water.	Open Investigation.
C-2329165	Tao Group Hospitality		07/30/2025	Phone	Y		Closed	O-Health;O-Safety	1. Excessive loud music played at the nightclub is damaging employee hearing. Volume levels measured at 110-120 dB at multiple locations including the terrace, the balcony bar, and the long bar behind the DJ booth. The loud sound is the worse when the club first opens, around 10:30pm on Tuesdays, Fridays, and Saturdays. 2. The excessive sound causes vibrations which has made pieces of metal fall from the wall from the approximate height of 20 feet. DF 07/31/2025	Resolved through inquiry process.
C-2329185	Wynn Las Vegas, LLC	Wynn and Encore Las Vegas	07/31/2025	Phone	Y		Closed	O-Safety	1. An employee is being verbally abusive and physically intimidating to other employees and management. The issue has persisted for approximately one year and has previously been brought up to management with no corrective actions being taken.	Resolved through inquiry process.
C-2329211	MARTIN HARRIS CONSTRUCTION, LLC		07/31/2025	Phone	Y		Closed	O-Health;O-Safety	1. The flooring company used grinders on concrete without the proper usage of ventilation to mitigate the silica dust. 2. During the setting of epoxy in the men's and women's restrooms, proper ventilation was not provided to mitigate the vapors resulting in employees becoming dizzy and nauseous. 3. The employer is improperly and ineffectively using danger tape to section off hazardous areas of the courtyard. Employees still have access to the area through gaps in the danger tape, and the hazards are not clearly marked.	Resolved through inquiry process.
C-2329558	Brightview Landscape Development, Inc.		08/01/2025	Phone	Y		Closed	S-Health	1. Flaggers working on the jobsite located between the CVS and the Palazzo have not been provided water in over two days.	Resolved through inquiry process.
C-2330578	Factory Powersports		08/04/2025	Online	Y		Closed	S-Health;S-Safety	1. Management is aware of an employee performing safety-sensitive tasks, such as climbing ladders and working in shipping and receiving, while under the influence of marijuana, which poses a serious safety hazard.	Resolved through inquiry process.
C-2330583	Country Club Towers		08/04/2025	Online	Y		Closed	S-Health;S-Safety	1. Employees exposed to multiple OSHA hazards inside the Country Club Towers, including poor indoor air quality due to an unmaintained HVAC system, suspected mold growth, persistent sewage leaks, pest infestations, and makeshift repairs to plumbing and AC lines, throughout the building.	Resolved through inquiry process.
C-2330785	Stord LAS2		08/04/2025	Online	Y		Closed	S-Safety	1. On July 30, 2025, an employee was operating a forklift in the back of the warehouse when it malfunctioned, continued to drive an extra 5 feet after the dead man switch was released, and displayed an error code. Maintenance was made aware and did not tag out the forklift, resulting in a second employee who operated the forklift to experience an accident when the forklift pushed pallets into a bay door. Management was informed of the accident and requested a technician to inspect the forklift but concluded that there was nothing wrong with the forklift. 2. On August 3, 2025, the employer did not ensure a forklift that displayed an error code and was tagged out, resulting in employees operating the forklift.	Resolved through inquiry process.
C-2330848	Walmart #3350		08/05/2025	Online	N		Closed	O-Safety	1. The employer failed to address assault from members of the public. 8/4/2025 AB	No Action. No jurisdiction.
C-2330849	Kroger NLV Distribution Warehouse		08/04/2025	Online	Y	Y	Closed	S-Safety	1. Since 7/27/25, employees are required to work in the freezer areas of the warehouse without proper PPE.	Open Investigation.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2330858	Kroger NLV Distribution Warehouse		08/04/2025	Online	Y	Y	Closed	S-Safety	1. Multiple employees are required to work in the salvage building (building D), which has no climate control. There is a portable swamp cooler that is often broken and not large enough to cool the warehouse area.	Open Investigation.
C-2330870	Chrysalis Nevada LLC	Chrysalis	08/01/2025	Online	N		Closed		1. Bedbugs in home and nasty dirty old furniture. Me and two other employees who they transferred out before adding me to the home were exposed. last observed 7/14/2025 - 3330 Capitol Reef	No Action. No jurisdiction. Referred to EEOC
C-2330890	Hand & Stone Massage and Facial Spa		08/05/2025	Online	N		Closed		1. Employees are working at a franchise that creates a hostile and emotionally unsafe work environment, leading to a panic attack, vomiting, and forced resignation. Management repeatedly shared graphic sexual and medical stories, made racialized remarks, ignored emotional distress, and retaliated against employees who spoke up.	No Action. No jurisdiction. Referred to EEOC
C-2330964	BASE Entertainment Las Vegas Management, LLC	BASE Entertainment	08/05/2025	Email	Y		Closed	S-Health	1. Tech gallery employees, whose daily duties do not include housekeeping, were required to clean up an incident, believed to be a gray water leak, in the main theater at the Sahara Las Vegas. Chemicals, such as bleach and ozone generated from an ozone ionizer, were used and employees were not provided information or training on the hazards from using or working near chemicals or contaminants, such as those in gray water or from ozone generated. 2. A job hazard analysis (JHA) including air monitoring was not conducted or communicated with tech gallery employees for this clean-up job and there was concern about the effectiveness of the controls, such as the adequacy of the ventilation. 3. While these employees were provided personal protective equipment (PPE), such as surgical masks and gloves, for this incident clean-up, it was not appropriate to the hazards and were not provided additional PPE, such as safety goggles, respirators, and chemical resistant gloves and aprons. 08/05/2025 SM Note: this complaint was initially received on 07/28/2025 and processed as UPA 2326066 and on 08/05/2025, it was determined that Base Entertainment was the correct employer. UPA 2326066 was closed and this UPA was processed.	Resolved through inquiry process.
C-2331199	Injury Center of Nevada		08/01/2025	Online	Y		Closed	O-Safety	1. On the right side of the office the vent is showing mold. 2. Medical specimens are stored with food meant to be consumed by the office staff, in the refrigerator. 3. Electrical outlets in the office do not have covers. 4. On the left side of the office there is no fire alarm.	Resolved through inquiry process.
C-2331219	REI		07/18/2025	Online	Y		Closed	S-Health	1. The cleaner has been mixing chemicals, such as bleach, which are off gassing chlorine gas. The mixed chemical has been causing the bathroom floors to disintegrate. Employees have reported migraines and have been sick due to the chemical mixture.	Resolved through inquiry process.
C-2331244	Sixt Rent A Car		07/29/2025	Online	Y		Closed	S-Health	1. The employee restrooms are not being maintained in a sanitary condition. 2. Approximately 50-60 employees use 1 stall and 1 urinal. 3. The restrooms do not have soap for employees to wash their hands.	Resolved through inquiry process.
C-2332075	TTEC Holdings, Inc.		07/31/2025	Online	Y		Closed	O-Health	1. The bathroom are not working and there are only 2 porta potties for 100 people. 2. Employees do not have access to running water. 3. Employees are working with no functional air-conditioning in 100-degree weather.	Inspection conducted. No citations issued.
C-2332253	Amazon IXD - VGT2		08/07/2025	Online	Y		Closed	O-Safety	1. At the jobsite, employees are not provided ergonomic safety training regarding lifting heavy objects. 2. Employees are exposed to elevated temperatures exposing themselves to heat stress. 3. In the recycling area, a fire occurred employees are exposed to a residual toxic atmosphere.	Resolved through inquiry process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2332267	Terrible Herbst Car Wash		08/07/2025	Online	N		Closed		I have a disability and I'm a single dad they force us to stay doubles or extra hours against our will I expressed my concerns no one cares even during emergency for my 3 yr old baby girl they said they'll fire if I leave when the other person doesn't show but they don't tell them anything I feel like falling to the ground I'm so delirious and delusional it's forced they say there's nothing we can do to Terrible Herbst Store please help. - At my job at Terribles Herbst Store.	No action. No alleged hazard.
C-2332280	Home Depot 3314		08/07/2025	Online	N		Closed		Home Depot 3314 removed all water bottles from fridges throughout the store on July 2,2025 Store manager put a water dispenser and the break room,which is probably fine for sales associates.The Freight team works in the back of the store in an inclosed truck with absolutely no water anywhere back in the receiving area.I don't know how the freight team especially the 6 people that work in the truck is doing it The work they do with no means of hydration is inhumane There is a working fridge back there Management puts expired soda back there sometimes. NO WATER. Please talk to the freight team members I know a few people on there will confirm - Back room/Freight area.	No action. No alleged hazard.
C-2332468	Greens and Proteins		08/05/2025	Online	N		Closed	O-Safety	ac is not working properly, causing temperatures ranging from 80-90 degrees inside the store, causing many complaints from customers and staff, with one prior osha complaint causing no further change to how the establishment was run, weeks later, in the middle of a summer heat wave. - greens and proteins	Inspection conducted. No citations issued.
C-2332470	Havana 1957		08/05/2025	Online	Y		Closed	O-Health	1. The employees working in the bar section are required to wear straw hats that causes scalp irritation and increased sweating.	Resolved through inquiry process.
C-2332806	Westgate Las Vegas Resort & Casino		08/05/2025	Online	N		Closed	O-Health	1. Employees are required to wear uniforms that are limiting motion and are warm. Employees routinely work inside. 8/5/2025 KR	No action. No applicable standard.
C-2332876	Rancho Discount Mall		08/08/2025	Online	Y		Closed	S-Health	1. Inside the mall, employees are exposed to working in high heat temperatures. The employer has provided water coolers, but have not managed the heat or replaced the air conditioning within the facility. 8/8/2025 KR	Resolved through inquiry process.
C-2332890	Rancho Discount Mall		08/08/2025	Online	N		Closed	O-Health	1. Inside the facility, employees are exposed to working in high heat temperatures. 8/8/2025 KR	No action. Not enough information to process.
C-2333231	GXO Prestigious Placement		08/08/2025	Online	N		Closed	S-Health	1. The warehouse is not effectively climate controlled, and employees have complained of symptoms related to heat-illness. 08/08/2025 SM	No action. Not enough information to process.
C-2333250	RESORTS WORLD LAS VEGAS LLC		08/06/2025	Online	Y	Y	Closed	O-Health	1. The Security Department is required to wear jackets during outside patrols in temperatures exceeding 90 degrees, for up to 30 minutes at a time, without any heat protection.	Open Investigation.
C-2333642	CPCM HOLDINGS, LLC	MBNV INVESTMENTS LLC	08/11/2025	Email	Y		Closed	O-Health	1. There is standing water on the floor in several areas, such as Bloom 2, the Vegetative Growth Room, and the Propagation Room; additionally, electrical equipment is used in these areas. Employees working in these areas are concerned about the associated hazards. 2. Employees are exposed to debris from water-damaged drywall and partial drywall repairs, and they have complained about associated symptoms. 08/11/2025 SA	Resolved through inquiry process.

Division of Industrial Relations

Occupational Safety and Health Administration

Complaint Log Detail FY2026 - 1st Quarter July to September 2025

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2333698	AlSCO Inc.	AlSCO Uniforms (AlSCO)	08/05/2025	Online	Y		Closed	S-Health;S-Safety	1. Employees exposed to multiple leaks from the ceiling drip water onto workstations and equipment, leaks remain unrepaired despite , including my workstation. Leaks remain unrepaired despite maintenance reports. - Wash Isle/Sorting Area - directly above workstations. 2. Water from ceiling leaks often pools on the ground, creating slip hazards. These areas are frequently used for moving heavy carts and machines, increasing the risk of slips, trips, and falls. Standing water remains unaddressed. - Aisles between machines & bins; back corner near Utility/Maintenance Room. 3. Leaks occur in close proximity to powered industrial equipment, creating the risk of electrical shorts or shocks. Water intrusion is not controlled or contained to prevent contact with energized components. - Wash Isle/Sorting Area, & areas with power industrial equipment. 4. Repeated leaks and flooding have created damp conditions likely to cause mold growth. Employees have developed respiratory symptoms (cough, congestion) believed to be related to these conditions. - Wash Isle/Sorting Area; back corner near Utility/Maintenance Room; Break Area 5. Despite multiple incident reports, management failed to implement hazard controls such as cleanup, repairs, barriers, mats, or warning signs. Hazardous areas remain in active use by employees without protective measures. - Throughout work areas affected by leaks & water intrusion.	Resolved through inquiry process.
C-2333996	85°C Bakery Cafe - Las Vegas		08/07/2025	Online	Y	Y	Closed	O-Health	1. Since July 20th, 2025, in the "back of house" area, employees are exposed to working in high heat temperatures. There has been no air conditioning available for employees. 8/12/2025 KR	Inspection conducted. No citations issued.
C-2334054	Aircraft Service International, Inc.	Menzies Aviation	08/11/2025	Online	Y		Open	S-Safety	1. The tanker truck that an employee drives for his shift has no AC. The temperature in the cab reaches over 115 degrees all day, every day.	Open Investigation.
C-2334117	MedSmart Inc		08/12/2025	Online	N		Closed		After multiple requests to take my dosimeter and have the results added to my profile, I still have not heard back. I need a report to share with my current employer, and this is making it difficult. - Not specific location	No action. Not enough information to process.
C-2334193	Harrah's Las Vegas, LLC	Harrah's Casino Hotel Las Vegas	08/12/2025	Phone	Y		Closed	O-Safety	1. The air conditioning is functioning; however, employees working in the main gaming area, near the pits, are exposed to elevated temperatures. 08/12/2025 JC	Resolved through inquiry process.
C-2334641	Venetian Resort Hotel Casino / Palazzo Resort Hotel Casino		08/12/2025	Phone	Y		Closed	O-Safety	1. The exhibit floor inside Halls A, B, and C bounce when forklifts are operated, and the bouncing is more pronounced when driven over metal plates covering the surface of the floor. 08/13/2025 JC	Resolved through inquiry process.
C-2334648	SW Elevators, LLC	Southwest Elevator Company	08/12/2025	Online	Y		Closed	S-Safety	1. In the passenger elevator area there are unprotected, open elevator shafts. 2. Elevator repair personnel are not wearing gloves, eye protection, hard hats, or high-visibility clothing. 3. Elevator repair personnel are not wearing fall protection when working near unprotected elevator shafts.	Resolved through inquiry process.
C-2334705	Greens and Proteins		08/11/2025	Online	Y	Y	Closed	O-Health	I already filed a complaint about this and no action was taken because management is good at talking their way out of things. Yesterday the temperature read 91-92 my ENTIRE shift, and only after my boss was called by a friend who complained to him personally, did he say a repair man was on the way. Nobody showed up. We all express concerns about the heat, I mean, I genuinely get sweat in my eyes at work and I'm told it is "just vegas heat". It shows a genuine lack of care about the employees well being and more care about saving money which is just sick. When you guys showed up last time it was 7am, so the sun was barely even out for the day. Please come during rush hour, 12pm or 1pm and see what the temperature is. This cannot be neglected again. - Lobby/juice bar/kitchen	Inspections conducted. No citations issued.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2334750	Kroger NLV Distribution Warehouse		08/13/2025	Phone	Y	Y	Closed	S-Health;S-Safety	1. On 8/5/2025 a pallet of lighter fluid spilled in aisle 2. Work was stopped, cleaning of the spill was ordered, and employees were sent back to work. Employees operating forklifts and pallet jacks in aisles 1-6 smelled lighter fluid and began to feel ill and lightheaded. Employees reported to management: the ground was still wet with lighter fluid; damaged containers of lighter fluid were still on the ground; forklifts caused sparks which may ignite the lighter fluid; forklift operators were lightheaded from the fumes. The employer ordered the employees to continue working before abating the hazards.	Open Investigation.
C-2334792	Ferrari Maserati of Las Vegas		08/13/2025	Online	Y		Closed	O-Health	1. At the auto shop, employees are exposed to a sewage smell exposing employees to possible methane or hydrogen sulfide.	Resolved through inquiry process.
C-2334806	Ken's Foods, Inc.		08/13/2025	Phone	Y		Closed	S-Safety	1. The employer is not providing forklift training. Employees are being assigned to work on forklifts without being certified.	Resolved through inquiry process.
C-2334824	Taco Bell		08/11/2025	Online	Y		Closed	O-Health	1. Employees are working in the kitchen with temperatures in excess of 95 degrees.	Resolved through inquiry process.
C-2334856	Bellagio, LLC	Bellagio Hotel & Casino	08/13/2025	Phone	Y		Closed	S-Safety	1. In the Bellagio salon, multiple blow dryers are getting hot and sparking. 2. The breaker has tripped multiple times, but has stopped doing so, leading to the overheating equipment. 3. A convention is currently occurring, and a high volume of blow dryers are being used at one time. 4. Power cords are on the floor and present a trip and fall hazard to employees and guests.	Resolved through inquiry process.
C-2334892	United Parcel Service Inc.		08/13/2025	Online	Y	Y	Open	S-Health	1. On 8/8/2025, an employee was returning from from a Mesquite, NV delivery when a flat tire occurred. The employee was left to remain on the side of the road for over 2 1/2 hours and was told to unload 200 packages to place them into the main truck while waiting for someone to change the tire instead of riding back with another driver who was also leaving the Mesquite, NV area. The employee experienced heat illness during the wait. 2. On 8/8/2025, the truck used for the Mesquite, NV drive did not have working hazard lights and turn signals. 8/13/25 CW	Open Investigation.
C-2334946	Kroger NLV Distribution Warehouse		08/13/2025	Online	Y	Y	Closed	S-Safety	1. On the distribution floor, there is a restroom that is closed due to unrepaired plumbing issues. In the male locker room, there is a urinal that has been inoperable for over a month. And the water temperature in the sinks in the male restroom cannot be regulated. These issues are affecting approximately 70 employees.	Open Investigation.
C-2334950	Stoked on Printing		08/13/2025	Online	Y		Closed	O-Health	1. At the restrooms on the Tropicana side, the drinking water does not work. 2. At the site, swamp coolers do not operate properly exposing employees to heat up to 100 degrees Fahrenheit. 3. Black mold was observed in multiple ice machines at the site.	Resolved through inquiry process.
C-2334973	Las Vegas NV Opco LLC	Mission Pines Nursing & Rehabilitation Center	08/13/2025	Phone	Y	Y	Closed	S-Safety	1. On August 8, 2025 an employee was administering insulin and sustained a needlestick. Its unknown if a retracting needle was used. 2. The employer did not attempt to obtain consent for source individual blood testing. 3. The employee who sustained a needlestick was unable to obtain medical care following the needlestick. 4. Bloodborne pathogens training is not provided to employees prior to being assigned to administer insulin. 5. The employer did not offer the Hepatitis B vaccine to employees.	Open Investigation.
C-2334999	Protective Force International		08/13/2025	Phone	Y		Open	S-Safety	1. Vehicles are not being maintained and are breaking down. A/C is not working in multiple vehicles. Vehicles are turning off while in operation. Headlights are extremely dim when driving at night. 2. Security officers are being dispatched to domestic violence calls, putting the security into potentially deadly situations.	Open Investigation.
C-2335024	Continental Battery Company	Bridgeview Power	08/13/2025	Online	Y	Y	Closed	O-Safety	1. In both warehouse rooms, storage racks supporting thousands of pounds of batteries, are not bolted to the floor. This concern has been brought up to management, and no action has been taken.	Open Investigation.

Division of Industrial Relations

Occupational Safety and Health Administration

Complaint Log Detail FY2026 - 1st Quarter July to September 2025

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2335306	WFS Express, Inc.		08/13/2025	Online	Y		Open	O-Health	1. At the UPS airport ramp, new hires were tasked to drain and clean airplane bathroom wastes using a suction device without any training. Due to this, a new hire was exposed to raw sewage when operating a suction hose that was improperly connected. 2. Appropriate Personal Protective Equipment (PPE) was not provided to the employees conducting the draining and cleaning of the airplane bathroom wastes. 8/14/25 AL	Resolved through inquiry process.
C-2335329	Faith Lutheran Middle School & High School		08/12/2025	Online	Y		Closed	O-Safety	1. Employees are controlling traffic on Indigo Street without proper training, and assigned to work on streets without proper cross walks.	Resolved through inquiry process.
C-2335360	Grubhub		08/14/2025	Phone	N		Closed	O-Health	1. Employees are penalized for cancelling shifts when infected with COVID-19.	No action. No jurisdiction. Referred to SNHD.
C-2335468	Sonic Drive In Las Vegas #9		08/14/2025	Phone	Y		Closed	O-Health	1. At the drive-thru window, there is a slushie machine exerting extreme heat, raising the surrounding temperature to approximately 85 degrees and causing significant heat discomfort for employees working in the drive-thru area.	Resolved through inquiry process.
C-2335496	WHITE CAP, L.P.		08/14/2025	Phone	Y	Y	Closed	O-Health	1. At the site, employees are experiencing heat related illnesses due to the air conditioning not operating properly at the work place.	Open Investigation.
C-2335916	Lone Mountain Partners LLC	Verano	08/11/2025	Online	Y	Y	Open	O-Health	1. The air-conditioning is non functional in the production department. Employees had to leave work from heat exhaustion.	Open Investigation.
C-2335930	Emerald Island Casino		08/13/2025	Online	Y	Y	Open		1. The air conditioning in the casino is not working well and employees have to work in over 90-degree temperatures in the main area of the casino.	Open Investigation.
C-2335979	United Parcel Service Inc.		08/13/2025	Online	Y		Closed	O-Safety	1. On August 13, 2025, oversized and irregular shaped packages weighing up to 70 lbs., were shifting on material handling equipment as they moved through the facility, exposing employees to potential injuries in the Unload area of the facility. 08/15/2025 JC	Resolved through inquiry process.
C-2335998	United Parcel Service, Inc.	UPS	08/13/2025	Online	Y		Open	O-Safety	1. Employees working in the Grid area are not permitted to wear gloves, exposing them to possible hand injuries. 08/15/2025 JC	Resolved through inquiry process.
C-2336015	Boulder City Hospital, Inc.		08/15/2025	Phone	Y		Open	O-Health	1. An employee has had a verbal altercations with other employees, confronted employees in the parking lot after their shift around June 2025 , and around August 2025 smeared feces on an employee's car. 2. The employer did not take adequate measures to address potential workplace violence hazards of the disgruntled employee. It took multiple instances for the employee to separate from the company.	Resolved through inquiry process.
C-2336027	ALIBI Ultra Lounge		08/12/2025	Online	Y		Closed	O-Health	1. Guests are permitted to smoke cigars in the lounge, which is not equipped with adequate ventilation. Employees, including a pregnant server, are becoming ill from second-hand smoke, while working in the Alibi lounge located inside the Aria Resort and Casino. 08/15/2025 JC	Resolved through inquiry process.
C-2336101	Cret LLC	Nellis Auction Outlet	08/14/2025	Online	Y		Closed	O-Safety	1. Building its extremely hot , they need to fix A/C temperatures reach 81 to 87 degrees.	Open Investigation.
C-2336197	ERMC Aviation LLC		08/15/2025	Online	Y	Y	Open	O-Health	1. On the night of August 14, 2025, at the Paradise Pad, 14 employees performed carpet replacement inside an airplane with an internal temperature exceeding 90°F. 2. 14 employees were told to keep working despite experiencing symptoms of heat illness, or clock out and leave. 3. 14 employees were made ill by occupational heat exposure.	Open Investigation.
C-2336239	Pacific Harbors Sunrise		08/07/2025	Phone	Y		Closed	S-Health	1. In the lobby area, employees are experiencing symptoms of heat stress after being exposed to temperatures up to 84° Fahrenheit. 8/15/2025 JC	Resolved through inquiry process.
C-2336445	Summerhill Pointe Apartments		08/12/2025	Online	N		Closed	O-Health	1. On August 12, 2025, an employee began experiencing signs of heat illness, including lightheadedness, while working outdoors.	No action. Complainant withdrew complaint.
C-2336500	National Pipeline Contractors, LLC	National Pipeline Contractors	08/17/2025	Phone	Y		Open	S-Safety	1. On 8/17/25, an employee was working inside an 18 feet excavation without a means of cave-in protection. 2. Employees were grinding and welding materials without personal protective equipment (PPE). 8/18/25 AL	Open Investigation.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2336555	Brady Linen Services LLC		07/31/2025	Online	Y	Y	Closed	S-Safety	1. Employees are not provided with water, ice, or adequate breaks while working in a hot and humid environment in the laundry facility.	Inspections conducted. No citations issued.
C-2336632	Tonopah Brewing Company		08/18/2025	Phone	Y		Closed	O-Health	1. The air-conditioning unit in the kitchen has been broken for the past five months and management is not doing anything to address the issues. The temperature inside the kitchen goes as high as 110°. 8/18/25 AL	Resolved through inquiry process.
C-2337185	Encompass Health Rehabilitation Hospital of Las Vegas, LLC		08/04/2025	Online	Y	Y	Closed	S-Safety	1. Employees are exposed to high heat conditions when handling trash and linen. Employees are not given adequate rest breaks or a place to cool off.	Open Investigation.
C-2337463	Terribleś		08/15/2025	Online	Y		Closed	S-Safety	1. Employees use unlabeled chemical bottles. 2. The washing machine used for towels only has hot water. Employees reach their hands into the washing machine to get the towels risk injury due to the hot water. 3. In the car wash tunnel the employee breakroom's door doesn't lock and the break room is next to a room with chemical barrels. 4. Part of the car wash equipment is being held up with a ratchet strap. 5. The orange rollers out in front of the tunnel are very slippery when wet and roll. Employees working in the trunnel are exposed to a slip hazard when working around the orange rollers. 6. Employees are using concentrated acid cleaning products without wearing a mask to protect employees from fumes. 7. Employees are required to walk into the tunnel to get cars once they reach the blowers. An employee was injured when the car rolled back, and the employee was stuck between the car and the blower. 8. When employees are scrubbing the cars there are non-slip mats only on one side. 9. There is a rubber flap covering where the rollers come up to wash the cars. Employees are exposed to a possible injury if they stepped on the flap.	Resolved through inquiry process.
C-2337841	Sage Collegiate Public Charter School		08/05/2025	Online	Y	Y	Closed	S-Safety	1. The A/C is not working. Employees are working in temperatures above 90°F.	Open Investigation.
C-2337844	Bella Vita Condos		08/18/2025	Online	Y		Closed	O-Health;O-Safety	1. Employees in the security breakroom near the pool reported being exposed to the following hazards on all shifts: insects, holes in the wall, potential mold, broken chairs, and unsanitary conditions due to lack of cleanliness. JA 8/20/2025.	Resolved through inquiry process.
C-2337914	J Gursey Coffee, Inc.		08/20/2025	Online	Y		Closed	S-Health	1. Inside the warehouse, employees are experiencing symptoms of heat stress from temperatures reaching 100° Fahrenheit. The central cooling system has been non-operational for several years. 8/20/2025 JC	Resolved through inquiry process.
C-2337962	World Wide Flight Services		08/19/2025	Online	Y		Closed	O-Safety	1. On August 19, 2025, between approximately 5:00–6:00 AM, a ramp agent was injured while attempting to connect cargo dollies. The employee's finger was caught between the dolly tongue and the equipment, causing a severe laceration. 2. The employer failed ensure that there was ready availability of medical personnel for the employees needed medical attention. 3. Employees connecting and disconnecting baggage dollies to tugs are exposed to pinching hazards when conducting the activity.	Resolved through inquiry process.
C-2338009	Unified Container LLC		08/18/2025	Online	Y		Closed	O-Safety	1. In the Blow Mold Room, the machine is being ran by a single operator. 2. In the Blow Mold Room, containers are stored in a unsecure manner creating a fire hazard. 3. Employees working alone do not have procedures to follow for reporting an injury.	Resolved through inquiry process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2338032	Erotic Heritage Museum		08/15/2025	Online	Y		Closed	O-Safety	1. The facility is not kept clean to the extent that the nature of the work allows. 2. In the lobby men's restroom urinals overflow creating a slipping hazard. 3. In the lobby women's restroom the drain is releasing a foul sewer smell causing discomfort in employees. 4. In the back room there is tripping hazards to include wood, speakers, and tools laid on the floor.	Resolved through inquiry process.
C-2338063	The Coffee Class LLC	The Coffee Class	08/13/2025	Online	N	N	Closed	O-Safety	1. Employees are exposed to possible heat stress illness. The Air Conditioning has not been working all summer. It has reached the 80's inside in the summer months. They have not closed down even when the heat was unbearable for all employees. Every employee has witnessed it. On August 13th it has reached 89 degrees in the front and 92 in the back. 08/20/2025 JC	Open Investigation.
C-2338133	Republic Silver State Disposal, Inc.	Republic Services of Southern Nevada	08/20/2025	Phone	Y		Closed	O-Health	1. For the past 3 years during the summer time, the A/C has been going out in the employee lunch room in building E2 which is utilized for employees to cool down. At current, the A/C has been out for the past 2 weeks. cw 8/20/25	Resolved through inquiry process.
C-2338189	Faith Lutheran Middle School & High School		08/18/2025	Online	N		Closed	O-Safety	*URGENT* After school every day we are told to cross students in a hazardous area with no school crossings on the road and traffic is blocking the whole road. - Sandstone Bluff and back of school.	Resolved through inquiry process.
C-2338392	Highgate Hotels, L.P.	Holiday Inn Express Las Vegas - South	08/13/2025	Online	Y	Y	Closed	O-Safety	1. Employees are experiencing heat illness symptoms due to heat blowing in the hallways and inside the rooms after a pipe burst flooding half the hotel. 2. The freezer in the kitchen was on fire and poses a fire hazard to the kitchen employees. DF 8/21/2025	Inspection conducted. No citations issued.
C-2338469	Goodwill Industries of Southern Nevada, Inc.		08/21/2025	Phone	Y		Closed	O-Safety	1. Employees are exposed to unsafe material handling practices in the warehouse, where they are required to manually tip over cardboard gaylord bins to access donated items, including breakable materials. The use of tools to retrieve materials from the bins is prohibited. The cardboard bins, when on the ground level are too tall to reach into without the use of tools or by tipping over. The cardboard bins are used when easier accessible plastic bins are unavailable. 2. The warehouse area is cluttered with pallets which pose unsafe walking and working surfaces. Pallets are improperly stored by leaning against the wall.	Resolved through inquiry process.
C-2338647	JunkMan	JunkMan	08/21/2025	Online	Y		Closed	O-Health	1. At various jobsites that employees visit, employees are not provided personal protective equipment, such as gloves or materials to handle any biowaste. 2. Employees are required to work in the heat and are not provided with water from their employer. KR 8/21/2025	Resolved through inquiry process.
C-2338759	Harry Reid International Airport		08/20/2025	Online	Y		Closed	O-Health	1. In the Business Office break room, the employer failed to ensure that the entrance or harborage of rodents, insects, and other vermin was prevented, and failed to establish and implement an extermination program where the presence of vermin was detected.	Resolved through inquiry process.
C-2338794	David Saxe Productions		07/07/2025	Online	Y		Closed	S-Safety	1. At the Planet Hollywood Saxe theater multiple exits are blocked and extension cords are presenting trip hazards. 2. Uncovered electrical outlets have caught fire multiple times. 3. Props are stored in an unsafe manner. Props have fallen and employees have lost fingers and teeth. 4. Performers have gotten nails and glass embedded into them during the show. 5. Technicians are not qualified	Resolved through inquiry process.
C-2338796	GOFO Express		07/21/2025	Online	N		Closed		1. Delivery drivers are not provided with safety training or protective equipment. 2. Drivers work in extreme heat with no rest or access to water.	No action. No jurisdiction. Independent contractors.

Division of Industrial Relations

Occupational Safety and Health Administration

Complaint Log Detail FY2026 - 1st Quarter July to September 2025

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2338802	GOFO Express		08/19/2025	Online	N		Closed		A large number of illegal immigrants drive without a license or vehicle insurance. Their companies purchase no insurance and provide no safety protection for their work. They are exploited by having their working hours extended and wages withheld. Approximately fifty people deliver packages without a driver's license or vehicle insurance. - 5275 Arville St	No action. No jurisdiction.
C-2338805	Olson, Cannon, Gormley & Stoberski		07/23/2025	Online	Y		Closed	O-Health	1. The building's restroom sinks have not had hot water for over 15 years.	Resolved through inquiry process.
C-2338814	Bowtie Hospitality LV LLC	Fontainebleau Las Vegas	08/21/2025	Online	Y	Y	Closed	O-Health	1. At the main lobby behind the concierge desk, there is no air-conditioning in an office where employees work. 8/21/2025 SA	Open Investigation.
C-2338820	Foundever		08/19/2025	Online	Y		Open	S-Safety	1. In the restroom, there are broken toilets and faucets. 2. The bathrooms are frequently unclean, with the presence of feces and blood. 3. There are exposed wires at baseboards. 4. The tables where the employees eat are unclean, frequently covered in bird excrement.	Open Investigation.
C-2338824	Clark County School District C.V.T. Gilbert ES		08/20/2025	Online	Y		Open	S-Safety	1. The bathrooms on the inside of the building continue to flood. All employees/staff are affected by this and are exposed to unsanitary conditions.	Resolved through inquiry process.
C-2339057	OnTrac		08/22/2025	Online	Y	Y	Closed	S-Safety	1. In the yard, employees utilize trucks with no lights. 2. In the warehouse, employees are exposed to elevated heat temperatures resulting in heat stress/illness.	Open Investigation.
C-2339218	Plasticard Locktech International, LLP	PLI Card Marketing Solutions	08/22/2025	Phone	Y		Closed	S-Health	1. Employees are required to pour machinery waste products into a tote while utilizing a pallet as a stepladder resulting in injuries. 2. The employer has failed to provided employees working with toxic chemicals with personal protective equipment to protect them from coming into contact with toxic chemicals. 8/22/2025 JC	Resolved through inquiry process.
C-2339248	Big Brand Tire & Service		08/22/2025	Phone	Y		Closed	S-Health;S-Safety	1. Employees are required to work inside the establishment without a functioning air conditioning unit. 2. Employees are required to conduct maintenance on lifts without properly locking out and tagging out the machine. 3. The employer failed to provide personal protective equipment for lock-out/tag-out operations. 4. The employer failed to provide water to employees. 8/22/2025 JC	Resolved through inquiry process.
C-2339390	Amazon.com Services, LLC		08/22/2025	Online	N		Closed	S-Safety	1. At the jobsite, there is not enough toilets for the amount of employees.	No action. No alleged hazards.
C-2339442	Burger King Corporation		09/02/2025	Phone	Y		Closed	O-Health	1. The kitchen's air conditioning unit has been non-functional for over a month. 2. The employer has not provided employees with fans or other cooling measures to prevent heat-related illnesses while the air conditioning is down. 3. The employer has not attempted to repair the air conditioning unit, stating it will only be fixed if the store temperature reaches 90 degrees.	Resolved through inquiry process.
C-2339443	Sandro outlet		08/22/2025	Online	Y		Closed	O-Safety	1. In the stock rooms, storage rack is improperly installed. 2. Storage racks are broken.	Resolved through inquiry process.
C-2339453	Red Dwarf Craft LLC	Red Dwarf	08/21/2025	Phone	Y	Y	Closed	O-Health	1. Air conditioning units in the back kitchen have been non-functional for over 3 months, with temperatures reaching 110°F. 2. Employees have not been given effective heat illness prevention measures, such as additional breaks, during air conditioning outages. 3. Employees are exposed to black mold in the kitchen area.	Open Investigation.
C-2341713	Terra Contracting, Inc		08/21/2025	Online	Y		Closed	O-Safety	1. At the jobsite on the southwest corner of Soltero Street and West Flamingo Road, employees do not have access to portable toilets, and are not provided bathroom breaks. 2. Dump trucks are overfilled, requiring operators to enter the bed to manually remove material.	Resolved through inquiry process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2341940	T.J. Maxx & HomeGoods		08/28/2025	Phone	Y		Closed	O-Health;O-Safety	1. Boxes are stacked higher than six feet, creating a risk of falling onto employees. 2. Stacked boxes are obstructing access to fire extinguishers. 3. Evidence of rats has been observed in the store. 4. A large crack is present in the wall of the shipping/receiving area. JA 8/28/2025	Resolved through inquiry process.
C-2341944	Planet Hollywood Resort & Casino		08/28/2025	Phone	Y		Closed	O-Safety	1. The employer is requiring employees to carry drink trays while using the large escalator. Employees cannot hold onto the handrail, increasing the risk of slips, trips, and falls.	Resolved through inquiry process.
C-2341955	Clark County School District	East Career & Technical Academy	08/28/2025	Phone	Y		Closed	O-Health	1. The water in the girls' gym has been out since July, leaving employees without access to handwashing facilities or restrooms. JA 8/28/2025	Resolved through inquiry process.
C-2342223	Foundever		08/18/2025	Online	Y		Closed	O-Health	1. The employee break room is infested with cockroaches and other bugs. Management is aware but have not addressed the issue. 8/29/25 AL	Resolved through inquiry process.
C-2342244	Mandalay Bay, LLC	Mandalay Bay Resort & Casino	08/29/2025	Phone	Y		Closed	O-Health;O-Safety	1. In the spa employee breakroom and hallway, there is water leaking from the ceiling onto the floor. 2. In the spa massage rooms, there are electrical cords lying across the floor creating a tripping hazard. 3. Throughout the spa area, the carpet is uneven and creates a tripping hazard. 4. Some massage rooms do not have functioning air conditioning. 5. Some massage room sinks do not have warm water for hand washing.	Resolved through inquiry process.
C-2342339	Kroger NLV Distribution Warehouse	Smith's Distribution Center	08/28/2025	Online	Y		Closed	O-Safety	1. Two out of three entry/exit turnstiles are unserviceable, leaving only one exit for approximately 100 employees. 2. There is an energized Cushman electric cargo truck in the warehouse that was removed from service by maintenance personnel but not tagged out of service to prevent use. 3. Powered industrial truck operators on the cold side of the warehouse are working shifts exceeding 22 hours, contributing to increased near-misses and collisions.	Open Investigation.
C-2342419	Clark County Department of Family Services		08/29/2025	Online	Y		Closed	O-Health;O-Safety	1. The air conditioning is out on and off in the building and temperatures rise in the afternoon. 2. In the kitchen, there is exposed electrical from the work being done in the ceiling. Metal rods are hanging down and have the potential to fall creating a struck-by hazard. 3. There is black dust falling from above the employees' workstations. It is unclear what the dust is, but employees in the same office were sent home while other employees were told to remain in the office. 8/29/2025 cw	Resolved through inquiry process.
C-2342457	1923 Prohibition Bar		08/29/2025	Online	Y		Closed	O-Health	1. The employer is requiring employees to work on and around flooring that contains mold, and storage room walls that have mold on them. 2. The employer is requiring employees to work with and around bottles that have live gnats in and on top of them. 3. The employer is requiring employees to work with no running water in the bar area, and with no soap for the dishwasher units. 8/29/2025 KR	Resolved through inquiry process.
C-2342917	Unifi Aviation, LLC		08/21/2025	Online	Y	Y	Closed	O-Health	1. Employees are not provided adequate rest breaks and access to water while working inside a Virgin Atlantic aircraft with temperatures over 89°F. Employees exhibited heat illness symptoms including dizziness, nausea, headache and fatigue. 2. Management does not have a heat illness prevention program for its employees. 9/2/25 AL	Open Investigation.
C-2343011	Trader Joe's		08/25/2025	Online	Y		Closed	O-Health	1. In the attic breakroom, employees are experiencing mold related illnesses.	Resolved through inquiry process.
C-2343073	William K Moore Elementary School		08/18/2025	Online	N		Closed	O-Health	1. Employees requested PPE while paint stripper was being applied at the school. Two weeks passed before PPE was provided.	No action. Allegation was abated by employer.
C-2343107	Chipotle Mexican Grill		08/28/2025	Online	N		Closed	O-Health	1. Management is enforcing a policy during peak hours (11:30 AM – 1:30 PM and 5:30 PM – 7:30 PM) that forbids all employees from taking any breaks, including restroom use, water breaks, and rest breaks.	No action. No Jurisdiction. Referred to Labor Commissioner.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2343188	Amazon.com Services LLC	Amazon VGT 1	08/29/2025	Online	Y		Closed	O-Safety	1. Employees have gotten injured on site, and it has not been reported. 9/2/2025 JC	Resolved through inquiry process.
C-2343322	State of Nevada Division of Welfare & Supportive Services		08/21/2025	Online	Y		Closed	O-Health	1. There is black mold growing from the ceiling near the back entrance above the desks and above cubicle CR006 in the training unit. 2. Molded tile is stored in the storage room on the other side of the building.	Resolved through inquiry process.
C-2343328	Nevada OMS - Dr. Michel Daccache		08/22/2025	Online	Y		Closed	O-Health	1. Improper storage of biohazards	Resolved through inquiry process.
C-2343329	Nevada OMS - Dr. Michel Daccache		08/22/2025	Online	N		Closed		1. Work schedules are changed and cut last minute. 2. Mentally drained from work 3. Constant change and having to comply	No Action - Invalid Complaint/Referral
C-2343345	Inter-Con Security Systems, Inc.		09/02/2025	Phone	Y		Open	O-Safety;S-Health	1. On August 18th, 2025, an armed security guard was exposed to blood while restraining a trespasser, and was told by the employer to remain on duty for approximately 3 more hours before being released to seek post-exposure evaluation. 2. On August 18th, 2025, an armed security guard was told by the employer to remain on armed duty without required body armor after having to remove it due to blood exposure.	Open Investigation.
C-2343347	MGM Grand Hotel, LLC	MGM Grand Hotel/Casino	09/02/2025	Online	Y		Closed	S-Health	1. Located on the bar side of the Netflix Bites restaurant, the temperatures are 78 degrees Fahrenheit or more and employees are experiencing heat-related symptoms, such as nausea and heavy sweating.	Resolved through inquiry process.
C-2343705	Concentra Medical Centers		09/03/2025	Online	N		Closed		Sexual harassment, forcing me to go back to work 40 hours a week with no recovery time with a disability after a fresh traumatic brain injury, begging me to quit my job, not accommodating my ADA forms retaliation, negligence, discrimination, and harassment etc. and not complying when I ask them to do amendment corrections for their lies and mistreatment. - 5850 Polaris Avenue Las Vegas NV 89118	No action. No jurisdiction, referred to other agency.
C-2343909	QUALCAN LLC	Jade Cannabis Co.	09/03/2025	Online	Y		Closed	O-Safety	1. Employees working in the dispensary do not have OSHA 10 cards, while supervisors do not have OSHA 30 cards. 9/3/25 AL	Resolved through inquiry process.
C-2343922	Transdev North America, Inc.		08/28/2025	Mail	Y		Closed	O-Safety	1. An employee assigned to the vehicle maintenance area, while utilizing a spray bottle, accidentally splashed window cleaner in his face. The employee accessed and activated an emergency shower to rinse his face; however, the shower discharged thick rusty water. 09/03/2025 JC	Resolved through inquiry process.
C-2343960	WFS Express, Inc.		09/03/2025	Online	N		Closed		1. There are no safety procedures when employees end their morning shift and leave the worksite. They rush the exit because there is no supervision. 9/3/25 AL	NO action. No hazard alleged or OSHA standard violated.
C-2343965	Roadrunner Services		09/03/2025	Online	Y		Closed	O-Safety	1. Employees are transported to a car dealership in three multi-passenger vans with no seatbelts. 2. The use of seatbelts in some of the passenger vans that have them are not enforced. 9/4/25 AL	Resolved through inquiry process.
C-2344205	Sphere Entertainment Co.	MSG Sphere	09/03/2025	Online	Y		Closed	S-Safety	1. Employees exposed to inadequate lighting for workers to be able to do their jobs and safely find exits in a variety of areas inside Sphere, including when wearing head lamps. 2. Employees are exposed to areas where there is a danger of foot injuries by the employer not ensuring that affected employees use proper protective footwear.	Open Investigation.
C-2344235	Terrible Herb Convenience Store		09/03/2025	Online	Y		Closed	S-Safety	1. Employees exposed to hazards created by two employees who are constantly under the influence of marijuana, including causing complaints about the odor in the workplace.	Resolved through inquiry process.
C-2344237	Spring Mountain Treatment Center		09/04/2025	Online	Y		Closed	O-Health	1. In the intake area, admissions office, east units, and main hallway entryway and offices, mold has been seen. A strong musty odor has also been in these areas. 9/4/2025 KR	Resolved through inquiry process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2344275	Cashman Middle School		09/03/2025	Online	Y		Closed	S-Safety	1. Employees exposed to poor ventilation and mold or mildew from leaks or high humidity, causing respiratory issues, irritation, headaches, fatigue, and difficulty concentrating, with multiple staff affected throughout the entire school.	Resolved through inquiry process.
C-2344328	State of Nevada Division of Welfare & Supportive Services		09/04/2025	Online	N		Closed	O-Health	1. There is mold in the ceiling above cubicle CR006 in the training unit. 2. Molded tile is stored in the storage room.	Resolved through inquiry process.
C-2344815	RESORTS WORLD LAS VEGAS LLC		09/04/2025	Phone	Y		Open	O-Health	1. There is no A/C in the guest rooms when the housekeepers have to clean the rooms.	Resolved through inquiry process.
C-2344926	Allanza at the Lakes		09/05/2025	Phone	N		Closed	O-Health	1. In all apartment units, there are no drip pans under water heaters, which are additionally not strapped to the walls. 9/5/2025 KR	No alleged hazard. Referred to City of Las Vegas.
C-2344943	Angry Crab Shack		09/05/2025	Phone	Y		Closed	S-Health	1. In the kitchen near the walk-in refrigerator, employees are exposed to sewage waste leaking from the plumbing running through the ceiling. 2. In the kitchen, employees are exposed to vermin waste.	Resolved through inquiry process.
C-2345092	Cricket Wireless Authorized Retailer		09/05/2025	Online	N		Open	O-Health	1. Employees have been experiencing headaches and nausea due to a strong sewage smell throughout the workplace for the past 6 months. Management is aware of the issue but has not addressed it. 9/5/2025 AL	Open Investigation.
C-2345109	Cricket Wireless Authorized Retailer		09/05/2025	Online	N		Closed	O-Health	1. Employees have been experiencing headaches and nausea due to a strong sewage smell throughout the workplace for the past 6 months. Management is aware of the issue but has not addressed it. 2. Employee have no access to a clean restroom. Management is aware of the issue but has not addressed it.	Open Investigation.
C-2345121	Clark County School District		09/05/2025	Phone	Y		Closed	S-Health	1. At the Cheyenne Bus Yard, employees are being required to utilize buses that do not have air conditioning and are at risk of heat exhaustion. 2. No ice or water is provided to employees who operate the buses. 9/5/2025 KR	Resolved through inquiry process.
C-2345397	Core-Mark International, Inc.		09/08/2025	Online	Y		Closed	O-Safety	1. The employer does not provide training or procedures when utilizing equipment, such as box cutters. Over the past few months, employees have complained about it and have been injured. 09/08/2025 SM	Resolved through inquiry process.
C-2345439	Big Apple Cleaners		09/05/2025	Online	Y		Closed	O-Health	1. Employees are working in areas with extremely high temperatures, without adequate ventilation, cooling, or scheduled water breaks and are potentially exposed to heat-stress illness. 09/08/2025 JC	Resolved through inquiry process.
C-2345471	Nevada Restaurant Services, Inc	Laughlin River Lodge	09/08/2025	Online	N		Closed		n/a - none	No action. No complaint.
C-2345611	Peloton Inc.		09/03/2025	Online	Y		Open	O-Safety	1. Employees are forced to operate unsafe delivery vehicles daily.	Open Investigation.
C-2345638	Domino's Pizza		09/03/2025	Online	Y		Closed	S-Safety	1. Employees are required to work in the restaurant and kitchen in high temperatures. The repairman states that the temperature is locked by management and management refuses to adjust the temperature in the facility.	Resolved through inquiry process.
C-2345668	Fine Entertainment Management LLC	PKWY Tavern Flamingo	09/03/2025	Online	Y		Open	S-Safety	1. Employees are working under exposed live wires outside on the patio under the overhead sprinklers.	Open Investigation.
C-2345686	Bags To Go Enterprises-Nevada, LLC		09/05/2025	Online	Y		Closed	S-Health	1. Located at posts C4, CT2, D3, and T1-0, the employees sit near the trash or where the TSA toilets are above them, resulting in an employee experiencing headaches. 2. Located at the D3 post, it is very loud for the employees when the mechanics and pipe workers are drilling or fixing pipes. 3. Located inside the enclosure at the T1-0 post, employees are breathing in the exhaust from delivery trucks being left on. 4. It gets hot at posts C4 and T1-0 and employees are not provided with access to water.	Resolved through inquiry process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2345794	Nova Status LLC	Sharkey's Cuts for Kids	09/08/2025	Online	Y		Closed	O-Health;O-Safety	1. The shampoo bowl in the shampoo area leaks water on to the floor. 2. The bathroom sink leaks water on to the floor. 3. Employees are exposed to high temperatures which may cause heat illness. 4. Some stations do not have mats to stand on causing ergonomic stress.	Resolved through inquiry process.
C-2345813	Security Unlimited, LLC		09/08/2025	Online	Y		Closed	S-Health	1. Located at the Alamosa Plaza, employees stationed at the post have no cover for shade during their 8-hour shift.	Resolved through inquiry process.
C-2345821	ShipMonk Logistics		09/08/2025	Online	Y		Open	O-Safety	1. In all the women's restrooms, employees are required to use unsanitary facilities.	Open Investigation.
C-2345848	Gold Spike		09/08/2025	Online	Y		Closed	S-Health	1. The employer does not provide training to employees who utilize hazardous chemicals in areas, such as the kitchen. 2. While personal protective equipment (PPE) is provided to employees who utilize hazardous chemicals in area, such as the kitchen, the employer does not provide PPE or additional PPE, such as chemical resistant gloves and respirators, that are appropriate to the hazards. 09/08/2025 SM	Resolved through inquiry process.
C-2345884	Lee's Discount Liquor		09/08/2025	Online	Y		Closed	O-Health	1. There has been no running water in the employee's restroom and several employees have been getting ill and have received an early diagnosis of Hepatitis A. 2. There is a sewage smell in the restrooms. 3. There are water leaks during inclement weather resulting in a slip/trip hazard on the working floor. cw 9/8/25	Resolved through inquiry process.
C-2346135	Burger King		09/07/2025	Online	Y		Open	O-Health	1. At the establishment there is a sewer odor affecting indoor air quality and causing employees to experience nausea.	Resolved through inquiry process.
C-2346163	UNV3 - Amazon		09/06/2025	Online	Y		Open	O-Safety	1. Located in the freezer room the exit string does not operate properly, preventing employees from opening the freezer from the inside. 2. Two employees were trapped inside the freezer because the pull string was not working correctly.	Open Investigation.
C-2346180	Lucille's Smokehouse Bar-B-Que		09/08/2025	Online	Y		Closed	O-Health	1. The employer is requiring employees to remove floor tiles and move them to an attic area after cleaning the debris. Employees did not receive training in how to move these tiles, and are at risk of injury due to lack of training. 2. Employees are not provided with personal protective equipment, such as gloves, and masks, to assist with the removal of these tiles. 9/9/2025 KR	Resolved through inquiry process.
C-2346313	Ross Dress for Less #1061		09/08/2025	Online	Y		Closed	O-Health	1. The facility operated without functioning air conditioning on September 5-7, 2025, exposing employees to potential heat-stress illness. 09/09/2025 JC	Resolved through inquiry process.
C-2346778	BrickHouse Fleet		09/02/2025	Online	Y		Open		1. Employees are required to perform air-conditioner services without certification. 2. Oil spills are not cleaned up in the mechanic shop creating slip hazards.	Open Investigation.
C-2346793	EmpireLV		09/10/2025	Phone	N		Closed		1. An employee drove a Cadillac Escalade that had its fuel tank fall off the vehicle.	No action. No jurisdiction. Referred to Nevada transportation authority
C-2346803	Paris Las Vegas	Paris Las Vegas Hotel & Casino	09/10/2025	Phone	Y		Closed	O-Health	1. The employee restrooms located at the mezzanine level 2 are not being regularly cleaned. It has been an ongoing issue for a year. 2. Rags that were used to clean the restroom's floors last September 4, 2025 were left to the side and have been emanating a foul odor since last Monday, September 8, 2025. 9/10/25 AL	Resolved through inquiry process.
C-2346857	Goodwill Retail Store and Donation Center		09/08/2025	Online	Y		Closed	O-Health	1. The air-conditioning unit of the whole building has been broken for over a month. Management has not addressed the issue. 9/10/25 AL	Resolved through inquiry process.
C-2346934	Clark County School District	Variety School	09/10/2025	Online	Y		Open	S-Safety	1. Staff members at a school for special needs students are repeatedly assaulted by violent students, which in some cases causes substantial bodily harm.	Resolved through inquiry process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2346979	NRI Distribution		09/10/2025	Phone	Y		Closed	O-Safety	1. During the week of Sept. 2- 5, 2025, forklifts picked material from the highest tier of the storage racks in the warehouse while other warehouse employees walked underneath the forks. 2. Forklift operators drive recklessly and do not follow the stop signs inside the warehouse. 9/10/25 AL	Resolved through inquiry process.
C-2347205	Rack and Rally		09/11/2025	Online	Y	Y	Open		1. Inside the facility, sprinklers are impeded blocking the 18-inches of water clearance. 2. Inside the facility, aisles are blocked impeding egress. 3. Inside the facility, employees utilize a damaged rolling safety ladder.	Open Investigation.
C-2347314	Universal Horror Unleashed		09/11/2025	Phone	Y		Closed	O-Health	1. Employees have been exposed to a strong odor of sewage, in the first floor storage room, for the past two weeks. 09/11/2025 JC	Resolved through inquiry process.
C-2347538	ShipMonk Logistics		09/11/2025	Phone	Y		Closed	O-Health	1. Employees are permitted to dispose of feminine products soiled with blood and fecal matter in trash cans inside the restroom stalls with no protective covering exposing employees to biohazards. 2. Toilet seats in the women's restroom are stained with blood and fecal matter exposing employees to biohazards. 9/11/2025 JC	Resolved through inquiry process.
C-2347591	PoolServ		09/05/2025	Online	N		Closed	O-Health	1. The employer did not allot for employees to utilize a break room that did not have towels or lawn chairs.	No action. No hazards alleged.
C-2347595	Smile Oasis Dentistry		09/09/2025	Online	N		Closed	O-Health	1. The employees do not change gloves between patients. 2. The employees routinely harass patients and discuss cases at the front desk, violating HIPPA.	No action. Referred to the Dental Board.
C-2347771	Citi Trends		08/28/2025	Online	N		Closed		Summary of Unsafe and Hostile Conditions at Citi Trends, Las Vegas – May to August 2025 In May 2025, I transferred to the Las Vegas Citi Trends location following a domestic violence situation, expecting a safe and professional work environment. By July 2025, the workplace environment became hostile under Store Manager Pam. I was singled out for minor errors and reprimanded for issues that had already been corrected. Inconsistent communication rules were enforced without prior instruction, creating confusion and stress. In August 2025, unsafe and unhealthy conditions intensified. My scheduled hours were drastically reduced, while a favored employee received increased hours and promotion. I was routinely denied breaks during six-hour shifts, even during busy periods, leading to physical exhaustion and increased emotional stress. Minor mistakes were documented in ways that created additional pressure, and favored employees were allowed to violate dress code without consequence, highlighting unfair treatment and inconsistency. On August 22, I experienced an intimidating meeting where another assistant manager was brought in without my consent, creating a ganged-up and stressful dynamic. I continued to face excessive workload, denied breaks, and inconsistent policies, contributing to a physically and emotionally unsafe work environment. By late August, the cumulative impact of these conditions caused severe anxiety, emotional distress, and exhaustion. Despite my dedication and adherence to company policies, the ongoing bullying, unsafe work practices, and unhealthy conditions made it impossible to continue working safely and effectively. - 4909 W. Craig Rd., Las Vegas, NV.	No action. No jurisdiction.
C-2347796	Lucia Mexican Grill		09/03/2025	Online	N		Closed		every employee - in the restaurant	No action. No jurisdiction.
C-2347800	Grand Desert Resort Property Owners	Club Wyndham Grand Desert	09/11/2025	Phone	Y		Open	O-Health	1. The employees in the back office in Tower 2 are exposed to the smell of sewer gases, and it's causing employees to become ill. 09/11/2025 JC	Resolved through inquiry process.
C-2347810	Heritage Springs		09/03/2025	Online	N		Closed		Dishwashing Chemical August 27 2025. Kitchen staff as trained on hazard chemicals. Chemical causes rash skin reaction. - Kitchen/dishwashing/Hallway outside kitchen is never cleared of boxed. tripped over box. No training on hazard materials.	No action. Unable to contact complainant for clarification.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2347907	MPF1 LLC	Màs Por Favor Taqueria y Tequila	09/12/2025	Online	N		Closed	O-Health	1. Members of management and employees have gotten into physical altercations with other employees and members of the public. 2. Employees are permitted to have alcoholic beverages while performing routine tasks.	No OSHA Allegations; Referred to police.
C-2347941	Caesars Entertainment Corporation	The Paris Las Vegas	09/03/2025	Online	N		Closed		1. Management is engaging in unprofessional, harassing, and intimidating behavior.	No occupational health or safety allegations. Complainant referred to appropriate agencies.
C-2348083	PETSuites of America LLC	Doggie District - Grand Canyon	09/12/2025	Online	Y	Y	Closed	O-Health	1. In the back room, the air conditioning unit has been out for a month and a half. 09/12/2025 DT	Open Investigation.
C-2348147	Bellagio, LLC	Bellagio Hotel & Casino	09/12/2025	Phone	N		Closed	O-Health	1. A salon customer brought in their own hair color product. The employer did not have a SDS for the hair product, and an employee chose not to use the product.	No action. No hazard alleged.
C-2348481	Durango Casino & Resort		09/15/2025	Phone	N		Closed	O-Health	1. In the kitchen area, employees are not wearing gloves while cooking, which may lead to cross-contamination of food items.	No action. Referred to SNHD
C-2348541	Sonic Drive-In		09/09/2025	Online	Y		Closed	O-Health;O-Safety	1. Ten CO ₂ cylinders stored unsecured 4–5 feet from the wall. 2. CO ₂ alarm unplugged by management after activation on 09/05/25, exposing employees to potential asphyxiation hazard. JA 9/15/2025	Resolved through inquiry process.
C-2348556	Living Grace Homes		09/08/2025	Online	N		Closed		1. No hazard identified by the complaint: "unknown - second building where inventory is stored"	No action. No response received.
C-2348589	PepsiCo Certified Center		09/10/2025	Online	Y		Open	O-Safety	1. On August 7, 2025, a fire drill was conducted at the facility and employees working in the warehouse were not alerted in a timely manner because, fire alert systems are not installed. 2. There are unanchored storage racks in the warehouse. 09/15/2025 JC	Open Investigation.
C-2348596	Seven Hills Hospital Inc.	Seven Hills Behavioral Institute	09/15/2025	Online	Y		Closed	O-Health	1. There is no protocol on how to handle bed bug outbreaks leading to employees taking getting bites and taking bed bugs home with them. 2. Employees in the lobby will have bowel movements or will throw up. Employees with no training on how to handle biohazards are asked to clean up the mess because cleaning staff are not available during evening hours. cw 9/15/25	Resolved through inquiry process.
C-2348618	Bank of America #7088		09/15/2025	Phone	Y		Closed	O-Health	1. At the establishment, employees working on the teller line are exposed to cold temperatures, which is causing discomfort. 2. At the establishment, the air vents were observed to be unsanitary.	Resolved through inquiry process.
C-2348658	Albertson's LLC		09/15/2025	Online	Y		Closed	S-Health	1. In the deli department, the employer failed ensure that exhaust ventilation system equipment, such as exhaust ducts, was operating satisfactorily. 2. Hot air from the fryers in the deli department is not exhausted through the ventilation system and the heat has damaged equipment, such as electrical cords. 3. Employees have complained that exhaust from the fryers in the deli department has not been effectively removed and have complained of associated hazards. 09/15/2025 SM	Resolved through inquiry process.
C-2348769	MGM Grand Laundry Inc.		09/15/2025	Phone	Y		Closed	O-Health	1. Employees at the establishment are not provided with additional breaks when experiencing heat-related illnesses, such as dehydration.	Resolved through inquiry process.
C-2348785	GardaWorld		09/15/2025	Phone	Y		Open	O-Health	1. At the site located at 2875 Golden Willow Lane, Las Vegas, NV 89135, there is no access to hot water in the office restrooms.	Resolved through inquiry process.
C-2348815	Clark County School District	Western High School	09/15/2025	Phone	N		Closed		1. In the Food Service Division, employees are provided with three bottles of water per day and have access to water fountains.	No action. No alleged hazard.
C-2348857	Harrah's Laundry	Caesars Entertainment Laundry	09/15/2025	Phone	Y		Open	O-Safety	1. Throughout the establishment there are tripping hazards being created from the unsanitary conditions.	Resolved through inquiry process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2348868	Cricket Wireless Authorized Retailer		09/14/2025	Online	Y		Open	O-Health	1. There is a strong sewer smell throughout the store causing employees to experience headaches and nausea. 2. On 9/13/2025, mold was found under the carpet causing employees to experience headaches and nausea. 3. The air quality in the facility is unsanitary causing employees to experience headaches and nausea.	Open Investigation.
C-2349270	Nevada Department of Corrections	Ely State Prison	09/16/2025	Online	Y		Closed	S-Health	1. In the medical unit 3 and 4, there are sharps containers without lids that employees are required to utilize. 2. Cleaning supplies are unavailable to employees handling sharps, such as hand sanitizer and paper towels. 9/17/2025 KR	Resolved through inquiry process.
C-2349387	Albertson's LLC		09/16/2025	Online	N		Closed		1. The employer requires employees to pour old fryer oil into to the floor drains in the deli. 09/16/2025 SM	No action. No jurisdiction.
C-2349478	Stratosphere Tower Casino & Hotel	SkyJump Las Vegas	09/16/2025	In person	Y		Open	S-Health	1. The employer did not ensure that the mechanical integrity of the descender machine is being maintained in regards to the spool unit and personal protective equipment that is attached to it. 2. The employees are required to utilize a steel cable for the anchor of their personal protective equipment and this is not being maintained to ensure employees are safe. 3. Safety checklists are not being verified prior to the descender machine being utilized. 9/16/2025 KR	Resolved through inquiry process.
C-2349757	Fremont Hotel & Casino		09/16/2025	Online	N	N	Closed		The food served to employees in the Emilie dining room is never cooked properly. The chicken is always undercooked (pink inside), other meats are mostly overcooked (including frozen battered fish). I once got food poisoning from a hotdog and was taken by medics to the ER. Salinda Conklin, upper management, told us in a town hall meeting that no one got food poisoning because the timing wasn't right. Employees continue to complain but nothing is changing other than the hotdogs and tater tots (which were big complaints) are gone. The same menu is served weekly with the same poor quality. They claim the food served to employees is cooked to the same standard as the restaurant and if that's true then the restaurant should be investigated as well. - Employee dining room on mezzanine level at Fremont Casino and Hotel	No action. No jurisdiction. Referred to SNHD.
C-2349842	Planet Fitness		09/17/2025	Online	Y		Closed	O-Health	1. At the establishment, an employee is consuming food that others may have allergic reactions to in public areas.	Resolved through inquiry process.
C-2349944	DriveTime Used Cars		09/17/2025	Phone	N		Closed	O-Health	1. Employees are breathing in exhaust fumes while taking photographs and operating equipment in the back of the facility. The cars are required to run while photographs are taken, and there is no ventilation on site.	Resolved through inquiry process.
C-2350045	Sandstone Spring Valley		09/17/2025	Online	Y		Open	O-Safety	1. Employees were exposed to workplace violence hazards in the physical therapy gym and patient rooms when an employee threatened staff with physical violence and engaged in hostile behavior. The employer did not ensure that effective measures were implemented to protect employees from threats and acts of workplace violence. JA 9/17/2025	Open Investigation.
C-2350058	NYU Langone Health		09/17/2025	Online	Y	Y	Closed	S-Safety	1. Employees are exposed to extreme heat inside office. AC system is broken again in entire building.	Resolved through inquiry process.
C-2350062	Northwest Commonwealth LLC	Wyld	09/04/2025	Online	N		Closed	O-Safety	1. The employer did not provide employees with appropriate eye and face protection when working with sanitation liquids, exposing them to chemical splash hazards that caused injury. 2. The employer did not ensure employees received effective safety training on the hazards of sanitation liquids, their safe handling, or required protective measures. 3. The employer did not provide information or training to employees on the location and use of emergency eyewash stations. 4. The employer did not ensure that an eyewash station was accessible and that employees knew its location and use when working with hazardous chemicals. JA 9/17/2025	No action. Federal jurisdiction.

Division of Industrial Relations

Occupational Safety and Health Administration

Complaint Log Detail FY2026 - 1st Quarter July to September 2025

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2350063	D.P.L. Enterprises, Inc.	Air Care	09/17/2025	Phone	Y	Y	Open	O-Health;O-Safety	1. The Walner Expander Machine is not grounded causing a potential electrocution hazard. 2. There are knock outs missing on the Walner Expander Machine. 3. The company has no Lock Out Tag Out program. 4. Employees are not protected from flying chips while cutting aluminum on a power saw. AN 09/17/25	Open investigation.
C-2350077	Horseshoe Las Vegas		09/17/2025	Online	Y	Y	Open	S-Health	1. At the bell desk, the employer has not permitted additional breaks to be taken for employees who may be suffering from heat illness. 9/17/2025 KR	Open investigation.
C-2350322	Terrible Herbst		09/18/2025	Online	N		Closed		Being forced to work doubles against our will I have a disability and a 3 yr old baby girl I'm a single dad I thought slavery was abolished in the 1800s they threatened to fire me if I leave - Same location	No action. No hazard alleged.
C-2350330	Smile Oasis PLLC	Smile Oasis Dentistry	09/10/2025	Online	N		Closed	O-Safety	1. The office is missing the proper signage.	No action. Not enough information to process.
C-2350363	Carparts.com		09/18/2025	Online	N		Closed		I am writing to formally report a life-threatening situation involving an employee at your Las Vegas distribution center. I have witnessed signs of fentanyl use, including foaming at the mouth, erratic behavior, and severe physical decline. Despite prior warnings, no meaningful intervention has occurred. If this individual overdoses on-site, it will reflect a failure of duty of care. I urge you to act immediately by providing medical support, naloxone access, and a wellness check. This is not about job performance it's about saving a life. - 6271 E Azure ave	No action. No hazard alleged.
C-2350373	CSC Serviceworks		09/18/2025	Online	Y		Open	O-Safety	1. A parked vehicle inside the warehouse is obstructing the employees from moving safely. 09/18/2025 DT	Open investigation.
C-2350433	Latigo at Silverado Ranch		09/12/2025	Online	Y		Closed	O-Safety	1. On 09/11/2025, electrical cords and ladders were left in the walkway creating tripping hazards at building #26. 09/18/2025 JC	Resolved through inquiry process.
C-2350648	Albertsons #61		09/18/2025	Phone	Y		Open	O-Safety	1. In the 2 coolers in the meat department water drips from the ceiling onto the ground and freezes creating slip hazards for employees.	Open investigation.
C-2350865	Foreland Refining Corporation		09/19/2025	Phone	Y		Open	S-Safety	1. There are several areas where fuel has been leaking for at least 3 months and employees are concerned about the associated hazards. These fuel leaks are located at: a. The Boiler #2 fuel regulator in the boiler house. b. The Main Line feeding the boiler house. c. The VGO pump at the asphalt pad. d. The heat exchanger filter screen. 2. AC30 asphalt cement has been leaking from Asphalt Pump #24 and employees have complained about the associated hazards for at least the past 6 months. 3. Fuel oil has been leaking from Fuel Oil #3 for at least the past 6 months and employees are concerned about the associated hazards. 4. Crude oil has been leaking from the asphalt exchanger valve for approximately 3 months. 09/17/2025 AC 09/24/2025 SM	Open Investigation.
C-2351009	PHWL, LLC	Planet Hollywood Resort & Casino	09/19/2025	Phone	Y		Closed	O-Health	1. At the service well off of EXTRA bar, where employees are getting drinks, employees have smelled mold. Employees are experiencing breathing difficulties and rashes. The employer had a storage cabinet that was sealed shut previously, and it is suspected a leak within the cabinet has lead to mold growth.	Resolved through inquiry process.
C-2351020	Caesars Palace LLC	Caesars Palace	09/19/2025	In person	Y		Open	S-Safety	1. Throughout the property, including at the theater, buffet, and pool, employees are hiding service carts when not on shift. Server employees who are on shift are having to use undersized carts to move large or heavy supplies, or move the supplies by hand. 2. Employees are being potentially exposed to trip and fall hazards due to limited visibility when pushing the undersized carts or carrying the supplies. Supplies are being stacked higher than they can see. 3. Event storage areas have supplies that are being stored in an unsafe manner and are blocking routs of entry and exit. Employees have struck against the unsafe storage and fallen. 4. Server employees are not allowed to put guest drink bottles in the normal trash cans. The bottles are falling from the undersized carts and are shattering.	Open Investigation.

Division of Industrial Relations

Occupational Safety and Health Administration

Complaint Log Detail FY2026 - 1st Quarter July to September 2025

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2351062	Biolife Plasma Services		09/19/2025	Phone	Y		Closed	S-Health	1. On 9/19/2025 employees were required to continue working after the air conditioning stopped working.	Resolved through inquiry proceess.
C-2351154	Bellagio, LLC	Bellagio Hotel & Casino	09/18/2025	Online	Y		Closed	S-Safety	1. EVS is using a scissor lift built in 1998. Daily, quarterly or annual inspections and vehicle maintenance are not being completed and putting the employees at risk. 2. Exterior EVS crews use three pick-up trucks that are unsafe to drive. Headlights and safety lights are out and oil changes are not being conducted. 3. In the Limo garage behind the south bus tour lobby, motor oil is being dumped into the drain. The drain has begun to overflow and is now causing a slip and fall hazard. 4. Various electrical equipment has frayed wires, and employees have been shocked multiple times.	Resolved through inquiry proceess.
C-2351163	Bellagio, LLC	Bellagio Hotel & Casino	09/18/2025	Online	N		Closed		Motor oil was being disposed of by it being poured down a mop sink/sewer. Also there is a huge oil spill that has been sitting for weeks located in an interior area. This is extremely hazardous. The drain couldn't take anymore oil and it spilled all over the floor. Mark Hunt is well aware of this and did nothing to clean it up. - This is located in the limo garage behind the South Bus Tour Lobby. It is located in a room heading towards VIP, it has a double door entry.	Resolved through inquiry proceess.
C-2351745	Sphere Entertainment Co.	MSG Sphere	09/08/2025	Online	Y	Y	Closed	S-Safety	1. Employees were required to work in darkened areas of the seating bowl using only small flashlights for visibility. 2. Employees were exposed to slip, trip, and fall hazards while going up and down stairs in poor lighting conditions. 3. Employees who expressed safety concerns about the lighting and stairs were told they must continue working under the unsafe conditions or be sent home, discouraging employees from reporting hazards.	Open investigation.
C-2351759	Sphere Entertainment Co.	MSG Sphere	09/08/2025	Online	Y	Y	Closed	S-Safety	1. On 5/5/2025, employees were exposed to chemical hazards due to chemicals being stored in improper containers, including bottles that were unlabeled, in areas such as the second-floor custodial closet. 2. On 5/5/2025 at approximately 1:15 a.m., employees were exposed to unsafe working conditions while required to clean in the dark, with only a small light provided at 1:40 a.m., in areas such as the seating bowl, atrium floor, and the event floor. 3. On 5/5/2025, employees were exposed to slip hazards caused by leaking and malfunctioning machines, with no warning signs posted to alert workers of the slippery conditions, in areas such as the seating bowl, atrium floor, and the event floor. 4. On 5/5/2025, employees were exposed to an increased risk of slips and injuries because slip-resistant footwear was not being worn, despite multiple reports of workers slipping and sustaining injuries, in areas such as the seating bowl, atrium floor, and the event floor.	Open investigation.
C-2351799	Stepping Stone Children's Academy		09/19/2025	Online	Y		Open	O-Health	1. In the kitchen, there is rotting fruit that is visibly growing mold.	Open investigation.

Division of Industrial Relations

Occupational Safety and Health Administration

Complaint Log Detail FY2026 - 1st Quarter July to September 2025

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2351815	Sphere Entertainment Co.	MSG Sphere	09/16/2025	Online	Y	Y	Closed	S-Health;S-Safety	1. 1910.212(a)(1): The employer did not ensure that machines were equipped with appropriate guarding to protect employees and others in the workplace. Large RC balloons, operated over crowds, were equipped with multiple 24-volt motors without protective propeller guards, exposing operators, handlers, and audience members to laceration and amputation hazards. Incident observed on or about September 2025: A handler was lacerated to the bone while working with a balloon motor that lacked a protective propeller guard. 2. 1910.303(b)(1) & 1910.305(j)(4)(vi): The employer did not maintain electrical equipment in a condition free from recognized hazards likely to cause death or serious physical harm. LiPo batteries rated for 3A were overloaded at 15A, causing melted connectors and degraded battery performance. Electrical connections were not maintained to prevent overheating and arcing. Incident observed on or about September 4, 2025: Monkey 11 suffered over four burnt, melted connectors, plummeted prematurely, and crashed onto the GA floor. Incident observed on or about September 6, 2025: Monkey 8's main board melted during flight operations. Incident observed on or about September 7, 2025: Monkey 8 tumbled down seats during a live show after electronic failure. 3. 1910.303(f): The employer did not provide overcurrent protection for battery circuits. Fuses, circuit breakers, or other protective devices were absent from the LiPo battery systems, leaving employees exposed to fire and electrical hazards in the event of overloads or short circuits. Evidence observed on or about September 4, 2025: Melted connectors were observed, and management insisted that the connectors themselves served as fuses. This failed to prevent the mid-flight failure of Monkey 11. 4. 1910.333(b) & Section 5(a)(1) of the OSH Act: The employer did not use safety-related work practices to protect employees from electrical hazards. Balloons were flown manually over crowded areas without fail-safes or power cut-off systems, exposing employees and audience members to hazards of electrical shock, fire, crashes, and lacerations from moving propellers. Incident observed on or about September 7, 2025: During Monkey 8's failure, electronics stayed live. Management ordered pilots to switch from hover to dynamic mode, which did not cut power and escalated risks of fire and propeller contact over the audience. 5. 29 CFR 1904.35(b)(1)(iv): The employer discouraged employees from reporting safety hazards by threatening discipline for raising concerns. Employees who reported degraded battery performance and electrical hazards were met with immediate discipline and blame. Incident observed on or about September 2025: Pilots who warned of degraded battery performance before the Monkey 11 and Monkey 8 failures were disciplined instead of supported. 6. 1910.307(b) & 1910.1200(g)/(h): The employer did not protect employees from fire and chemical hazards associated with LiPo battery thermal runaway. Batteries in use showed signs of overheating and off-gassing, creating a hazardous atmosphere with potential for fire and explosion. Employees were not trained on the risks of lithium-ion battery electrolyte or thermal runaway. Incident observed on or about September 6–7, 2025: Monkey 8's failure demonstrated the potential for thermal runaway, releasing flammable electrolyte vapors, oxygen gas, and flames exceeding 1,000°C in the enclosed Sphere venue. 7. Section 5(a)(1) of the OSH Act – General Duty Clause: The employer did not furnish employment and a place of employment free from recognized hazards. Employees and the public were exposed to uncontrolled falling balloons, energized electronics, and potential lithium-ion battery	Open investigation.
C-2351845	Highway Striping and Signs, LLC		09/16/2025	Online	Y		Closed	S-Health;S-Safety	1. Employees exposed to caustic substances in contaminated dirt, creating the potential for chemical burns to the skin, eyes, and respiratory system. 2. Employees exposed to uncontrolled chemical reactions and hazardous vapors from mixing different types of paints into soil. 3. Employees exposed to environmental contamination hazards when contaminated dirt was re-deposited in the yard, increasing risks of long-term chemical exposure. 4. Employees exposed to slip and contact hazards from wet paint and caustic residues in the soil. 5. Employees exposed to improper disposal practices that allowed hazardous chemicals to accumulate in the work area.	Resolved through inquiry process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2351852	Penske Truck Leasing Corporation	Penske Truck Leasing CO. L.P.	09/15/2025	Online	Y		Closed	S-Health;S-Safety	1. On 09/12/2025 in the mechanic shop, employee #1 removed a lock out/tag out system and attempted to move a vehicle that employee #2 was under. 2. On 09/13/2025 employee #1 put urine in employee #2's drinking water bottle while they were working on a vehicle in the mechanic shop. Subsequently, employee #2 drank the contaminated water.	Resolved through inquiry proceess.
C-2351870	Kanani Foods II, Inc.		09/18/2025	Online	Y		Open	O-Health	1. Drivers are working in temperatures above 100°F outside, with no AC inside the truck, increasing the risk of heat-related illnesses. 09/22/2025 DT	Open investigation.
C-2351877	Green Valley Grocery		09/04/2025	Online	Y		Open	O-Safety	1. Employees have not been properly trained on the company's emergency action plan.	Open investigation.
C-2351879	Planet Fitness		09/12/2025	Phone	Y		Open	O-Safety	1. Employees are being directed to use a ladder to work on a TV located 20 feet high without receiving any ladder safety training. 09/22/2025 DT	Resolved through inquiry proceess.
C-2351884	Beltway Animal Hospital LLC	Valley Ranch Animal Hospital	09/04/2025	Online	Y		Open	O-Health	1. Employees are exposed to high noise levels and are not provided with hearing protection. 2. There is no hearing conservation program. 3. The employer has not conducted noise monitoring. 4. Kennels are broken and has a faulty latch which causes employees to trip when the door swings open.	Open investigation.
C-2351890	Nevada Prep Charter School		09/12/2025	Online	N		Closed		1. Employees serving school lunch do not have a health card.	No action. No jurisdiction. Referred to SNHD.
C-2351893	Clark County Division of Child Support		09/16/2025	Online	Y	Y	Open	O-Health	1. On the south side of the 1850 building, there is air conditioner adhesive fumes spreading in the enforcement work area causing employees to have breathing irritation and chest tightness. 9/22/2025 AR	Open investigation.
C-2351900	Spirit of Halloween		09/22/2025	Phone	Y		Open	O-Safety	1. Employees throw away cardboard and other trash into the dumpster behind the building using broken or faulty ladders. 2. Employees carry cardboard boxes and heavy loads up to 30 pounds on the portable ladder. 3. Employees clean surfaces in the bathrooms, such as sinks and floors, without be given proper personal protective equipment, such as gloves. 4. Storage racks near the back of the store are not loaded so that they are stable and secure against sliding or collapse.	Open investigation.
C-2351901	Clark County Division of Child Support		09/22/2025	Online	Y	Y	Open	O-Health;O-Safety	1. On 9/15/2025, there were toxic fumes from the AC maintenance that filled the entire building. 2. The ceiling is caving in throughout the facility. 9/22/2025	Open investigation.
C-2351908	Renaissance Health Centre		09/22/2025	Online	Y		Open	O-Health	1. Laboratory procedures including handling and reporting of needle- stick incidents are not being followed in the infusion and phlebotomy areas. 9/22/2025 AR	Resolved through inquiry proceess.
C-2352104	Hallway Healthcare		09/22/2025	Online	N		Closed		1. Horses and chickens on the property are being neglected by the owner, causing unsanitary conditions. 09/23/2025 DT	No action. No jurisdiction. Referred to Animal Control.
C-2352201	TBC The Boring Company		09/23/2025	Phone	Y		Open	O-Health;O-Safety	1. At the Apex facility, and in the tunnels, approximately 40 employees are exposed to heavy dust without being provided respiratory personal protective equipment (PPE) and are getting respiratory illness. 2. In the tunnels under Tropicana Avenue and Paradise Road, employees are exposed to open holes up to 30 feet deep with no fall protection provided. 3. Employees exposed to muck in the tunnels are receiving chemical burns, and are not allowed to seek medical care. 4. Employees are not provided PPE other than safety glasses. 5. Laborers are working in the tunnels without receiving any kind of safety training. 6. Employees are told by management to physically block the Apex facility entrance with concrete barriers, shut down operations, and hide if safety inspectors arrive.	Resolved through inquiry proceess.
C-2352366	Willow Creek Community Association		09/23/2025	Phone	Y		Open	O-Health	1. In the guard building for the Willow Creek gated community, there has been no hot or warm water in the employee restroom for five months.	Open investigation.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2352931	Gen-Tech Power Generation & Air Compressor Specialists		09/24/2025	Online	N		Closed		There is mold present in one of the offices, but management has indicated they do not see it as a health concern. In the meantime, staff are still expected to work in these conditions, which raises serious concerns about the impact on our health and well-being. - In the pony wall in the building, two of the major walls.	No action. No jurisdiction. Referred to SNHD.
C-2352934	HomeGoods, Inc.		09/24/2025	Phone	Y		Closed	S-Safety	1. Employees were exposed to fire and egress hazards in the stockroom, where boxes were stacked excessively high and obstructed fire exits; if a fire occurred before the store opened, employees could be unable to exit safely due to the blocked pathways and overstocked conditions.	Resolved through inquiry process.
C-2352961	Guy Fieri's Vegas Kitchen		09/15/2025	Online	N		Closed	O-Safety	1. Management is aware that all kitchen equipment is broken and have not fixed any of them.	No action. Complainant rescinded complaint.
C-2353128	S & S Fuels Management	7-Eleven Store #39991	09/24/2025	Phone	Y		Closed	S-Health;S-Safety	1. Employees working inside the convenience store were exposed to heat-related hazards due to the lack of air conditioning, no water or ice provided, and three ovens operating in the store. With only one employee scheduled to work, workers were unable to step away or enter the cooler to reduce their body temperature. The assistant manager instructed employees to sit by fans that only circulated hot air, which did not provide effective relief from the excessive heat.	Resolved through inquiry process.
C-2353567	Love's Travel Stop #340		09/24/2025	Online	Y		Open	O-Health	1. For several months from July until September 21 2025, employees working outside near the fuel pumps, were not permitted to have reliable access to or drink potable water despite working outside for extended periods of time. 09/25/2025 JC	Resolved through inquiry process.
C-2353579	The Wound Pros/Global Wound Care		09/25/2025	Online	Y	Y	Open	O-Health	1. The HVAC system in the office has been non-functional since June 2025. The temperature inside the office regularly exceeds 80°F. 9/25/25 AL	Open investigation.
C-2353670	Amirian Management Company	Popeyes Louisiana Kitchen	09/25/2025	Online	Y		Closed	O-Safety	1. An employee sustained an injury, while utilizing hot water to clean at the facility. 09/25/2005 JC	Resolved through inquiry process.
C-2353899	Westcare-Harris Springs		09/25/2025	Online	N		Closed	O-Health	1. The kitchen employees are required to work in has improper ventilation and air flow. Employees have determined that the pilot lights in the ovens continue to go out due to low oxygen. 9/26/2025 KR	Resolved through inquiry process.
C-2353933	Arthrex Nevada	Goode Surgical	09/25/2025	Online	N		Closed		1. Employee with documented medical restrictions is required to perform physically demanding tasks, including moving heavy surgical equipment. 2. Assigned work includes entering operating rooms with wet floors and electrical hazards, increasing risk of slips and electrical accidents. 3. Employer has not made accommodations for medical restrictions, creating risk of reinjury and exposure to unsafe working conditions. 09/26/2025 DT	No action. No jurisdiction.
C-2354137	OEM Used Auto Parts		09/26/2025	Phone	Y		Open	O-Safety	1. Managers are operating forklifts but are uncertified. 2. There are oil spills and protruding metal objects throughout the warehouse. 3. Boxes of material are being stored 4-high and are at risk of tipping over. 4. Fire exits, and fire extinguishers are being blocked.	Open investigation.
C-2354154	Knight Transportation, Inc.		09/25/2025	Online	N		Closed		1. Terminal trucks with broken windshields, impairing operator visibility 2. Nonfunctional turn signals, brake lights, and headlights, creating risk of collisions 3. No backup alarms on trucks with limited rear visibility, increasing risk of struck-by incidents 4. Missing fire extinguishers on vehicles, reducing emergency preparedness 5. Missing warning devices such as reflective triangles, compromising roadside safety in case of breakdowns 09/26/2025 DT	No action. No jurisdiction.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
C-2354174	Clark County School District Centennial HS		09/25/2025	Online	Y		Open	O-Health;O-Safety	1. The women's staff restrooms are unsanitary and frequently lack essential supplies, including toilet liners and toilet paper. 2. Toilets appear to be poorly maintained and not regularly cleaned. 3. The school doors that lead to the classrooms are locked at specific times of the day, limiting accessibility in case of emergency. 09/26/2025 DT	Open investigation.
C-2354187	Ark Las Vegas Restaurant Corporation		09/26/2025	Online	N		Closed		On Jul 21, 2025, I submitted a documented grievance regarding unsafe food handling and lack of PPE enforcement at Ark Las Vegas Restaurant Corp, located inside New York-New York Hotel & Casino.The hazards include: • Employees restocking and preparing food without gloves or hairnets during active service hours • Spiders found in lettuce used for guest consumption Sanitizer bucket rarely when rotation and soups and hravy • No enforcement of PPE standards during food prep, despite company policyFollowing my grievance, I was removed from my shift without documentation, excluded from the workplace, and terminated without investigation. These actions constitute retaliation for protected activity under OSHA Section 11(c).Approximately 15–20 employees were exposed to these hazards daily, including kitchen staff, food runners, and prep workers. Guests were also indirectly exposed due to compromised food safety protocols. - Ark Las Vegas Restaurant Corp 3790 S Las Vegas Blvd, Suite #11 Las Vegas, NV 89109 Located inside New York-New York Hotel & Casino Kitchen and prep areas behind America Café and Village Streets food court	No action. No applicable standard.
C-2354774	Amazon.com Services LLC		09/26/2025	Online	Y		Open	O-Safety	1. In UIS, an employee experienced a hand injury due to inadequate training on the hand scanner harness.	Open investigation.
C-2354903	Caesars Palace LLC	Caesars Palace	09/29/2025	Online	Y		Open	O-Safety	1. The employee parking garage area is infested with rats. 2. There are unsanitary conditions in the employee parking garage area. There is human fecal matter spread on doorway of one of the elevators. 3. Elevator call button on 4th floor of the employee parking garage has exposed, live electrical wires.	Open investigation.
C-2355259	Best Buy		09/29/2025	Online	N		Closed	O-Health	1. The male restrooms in are not being cleaned regularly, with human feces smeared on the bathroom railings. 2. The other male restroom stall has had a broken toilet for over a month. 9/30/25 DT	Open investigation.
C-2355275	Best Buy		09/29/2025	Online	Y		Open	O-Health	1. The male restrooms in are not being cleaned regularly, with human feces smeared on the bathroom railings. 2. The other male restroom stall has been out of service for over a month. Management is not addressing the issue. 9/30/25 DT	Open investigation.
C-2355276	Gen-Tech Power Generation & Air Compressor Specialists		09/29/2025	Online	Y		Open	O-Health	1. In the office building and the shop wall that shares the same wall as the office, water leaks into the wall and on the floors each time it rains and mold is growing. Employees are experiencing symptoms of mold exposure.	Open investigation.
C-2355280	AlSCO Inc.		09/29/2025	Online	Y		Closed	S-Health	1. The employer failed to ensure that the facility was free of a roach infestation.	Resolved through inquiry proceess.
C-2355363	Foundation Building Materials, LLC	FBM	09/30/2025	Phone			Open	O-Health	1. Contractors setting up storage racks in the warehouse have been creating a loud environment for employees since 9/22/2025. The loud noise also comes from contractors dropping parts for the storage racks when they pick them up with forklifts.	Open investigation.
C-2355947	Dapper Companies		09/29/2025	Online	Y		Closed	O-Safety	1. Security guards at 201 South Las Vegas Blvd., do not have access to restrooms while on duty. Restrooms are locked and are not made accessible to security guards. 2. Security guards do not have access to first aid kits or any other medical supplies at the location.	Resolved through inquiry proceess.
C-2355954	PepsiCo Certified Center		09/29/2025	Online	Y		Closed	O-Safety	Large pallet shelving not bolted down to concrete per OSHA requirements All employees exposed Non working Fire Alarm system All employees exposed. - Main building, Several locations.	Open investigation.
F-2332349	SIMEON TOVAR	TOVAR TREE SERVICES	08/05/2025	Fax		Y	Closed		The decedent was on-site when he had a witnessed fall from 35-feet height to the ground below. He was transported to UMC Trauma, where death was pronounced at 1006 hours by Dr. Barry.	Open investigation.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
F-2333381	FAS Maintenance, LLC		08/08/2025	Fax		N	Closed		1. On August 7, 2025, at approximately 12:00 PM, the decedent, a contract employee, borrowed the employer's truck to do drywall repair. Around 2:00 PM, the employer called and texted the employee regarding his truck but did not receive a response. The employer used his GPS to find the location of the truck, which was in the Carl's Jr parking lot at 6960 West Tropicana Avenue, LV, Clark, NV 89147. The employee was found slumped over the steering wheel. The fax received from the Coroner's Office indicated the death is possibly drug-related. 08/08/2025 SM	Resolved through inquiry process.
F-2341435	Conestoga Golf Course		08/27/2025	Phone		Y	Closed		On 08/27/2025 at approximately 5:09 am, and employee was driving a John Deere 1200A Field Rake. For an unknown reason the employee crashed and departed from the golf cart road. The employee received CPR from the employer. EMS and City of Mesquite Police arrived, but the employee was pronounced deceased at the scene. The Clark County Coroner responded to the fatality and transported the decedent from the property.	Open investigation.
F-2347114	The Boring Company		09/10/2025	Phone		Y	Closed		On 9/10/2025, inside The Boring Company tunnel located behind the Gordon Biersch Brewery Restaurant, an employee was crushed. The employee was removed from the tunnel and transported to a nearby hospital.	Open investigation.
R-2313766	Greenway Industries, LLC		07/01/2025	Phone	N		Closed		1. Located at 2675 East Warm Springs Road, Las Vegas, NV 89120, employees are performing asbestos removal job tasks inside of a home that was burned down and the employer did not install shoring or bracing.	No action. No applicable standard.
R-2313914	Center Cut Landscaping LLC		07/01/2025	Phone	Y		Closed	S-Safety	1. On 7/1/2025, at approximately 7:45 AM, an employee performing hedge trimming work around the perimeter of 4320 North 5th Street, Suite 200, North Las Vegas, NV 89030 was standing on a 3-foot tall planter when he fell to the next lower level. The employee was bleeding from their head and was not responding adequately. The employee was transported to North Vista Hospital then released and transported to Concentra.	Resolved through inquiry process.
R-2313920	Alff Construction LLC		07/01/2025	Phone	Y		Closed	O-Safety	1. The employer does not provide adequate eye protection for employees who are performing cleaning, blowing, and trash dumping job tasks in parking lots.	Resolved through inquiry process.
R-2313943	Planet Fitness		07/01/2025	Online	N		Closed	O-Health	1. Water is not available for people to wash their hands due to interim sinks not pumping water properly.	No action. Unable to contact source to determine employee exposure.
R-2313948	Ace Fire Systems LLC		07/01/2025	Phone	Y		Closed	S-Safety	1. On 6/30/2025 at approximately 9:30 AM at the Handles Ice Cream job site, an employee was standing on a ladder to install fire sprinkler pipe when he lost his footing and fell approximately 8 feet to the next lower level. The employee was transported to St. Rose Dignity Health and later admitted at approximately 10:00 PM. At the time of reporting, the injuries sustained by the employee were unknown.	Resolved through inquiry process.
R-2313979	Custom Customs Youth Welding Foundation		07/01/2025	Email	N		Closed		1. Children ages 9 through 19 are being taught to weld and fabricate metal.	No action. No alleged employee exposure to a hazard.
R-2313989	Vitacost.com, Inc.	Vitacost.com	07/01/2025	Phone	N		Closed	O-Health	1. An employee experienced a stroke while operating a forklift. The employee was transported to St. Rose Sienna Campus and was diagnosed with a non-work-related stroke.	No action. No jurisdiction. Not work related.
R-2315005	Host International, Inc.	Jose Cuervo Tequileria	07/03/2025	Online	N		Closed	O-Health	1. Employees are exposed to high heat temperatures due to the air-conditioning unit not functioning. 7/2/15 AL	Inspection conducted. No citations issued.
R-2315086	Capstone Logistics LLC		07/03/2025	Phone	Y		Closed	O-Safety	1. At 4 PM, while performing work on July 2nd, 2025, an employee was utilizing a forklift, getting very close to a concrete wall, and attempted to utilize his foot to put distance between the forklift and wall. The employee's foot was smashed, resulting in a laceration, and the employee was admitted to University Medical Center. KR	Resolved through inquiry process.
R-2315111	Dave and Buster's		07/02/2025	Online	Y		Closed	O-Health	1. On March 20th, 2025, an employee received a bad burn while working in kitchen. The employer does not have adequate burn treatment first aid supplies in the kitchen area.	Resolved through inquiry process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2315171	Baskin Robbins		07/01/2025	Online	N		Closed		No gloves for the employees so they are getting chemical burns in addition to leaving minor workers alone to work store without proper resources - In the back we only have chemicals no gloves my coworkers have complained of chemical burns and was told make someone else do it.	No action. Complainant rescinded complaint.
R-2315189	Knight Builders LLC	Power Pallets	07/03/2025	Phone	Y	Y	Closed	S-Safety	1. On June 19th, 2025, an employee was performing routine work duties with a chop saw and had three fingers amputated. The employee was then taken to UMC Trauma, where they were released on July 2nd, 2025. 2. The employer failed to report the incident within 24 hours of it occurring. KR	Open investigation.
R-2315194	Greenway Industries, LLC		07/03/2025	Phone	Y		Closed	O-Health;O-Safety	1. Employees are removing asbestos without proper PPE. DF 07/03/2025	Resolved through inquiry process.
R-2315586	RC Willey Nevada Distribution Center		07/07/2025	Phone	Y	Y	Closed	S-Health	1. On 7/5/2025 at approximately 2:00p.m., an associate reported heat exhaustion. The employee was dizzy and sweating profusely when they returned from delivering furniture. The employee was taken to Mountainview Hospital around 4PM and is still currently hospitalized. CW 7/7/2025	Open investigation.
R-2315594	AKNV Inc	Rebel Convenience Store	07/02/2025	Phone	N		Closed	S-Health	1. On July 2, 2025, an employee suffered a asthma attack which resulted in an inpatient hospitalization. 7/2/2025 AB	No action. Not work related.
R-2315717	ImageFIRST Laundry Specialists	Nevada Linen Supply	07/02/2025	Phone	Y		Closed	S-Safety	1. On July 1, 2025, in the Soil Receiving Department, an employee fell off the lift gate and suffered injuries that led to an inpatient hospitalization. 7/2/2025 AB	Resolved through inquiry process.
R-2315886	Mychajlonka Professional Corp	Craig Road Animal Hospital	07/07/2025	Phone	Y		Closed	O-Health	1. The rooms in the hospital are being repainted. The rooms are small and the paint smell is causing employees to become lightheaded and dizzy.	Resolved through inquiry process.
R-2315953	Universal Protection Service LLC		07/02/2025	Phone	Y		Closed	S-Health	1. The employer has failed to provide Heat Stress training. 2. The employer has failed to implement Heat Stress into the Written Safety Program. 7/2/2025 AB	Resolved through inquiry process.
R-2315967	Whispering Sands LLC		07/07/2025	Phone	Y	Y	Closed	S-Safety	1. A contracted employee of the mobile home park was climbing and trimming an old pine tree without fall protection and was working at heights at approximately 60 feet.	Inspection conducted. No citations issued.
R-2316025	Summerlin Hospital Medical Center		07/07/2025	Email	Y		Closed	O-Safety	1. On 6/19/2025, a patient kicked and spat on a provider. 2. On 6/21/2025, a patient verbally threatened a nurse with racial slurs and stating that I know someone who would kill you. 3. On 6/26/2025, a patient verbally threatened a nurse about breaking their arm. 4. On 6/30/2025, a patient was agitated and struck an emergency room technician. 5. On 6/30/2025, a patient tried to bite staff members and spit on a nurse, while another patient spat on staff member 07/07/2025 SB	Resolved through inquiry process.
R-2316296	Spectrum Construction LLC	Spectrum Construction	07/07/2025	In person	Y		Closed	O-Health;O-Safety	1. Employees are not provided new helmets, N95s and properly fitting vests. If new personal protective equipment was requested, the employer would deduct the cost of the new equipment from their pay. 2. Ladders on multiple sites are broken and missing parts. 3. Employees are not trained on the usage of ladders. Training is conducted in English and was not properly translated into Spanish for the Spanish-speaking employees. 4. Multiple sites have damaged hoses on the paint spraying machines. 5. Employees are not trained to use the boom lift. 6. Harnesses used on the boom lift are not inspected regularly. Some are damaged and are missing the harness label. 7. Employees are not provided potable water on multiple sites and are not provided breaks. 8. On 7/7/25 an employee lost three fingers during a workplace accident.	Resolved through inquiry process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2316297	Penney OPCO LLC	JC Penney	07/07/2025	Phone	N		Closed	O-Health	1. The portrait studio has closed due to the heat. 2. Another Ceiling tile has fallen in the men's department. 3. The upstairs air conditioning, in the men's department, is not working.	Inspection conducted. No citations issued.
R-2316353	Entrata, Inc	Mezzo Apartments	07/06/2025	Online	N		Closed	O-Health	1. Water in apartment shower is set at 170 degrees Fahrenheit.	No action. No jurisdiction. No employer/employee relationship.
R-2316460	Jaws Topokki		07/07/2025	Phone	Y		Closed	S-Health	1. There has been no working air conditioning in the entire restaurant for at least a month. Temperatures are reaching 90 degrees indoors and there has been no effort to fix it.	Resolved through inquiry process.
R-2316474	MountainView Hospital, Inc.		07/07/2025	Email	N		Closed	O-Health	1. On 5/26/2025 at approximately 9:30 p.m., a patient from 4 Center-Room 402 verbally abused and punched an employee helping her in the abdomen. The employee did not seek medical treatment. 2. On 6/3/2025 at approximately 3:40 p.m., a patient from the Emergency room (ED 19) threatened employees for not getting requested medication and refused to leave the property. No bodily harm was done to the employees but Las Vegas Metro was still notified. 3. On 6/15/2025 at approximately 3:00 p.m., a patient from 4North-Room 442 punched an employee assisting her in the chest and stomach. The employee was treated at the hospital and has a follow up with Occupational Health. 4. On 6/17/2025 at approximately 9:35 a.m., a patient from Rehab-room 628 exposed himself and performed a lascivious act in front of a female employee delivering the patient's food tray. There was no physical contact between the patient and the employee. 5. On 6/17/2025 at approximately 5:30 p.m., a patient from 3 South slapped and pushed employees re-directing her to her room. Employees did not seek medical treatment. 6. On 6/18/2025 at approximately 11:10 p.m., a patient from 5 North-Room 559 soiled a gown and threw it at an employee helping her get back to bed. The patient then grabbed a call light switch and swung at the employee. The employee did not seek medical treatment. 7. On 6/19/2025 at approximately 11:30 p.m., a patient from 5N-559 swung a call light and hit an employee in the stomach. The patient also scratched another employee on the right wrist. 8. On 6/22/2025 at approximately 11:40 p.m., a patient from 4 South-Room 4032A punched an employee in the face. The employee was treated at Mountainview ED but denied follow-up treatment. Two police officers were with the employee at the time of the assault and was considering filing assault charges against the patient. 9. On 6/23/2025 at approximately 8:00 a.m., a patient from 5 South-Room 5028 verbally abused employees and refused to leave the hospital grounds. No physical harm was done to the employees but security and police were notified. 10. On 6/23/2025 at approximately 11:40 p.m., a patient from 4South hit a nurse on the right side of the face. 11. On 6/25/2025 at approximately 9:45 p.m., a visitor from 5 South verbally abused and physically threatened employees. While there was no physical contact, security was notified and escorted the individual off the premises. 12. On 6/28/2025 at approximately 12:15 a.m., a patient from the emergency room scratched and sprained an employee restraining her to prevent patient self-harm. The employee was treated at Mountainview ED and will be treated for a follow-up check up at Occupational Health. Police was notified and arrested the patient. 13. On 6/29/2025 at approximately 5:30 a.m., a patient from Room 3011 became agitated and kicked employees in the abdomen.	No action. WPV program previously reviewed.

Division of Industrial Relations

Occupational Safety and Health Administration

Complaint Log Detail FY2026 - 1st Quarter July to September 2025

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2316588	Amazon.com Services, LLC	DLV7 Amazon	07/08/2025	Phone	Y		Closed	S-Health	1. On Sunday, July 6, 2025, outside the warehouse, an employee experienced a seizure shortly before the end of their lunch break at approximately 5:55AM. A manager on site called 9-11 at approximately 5:57AM once the employee was found. EMS arrived and transported the employee to University Medical Center where she was admitted. As of July 8, 2025, the employee has been discharged after being treated for a personal medical condition. 7/8/2025 JC	Resolved through inquiry process.
R-2316779	George P. Johnson Company	George P. Johnson Experimental Marketing	07/08/2025	Phone	Y		Closed	S-Safety	1. On June 4, 2025, an employee was cutting an aluminum metal bracket with an electrical saw when the metal bracket began to spin once the employee's tool made contact with the metal. The spinning bracket of metal smashed the employee's finger against the fence of the saw. The employee sought medical care at an urgent care center before being referred to the emergency room at North Vista Hospital where they were treated, but not admitted. As of today, it is uncertain whether the employee adhered to medical advise recommending an amputation of the last index finger on their left hand. 7/8/2025 JC	Resolved through inquiry process.
R-2316786	Leica Biosystems		07/08/2025	Phone	Y		Closed	O-Safety	1. On 6/26/2025 at approximately 9:30 p.m., an employee was driving a company vehicle on the 215 towards the green valley area when an accident occurred resulting in the employee's hospitalization. The employee suffered a stroke as a result of the accident and is still currently hospitalized at Sunrise Hospital.	Resolved through inquiry process.
R-2316802	Key Realty Property Management LLC	Key Property Management	07/08/2025	Online	Y	Y	Closed	S-Health	1. In the front desk area, employees are exposed to working in high heat temperatures. 7/8/2025 SA	Open investigation.
R-2317132	ResortStay International, LLC		07/09/2025	Phone	Y	Y	Closed	S-Health	1. The employer is not providing water and shade for 15 to 20 employees working outside in high heat temperatures in front of Planet Hollywood. 7/9/2025	Inspection conducted. No citations issued.
R-2317152	West Henderson Hospital Medical Center, LLC		07/08/2025	Email	N		Closed	O-Safety	Two workplace violence incidents occurred on: 1. 05/05/2025 around 2:35pm, a patient in the Emergency Department assaulted staff, which resulted in no injuries. 2. 05/09/2025 around 4:55pm, a patient on Med Surg 7 assaulted staff, which resulted in minor injuries. The employer reported both incidents on 07/08/2025. 07/08/2025 SM	Resolved through inquiry process.
R-2317206	The Salvation Army	The Salvation Army	07/08/2025	Online	Y		Open	O-Safety	1. The employees are poking and stabbing people with needles and pens. Last observed on 5:18pm 06/26/2025 when a security officer stabbed a man with a pen.	Open investigation.
R-2317342	TB Penick & Sons		07/09/2025	Phone	Y		Closed	S-Safety	1. On 7/7/2025 at 11am, a cabinet installer from Install-It was using a table saw to cut trim when a piece of wood jammed up and cut the cabinet installer's index, middle and ring finger on their left hand. The cabinet installer was transported by EMS and was taken to UMC. As of 7/8/2025, the cabinet installer had an operation and was released on 7/9/2025. 7/9/2025 AR	Resolved through inquiry process.
R-2317432	Smog Busters		07/09/2025	Phone	Y	Y	Closed	O-Health	1. The air conditioning and fans has not been functioning for the past month and a half when smog check employees are working in high heat temperatures. 7/9/2025 AR	Inspection conducted. No citations issued.
R-2317441	Smith's Food and Drug		07/09/2025	Phone	Y		Closed	O-Safety	1. In the receiving area, employees are utilizing a manual pallet jack to pull heavy loads of pallets and water cases out of a truck which is causing employees to strain their bodies. 7/9/2025 AR	Resolved through inquiry process.
R-2317496	TRUE RELIGION SALES LLC	True Religion Brand Jeans	07/09/2025	Phone	Y	Y	Closed	O-Health	1. In the store, the air conditioning has not been functioning for the last month exposing employees to working in high heat temperatures. 7/9/2025 AR	Inspection conducted. No citations issued.
R-2317500	The Edmond at Hacienda Apartments		07/09/2025	Phone	Y		Closed	O-Health	1. Employees are exposed to mold on the upper window of the master bedroom in Unit 1012 when employees have to spot clean and show the unit to future residents. This resulted in an employee feeling sick due to the mold. 7/9/2025 AR	Resolved through inquiry process.
R-2317794	Brown Kids Inc.	Los Tacos	07/10/2025	Email	Y		Closed	O-Safety	1. There is a hole in the ceiling of the restroom near the sink exposing employees to falling debris and water intrusion. 2. The porcelain sink in the restroom is cracked near the faucet, potentially exposing employees to cuts and lacerations. 07/10/2025 JC	Resolved through inquiry process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2317870	Ewing Bros, Inc.		07/10/2025	Phone	Y		Closed	S-Health	1. On 06/26/2025 around 3:30pm, an employee collapsed while walking to modular home he was going to transport. Witness called 911, who transported employee to Sunrise Hospital. The employee was admitted for 3 days and has returned to work. The employer reported hospitalization on 07/10/2025. 07/10/2025 SM	Resolved through inquiry process.
R-2318442	PACIFIC STEEL GROUP DBA PACIFIC STEEL GROUP C	PACIFIC STEEL GROUP	07/11/2025	Phone	Y	Y	Closed	O-Health	1. At approximately 1:50 pm, one employee was working at 6915 South Durango Drive, Las Vegas, Nevada 89148. The employee was getting ready to go home when he began to experience heat stress symptoms. The employee began cramping, and vomiting. Emergency medical services were called, and the employee was transported by ambulance to the hospital. The employee was admitted to the hospital.	Open investigation.
R-2318502	Santa Fe LLC	Santa Fe Station Hotel & Casino	07/11/2025	Phone	Y		Closed	S-Health	1. An off-duty employee fractured their left ankle, while walking in the parking lot. The employee was transferred by ambulance to University Medical Center hospital for treatment. 07/11/2025 JC	Resolved through inquiry process.
R-2318557	BlueBird Mobile Home Park		07/11/2025	Phone	N		Closed	O-Health	1. Mobile homes in the park have black mold present. 2. A tenant of the mobile home park removed mold from the from their own dwelling and dwelling of other park occupants without proper certification and training, which has now caused health issues. 07/11/2025 JC	No action. No jurisdiction. No employer/employee relationship.
R-2318598	ERMC Aviation LLC	ERMC Aviation Services	07/10/2025	Phone	Y	Y	Closed	S-Health	1. Two or more employees were hospitalized as a result of working in extreme heat conditions. Employees are required to work in temperatures that range from 90 to 100 degrees.	Open investigation.
R-2318701	CCLV ABC, LLC	Waldorf Astoria Las Vegas	07/10/2025	Email	Y	Y	Closed	S-Health	On 07/09/2025, there was an incident where employees allegedly exposed to high levels of CO2 in room 1809. 07/10/2025 SM	Inspection conducted. No citations issued.
R-2318717	Centerplate	Sodexo Live!	07/11/2025	Phone	Y		Closed	S-Health	1. On 07/10/2025 around 8am, an employee was setting up a food buffet in the South Hall and felt dizzy. He sat down and later became unresponsive. On-site EMTs evaluated him and called 911, who transported the employee to Sunrise Hospital and currently remains admitted. The employer reported the incident on 07/11/2025. 07/11/2025 SM	Resolved through inquiry process.
R-2318740	Newage Lake Las Vegas, LLC	Hilton Lake Las Vegas Resort and Spa	07/10/2025	Phone	N		Closed	S-Safety	1. The wood stairs to the cooling tower do not have guardrails. 2. The angle of the stairs to the cooling tower are not between 30 - 50 degrees from the horizon. 07/10/2025 SM	Open investigation.
R-2318742	Subway		07/11/2025	Phone	N		Closed		1. A former employee was terminated because they would not take out the trash at the end of their shift. The employee feels they were retaliated against for objecting to a change in working conditions by a new manager. 07/11/2025 JC	No action. Referred to Whistleblower Investigation Unit.
R-2318771	J.C. Penney		07/11/2025	Phone	N		Closed	O-Health	1. At the store, the air conditioner has been out of order for a month. 2. Employees are working in environments with elevated temperatures exposing the employees to heat stress.	Inspection conducted. No citations issued.
R-2319253	Titan Roofing Services LLC	Titan Roofing	07/14/2025	Phone	Y	Y	Closed	I-Safety	1. Four employees have been working on roofs 20 feet high without fall protection for the last 2-3 weeks.	Inspection conducted. No citations issued.
R-2319338	Copper Creek Construction Inc		07/14/2025	Phone	Y		Open	S-Health	1. Two employees are demolishing a burnt down house built in 1970 and materials, including Asbestos Containing Materials, are being thrown into a open dumpers and the back of trucks. Fiberglass is blowing in the air. The employees are not using personal protective equipment or a containment area. 7/14/2025 SA	Open investigation.
R-2319396	Copper Creek Construction Inc		07/14/2025	Phone	Y		Open	S-Health	1. Two employees are demolishing a burnt down house built in the 1970s and materials, including Asbestos Containing Materials, fiberglass, and insulation, are being thrown into open dumpers and the back of trucks. The materials are blowing around and scattered around the job site. The employees are not using personal protective equipment or a containment area. 7/14/2025	Open investigation.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2319621	Silver State Building Systems		07/14/2025	In person	Y	Y	Closed	S-Health;S-Safety	1. The employer does not have a heat illness prevention plan. 2. The employer did not provide employees with heat illness training. 3. The employer does not have a job hazard analysis for the job site. 4. There is no designated person or person monitoring for heat illness. 5. The employees do not have access to water. 6. Employees have been working outside in temperatures of 108F and are only provided with one 40-minute break. Employees are not allowed to take additional breaks when experiencing symptoms of heat illness. 7. Employees are sanding walls inside the building which is creating silica dust clouds; material is being thrown down an open top garbage chute from the 3rd floor to the 1st floor exposing employees to silica dust clouds; and employees in the area are not provided with masks. 8. Two employees working in a boom lift are both required to tie off to the same "yoyo" in the basket.	Open investigation.
R-2319647	Pulte Homes of Nevada		07/14/2025	Phone	Y	Y	Closed	S-Health	1. Employees are excavating the dirt and not watering down the site which is causing large dust clouds. None of the employees are wearing masks. The site was previously contaminated with asbestos, magnesium, chrome. 07/14/2025 SA	Open investigation.
R-2319888	Mac Discount, LLC	Mac.Bid	07/14/2025	Phone	Y	Y	Closed	S-Health	1. Employees are exposed to high heat temperatures up to 90 degrees in the warehouse. Employees are not being allowed to take additional breaks.	Open investigation.
R-2319976	Hair Beauty & Beyond Inc.	LV Beauty Supply 3	07/15/2025	Phone	Y		Open	S-Health	1. Employees are exposed to high temperatures in the store and are showing signs of heat illness. The air conditioner has not worked for 4-5 months.	Open investigation.
R-2320097	Tracy Ryder Landscape Management Inc		07/15/2025	Phone	Y		Closed	O-Health	1. On June 14, 2025 at approximately 10:30 a.m., an employee at a construction site in Henderson, Nevada exhibited signs of heat illness. Emergency services were called and he was taken to the emergency room of Sunrise hospital for observation. The employee was released a few hours later. 7/15/25 AL	Resolved through inquiry proceess.
R-2320276	Foot Locker		07/15/2025	Phone	Y		Closed	O-Health	1. Inside the store, employees are exposed to working in high heat temperatures. 7/15/25 AL	Resolved through inquiry proceess.
R-2320285	City of North Las Vegas Public Works		07/15/2025	Phone	Y		Closed	O-Health	1. Last July 10, 2025, an employee on light duty performing administrative work stepped outside the office and started feeling sick. Emergency services were called and he was admitted to a hospital. The employee was released from the hospital last July 12, 2025 but was readmitted on July 13, 2025. The employee is still at the hospital at the time of the report. 7/15/25 AL	Resolved through inquiry proceess.
R-2320288	O'Reilly Auto Parts Store #2842		07/15/2025	Phone	Y		Closed	O-Safety	1. On July 12, 2025 at approximately 6:00 a.m., a store associate in the backroom aisle was pulling a radiator from a top shelf. The employee was on a 6ft. portable ladder when he fell and broke his right hip. He was transported to Sunrise Hospital for surgery and was released today, July 15, 2025. 7/15/25 AL	Resolved through inquiry proceess.
R-2320289	Del Taco		07/14/2025	Online	Y		Closed	S-Health	The air conditioner has not been effectively cooling the back of the restaurant, including the kitchen, in order to prevent heat illness. 07/14/2025 SM	Resolved through inquiry proceess.
R-2320312	AC Pro Inc		07/15/2025	Phone	Y	Y	Closed	O-Safety	1. On July 14, 2025, at approximately 7:00 a.m., an employee was placing a metal sheet into a rolling machine to make sheet collars when her right hand was pulled in by the machine and crushed the tip of her right pinkie finger. Emergency services were called, and the employee was initially taken to ER at the Lakes. The employee was then transferred to Southern Hills Hospital.	Open investigation.
R-2320619	COOPER ROOFING AND SOLAR LLC	Cooper roofing and Solar, LLC	07/16/2025	Phone	Y		Closed	O-Safety	1. On 7/15/2025 at approximately 8:20 AM, an employee was struck by material rolling off their trailer. He was transported to Saint Rose Siena Hospital and admitted for treatment.	Resolved through inquiry proceess.
R-2320621	LaborMax Staffing		07/11/2025	Online	N		Closed		Flagger Linda Taylor committing multiple safety hazards by leaving pedestrians and cars unattended in an active jobsite, leaving her post multiple times, as well as stealing AirPods from a postman on said jobsite.	No action. No alleged hazard.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2320640	ISP.net		07/14/2025	Online	Y		Closed	S-Safety	1. Technicians are climbing 2 story houses to install satellites and poles without the use of fall protection.	Resolved through inquiry proceess.
R-2320832	Centennial Hills Hospital		07/14/2025	Email	N		Closed	S-Safety	1. On 6/20/25 at 7:00pm, at 2East Nurse's Station, a patient walked from assigned room to Station, aggressively vocalizing discontent regarding long wait times for call light to be answered/pain meds. 2. On 6/20/25 at 8:30pm, in Room 347 (medical floor), while attempting to obtain vital signs, patient bit hand of Staff member (patient reported as disoriented/confused). 3. On 6/21/25 at 4:45am, in 512/ICU Nurse's Station, patient on mental health hold attempting to leave against medical advice, punching/scratching staff. 4. On 6/22/25 at 5:00am, on 7th floor room 732, Increased verbal aggression, threatening staff with physical violence, refusal to follow instructions. 5. On 6/22/25 at 3:30pm, in 732 Patient's room, patient trying to elope being assisted back to bed and he twisted RN arm.	No action.
R-2320922	Tropicana Animal Hospital		07/16/2025	Online	N		Closed		1. A dog has gotten a terrible wound infection from a spay the hospital gave the dog this past weekend. Two other dogs from Paws Patrol LV rescue also received an infection from the spray they were given from this veterinary office. 7/16/2025 AR	No action. No jurisdiction. No employer/employee relationship.
R-2320969	Nevada Property 1, LLC	The Cosmopolitan of Las Vegas	07/16/2025	Online	Y		Closed	O-Safety	1. In the guest services department located on level 4 of the Chelsea tower, a fire extinguisher located in the break room was last inspected in February 2024 and is overdue to inspection. 2. In the guest services department located on level 4 of the Chelsea tower, employees have experienced ergonomic strain and discomfort due to prolonged use causing wrist pain, neck and back issues due to the desks, chairs, keyboards, and mouses not meeting ergonomic needs.	Resolved through inquiry proceess.
R-2321191	Culinary Academy of Las Vegas		07/17/2025	Online	Y	Y	Closed	S-Health	1. In the classroom kitchen, employees are exposed to elevated temperatures reaching more than 90f degrees. 2. Employees are suffering from heat exhaustion.	Open investigation.
R-2321547	Silverado Mechanical LLC		07/17/2025	Phone	Y	Y	Closed	S-Safety	1. On 07/16/2025 at approximately 10:30AM, at a custom residential build located at 5555 West Teco Avenue, an employee was measuring an HVAC grill, and fell 13 feet down an elevator shaft, breaking his left tibia/fibula, and right foot.	Open investigation.
R-2321582	Wingstop Restaurants LLC	Wingstop	07/17/2025	Phone	Y		Closed	O-Health	1. For the last year, the restaurant's air conditioning has been insufficient, with kitchen temperatures currently reaching 105 degrees.	Resolved through inquiry proceess.
R-2321881	Fleet Trucks and Equipment		07/16/2025	Online	Y		Closed	O-Safety	1. Employees are provided no personal protective equipment when working on vehicles. 2. Chemicals stored in the shop have improper or no labels. 3. Employees drive service trucks that have damaged air hoses and are not properly maintained. 4. Employees utilize damaged extension cords in the shop. 5. Employees utilize the forklift truck with no forklift certifications.	Resolved through inquiry proceess.
R-2322015	City of Las Vegas Fire and Rescue		07/18/2025	Phone	Y		Closed	S-Health	1. On 7/17/2025, an employee was performing firefighting duties throughout the day, took part in a training activity, and at 8:00 PM the employee fell ill and was transported by the employer to UMC, and was admitted for treatment for rhabdomyolysis/dehydration. The employee was still hospitalized at the time of reporting.	Resolved through inquiry proceess.
R-2322226	Cirque du Soleil America, Inc.	Cirque Du Soleil	07/18/2025	Phone	Y		Closed	O-Safety	1. At the Mad Apple Production, A new department head has not obtained OSHA-10 hour or OSHA-30 hour general industry card, and has been employed since early June.	Resolved through inquiry proceess.
R-2322258	Proline Interiors Inc.		07/18/2025	Phone	Y		Closed	S-Safety	1. On 7/18/2025, an employee hanging ceiling tiles, contacted electrical wires and passed out. EMS was called and the employee was transported to a local hospital for treatment.	Resolved through inquiry proceess.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2322610	EMG Acquisition Company of NV	Minute Loan Center	07/18/2025	Phone	N		Closed	S-Health	1. It is hot, and the A/C has been broken for a week. The employer has provided the employee with a fan and a third-party A/C company has come out to check on the unit.	No action. Referrent confirmed employer made a good faith effort to correct the hazard.
R-2322643	Avolta	Hudson News Group	07/20/2025	Phone	N		Closed		1. The employees are storing milk in dry storage so the milk is not cold.	No action. No jurisdiction. Referred to SNHD.
R-2323125	Spring Valley Hospital Medical Center		07/21/2025	Email	N		Closed	S-Safety	1. On July 12, 2025, in the 2W Medical Surgical Unit, a patient grew aggressive and physically attacked staff. Patient was deescalated. No injuries were reported. Chemical sedation was later used to help calm the patient. 2. On July 10, 2025, in the Emergency Department, a patient eloped, the patient was aggressive is the retrieval. Patient was restrained for safety. No further incidents occurred. 3. On July 13, 2025, in the 4N department, a patient grew aggressive and attacked staff. Patient was placed in a 2-point restraint. No staff reported injuries. 7/21/2025 AB	No action. The allegations have been addressed and revised in previous UPAs.
R-2323134	MGM Grand Hotel LLC	MGM Grand Hotel & Casino	07/21/2025	Phone	Y		Closed	S-Health;S-Safety	1. On 7/20/2025 at approximately 7:45 PM, an employee was injured when a prop car ran over the employee's toe, lacerating it. The incident occurred in the Copperfield Theater.	Resolved through inquiry proceess.
R-2323460	Spring Valley Hospital Medical Center		07/07/2025	Email	N		Closed	S-Safety	1. On July 4, 2025, in the Emergency Mental Health Holding department, a patient grew aggressive and attacked an employee. The patient was returned to restraints and employee was seen for injury. Not a reportable OSHA logs injury. 2. On July 5, 2025, in the Emergency Department, a patient grew aggressive and attacked an employee. The patient was returned to restraints and employee was seen for injury. Not a reportable OSHA logs injury. 3. On July 19, 2025, in the Emergency Department, a patient grew aggressive and attached an employee. The patient was placed in restraints. The employee suffered no injuries. 4. On June 20, 2025, in the 2W Medical Surgical Unit, a patient suddenly grabbed an employee. The patient was verbally deescalated and the employee was treated for the injury. No further incident occurred. 5. On June 19, 2025, in the Emergency Department Mental Health Holding, a patient being supervised grew aggressive and attacked an employee. Security was alerted and the patient was place in restraints. Metro was contacted and the patient was arrested upon release. The employee sustained an injury was treated. No further injuries occurred. 6. June 24, 2025, in the 2W Medical Surgical Unit, a patient attacked an employee. The patient was deescalated and the employee was treated for the injury sustained. 7. On June 24, 2025, in the 4N Medical Surgical Unit, a patient attacked an employee. The patient was placed in restraints and no other incidents occurred. 8. On June 29, 2025, in the 4W Medical Surgical Unit, a patient attempted to punch an employee. The patient was redirected and deescalated and placed in restraints. No further incidents occurred. 9. On July 4N Medical Surgical Nursing Unit, a patient attacked an employee. The patient was deescalated verbally and no recordable injuries were sustained. 7/7/2025 AB	Resolved through inquiry proceess.
R-2323499	Emerald Carpets, Inc.		07/22/2025	Email	N		Closed	S-Health	1. In the facility, employees are not provided air conditioning. 2. Employees are not provided water breaks.	Resolved through inquiry proceess.
R-2323531	Bowtie Hospitality LV LLC	Fontainebleau Las Vegas	07/15/2025	In person	Y		Closed	S-Health	1. Fontainebleau Las Vegas was requested by a former employee to provide a copy of an OSHA 301 Injury and Illness Incident Report for an entry listed on the OSHA 300 log for the year 2023. A copy was not provided. KR	Resolved through inquiry proceess.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2323609	Hudson News Group		08/07/2025	Phone	N		Closed	O-Health	1. In the work area on terminal 1, employees are exposed to elevated heat above 90 Degrees C due to a broken air conditioning unit.	Inspection conducted. No citations issued.
R-2323764	Airgas Distribution Center		07/22/2025	Phone	Y		Closed	S-Safety	1. In the facility, pallets are not stacked in a manner that is stable and secure. 2. Forklifts brakes are damaged and not taken out of service.	Resolved through inquiry process.
R-2323774	MountainView Hospital, Inc.		07/21/2025	Email	Y		Closed	O-Safety	1. On 6/27/2025, a patient attempted to hit a staff member. 2. On 6/28/2025, a patient swung their walker at a staff member. 3. On 6/29/2025, a patient kicked a nurse and another staff member in the abdomen. A different patient verbally abused a nurse calling them stupid and stated that they should die a painful death. 4. On 7/2/2025, a patient dug their nails into a nurse while preventing the patient from falling and a patient hit and kicked a doctor. 5. On 7/4/2025, a patient was verbally hostile to a staff member. 6. On 7/8/2025, a patient's partner jumped into a fighting stance and verbally abused a doctor. 7. On 7/12/2025, a patient cursed at a staff member. 8. On 7/17/2025, a patient hit a nurse's arm, grabbed the nurse's hand, and kicked the nurse in the head. 7/22/2025 SB	Resolved through inquiry process.
R-2324020	Nourison Industries Inc.		07/22/2025	Online	N		Closed		1. An employee is talking inappropriately about their sexual relationship with other employees.	No action. No jurisdiction.
R-2324222	Desert Ready Mix of Nevada LLC		07/22/2025	Online	Y		Closed	S-Health	1. The yard is dusty with silica, causing lung issues for the employees.	Resolved through inquiry process.
R-2324409	Urban Framing LLC		07/23/2025	Phone	Y		Closed	S-Safety	1. On 7/22/2025 at 11:20 am, an employee was on the first floor installing floor joists. The employee went over to the ladder to descend to the ground level. The employee and unhooked his lanyard from his harness before reaching the ladder and fell approximately 12 feet to the ground. Employee was transported to UMC.	Resolved through inquiry process.
R-2324431	Geodis Logistic		07/23/2025	Phone	Y		Closed	S-Safety	1. In the facility, intoxicated employees are allowed to continue their job duties. 2. Employees are not provided a powered industrial truck training and an evaluation prior to operating a powered industrial truck. 3. Employees are not provided designated walkways or floor markings to protect employees from a collision with a powered industrial truck.	Resolved through inquiry process.
R-2324782	LifeSkills Unlimited, Inc		07/24/2025	Phone	Y		Closed	O-Safety	1. At jobsites, an effective extermination program has not been instituted where the presence of bed bugs.	Resolved through inquiry process.
R-2324786	Ryan Mechanical, Inc	Ryan Mechanical Inc	07/24/2025	Phone	Y		Closed	S-Safety	1. On 07/23/2025 at 09:32 AM, in the 11405 US Highway 95 jobsite, an employee was installing insulation on the wall lost balance on the ladder while pushing in insulation. The employee was transported to UMC hospital by ambulance.	Resolved through inquiry process.
R-2325071	Panda Express #833		07/24/2025	In person	Y		Closed	S-Safety	1. On July 21, 2025, an employee suffered from unknown dizziness which resulted in an inpatient hospitalization. 7/24/2025 AB	Resolved through inquiry process.
R-2325295	Value Electric		07/24/2025	Phone	Y	Y	Closed	S-Safety	1. On 07/23/2025, at the jobsite, an employee was checking for power using a handheld meter was electrocuted and transported to the hospital.	Open investigation.
R-2325347	TBC The Boring Company		07/25/2025	Phone	Y	Y	Closed	S-Safety	1. On 7/24/2025 in the evening hours, an employee was accessing a 13.2 cabinet transformer in one of the tunnels. The transformer was live, and an arc flash occurred resulting in severe burns to the employees hands and arms. The employee was transferred by a personal car to an unknown hospital. 2. The employee was not wearing any protective equipment when accessing a 13.2 cabinet transformer.	Open investigation.

Division of Industrial Relations

Occupational Safety and Health Administration

Complaint Log Detail FY2026 - 1st Quarter July to September 2025

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2325594	P & L Fencing & Iron LLC,		07/23/2025	Online	N		Closed		7/14/2025-Gun Shooting Threat at Workplace by fellow coworker. Estimated number of employees would be 15. To Whom It May Concern, My name is Brandon Nava Carrillo, and I am filing a formal report regarding what I believe to be a wrongful termination and serious workplace safety concern. On Monday, July 14, 2025, I was terminated after choosing not to report to work due to a credible gun violence threat made by a coworker. I am submitting this to OSHA, for failure to address a safety risk. Incident Summary: On Friday, July 11, 2025, a coworker (Erick) informed me that another employee, Adam, had told Angel Robles not to come to work Monday due to frustrations with our employer (Paul and his sons, Andrew and Jonathan). That same day, another employee, Gilberto Carrillo, reportedly saw Adam searching for firearms on a work computer. I was unaware of these incidents until after my shift. Concerned for my safety, I contacted my supervisor, Edgar Carrillo, on Sunday, July 13, to ask if any action had been taken. He said he would follow up with our manager, Jose. Later, Edgar told me nothing had been done. I expressed that I didn't feel safe returning under these conditions and offered to work a night shift as an alternative — something previously allowed for scheduling conflicts. Despite this, on Monday, July 14, I was notified by Edgar via text that I had been terminated. When I called Jose to clarify, he dismissed my concerns and said, "You always tell Edgar instead of me." I explained that Edgar had always acted as my direct supervisor, and I'd communicated with him per past practice. Jose responded, "Edgar is no one for you to be reporting to." This contradicted the established chain of communication I'd used without issue in the past. Request for Investigation: I respectfully request an investigation into the following: - The company's failure to act upon or communicate a workplace safety threat. - My termination for refusing to report to an unsafe environment, despite offering a reasonable alternative. - Possible retaliation and inconsistent enforcement of communication procedures. Please advise on any further steps I should take, or documentation required. Thank you for your time and attention to this matter. Sincerely, Brandon Nava Carrillo Hazard Location: There are 3 shops (warehouses). One is for manufacturing gates and small projects. The second shop is for structural projects. The last shop is for powder coating. The threat would have affected the structural shop.	No action. No alleged hazard.
R-2325676	F&H Plastering LLC		07/23/2025	Email	Y		Closed	S-Safety	1. On 7/11/2025 at 9:00am, an employee was climbing up a ladder to mask the roof and fell to the ground from the ladder. The employee was transported to Southern Hills Hospital and Medical Center for treatment.	Resolved through inquiry process.
R-2325962	Westgate Las Vegas Resort & Casino		07/20/2025	Online	N		Closed		The elevators in this building are outdated and appear to be poorly maintained. Several of them are frequently out of service, and the ones that are operational feel extremely unsafe. There are unusual noises, sudden jolts, and delays between floors, creating a serious concern for the safety of both employees and guests. Despite ongoing issues, proper repairs and upgrades have not been made. This poses a significant risk of injury or entrapment, and immediate inspection is strongly recommended. Hazard Location: East tower Elevator Central Tower Elevators East Tower elevator	No action. No jurisdiction. Referred to MCS.
R-2325997	Clark County Water Reclamation District		07/27/2025	Phone	Y	Y	Closed	O-Safety	1. While troubleshooting a power outage, an employee sustained injuries from an arc flash incident and was transported to UMC Hospital for medical treatment.	Open investigation.
R-2326638	The Suites		07/28/2025	Phone	Y		Closed	O-Health	1. In the maintenance shop, there are rodents and insects. 2. The employee water coolers are not cleaned and maintained. JA 7/28/2025	Resolved through inquiry process.

**State of Nevada
Division of Industrial Relations**

item 7

**Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025**

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2326650	Lanz Construction LLC		07/28/2025	Phone	Y	Y	Closed	O-Health;O-Safety	1. The employer fails to properly maintain company trucks, resulting in issues such as nonfunctional air brakes and engine overheating. 2. The employer does not provide employees with training on heat illness prevention. 3. The employer does not implement a heat acclimatization program for new or returning workers. JA 7/28/2025	Open investigation.
R-2326698	Valley Health System, LLC.	Henderson Hospital	07/21/2025	Email	N		Closed	S-Safety	1. On 6/2/2025 at approximately 10:00 AM in the Emergency Department, a patient was verbally abusive and threatened a staff member with physical violence. The patient was transferred to a mental health facility.	Resolved through inquiry process.
R-2326707	Aimbridge Group Holdings, L.P.	The Rita Suites	07/28/2025	Phone	Y	Y	Closed	O-Health	1. The employees are exposed to insects in the work areas. JA 7/28/2025	Open investigation.
R-2326715	Main Electric Supply Company LLC	Main Electric Supply Co	07/25/2025	Phone	Y		Closed	O-Health	1. The employer has not ensured all employees operating the forklifts are certified. 7/25/2025 KR	Resolved through inquiry process.
R-2326720	WFM Southern Nevada, Inc.	Whole Foods Market	07/25/2025	Phone	Y		Closed	O-Health	1. Inside the facility, employees are exposed to working in low temperatures. 7/29/2025 KR	Resolved through inquiry process.
R-2326747	Viticus Center - Oquendo Campus		07/28/2025	Phone	Y		Closed	O-Safety	1. In the necropsy walk-in freezer, employees have to climb over animal cadavers that are stacked 6 feet high. JA 7/29/2025	Resolved through inquiry process.
R-2326767	Skydio, Inc.		07/28/2025	Email	Y		Closed	O-Safety	1. An employee was climbing a ladder when they lost their grip and fell backward, landing on their feet and sustaining a fracture to the left fibula. JA 7/29/2025.	Resolved through inquiry process.
R-2328065	Geodis Logistics LLC	Bark Box	07/30/2025	Phone	N		Closed	O-Safety	1. During the morning shift, an employee was observed operating a forklift while under the influence of drugs. The issue was reported to Human Resources, but no action was taken.	Resolved through inquiry process.
R-2328289	Las Vegas Paving Corporation		07/30/2025	Phone	Y		Closed	S-Safety	1. Employee was driving a water pull truck North, heading down an approximate 30 degree grade decline on the water tank access road. The truck veered off to the right, over a berm, and fell approximately 15 feet before crashing. The employee was not wearing a seat belt and was ejected through the front window. The employee was transported to UMC Trauma via Flight for Life. The employee was admitted to the hospital and is conscious and alert. The known injury at the time of the report was an "unstable pelvis". DF 07/30/2025	Resolved through inquiry process.
R-2328346	Summerlin Hospital Medical Center		07/22/2025	Email	N		Closed	O-Health	1. On 6/26/25 at approximately 11:00 p.m., a father of one of the patients from PICU verbally assaulted and threw things at hospital staff. 2. On 7/3/25 at approximately 11:40 a.m., a patient from ER Bed 15 rubbed blood on an employee's arm and attempted to hit the same employee. 3. On 7/9/25 at approximately 8:30 p.m., a patient from Pediatric ER Room 2 became very agitated. An employee tried to de-escalate the situation when the patient kicked and grabbed the employee's hair. 4. On 7/11/25 at approximately 2:30 p.m., a patient from 492 - 4 West attempted to bite and hit staff. 5. On 7/12/25 at approximately 1:45 a.m., a patient from the ER lobby/Triage area began swinging a wheel walker at an employee trying to put him in a wheelchair. When security tried to de-escalate the situation, the patient grabbed the security officer by the shirt. Las Vegas Metro was called to assist. 6. On 7/16/25 a approximately 6:55 a.m., a patient from 4W - Medical floor became agitated and started scratching the staff. 7/30/25 AL	Resolved through inquiry process.
R-2328398	Checksammy		07/30/2025	Phone	Y		Closed	O-Safety	1. Employees are allowed to use forklifts in an unsafe manner, lifting other employees in the air while they are standing directly on the forks . 2. Some forklift operators are not trained and/or certified. 3. Forklift drivers operate the forklifts while not wearing the seat belt. 4. Employees are required to climb into baler without the baler being properly locked out and tagged out. 5. Accidents are not being reported on OSHA logs. Employees are threatened to not say anything regarding accidents. DF 7/30/2025	Resolved through inquiry process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2328430	Rechargeable Power Energy North America, LLC.		07/30/2025	Email	Y		Closed	O-Safety	1. Forklift drivers are allowed to operate forklifts without proper training and certification. DF 07/30/2025	Resolved through inquiry process.
R-2328474	Clark County Fire Department		07/30/2025	Phone	Y		Closed	S-Safety	1. On 7/28/2025 at 5:00 PM an employee was using a ladder within the fire station. The employee missed a rung when descending the ladder and fell approximately 8 feet. The employee was transported to UMC and received treatment for a ruptured quadricep tendon. The employer was notified the employee was hospitalized on 7/29/2025 at approximately 5:30 PM.	Resolved through inquiry process.
R-2328822	POLE KISSES LLC	Pole Kisses, Bungee and Aerial Fitness	07/14/2025	Online	Y		Closed	O-Health;O-Safety	1. Rigging equipment has not been inspected since 2020, resulting in loose connection points and difficulty safely securing aerial apparatuses. 2. Instructors are required to individually lift and adjust large ladders to rig the apparatuses due to uneven and unstable ladder conditions. 3. The uneven ladders present ergonomic and safety hazards, especially when handling heavy rigging equipment. 4. Management has been made aware of these issues but has dismissed requests for new ladders or inspections, citing cost concerns. JA 7/31/2025	Resolved through inquiry process.
R-2328902	Las Vegas Arena Company, LLC	MGM Grand Garden Arena	07/23/2025	Online	Y	Y	Closed	O-Safety	1. On July 10, 2025, at the Catwalk level on the north end of the building (upstage center), an employee fell through an opening in the catwalk above the arena floor, landing on a chain located at the front side of the platform. 2. After the employee climbed back up the ladder, a rope was placed across the opening. 3. Several non-rigging crew members in the area were observed not wearing fall protection. 7/31/2025 JA	Open investigation.
R-2328957	Technical Safety Services		07/30/2025	Phone	Y		Closed	O-Health	1. At the jobsite an employee was found collapsed while using the restroom.	Resolved through inquiry process.
R-2328968	DRI Tech Corporation		07/31/2025	Phone	Y	Y	Closed	I-Safety	1. An employee fell from a fixed ladder at a height of approximately 10 feet while attempting to access the roof of the building resulting in a broken arm.	Open investigation.
R-2329151	Chrysalis Nevada LLC	Chrysalis	07/31/2025	Phone	Y		Closed	O-Health	1. The workplace does not have a continuing and effective extermination program as to prevent the entrance of bed bugs.	Resolved through inquiry process.
R-2329162	TrueNet Communications Corp.		07/31/2025	Phone	Y	Y	Closed	S-Safety	1. An employee fell approximately 4 1/2 to 5 feet into an uncovered hole resulting in a broken left leg.	Open investigation.
R-2329208	Red Rock Casino Resort Spa		07/30/2025	Phone	Y		Closed	O-Safety	1. In the overflow walk-in food storage area used for multiple restaurants there is no ladder or portable stairs available to allow employees to get products of the high storage shelves approximately 8-10 feet from the ground. Employees are forced to use make-shift unsafe stepping platforms to reach the products. DF 07/30/2025	Resolved through inquiry process.
R-2329230	The Paradise Spas		07/31/2025	Phone	N		Closed	S-Health	1. After the demolition of apartment buildings in the complex, the employer left deposits of building materials containing asbestos insufficiently covered, which were later distributed throughout the complex by high winds.	Resolved through inquiry process.
R-2329232	The Nevada Division of Child & Family Services		07/31/2025	Phone	N		Closed	O-Safety	1. At the jobsite, the building is locked prior to work.	No action. No alleged hazard.
R-2329441	Focus Framing LLC		08/01/2025	Phone	Y	Y	Closed	S-Safety	1. At the jobsite, employees are not provided breaks. 2. At the jobsite, employees are not provided water. 3. Employees are exposed to elevated temperatures above 90 degrees resulting in employees experiencing heat stress symptoms	Open investigation.
R-2329503	Desert Plastering L.L.C.		08/01/2025	Phone	Y		Closed	S-Safety	1. On 7/31/2025 at approximately 9AM, an employee working on lot 1 was rounding a corner on the first level of a scaffold. At some point while turning the corner, the employee fell approximately 7 ½ feet to ground level. The employee was taken by ambulance to UMC Hospital and was hospitalized. cw 8/1/2025	Resolved through inquiry process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2329537	The Palazzo at The Venetian Resort		08/01/2025	Phone	Y		Closed	O-Safety	1. In the basement level near the service elevator access, employees are exposed to silica as construction employees cut through concrete resulting in a cloud of dust. 2. In the basement level near the service elevator access, employees must walk through an area where it is difficult to hear during the construction. Employees are not provided hearing protection. 3. In the basement level near the service elevator access, the construction workers are using water, and it spills onto the floor resulting in a slip/trip hazard for employees walking by.	Resolved through inquiry process.
R-2329808	Hard Eight Nutrition LLC	BulkSupplements.com	08/01/2025	Phone	Y	Y	Closed	S-Safety	1. On 7/31/2025 at approximately 9:10 PM, a plastic bag went into one of the machines used to make supplements. An employee reached in to grab the bag when his hand was caught in a rotor and his right ring finger was amputated. The employee was transported by ambulance to Saint Rose Hospital and later transferred to University Medical Center of Southern Nevada for treatment. 08/1/2025 JB	Open investigation.
R-2330112	Westgate Las Vegas Resort & Casino		08/04/2025	Email	N		Closed	S-Health	1. Employees are being exposed to asbestos on several floors of the main center core service elevator restrooms. 8/4/2025 AR	Resolved through inquiry process.
R-2330301	Cardinal Paint and Powder		08/02/2025	Phone	Y	Y	Closed	S-Safety	1. On 8/1/2025 at 12:35 PM, an employee was conducting cleaning operations on a extruder belt. The employee was standing at the rear of the belt using a rag to clean the rollers. The rollers were engaged and in motion when the rag was caught by the rollers and pulled the employee's right hand into the rollers. The rollers sensed the hand and stopped. The employee notified another employee to release the rollers and get their hand out. Emergency medical services were called and transferred the employee to UMC where the employee is awaiting surgery.	Open investigation.
R-2330324	Baskin-Robbins		08/04/2025	Phone	Y		Closed	O-Safety	1. At the back of the store, the floor is flooded with water which is near electrical cords and is potentially exposing employees to slip hazards. 8/4/2025 AR	Resolved through inquiry process.
R-2330439	Stewart & Sundell Concrete, Inc.		08/04/2025	Phone	Y	Y	Closed	S-Safety	1. On 8/4/2025 at approximately 6:30 am, a form was being lifted by a forklift. An employee was holding the form so it wouldn't swing when the forklift ran over the employee's feet. The forklift operator backed up and 911 was called. The employee was transported to Sunrise hospital where they are awaiting surgery. 8/4/2025 AR	Open investigation.
R-2330558	Tommy Hilfiger		08/04/2025	Phone	Y		Open	O-Health	1. There is a pungent sewer smell throughout entire store. 8/4/2025 AR	Open investigation.
R-2330568	Venetian Resort Hotel Casino / Palazzo Resort Hotel Casino		08/04/2025	Phone	Y		Closed	O-Health	1. The construction occurring at the COTE is causing a sewer smell to come out of two air vents near the front side station in Delmonico steakhouse which is causing Delmonico employees' eyes and throat to burn and have headaches. 8/4/2025 AR	Resolved through inquiry process.
R-2330579	Wynn Las Vegas / Encore at Wynn Las Vegas	Wynn and Encore Las Vegas	08/04/2025	Phone	Y		Closed	O-Health	1. Employees are having to sit at the post at the Tesla tunnel in high heat temperatures for 7 hours. 2. Employees are not trained on the signs or symptoms of heat illness. 8/4/2025 AR	Resolved through inquiry process.
R-2330580	Timet	Henderson Technical Laboratory	08/04/2025	Phone	Y		Closed	O-Safety	1. The hook on the northside crane is cracking when employees have to pick up ingot (sticks). The employer is not taking the crane out of service. 8/4/2025 AR	Resolved through inquiry process.
R-2330846	Cowabunga Bay Las Vegas		08/05/2025	Phone	Y		Closed	O-Health	1. Lifeguards are not provided with breaks when they are working in high heat temperatures for 5-6 hours a day. 8/5/2025 AR	Resolved through inquiry process.
R-2330926	Robertson's Installations, LLC		08/05/2025	Phone	Y		Closed	S-Safety	1. On August 4, 2025, an employee was installing a playground when a post swung and made impact to the employee's ankle which resulted in an inpatient hospitalization. 8/5/2025 AB	Resolved through inquiry process.
R-2331084	Starbucks Corporation	Starbucks Coffee #25810	08/05/2025	Online	Y		Closed	S-Health	1. Employees are exposed to blood or other potentially infectious materials from contaminated items, such as sharps, in the bathroom. 08/05/2025 SM	Resolved through inquiry process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2331133	West Henderson Hospital Medical Center, LLC		08/05/2025	Email	N		Closed	O-Safety	1. An incident of workplace violence occurred on 06/08/2025 around 8:20am, a patient on Med Surg 7 assaulted an employee and no injuries were reported. The employer reported the incident on 08/05/2025. 08/05/2025 SM	Resolved through inquiry proceess.
R-2331152	West Henderson Hospital Medical Center, LLC		08/05/2025	Email	Y		Closed	S-Safety	1. An incident of workplace violence occurred on 06/18/2025 around 10:30pm, where a patient in the emergency department assaulted an employee. The employee was injured and law enforcement was contacted. The employer reported the incident on 08/05/2025. 08/05/2025 SM	Resolved through inquiry proceess.
R-2331204	Sam's West, Inc.	Sam's Club #6382	07/08/2025	Online	N		Closed		They have been operating for most of the day with blackout conditions existing in at least half of the store. The area affected is in the back of the store where the freezers and the coolers are.	No action. No jurisdiction. Referred to SNHD.
R-2331225	Nevada Gypsum Floors, LLC		08/05/2025	Online	N		Closed		1. Employees are not trained for heat stress. 2. No PPE is provided to employees. 3. Employer does not provide PPE Training. 4. Silica training is not provided. 5. Respirator training is not Provided by employer. 6. Medical evaluations are not given to employees required to wear a respirator. 7. There is no Safety Protocols on Manual or Safety Procedures. 8. The employer is not reporting accidents on the OSHA 300 Logs 9. There is not an eyewash station onsite when mixing cement.	No action. Source unresponsive to follow up for clarifying information.

Division of Industrial Relations

Occupational Safety and Health Administration

Complaint Log Detail FY2026 - 1st Quarter July to September 2025

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2331507	Sunrise Hospital and Medical Center		08/05/2025	Email	N		Closed	O-Health	1. On June 21, 2025, in Neuro/Stroke Services, a patient's daughter was notified that the patient had fallen in the Emergency Room prior to being admitted into the unit. The patient's daughter proceeded to scream at staff and threatened to call the police despite care provided to the patient. The patient's daughter requested details on the fall, but the registered nurse clarified that the Emergency Room would be able to provide more information since the patient was new to the unit. The patient's daughter proceeded to yell, scream, and berate staff until security was dispatched due to safety concerns. The patient's advocate and security were able to assist the daughter. No staff sustained any injuries. 2. On July 19, 2025, in the Medical Observation Unit, a patient became verbally aggressive with staff once redirected to their room after offering an employee's unopened drink to another patient. The patient was placed in restraints by security per a medical doctor's orders. No staff members sustained any injuries. 3. On July 19, 2025, in the Medical Observation Unit, a patient placed in restraints and under "Nothing-by-mouth" status, managed to escape from the restraints. The patient was observed drinking water from the faucet and was redirected back to their bed while being reminded that they should not be drinking. The patient responded by throwing water on the staff member and security was called to assist in de-escalating the situation. The patient was returned to bed, given medication, and placed in restraints again. No staff member sustained any injuries. 4. On July 19, 2025, in the Burn Surgical Unit, a patient was admitted into the unit and was angry over not have a new bed available. The patient proceeded to swing at the therapist who was in the room for transfer. After the therapist left the room, the incident was addressed with the patient to which the patient denied attempting to hit the therapist. The event was not reported to security and reporting protocols were not followed by staff. No staff members sustained any injuries. 5. On July 22, 2025, in the Medical Observation Unit, a laboratory assistant was verbally harassed by a registered nurse after informing them that a patient's daughter was requesting medication for the patient. Human Resources and leadership is investigating the situation. No staff sustained any injuries. 6. On July 23, 2025, in the General Medical Unit, security was dispatched once a patient became verbally aggressive toward staff. The patient was angry after not receiving pain medication for his back despite being admitted into the hospital for a leg infection. The patient proceeded to leave against medical advice provided. No staff sustained any injuries. 7. On July 24, 2025, in the Comprehensive Medical Unit, a patient refused education from staff and wanted to leave against medical advice provided. The patient's wife became verbally aggressive towards staff and security once they arrived to deescalate the situation. The patient and their wife were escorted out to their car afterwards. No staff sustained any injuries. 8. On July 25, 2025, in the Adult Emergency Room, a patient became progressively louder and aggressive after refusing to change into a green gown. The patient was redirected to their recliner and became verbally abusive and hostile. The patient proceeded to clench their fist, charge towards staff, and hit a security guard in the face. The staff member denied sustaining an injury and declined medical treatment. 9. On July 25, 2025, in the Medical Observation Unit, a patient care technician reported that a patient had punched them on their side, and then threatened to hit them with a telemonitor earlier in their shift. The staff member did not report the event until later in the day after the patient had become increasingly	Inspection conducted. 1 citation issued - \$597.50.
R-2331816	Kids Artistic Revue		07/03/2025	Online	N		Closed	O-Health	1. Employees are required to operate vehicles, to and from the airport, after experiencing severe fatigue from their work shifts. 2. Employees are required to work 8-hour, or longer, shifts without being permitted a meal break. 8/6/2025 JC	No action. No jurisdiction. Referred to DOL.
R-2331832	CleanSpark		08/06/2025	Phone	Y		Closed	S-Health	1. On August 5th, an employee left the building for a break and was found convulsing and face down on the ground outside of the complex. The employee was then taken to the dentist by their supervisor, and later went home. At 8 PM, the employee went to Saint Rose Hospital, and was admitted overnight with a broken eye socket. KJR	Resolved through inquiry process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2332062	Tesla Energy Operations Inc		08/01/2025	Online	N		Closed		I had panels installed several years ago and they are under a 10-year warranty for the product and the installation. I now have a problem with the way that the panels are installed by making the shingles of my roof no longer lay flat as they should. I had them send a person out to inspect, per the customer rep, he is the best since the first person was a no call no show. He showed up and it is a installation error but instead of doing the job the correct way they want to put some sort of caulking or adhesive down on my roof but cannot supply me with a MSDS/SDS sheet(s) or the products that they want to apply. I have even reached out to the manufacture of the shingles and there is nothing that can be applied that would not void the warranty. Now they want me to pay for the damages done to the roof and shingles and plus pay for anything else they would have to be replaced.	Resolved through inquiry process.
R-2332169	Marksman Security Corporation		08/07/2025	Phone	Y		Closed	O-Health	1. The employer requires all employees who are performing security work to bring their own water to jobsites. KR 8/7/2025	Resolved through inquiry process.
R-2332200	Valley View Las Vegas LLC	Country Club at Valley View	08/05/2025	Email	Y	Y	Closed	S-Safety	1. Employees on a roof were hoisting an air conditioning unit but were not protected from falling to the next lower level. 2. Employees were manually pushing an air conditioning unit up two ladders and were potentially exposed to falling from the ladders.	Open investigation.
R-2332232	Las Vegas Custom Cakes		08/07/2025	Phone	Y		Closed	S-Health	1. There are bags of sugar, flour, and powdered milk on the ground throughout the facility. These bags are open and could present a fire hazard, as they are next to operating ovens while employees are baking. 2. Mixers within the facility do not have guards and are being operated on the ground. KR 8/7/2025	Resolved through inquiry process.
R-2332258	Walmart #3728		08/07/2025	Online	N		Closed		I got hired went to paid orientation then was the only fired afterwards because I have a disability and I'm a single dad I think it was because of my poncho with my Mexican flag on it I told them why they didn't want to pay me either at first for a long time.	No action. No alleged hazard.
R-2332294	VE Group Venetian LLC	Mercato Della Pescheria	08/07/2025	Phone	Y	Y	Closed	S-Health	1. On April 27th, 2025 at approximately 10:00 AM, an employee was cutting lemons with a mandolin when he amputated the tip of his right middle finger. The employee was taken to Concentra – Polaris. As of August 7, 2025 the employee has returned to work. 8/7/2025 KR	Open investigation.
R-2332358	Albertsons		08/07/2025	Phone	Y		Closed	S-Health	1. Inside the facility, employees are exposed to working in high heat temperatures. KR 8/7/2025	Resolved through inquiry process.
R-2332450	Albertson's LLC	Albertson's	08/07/2025	Phone	Y	Y	Closed	S-Safety	1. On 8/7/2025 at 9:00 AM an employee was working in the receiving area near the loading dock and an fell from the edge of the dock approximately 52 inches to the next lower level. EMS transported to Boulder City Hospital, and subsequently transferred to St. Rose Sienna Hospital. The employee is receiving treatment for a fracture to the elbow and sprain to the ankle.	Open investigation.
R-2332694	Southwest Steel, LLC		08/08/2025	Phone	Y	Y	Closed	S-Safety	1. The employer has been operating a crane on the south side of the 5th floor for the past few days and the operator is not certified. 08/08/2025 SM	Open investigation.
R-2332860	Henderson Hydration & Wellness, LLC	Prime IV Hydration & Wellness	08/08/2025	Online	Y	Y	Closed	S-Health	1. The employer does not provide training for employees who are exposed to blood or other potentially infectious materials (OPIM). 2. Regulated waste, including contaminated sharps containers, are not properly discarded or contained. 3. Employees perform daily tasks, such as utilizing chemicals and handling regulated waste contaminated with blood or OPIM. While they are provided personal protective equipment (PPE), such as gloves, it was not appropriate to the hazard(s) and additional PPE, safety goggles, face shields, masks, and chemical resistant gloves, were not provided. 4. Egress pathways and emergency exits are blocked 8/8/2025 AB 08/14/2025 SM	Open investigation.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2332878	Global Engineering & Technology, Inc.		08/08/2025	Phone	Y		Closed	S-Health	1. On 08/07/2025 around 8:30am, an employee was talking on the phone and started slurring their speech. The person they were speaking with called 911, and the employee was transported by ambulance to Centennial Hills Hospital, where they are still admitted. On 08/08/2025, the employer learned of the admission and reported it. 08/08/2025 SM	No action.
R-2333229	Centennial Hills Hospital		07/28/2025	Email	N		Closed		1. On 7/19/2025 at 1:40AM, a patient asked to use urinal then proceeded to ejaculate in the urinal in front of a female sitter in patient room 815. 2. On 6/13/2025 at 3:00AM in the emergency room, a patient's son verbally threatened and cursed at doctors and nurses and attempted to AMA the patient. Security witnessed the patient's son drinking alcohol, AOB and attempting to drive a vehicle. 3. On 6/17/2025 at 11:00 PM in the emergency room, a patient was brought in by EMS. The patient hopped off the gurney and began walking towards the ED waiting room. The clinical supervisor asked the patient if she wanted to receive medical attention to which the patient responded, "Bitch, don't come near me, I will lay you out." The patient was later found in the ambulance bay yelling at the EMS crew asking for her belongings. Patient was notified that her belongings were left with her friend. Patient then stated, "I'm going to get 2 peas and a biscuit. I'm going to put hands on all of you." Patient then was asked if she had the phone number of the person who she is staying with so she can speak to them about her belongings, to which she responded, "I'm gonna lay hands on someone, you don't know who you are dealing with." Metro Police Department was called and patient left the facility. 4. On 6/25/2025 at 1:40PM, a patient who was a minor stated they were fearful for their life in the free-standing emergency room. Patient's father showed up to the ED demanding for their child to be released. The father stated that he would "shoot up the hospital" if their son did not get released. The North Las Vegas Police Department was called and they responded. 5. On 7/15/2025 at 1:00PM, a CNA was feeding a patient due to the patient being in restraints in MS8. Patient told staff "I am not a baby and do not need to be fed, Fuck off and leave me alone." Patient attempted to grab a tray to throw at the staff but the patient punched the CNA in the shoulder after getting their restraints loosen.	No action.
R-2333462	Cirque du Soleil America, Inc.	Cirque Du Soleil	08/11/2025	Phone	Y		Closed	S-Safety	1. On August 8, 2025 at approximately 7:20 PM, during the Mad Apple Show an employee jumped off the stage 43.5 inches to the ground, landed, and fractured their fibula and tibia. The employee was admitted to University Medical Center at 11:00PM for treatment.	Resolved through inquiry process.
R-2333508	Clark County School District	Howard E. Hollingsworth Elementary	08/11/2025	Phone	Y		Closed	S-Safety	1. On 8/8/2025 at 11:20am in classroom #110, a teacher was walking, tripped on a chair, and fell to the ground causing an open fracture to the left wrist. They were transported and admitted to St. Rose Sienna Hospital.	Resolved through inquiry process.
R-2333545	SDLA Courier Service Inc		08/11/2025	Phone	Y		Closed	O-Health	1. 12 courier vans are leaking gasoline fumes into the passenger cabin causing drivers to feel ill.	Resolved through inquiry process.
R-2333707	Target Construction Inc		08/11/2025	Phone	Y		Closed	I-Safety	1. The ground beneath a track hoe taking down an 80 foot high wall collapsed, causing it to slide down and hang off the side of the excavation. A dozer has been attached to the track hoe to support it while hanging off the side. 8/11/2025 SA	Resolved through inquiry process.
R-2333719	Vegas Born Roofing, LLC		08/11/2025	Phone	Y	Y	Closed	S-Safety	1. On August 11, 2025 at approximately 7:40AM, two employees were operating a sheer machine and pushing a piece of metal into the machine. The metal jammed in the machine, one employee went behind the machine to clear the jam, and the machine activated amputating .5 inches of their left thumb. 8/11/2025 SA	Open investigation.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2333723	Clark County School District	Joseph Neal STEAM Academy	08/11/2025	Phone	Y		Closed	S-Safety	1. On August 6, 2025 at approximately 8:30AM a teacher's assistant was standing in a classroom when their leg collapsed, and they fell to the ground fracturing their left hip. The assistant was transported and admitted to University Medical Center.	Resolved through inquiry process.
R-2333725	Medical Management International, Inc.	Banfield Pet Hospital	08/11/2025	Phone	Y		Closed	O-Health	1. Employees are exposed to working in high heat temperatures up to 83 degrees and the air conditioning system has been inoperable for a week.	Resolved through inquiry process.
R-2334030	Spring Valley Hospital Medical Center		08/05/2025	Email	N		Closed		1. On August 4, 2025, in the Emergency Department, a discharged patient physically threatened staff, which resulted in no injuries. 2. On July 19, 2025, in the Emergency Department, a patient that was refusing services proceeded to damage hospital property and was escorted off the property by security. 3. On July 1, 2025, in the Intermediate Care Unit, a patient immediate family member made verbal threats to staff, which resulted in police notification. 4. On July 25, 2025, in the Emergency Department, an intoxicated combative patient was being detained by police, when a security guard assisting the de-escalation was physically assaulted. There were no reportable injuries as result. 5. On July 26, 2025, in the Emergency Department, an intoxicated patient proceeded to make verbal threats of physical violence. The patient was discharged and police were notified. 6. On July 28, 2025, in the 3W Department, a patient grew physically violent and required soft restraints to deescalate. The employee did not suffer recordable injuries. The patient was chemically restraint from further incidents. 7. On July 26, 2025, in the 4W Department, a patient who had signed an "against medical advice" form was reacting chaotically towards staff and had to be escorted off the premises. 8/5/2025 AB	No action. WPV program previously reviewed.
R-2334044	Westcare-Harris Springs		08/11/2025	Online	Y		Closed	O-Safety	1. In the kitchen, the vent for the stove/oven is not properly functional. DF 08/12/2025	Resolved through inquiry process.
R-2334081	OS Construction Services, Inc.		08/12/2025	Email	Y		Closed	S-Safety	1. On 8/5/2025, a fire occurred on the 5th Street and East Centennial Parkway construction site resulting in the injury and hospitalization of one or more employees. 2. At the time of reporting, it was unknown what materials the employee was using, or processes the employee was completing at the time the fire erupted.	Resolved through inquiry process.
R-2334122	Legacy Automotive 1, LP	Midas Auto Service	08/12/2025	Online	Y		Closed	O-Health;O-Safety	1. Empty liquid barrels are hazardous and are stored near used oil tanks. 2. Car lifts have not been inspected for multiple years and are dangerous to work with. Water sometimes gets into the lift's hydraulic system. 3. Electrical sockets are not functioning or pose an electrical hazard when they let out sparks.	Resolved through inquiry process.
R-2334176	Concrete Solutions Inc.	CSI	08/12/2025	Phone	Y		Closed	S-Safety	1. There is a 15 foot long trench without shoring. 2. An employee is working in a manhole without proper ventilation. 8/12/2025 JC	Resolved through inquiry process.
R-2334414	Sunday Pilates, LLC		08/11/2025	Online	Y		Closed	O-Safety	1. The rear emergency exit shared by Credit Union 1 and Sunday Pilates employees has been obstructed by heavy pallets for over 30 days.	Resolved through inquiry process.
R-2334710	T B Penick & Sons Inc	T B Penick Builders	08/13/2025	Phone	Y		Closed	O-Safety	1. An employee of an unknown contractor had 3 fingers amputated approximately 1 week ago. 2. A 9 feet deep manhole was observed with no cover. 3. The site has various housekeeping hazards. Metal and plastic piping are left out in the open. Metal studs and sharp edges are throughout the jobsite.	Resolved through inquiry process.
R-2334715	Octapharma Plasma, Inc.		08/13/2025	Online	Y		Closed	O-Health	1. Employees are not utilizing the Cavicide based on the SDS. The Cavicide is being diluted with water resulting in possible contact with blood or other pathogens when surfaces are not properly sanitized.	Resolved through inquiry process.

Division of Industrial Relations

Occupational Safety and Health Administration

Complaint Log Detail FY2026 - 1st Quarter July to September 2025

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2334730	University Medical Center of Southern Nevada		07/28/2025	Email	N		Closed	O-Safety	1. On 7/17/25 at 1:35 a.m., a discharged PEDS patient was being transferred to another facility by a transport company but refused to leave. Public Safety Officer (PSO) was called and assisted with placing the patient on a gurney for transport. During this action, the patient bit the PSO on his left elbow and spat in his face. The patient was medicated and placed in restraints before being escorted to the ambulance for transport.	No action. WPV program previously reviewed.
R-2334772	Southern Hills Medical Center, LLC	Southern Hills Hospital and Medical Center	07/08/2025	Email	N		Closed		1. On 6/17/2025 a psych patient was verbally aggressive towards staff. Emergency medications were administered. 2. On 6/23/2025 a psych patient was attempting to enter other patient rooms, and threatened staff. Patient was put in a physical hold, and emergency medications were administered. 3. On 6/21/2025 a psych patient was hyperverbal and cursing out staff and was non redirectable. Emergency medication orders obtained. 4. On 6/22/2025 a psych patient was agitated and threatening staff, and threw office supplies at staff. Emergency medications administered. 5. On 6/20/2025 a psych patient was agitated and verbally aggressive towards staff. Behavior escalated, and emergency medications were administered. 6. On 6/20/2025 a confused patient kicked a staff member in the abdomen, right upper arm, and right shoulder. 7. On 6/23/2025 a psych patient was threatening their sitter, and became agitated towards staff. Emergency medications were administered. 8. On 6/19/2025 a psych patient was verbally aggressive towards staff and was non redirectable. Emergency medications were administered. 9. On 6/18/2025 a psych patient was verbally aggressive towards staff, and continued inappropriate behavior. Emergency medications administered. 10. On 6/20/2025 in the ICU a patient physically assaulted a staff member by grabbing and squeezing their arm, and attempted to stab the staff with a plastic fork. Patient was non complaint with care. 11. On 6/23/2025 a psych patient was responding to internal stimuli, yelling, and attempted to physically assault staff. Patient was medicated. 12. On 6/21/2025 a psych patient was non redirectable and aggressive towards staff, code BERT initiated and patient was medicated. 13. On 6/23/2025 a psych patient was posturing and verbally aggressive towards their sitter and other staff. Patient was walking into walls. Patient medicated and placed in seclusion. 14. On 6/20/2025 a combative patient kicked an employee in the clavicle while the employee was assisting with restraints. 15. On 6/25/2025 a psych patient was yelling, hitting the walls, and verbally assaulted staff. Emergency medications were administered. 16. On 6/23/2025 a psych patient was screaming and cursing at staff. De escalation was ineffective. Patient threatened use of force. Patient medicated and placed in seclusion. 17. On 5/26/2025 a psych patient hit a EVS employee on their face. Patient deescalated and security present. 18. On 6/27/2025 a psych patient was responding to internal stimuli, and began threatening staff with bodily harm. Interventions unsuccessful. Emergency orders were obtained and patient was medicated. 19. On 6/26/2025 a psych patient was yelling and using racial slurs towards staff. Patient was placed in seclusion. 20. On 6/27/2025 a psych patient was aggressive, yelling, pertaining intimidating behavior towards a provider. Emergency medications administered. 21. On 6/29/2025 a psych patient was yelling, pounding on the nurses station, and threatening staff. Code BERT initiated and patient was medicated. 22. On 6/29/2025 a psych patient became agitated, yelling, and slamming a phone on a wall. Patient non redirectable. Emergency medications administered. 23. On 6/29/2025 a psych patient was agitated and cursing at staff. Security notified, emergency medications administered. 24. On 6/29/2025 a confused patient struck a RN with their knee in the ribcage during patient care. 25. On 6/24/2025 a psych patient was posturing and verbally aggressive, and attempted to charge and hit their sitter. Emergency medication administered and patient placed in seclusion. 26. On 7/11/2025 a psych patient was anxious, attempted to elope and was punching the walls. Attempted to	No action. WPV program previously reviewed.
R-2334798	Growing Minds Preschool and Academy		08/11/2025	Online	Y		Closed	O-Health	1. Employees are exposed to mold that was not removed during renovations that are occurring at the Preschool Center. 2. The roof leaks when it rains. Employees are instructed to use towels to clean water seeping through walls.	Resolved through inquiry process.
R-2334821	Nextgen Associates, Inc.	ServiceMaster Restoration by EMT	08/13/2025	Phone	Y		Closed	O-Health	1. Employees are cleaning up sewage water contaminated materials, but are not wearing PPE such as gloves and boots. 2. Employees are storing cleaning chemicals in an unsafe manner. Employees are storing incompatible cleaning chemicals in boxes.	Resolved through inquiry process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2334827	Culinary Academy of Las Vegas		08/13/2025	Online	Y		Closed	O-Health	1. In the new area of the building, employees are exposed to elevated temperatures above 90 degrees fahrenheit. 2. On the second floor of the new area of the building, employees are working in an area where there is a high concentration of paint fumes.	Resolved through inquiry process.
R-2334839	Alarmco, Inc.		08/13/2025	Online	Y		Closed	S-Health	1. At 1325 West Washington Avenue employees were drilling into walls with asbestos containing material with no personal protective equipment.	Resolved through inquiry process.
R-2334909	SB Landscaping & Design, Inc		08/13/2025	Phone	Y		Closed	S-Safety	1. At both yards, the employer does not provide potable water to employees. Employees are working outdoors without water. 2. Employees are not allowed to take breaks to cool down. The employer writes up employees if they take breaks with the company car idling. 3. The employer is not repairing three company vehicle's air conditioning.	Resolved through inquiry process.
R-2334943	Taco Bell		08/13/2025	Phone	Y		Closed	S-Safety	1. The inside of the store is extremely hot for employees and customers.	Resolved through inquiry process.
R-2334984	Walmart Inc.	Walmart #4356	08/13/2025	Phone	Y		Closed	S-Safety	1. The backroom and employee breakroom are over 100 degrees. It is hotter indoors than the outside.	Resolved through inquiry process.
R-2335005	CareFirst Urgent Care - Vegas - Boulder		08/13/2025	Online	N		Closed		1. An employee provided expired medicine to a patient. 2. Co-workers arriving to work inebriated and/or under the influence. 3. Breaks are not provided. 8/13/25 AL	No action. No jurisdiction.
R-2335017	HIGHPOINT CONSTRUCTION, INC.	RAFAEL FRAMERS, INC.	08/13/2025	Phone	Y		Closed	S-Safety	1. On 8/11/2025 around 4:00 PM an employee was cutting a wood block with a skill saw that did not have its guard installed. The wood block bound up and moved, causing the employee's palm to be cut. The employer took the employee to Henderson Hospital. The employee was transferred to Valley Hospital and received stitches and was released the next morning. The employer was notified of the admission to the hospital on 8/12/2025 afternoon.	Resolved through inquiry process.
R-2335450	Career Strategies Inc.		08/14/2025	Phone	Y	Y	Closed	O-Health	1. On Tuesday 08/12/2025; an employee located at the site was experienced heat related illness and was admitted to a medical facility in the city.	Open investigation.
R-2335451	Nicholas and Company Las Vegas		08/07/2025	Online	Y		Closed	S-Safety	1. Employees exposed to temperatures between 120 - 130-degrees working inside an unventilated metal container on-site. 2. Employees exposed to a fire and shock hazard with several power strips daisy-chained together with extension cords (flexible cords) plugged into them.	Resolved through inquiry process.
R-2335651	Access Health Dental		08/14/2025	Phone	N		Closed	O-Health	1. At multiple locations and mobile units, do not conduct spore testing in their autoclaving steam sterilizers on weekly bases.	No action. No jurisdiction. Referred to SNHD.
R-2335909	Rechargeable Power Energy North America LLC		08/14/2025	Email	Y	Y	Closed	O-Safety	1. On 8/14/2025, approximately 40 drivers were required load and unload cargo for 1.5 to 2 hours outside with no cooling measures or remedies for heat illness. 2. On 8/9/25, the manager was operating a forklift without being certified. 3. On 8/9/25, the manager was operating a forklift without wearing a seat belt. 4. Drivers are required to load and unload packages in a high traffic parking area and load their cars in the streets to the East (South Arville Street) and South (Wagon Trail Avenue) of the warehouse building. DF 8/15/2015	Open investigation.
R-2335948	Lifetime Athletic		08/15/2025	Phone	Y		Closed	S-Health	1. The employer is installing new flooring. For the last two weeks the new flooring adhesive has produced a potentially harmful odor.	Resolved through inquiry process.
R-2336084	Western Technologies, Inc	Western Tech	08/13/2025	Email	Y		Closed	S-Health	1. At the SNHRA project, the employer did not conduct final clearance testing after the removal of friable asbestos containing materials. The employer indicated that the ACM was non-friable, but the Project Notification Form submitted to the Division per NAC 618.954 indicated that materials were Friable ACM. 2. The employer began using a non-compliant mobile lab to conduct testing during Phase II of the project. The employer indicated that the testing was for informational purposes and therefore the lab did not need to meet regulatory requirements. 3. The employer did not provide final clearances in writing per NRS 618.956.	Resolved through inquiry process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2336231	Cardenas Markets		08/15/2025	In person	N		Closed	S-Safety	1. On April 5, 2025, an employee working inside the walk-in refrigerator slipped and box fell on the shoulder and tore a ligament. The employee was admitted to the hospital. 2. A hospitalization was not reported within 24 hours. 3. The incident was not recorded within the illness and injury log.	Resolved through inquiry process.
R-2336234	Mac Discount LLC	MAC.BID	08/15/2025	Phone	Y		Closed	O-Health	1. Inside the facility, employees are exposed to elevated temperatures above 90 degrees.	Resolved through inquiry process.
R-2336236	Walmart Inc.	Walmart #4356	08/15/2025	Phone	N		Closed	O-Health	1. Inside the warehouse, employees are exposed to elevated temperatures above 90 degrees.	Resolved through inquiry process.
R-2336241	WFM Southern Nevada Inc	Whole Foods Market	08/19/2025	Phone	Y		Closed	O-Health	1. At the juice bar, employees are exposed to an infestation of roaches. 2. A foul odor is coming from the drain. 3. At the compost area, employees are exposed to black mold.	Resolved through inquiry process.
R-2336558	Nekoosa Coated Products		08/15/2025	Phone	Y	Y	Closed	S-Safety	1. On 8/15/2025 at approximately 7:00 AM, an employee was clearing a paper jam on a TC 7 trimmers machine. The employee was holding the jog button and pulled the jam with their right hand. The belt pulled their glove and crushed the tip of the right index finger. The employee was initially taken to Concentra at approximately 7:30 AM and was then taken to UMC at approximately 9:30 AM. The tip of the right index finger was then amputated and the employee was released from the hospital at approximately 7:30 PM. 8/18/25 AL	Open investigation.
R-2336564	The LINQ, LLC	Fly LINQ Zipline	08/13/2025	Online	Y		Closed	O-Safety	1. Employees are tripping and falling on loose/misplaced bricks on the walkway located near the Linq Zipline.	Resolved through inquiry process.
R-2336606	Clark County School District	Basic Academy	08/18/2025	Phone	Y		Closed	O-Safety	1. On 7/31/2025 at approximately 1:20 p.m., a CCSD police officer was conducting official business at the northern parking lot of the school. During this time, construction activity was on-going that caused the parking lot to be flooded due to a burst pipe. The police officer fell in a hole approximately 4.5 feet deep and injured his leg. 8/18/25 AL	Resolved through inquiry process.
R-2336665	Jiffy Lube		08/18/2025	Email	Y		Closed	O-Safety	1. Employees under the influence are operating automotive equipment including vehicle lifts and other tools. 8/18/25 AL	Resolved through inquiry process.
R-2336715	Colorpoint Body Shop and Auto Detailing		08/18/2025	Phone	Y		Closed	O-Health	1. Employees are using automotive paint without any spray booth. 8/18/25	Resolved through inquiry process.
R-2336731	MJD LLC	Nevada OMS	08/13/2025	Online	Y		Closed	O-Safety	1. Located in the back storage room, the employer did not ensure that oxygen cylinders are secured.	Resolved through inquiry process.
R-2336746	Smith's Food and Drug Centers, Inc.	Smith's Food and Drug Center #354	08/18/2025	Phone	N		Closed	O-Health	1. On 8/16/25, Smith's employees were exposed to concrete dust without any personal protective equipment caused by the ongoing renovation in the store. 2. On 8/16/25, employees using a hammer drill to buff and scrape the concrete floor are not using any personal protective equipment from the concrete dust.	Resolved through inquiry process.
R-2336858	High Desert State Prison		08/18/2025	Mail	N		Closed	O-Health	1. The inmates are exposed to high heat temperatures in the jail cells. 8/18/25 AL	No action. No jurisdiction. No employer/employee relationship.
R-2336863	IGM Solutions, Inc		08/18/2025	Phone	Y		Closed	O-Health	1. In the warehouse, employees are exposed to high heat temperatures due to the worksite not having any air-conditioning units. 8/18/25 AL	Resolved through inquiry process.
R-2336873	Smith's Food and Drug Centers, Inc.	Smith's Food and Drug Center #354	08/18/2025	Phone	Y		Closed	O-Health	1. On 8/16/25, Smith's employees were exposed to concrete dust without any personal protective equipment caused by the ongoing renovation in the store. 2. On 8/16/25, employees using a hammer drill to buff and scrape the concrete floor are not using any personal protective equipment from the concrete dust. 8/18/25 AL	Resolved through inquiry process.

State of Nevada

item 7

Division of Industrial Relations

Occupational Safety and Health Administration

Complaint Log Detail FY2026 - 1st Quarter July to September 2025

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2336877	Have Lights Will Travel		08/18/2025	Phone	Y		Closed	O-Safety	1. At the Houston Hot Chicken location on Blue Diamond, employees were on boom lifts working on electrical signage without any safety harnesses. 2. Employees working on the exterior signs are exposed to high heat without being provided any protection against heat illness. 3. Employees are not provided any personal protective equipment when working with live electricity. 8/19/25 AL	Resolved through inquiry process.
R-2336886	University Medical Center of Southern Nevada		08/18/2025	Email	N		Closed	S-Safety	1. On 07/19/2025 at approximately 8:00AM in the Adult ED a discharged patient was being escorted out by Public Safety. The patient tried to come back inside but was stopped. The patient punched the PSO in the back and began cursing and took out a pair of scissors threatening to stab the officer with them. 2. On 07/18/2025 at approximately 1:15AM in the 1st Floor Elevators South Wing an employee was assisting with escorting a patient from the ED MSC to 2 South by wheelchair. The patient asked the employee if they could leave and then tried to get up from the wheelchair. The employee tried to stop the patient from getting out of the wheelchair and the patient grabbed the employee's hand and twisted her thumb backwards. 3. On 07/25/2025 at approximately 10:55PM in the Radiology-CT Scan an employee was assisting 2 other employees in the Radiology CT scan area with a patient. Employee was scanning the patient's armband when the patient punched the employee on the right side of her face making her bump her head on the CT equipment. 4. On 07/24/2025 at approximately 4:20AM in the Adult Emergency Med 8 an employee was attempting to assess a patient, but he would not respond to verbal commands. The employee then used painful stimuli by using a trapezius squeeze. The patient then grabbed the employee by her arm and verbally responded. The employee yanked her arm away from the patient and exited the room. 5. On 07/25/2025 at approximately 6:35AM in the Maternal Child Services Room 705 while providing patient care, the employee was struck in their hand by the patient. The employee declined to press charges and Public Safety was notified to respond. 6. On 07/24/2025 at approximately 10:30PM in the Adult ED Med 6 an employee was caring for a patient who became angry and aggressive. The patient screamed at the employee, "I'm going to fuck you up!" and then punched the employee in the stomach with a closed fist and scratched her left upper arm. 7. On 07/31/2025 at approximately 5:20AM in the Trauma ED Bed 10 a trauma patient slipped out of their restraints and became combative. Nurse attempted to re-apply the restraints and while doing so, was kneed in the chest by the patient. The patient also tried to kick the nurse but missed. More staff arrived and took control of the patient. Patient placed back in restraints. 8. On 8/2/2025 at approximately 5:00PM in the Adult Emergency Med 10 a psychiatric patient was running in the hallway screaming and yelling at full speed. The patient attempted to run into another patient's room when a nurse tried to stop him. The patient ran over the nurse, and both went to the floor.	No action. WPV program previously reviewed.
R-2337072	Rent-A-Car Center		08/19/2025	Hotline	Y		Closed	O-Health	1. The cleaning crew is using a floor cleaning chemical at approximately 12:00am - 1:00am. The chemical is off gassing after being applied and is causing employees in the area to have headaches and lung irritation. The crew is using a fan, but there is no method of ventilation to remove the potentially harmful vapors.	Resolved through inquiry process.
R-2337127	Avenir Memory Care of Summerlin		08/19/2025	Phone	Y		Closed	O-Safety	1. The employer recently replaced resident room doors with heavy fire doors. The heavier fire doors are closing quickly and striking employees.	Resolved through inquiry process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2337152	Cardenas Markets		08/19/2025	Phone	Y		Closed	O-Health	1. On August 3, 2024 employee was cooking within the kitchen area and sustained a 1st degree burn and was not sent to Concentra or the hospital by the employer. The injury was reported to kitchen management and HR management. The employee went to the hospital on their own, and only after this hospital paperwork as provided to the employer did any corrective action occur. 2. The employer does not provide personal protective equipment for cooks such as gloves or gauntlets. 3. Employees are using cleaning chemicals without personal protective equipment. 4. The employer does not provide training to employees on how to use PPE. 5. On April 5, 2025, an employee working inside the walk-in refrigerator slipped and box fell on the shoulder and tore a ligament. The employee was admitted to the hospital. The hospitalization was not reported to the division within 24 hours and the incident was not recorded within the illness and injury log.	Resolved through inquiry process.
R-2337252	Universal Protection Service, LP	Allied Universal Security Services	08/19/2025	Phone	Y		Closed	O-Health	1. The employer is not allowing sick employees to stay home. Employees are potentially working with other sick employees.	Resolved through inquiry process.
R-2337350	Unimacts Manufacturing		08/19/2025	Phone	N		Closed	S-Safety	1. On 08/19/2025 at approximately 11:59 AM, at the jobsite, an employee had been performing their work and amputated their finger.	Open investigation.
R-2337406	Capriati Construction Corporation, Inc.		08/19/2025	Phone	Y		Closed	S-Safety	1. On the job found in the intersection of Lake Mead and Rancho, employees are not provided cave-in protection while they are in the trench. 2. Employees working on the job site of intersection of Lake Mead and Rancho, employees have counterfeit OSHA-10s and OSHA-30s. 3. On the job found in the intersection of Larson and Gilespe, employees are not provided cave-in protection while they are in the trench.	Resolved through inquiry process.
R-2337415	Gilbert Academy Elementary		08/19/2025	Phone	Y		Closed	O-Health	1. Inside the school, employees are walking through sewage waste due to a flood.	Resolved through inquiry process.
R-2337469	Unimacts Manufacturing		08/19/2025	Phone	Y		Closed	S-Safety	1 On 08/19/2025 at approximately 9:00AM, at the jobsite, an employee was holding coils using his finger and suffered an amputation of the tip of the right index finger. The employee was transported to sunrise hospital.	Resolved through inquiry process.
R-2337814	Sportsman's Warehouse		08/19/2025	Online	Y		Closed	O-Health;O-Safety	1. The employer does not provide employees personal protective equipment (PPE) for employees lifting heavy items including safes and boats. DF 8/20/2025	Resolved through inquiry process.
R-2337828	North Vista Hospital		08/18/2025	Email	N		Closed	O-Safety	1. On 6/23/2025 at 3:00pm in the Adult Psychiatric Unit Patient was peeling off a piece of her cast and one of the sitters at her bedside attempted to stop her and was struck in the face by the patient. Patient restrained and medicated. DF 8/20/2025	No action. WPV program previously reviewed.
R-2337906	First Class Nevada		08/20/2025	Online	Y		Closed	O-Safety	In the shop area, employees are exposed to the following hazards: 1. Numerous trip hazards throughout the work area. 2. Accumulation of debris. 3. Improper labeling of flammable materials. 4. Improper disposal of hazardous materials. 5. Lack of Safety Data Sheets (SDS) for hazardous materials. JA 8/20/2025.	Resolved through inquiry process.

Division of Industrial Relations

Occupational Safety and Health Administration

Complaint Log Detail FY2026 - 1st Quarter July to September 2025

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2337979	Valley Health System, LLC.	Henderson Hospital	08/20/2025	Email	N		Closed	S-Safety	1. On 08/04/2025 at approximately 9:50AM in the Main Lobby a visitor threatened to shoot security staff. Visitor taken into custody by law enforcement. No injury to staff. 2. On 08/15/2025 at approximately 5:35AM in X-Ray Room 1 a patient screamed at staff, attempted throwing backpack at x-ray tech. 3. On 08/15/2025 at approximately 5:35AM in Radiology a patient refused to take off his shoe for x-ray of foot. He threw his backpack at the Radiology tech and stated he would "find out where they live." Security notified. Patient was escorted off property with no injury to staff. 4. On 08/15/2025 at approximately 1:45PM in 3B a patient made a verbal threat towards unit manager while demanding to leave against medical advice. Patient threatened to get up from wheelchair to "whip up your ass" and advised the manager to remember their face because they intend to return. Security and law enforcement notified.	No action. WPV program previously reviewed.
R-2337986	Lincoln County Hospital District	Grover C. Dils Medical Center	08/20/2025	Email	Y		Closed	O-Health;O-Safety	1. On August 10, 2025, at approximately 5:15 pm. In the hospital staff break room, an employee placed a stool softener pill in another employee's soup. JA 8/20/2025.	Resolved through inquiry process.
R-2337993	Walk This Way Traffic Control		08/20/2025	Phone	Y		Closed	O-Health	1. The employer is not providing adequate water to employees on jobsites.	Resolved through inquiry process.

Division of Industrial Relations

Occupational Safety and Health Administration

Complaint Log Detail FY2026 - 1st Quarter July to September 2025

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2338101	Sunrise Hospital and Medical Center		08/20/2025	Email	N		Closed		1. On July 28, 2025, in the Medical Surgical Unit, a patient was verbally threatening staff. Security was called to stand by for discharge as the patient stated they had a gun. Security confirmed that the patient did not have a gun. The patient proceeded to clarify that the gun they were referring to was a tattoo on their neck. The patient was escorted out of the facility after this incident. Staff denied sustaining any injuries and declined to make a statement on the incident. 2. On July 30, 2025, in the lobby of the hospital, a large group of agitated and aggressive people entered and prompted a security response. Since there was an unconscious male on the floor, security attempted to disperse the group so that medical attention may be provided. One female elbowed a physician in the face. 7 RNs and 2 physicians provided care to the unconscious male and an unconscious female found on the floor. Police were called to assist resulting in several arrests. The physician that was hit in the face denied sustaining an injury and declined medical care. 3. On July 31, 2025, in the Trauma Care Services, a restless patient was hallucinating throughout the night. An RN provided medication to treat the patient's restlessness, but the patient remained agitated under the influence of hallucinations. While attempting to provide care, the patient hit the RN on the right arm twice. The RN denied injury to their arm, declined medical treatment, and did not report the incident to security. 4. On August 1, 2025, in the Adult Emergency Room - Observational Treatment Area 2, a patient on a psychological hold was behaving aggressively and destroying property around the hospital. Security attempted to de-escalate the situation and redirect the patient back to their assigned bed when the patient slapped the security supervisor across the face. The security supervisor denied sustaining an injury and declined medical care. 5. On August 2, 2025, in the Adult Emergency Room, security was called to assist nursing staff with an uncooperative patient. Upon a security staff's arrival, it was relayed by a registered nurse (RN) that they had successfully verbally de-escalated the situation and that no further intervention was necessary. The RN proceeded to disclose that they sustained a superficial scratch on their right wrist while attempting to restrain the patient's left wrist while the patient flailed. The RN declined medical attention and opted against filing an incident report. 6. On August 5, 2025, in the Adult Emergency Room, a patient was brought into the Emergency Room Trauma Bay by EMTs. The patient was medicated on-route to the facility. While an RN and a medical doctor (MD) attempted to provide care, the patient grabbed the RN and shook them repeatedly, tearing their shirt in two places. The MD attempted to intervene and break the patient's hold by placing themselves between the patient and the RN, but could not get the grip released. Additional staff stepped in to assist. During their intervention, the RN was struck in the leg and a security officer was bitten without skin break. The original RN had a superficial scratch on their torso/abdomen from the patient's grip and the MD sustained superficial scratches to their face. Las Vegas Metro Police Department (LVMPD) was on site and assisted with the situation. Every staff member involved denied sustaining any injuries and declined medical care. The patient was placed in custody with an LVMPD officer posted at the bedside. 7. On August 7, 2025, in the Medical Observation Unit, a patient threatened to hit an RN while the RN attempted to obtain lab tests. Security was called to remain on stand by during the patient's care. No physical contact was made. No staff sustained any injuries. 8. On August 7, 2025, in the Radiology and	Inspection conducted. 1 citation issued - \$597.50.
R-2338140	My Place Hotel-North Las Vegas, NV	My Place Hotel	08/20/2025	Phone	N		Closed	S-Safety	1. On 5/7/2023, a guest was in the shower and heard a loud sound and sewage came up through the drain in the shower causing the guest to slip and fall.	No action. Event occurred outside of the 6 month statute of limitation.

Division of Industrial Relations

Occupational Safety and Health Administration

Complaint Log Detail FY2026 - 1st Quarter July to September 2025

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2338459	Sunrise Hospital and Medical Center		07/21/2025	Email	N		Closed	O-Health	1. On July 6, 2025, in the Burn Surgical Unit, an registered nurse (RN) and a patient care technician (PCT) attempted to prevent a patient from climbing out of their bed with railings as they were classified as a fall risk, but were unsuccessful. During the attempts, the patient became verbally and physically aggressive, calling the staff vulgar names and swinging at the staff. The patient punched the RN on both shoulders and the PCT on one shoulder. Both employees denied medical care and did not sustain any injuries. Security was called, but both employees failed to provide a statement or to report it to the Las Vegas Metro Police Department. 2. On July 8, 2025, in the Neurology/Stroke Services Department, a patient care technician (PCT) was assisting an RN with a patient to complete skin checks on an alert and was orienting the patient when the patient grabbed the patient care technician's hand and scratched it. The PCT denied sustaining any injury and declined medical care. They did not report it to security. 3. On July 9, 2025, in the Labor and Delivery Department, one staff member intentionally bumped into another. Leadership and Human Resources are actively investigating the incident. No staff reported sustaining any injuries. 4. On July 10, 2025, in the Medical Pulmonary Unit, a patient became verbally aggressive with staff when they refused to prescribe specific medications after being discharged. The patient became verbally aggressive, walked the hall yelling and was becoming aggressive. The patient left against medical advise. No staff sustained any injuries. 5. On July 11, 2025, in the Observation Unit, a patient yelled at staff in the hallway as they wanted their home medications prescribed right away despite being informed that the medical doctor would conduct a medical review as soon possible. The patient was given pain medication and the situation was de-escalated. No staff sustained any injuries. 6. On July 11, 2025, in the Medical Surgical Unit, a mentally altered patient struck a patient care technician (PCT) on their left bicep area while flailing their arms erratically. Security was called to assist. The patient explained that they were upset because water was not available at the time. Staff did not sustain any injuries and refused to provide a statement to security. 7. On July 12, 2025, in the Observation Unit, a patient was verbally aggressive with staff in the hallway as the patient was experiencing withdrawal from drugs. No staff sustained any injuries. 8. On July 12, 2025, in the Observation Unit, patient became agitated once a respiratory therapist (RT) left a room to have a registered nurse (RN) assess the patient's bloody stool. Upon the RN's return, the patient began to yell and scream at the RT and the RN, ripped the telemetry wires off, and walked aggressively towards the RN before exiting the room and screaming at staff. The situation was de-escalated. No staff sustained any injuries. 9. On July 13 2025, in the Adult Emergency Room - Observational Treatment Area 1, a posted security officer requested additional security for an altered patient that was displaying signs of aggression and who refused to comply with staff. The patient was initially admitted for drug abuse and shortly after, refused care and was becoming aggressive towards staff. The doctor, after being notified, provided medication to assist with the patient's anxiety. While medication was being prepared by the RN, security attempted to de-escalate the situation as the patient continued to display signs of aggression by clenching their fists and making verbal threats. Other security officers arrived and began to escort the patient by holding the patient's arms. The patient managed to free their hands and was able to strike one of the officer's face with their forearm, the	Inspection conducted. 1 citation issued - \$597.50.

Division of Industrial Relations

Occupational Safety and Health Administration

Complaint Log Detail FY2026 - 1st Quarter July to September 2025

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2338519	Southern Hills Medical Center, LLC	Southern Hills Hospital and Medical Center	08/20/2025	Email	Y		Closed	S-Safety	1. On 8/2/2025 a confused patient with a 1:1 sitter physically assaulted staff and kicked an employees head. Deescalation and mitten restrains used. 2. On 8/4/2025 a psych patient was in a hallway verbally assaulting staff, and attempted to pull an employees hair. Called MD for medication orders, and deescalated. 3. On 8/6/2025 a psych patient was running in the hallways and verbally assaulting staff. Staff attempted deescalation and redirection. Patient medicated. 4. On 8/6/2025 a psych patient at a nurses station was throwing clothes and verbally threatening staff. Patient medicated. 5. On 8/8/2025 a psych patient was verbally assaulting staff at the nurses station. Deescalation and redirection unsuccessful. Patient medicated. 6. On 8/8/2025 a psych patient was verbally threatening staff. Multiple attempts made to deescalate, redirect, relocate, and security present. Patient medicated. 7. On 8/9/2025 a psych patient was verbally threatening staff. Deescalation and redirect failed. Emergency medications given. 8. On 8/10/2025 a psych patient verbally threatened staff and began throwing food over the nurses station, medications were given, escalation continued and security was present. 9. On 8/10/2025 a psych patient was screaming verbal threats at staff. Attempted deescalation and redirect. Patient medicated. 10. On 8/10/2025 a psych patient was returning from the lunchroom and began verbally assaulting staff. Staff attempted to deescalate. Patient was placed in seclusion and returned to their room. 11. On 8/11/2025 a Psych patient was verbally assaulting staff. Deescalation and redirect failed. Patient medicated. 12. On 8/11/2025 a psych patient was verbally threatening staff. Descalation and redirection failed. Patient was locked in seclusion with restraints. 13. On 8/11/2025 a psych patient was verbally assaulting staff. Attempted deescalation and redirect. Patient medicated. 14. On 8/15/2025 a psych patient was verbally assaulting staff at the nurses station. Deescalation attempted with RN intervention. 15. On 8/16/2025 a psych patient verbally assaulted staff. Staff attempted redirection, patient medicated. 16. On 8/16/2025 a psych patient in ICU #2 kicked an employee in the chest. Deescalation unsuccessful. Patient medicated. 17. On 8/17/2025 a psych patient was restless and agitated, and began verbally threatening staff. Attempted deescalation and redirect. Patient medicated. 18. On 8/17/2025 a psych patient was verbally threatening a provider. Attempted deescalation and patient medicated. 19. On 8/17/2025 a psych patient was yelling at staff. Deescalation attempted, security present. Patient medicated and placed in seclusion. 20. On 8/18/2025 a psych patient was in the hallway yelling and threatening staff. Attempted deescalation and redirect. Patient medicated.	Resolved through inquiry proceess.
R-2338626	INW Living Ecology Opco, LLC		08/21/2025	Phone	Y	Y	Closed	S-Safety	1. On 08/19/2025, an employee's hand was caught in a wrapping machine while clearing a jam. The employee suffered amputations to the tip of two of her fingers and an abrasion to one. The employer was transported to UMC by ambulance.	Open investigation.
R-2338756	24 Hour Fitness - Summerlin		08/21/2025	Online	N		Closed		Hazard Description: Black mold in mens shower Pink mold near pool deck Smells like decaying flesh Hazard Location: Bathrooms Pool Sauana	No action. No jurisdiction. Referred to SNHD.
R-2338800	Valley Health System, LLC.	Henderson Hospital	08/18/2025	Email	N		Closed	S-Safety	1. On 7/29/25 at 8:00 AM, in 2B, a patient threatened to throw an oxygen tank at staff. Security was able to de-escalate situation. Patient was agreeable to return to bed. Oxygen tank safely secured with no injury to staff.	No action.
R-2338827	Rancho Discount Mall		08/21/2025	In person	N		Closed	O-Health	1. Inside the mall, employees are exposed to working in high heat temperatures. The employer has provided fans to some areas, but has not managed the heat or replaced the air conditioning within the facility.	Resolved through inquiry proceess.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2338828	Rem Nevada Inc.	Sevita Health	08/21/2025	Phone	Y		Closed	O-Health	1. An employee was working at 1071 North Garden Prince Circle location for 4 to 6 months, and was exposed to black mold. The employee had to seek medical attention as a result of exposure to black mold.	Resolved through inquiry process.
R-2339138	Checksammy, Inc.	Checksammy Inc	08/22/2025	Phone	Y		Closed	S-Safety	1. Employees are not receiving refresher training following a near miss incident or accident with electrical equipment such as transformers and generators. 8/22/2025 JC	Resolved through inquiry process.
R-2339211	Nu-Line Technologies LLC		08/22/2025	Phone	Y		Closed	O-Safety	1. On 08/21/2025, at approximately 11:15 pm, a pressurized waterline inadvertently kicked back out of a manhole causing a skin abrasion near the jawline of an employee. The employee presented to Summerlin Hospital for basic first-aid and was held overnight for observation. 08/22/2025 JC	Resolved through inquiry process.
R-2339303	The Original Roofing Company, LLC.		08/22/2025	Email	Y		Closed	S-Safety	1. On 8/5/2025, a fire occurred on the 5th Street and East Centennial Parkway construction site resulting in the injury and hospitalization of one or more employees. 2. The employer did not report a hospitalization within 24 hours to NVOSHA.	Resolved through inquiry process.
R-2339359	MountainView Hospital, Inc.		08/20/2025	Email	N		Closed	O-Safety	1. On 07/31/2025, an aggressive patient punched and kicked a nurse, while the nurse attempted to get the patient back into bed. 2. On 7/31/2025, a dementia patient scratched an employee's arm as the employee tried to clean the patient. 3. On 07/25/2025, an 88-year-old male patient masturbated in front of a female employee and made inappropriate sexual comments. 08/22/2025 JC	No action. WPV program previously reviewed.
R-2339422	MountainView Hospital, Inc.		08/12/2025	Email	N		Closed	O-Health	1. On 7/24/25 at approximately 10:20 a.m., a patient from the emergency room made sexual comments and touched a female employee in an inappropriate manner. 2. On 7/27/25 at approximately 11:25 a.m., a patient from Rehab Room 629 squeezed a female employee's hand and would not let go. The employee declined medical treatment. 3. On 7/28/25 at approximately 8:45 a.m., a patient from ED-Room 13 spat in an employee's face. The employee declined medical treatment. 4. On 7/29/25 at approximately 5:30 p.m., a patient from 3 South became verbally aggressive to employees working at the Nurse's station. 5. On 7/31/25 at approximately 1:00 a.m., a patient from 5C : 528B scratched an employee's arm. 6. On 8/1/25 at approximately 4:00 a.m., a patient from IMC:2012 kicked an employee in the abdomen.	No action. WPV program previously reviewed.
R-2339437	Midas		08/22/2025	Online	Y		Closed	S-Safety	1. In the shop, employees are exposed to elevated heat temperatures due to broken swamp coolers. 2. In the shop, employees are exposed to fall hazards due to open pits. 3. In the upstairs area, employees are exposed to broken scaffolding. 4. In the upstairs area, employees are exposed injury due to exposed barb wires littered around the shop.	Resolved through inquiry process.
R-2341409	Las Vegas Paving Corporation		08/27/2025	In person	Y	Y	Closed	S-Safety	1. An employee was observed working in a trench on the Valle Verde and 215 onramp without cave in protection.	Open investigation.
R-2341428	Walmart Inc.	Walmart #4356	08/21/2025	Online	Y		Closed	O-Safety	1. Employees utilize broken cart ladders. 2. Employees aren't trained to use the bailer in the receiving department and when boxes pile up, they become a tripping hazard for employees.	Resolved through inquiry process.
R-2341430	Las Vegas Metropolitan Police Department		08/27/2025	Phone	Y		Closed	O-Safety	1. On 08/26/2025 at approximately 2:00 AM, on the intersection of Frank Sinatra Drive and West Reno, an employee driving a motorcycle near the Excalibur Hotel hit a curb causing the employee to fall over. The employee was taken and admitted to UMC hospital by ambulance.	Resolved through inquiry process.
R-2341433	Boulder City Hospital, Inc.		08/21/2025	Email	N		Closed	S-Health	1. CNA was instructed to provide specific patient care. When the RN went to room to verify task was being completed, CNA began yelling obscenities at RN. CNA allegedly obtained human feces from once of the residents, left facility and smeared the human feces all over the RN's vehicle in the parking lot. The CNA then left the grounds. Reported to Boulder City Police Department, Case #25BC1316. No physical or verbal threats noted, however, the RN did express fear of CNA causing her physical harm in the future. CNA was suspended pending investigation.	No action. WPV program previously reviewed.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2341635	University of Nevada, Las Vegas		08/26/2025	Phone	Y		Closed	O-Safety	1. On August 22, 2025, at approximately 12:00 a.m., an employee's hand was struck by a door while attempting to locate a light switch. The employee sustained a severe contusion to a finger and was transported to Concentra before being transferred to UMC. The injury was initially suspected to be a possible amputation; however, the finger was ultimately preserved. JA 8/28/2025.	Resolved through inquiry process.
R-2341695	COOPER ROOFING AND SOLAR LLC	Cooper Roofing and Solar, LLC	08/28/2025	Phone	Y		Closed	O-Safety	1. On August 25, 2025, at approximately 10:00 a.m., an employee was coming down the ladder from the second story of the home while carrying a paint bucket. The employee slipped and fell 10 and a half feet to the concrete driveway. The employee was transported to UMC.	Resolved through inquiry process.
R-2341845	PARIE MEDICAL SPA LLC	Parie Med Spa	08/28/2025	In person	Y		Closed	O-Safety	1. On August 23, 2025, an employee verbally threatened another employee. Although the incident was reported to management, they failed to take any action. JA 8/28/2025	Resolved through inquiry process.
R-2341882	Party Superstores LLC	Party USA	08/28/2025	Phone	Y	Y	Closed	O-Safety	1. Due to the air conditioning not working, employees have been required to work in unsafe, high-temperature conditions. JA	
R-2341932	EoS Fitness		08/28/2025	Phone	Y		Closed	O-Safety	1. The employees are exposed to water accumulation on the floor, creating a slip hazard. The employer has not provided wet floor signs to warn of the condition. JA 8/28/2025	Resolved through inquiry process.
R-2341964	Sunsolar Solutions		08/28/2025	Phone	Y		Closed	O-Safety	1. While employees were working on the roof, they wore harnesses but were not tied off to an anchorage point. JA 8/28/2025	Resolved through inquiry process.
R-2341969	Concentra Medical Centers		08/28/2025	Online	N		Closed		The female Dr was rubbing my leg by my cock multiple times and staring at my dick area repeatedly. - Concentra	No action. No alleged hazard.
R-2342204	Place Services Incorporated		08/26/2025	Online	Y	Y	Open	O-Health;O-Safety	1. Employees are working in an enclosed building undergoing a construction remodel without sufficient ventilation or cooling method and exposed to potential heat stress illness. 2. Employees are not permitted to take breaks if they are exhibiting symptoms of heat stress illness. 08/29/2025 JC	Open investigation.
R-2342355	Summerlin Hospital Medical Center		08/20/2025	Email	N		Closed	O-Health	1. On 8/14/25 at approximately 10:00 p.m., a patient from 4S-Room 428 started removing the IV and became aggressive. An employee attempted to intervene but was struck by the patient. Patient became verbally aggressive to anyone entering the room. 2. On 8/15/2025 at approximately 2:30 a.m., a patient hit an employee's right arm with their fist. The employee did not report it to Las Vegas Metro and declined medical treatment. 8/29/25 AL	Resolved through inquiry process.
R-2342461	AMC Concrete, Inc.		08/29/2025	Phone	Y		Closed	O-Safety	1. Employees and members of management are operating heavy equipment such as a crane and telehandler while under the influence of illicit drugs resulting in unsafe use of the equipment. Management is aware of the drug use but has not taken any action to resolve it. 8/29/2025 cw	Resolved through inquiry process.
R-2342483	Burlington Coat Factory Warehouse Corporation	Burlington	08/29/2025	Phone	Y		Open	S-Safety	1. Ten security guards are required to share three sets of body armor/protective vests that are not sanitized between use. 2. Management directs employees to barricade the emergency exits with pallets as a theft-protection measure at night. 3. The stairs leading to the second story breakroom have no stair rail. 4. In the receiving area, the metal transition strip between the tile and carpet is bent and sticking up, creating a tripping hazard.	Open investigation.
R-2342537	IPC Industries, Inc	Prestige Golf Cars	08/29/2025	Phone	Y		Open	O-Safety	1. Dry acid battery storage and maintenance areas are not protected from rainwater flooding. 2. Large crack in cement by bay door that creates a tripping hazard. 3. Wires are strewn about the maintenance areas, creating a tripping hazard.	Resolved through inquiry process.
R-2342539	Team Car Care West, LLC	Jiffy Lube #3193	08/29/2025	Phone	Y		Closed	O-Health	1. Vapors from disposed gasoline are making employees sick due to lack of ventilation. 2. In the 4th bay, the employee bathroom, chemicals and bulk cleaning material containers are non-securely stacked and leaning.	Resolved through inquiry process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2342918	Moreno and Sons Company		08/28/2025	Online	Y	Y	Closed	S-Safety	1. The floors of the warehouses are slippery, especially at the receiving door in warehouse 3. 2. Pallets of unsecured materials are stacked too high on the storage racks. 3. Warehouse racks are not properly anchored to the floor. 4. There are no fire extinguishers in the facility. 5. Employees operate a forklift in all three warehouses without being trained, and without wearing a seatbelt.	Open investigation.
R-2343121	The Vons Companies, Inc.	Vons 2615	08/28/2025	Online	Y		Closed	O-Safety	1. Located in the casino by the front entrance, there is water dripping from the air conditioner onto the electrical wires. Employees were instructed to place containers under the leak and empty them as necessary.	Resolved through inquiry process.
R-2343319	MJD LLC	Nevada OMS	08/20/2025	Online	Y		Closed	O-Health;O-Safety	1. The tanks are unsecured. 2. Improper set of oxygen tanks and masks unusable. 3. Waste and sharps are non compliance. 4. Biohazard bags and sharps are being improperly stored and not disposed of.	Resolved through inquiry process.
R-2343327	The Machuca Foundation, Inc.		08/14/2025	Email	N		Closed	O-Health	1. An employee has lung issues and a CAT scan revealed they were exposed to asbestos when the ceiling caved in years ago.	No action. Outside statute of limitation.
R-2343333	Place Services Inc.		09/02/2025	Phone	N		Closed		1. The jobsite is 114-120 degrees. The employer has provided no fans for the building. 2. There is an excessive amount of dust when construction is occurring.	Open investigation.
R-2343336	Apex Materials LLC		08/29/2025	Online	N		Closed		1. On 7/11/25, an employee operated an equipment with faulty brakes resulting in a crash at the bottom plant of a pit mine quarry. 2. An employee experienced retaliatory actions including cut hours and denial of lunch breaks. 9/2/25 AL	No action. No jurisdiction.
R-2343339	Jett Gaming LLC	Terrible's Gaming db Albertsons #3129	09/02/2025	Phone	Y		Closed	S-Health	1. On 8/6/2025, located in the Terrible's gaming area inside of the Albertson's store, it was hot and an employee fainted when they were experiencing heat stress.	Resolved through inquiry process.
R-2343341	MJD LLC	Nevada OMS	08/29/2025	Online	N		Closed	O-Health	1. Employees are not trained on how to sterilize properly or fill out sterilization logs.	No action. No jurisdiction. Referred to the DPBH, Board of Dental Examiners, and NERC.
R-2343350	MJD LLC	Nevada OMS	08/29/2025	Online	N		Closed	O-Health	1. Improper set of oxygen tanks and masks unusable 2. Biohazard bags and sharps are being improperly stored and not disposed of. 3. Improper training of sterilization and sterilization logs 4. Pouches are not sterilized properly and are cross-contaminated.	Items 1 and 2 resolved through inquiry process. Items 3 and 4 were referred to the DPBH and Board of Dental Examiners.
R-2343614	New View Landscapes, LLC		08/28/2025	Online	Y		Closed	O-Health	1. The contractor is not using water or a vacuum to control excessive silica dust while performing residential landscaping work. 2. The contractor has disregarded requests to provide dust controls.	Resolved through inquiry process.
R-2343967	Reach Cooling Ground		09/03/2025	Online	N		Closed		1. Employees are operating forklifts without being properly trained. 2. Boxes are stacked too high in an unsafe manner. DF 09/03/2025	No action. Business does not exist.
R-2344181	Sincity Collision Center LLC		09/03/2025	Online	Y		Closed	O-Safety	1. The owner smokes inside the shop near highly flammable material storage areas.	Resolved through inquiry process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2344243	Valley Health System LLC	Centennial Hills Hospital Medical Center	08/20/2025	Email	N		Closed	S-Safety	1. On 8/9/25, at 10:50 am, in patient room 354, a confused patient trying to get OOB who is a high fall risk beds alarm went off. RN went to assist, and patient was yelling, spitting and throwing items kicked the RN attempting to keep her safe. 2. On 8/6/25, at 8:55 am, in 3T 354, a patient behave agitated while cleaning the patient and slap the nurse, yelling "get away from me." Husband at the bedside to witness incident. At 1030, patient was trying to get out of bed unassisted. RN came to the bedside to assist, and patient began yelling and flailing her arms and legs. Also pulled off oxygen nasal cannula and began to desaturate to 62%. At his point, restraints were initiated. 3. On 7/15/25, at 1:00 pm, in MS Tele I, a patient grabbed and attempted to throw the food tray at the CNA, who was assisting him. After loosening the restraints, the patient punched the CNA in the shoulder. 4. On 7/21/25, at 6:00 pm, on the 7th floor, a patient was unprovoked when they attacked the RN, resulting in scratches and bruises. 5. On 7/29/25, at 12:00 am, on the 7th floor, after being denied pain medications (patient received them 20 min prior to the incident), the patient started pushing against the CNA. Afterwards, the patient returned to the bed and started swinging at any staff member that came near. 6. On 7/30/25, at 5:00 pm, in the ICU, a patient with a prior history of CVA became non-redirectable and agitated. The patient started cursing at the staff and started to push through staff, in an attempt to leave the hospital. Lastly, the patient attempted to punch the CNA that was helping him. 7. On 7/31/25, at 4:15 am, in the Emergency Department (ED), a patient walked in the ED and requested to use the bathroom. When asked if she wanted to check in, she cursed the staff out and left the building. Patient later returned and proceeded to curse and threaten the staff. 8. On 7/31/25, at 11:00 am, in the Emergency Department (ED), the patient charged at the physician and threatened to kill both the physician and the RN. 9. On 7/22/25, at 4:30 pm, on the 8th floor, The patient was verbally abusive and was making sexually inappropriate comments to the hospital staff. 10. On 8/18/25, at 11:50 am, in the MS7 hallway, the patient tried to give shower items to nurse and stated that she was leaving, RN made patient aware that she was not able to leave yet and would call family, the patient then started walking towards the staff elevator, RN tried to stop the patient and redirect her, patient pushed the down button (once another staff got off), at that point the RN and the other employee that exited the elevator stood in the elevator door to keep it from closing, at that point the patient got mad and pushed the RN (Shannon), at that point more staff showed up and helped to calm the patient down and get her back to her room.	No action. WPV program previously reviewed.
R-2344261	Shift4 Payments		08/28/2025	Online	Y		Closed	O-Safety	1. In the main building on the second floor, the ceiling tiles are falling due to water damage. JA 9/4/2025	Resolved through inquiry process.
R-2344273	ESQ SWINGERS VEGAS LLC	Swingers The Crazy Golf Club	08/28/2025	Online	Y		Closed	O-Safety	1. Between May 30 and June 2, the regional and general managers at Emmy Squared Pizza consumed alcohol in the manager's office while on duty. JA 9/4/2025	Resolved through inquiry process.
R-2344284	Dolphin Properties, Inc.	Emergency Restoration Experts, LLC	08/28/2025	Online	Y		Closed	S-Health	1. In the cabinet shop, paint room and stain room, there is no ventilation and the air conditioning is inoperable. Employees are exposed to high temperatures and heat illness. 2. Fumes from the cabinet shop, paint room and stain room, are leaking into the office.	Resolved through inquiry process.
R-2344298	Ohjah Japanese Steakhouse Sushi & Hibachi		09/03/2025	In person	Y		Closed	S-Safety	1. Employees exposed to safety hazards, including an EXIT sign pushed into the drop ceiling so only the bottom is visible, a fire extinguisher placed on the floor by the hostess desk, and no air conditioning before 4:00 PM, causing employees to work in excessive heat.	Resolved through inquiry process.
R-2344310	Famous Dave's	Famous Dave's Bar-B-Que	09/03/2025	In person	Y		Closed	S-Safety	1. Employees exposed to a persistent sewer odor throughout the restaurant, creating an unpleasant work environment and causing nausea, headaches, and respiratory irritation.	Resolved through inquiry process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2344410	Las Vegas Outdoor Fun Rentals		09/03/2025	Online	Y		Open	S-Safety	1. Unsafe walking-working surfaces for the employees. 2. Employees are exposed to high heat conditions without access to water or cool, shaded areas.	Resolved through inquiry proceess.
R-2344496	High Point Construction, Inc.	Rafael Framers	09/04/2025	Phone	Y	Y	Closed	I-Safety	1. Approximately 7 workers are doing roof work without fall protection.	Open investigation.
R-2344800	Cricket Wireless Authorized Retailer		09/04/2025	Phone	N		Open	O-Health	1. There is a strong sewer smell throughout the store causing employees to experience headaches and nausea. 2. There is no functional bathroom within the facility, as the toilets have overflowed as of 9/5/2025.	Open investigation.
R-2344802	CheckSammy		09/04/2025	Phone	Y		Closed	O-Safety	1. Forklift operators are operating the forklifts unsafe and fast while being under the influence of drugs. 2. Employees are not wearing hard hats when required. 3. Cherry picker operators are about 8 feet in the air and are not given a harness and lanyard.	Resolved through inquiry proceess.
R-2344806	Avatar Foods Inc.	Avatar Natural Foods	09/04/2025	Phone	Y		Open	S-Safety	1. In the bakery area, there is no guard placed at the top of the polin machine where the dough is feed into the machine.	Open investigation.
R-2345073	That's It		09/05/2025	Online	Y		Closed	O-Safety	1. During the week of Sept. 1 - 5, 2025, an employee was almost struck by a couple of forklifts in the front and back of the warehouse. 09/05/2025 DT	Resolved through inquiry proceess.
R-2345123	DriveTime Used Cars		09/05/2025	Phone	Y		Closed	O-Health	1. Employees are breathing in exhaust fumes while taking photographs and operating equipment in the back of the facility. The cars are required to run while photographs are taken, and there is no ventilation on site. 9/5/2025 KR	Resolved through inquiry proceess.
R-2345472	EURPAC SERVICE INC	Muscle Foods USA	08/28/2025	Online	Y		Closed	O-Health;O-Safety	1. Extreme heat in the building without adequate cooling, increasing the risk of heat illness. 2. Overflowing trash, strong odors, and flies, creating unsanitary and unsafe working conditions. 3. No marked walkways or pallet lines, with employees walking through active equipment aisles without safety vests. 4. Lack of fall protection, as employees on stock pickers and manlifts were not wearing harnesses. 5. Struck-by hazards, including products being dropped from manlifts while employees were nearby. JA 9/8/2025	Resolved through inquiry proceess.
R-2345795	Clark County School District	East Career & Technical Academy	09/08/2025	Phone	N		Closed	O-Safety	1. The air conditioning has been out throughout the building off and on. 2. The school has no potable water available to staff for drinking and for washing their hands due to a plumbing issue. CW 9/8/2025	Open investigation.
R-2345844	The Sherwin-Williams Company		09/08/2025	Phone	Y		Closed	O-Health	1. Employees working in the warehouse's paint mixing area are not provided personal protective equipment (PPE) when handling hazardous chemicals.	Resolved through inquiry proceess.
R-2345850	City of Las Vegas Fire and Rescue		09/08/2025	Phone	Y		Closed	O-Safety	1. On 9/7/2025 at approximately 4:00 PM, an employee was working in dispatch when they experienced swelling in their legs and chest discomfort. The downstairs rescue unit evaluated the employee and they were transported to UMC . cw 9/8/2025	Resolved through inquiry proceess.
R-2345877	Harmony MediCall Spine Sports & Pain, PLLC		09/04/2025	Online	Y	Y	Closed	S-Health	1. The employer does not have a bloodborne pathogen program. 2. There are no sinks in the exam or procedure rooms where employees are exposed to blood or other potentially infectious materials when performing work such as, incision and drainage, aspiration of joints/fluid, joint and spinal injections, pap smear, boil removal, and spinal procedures. 3. The employer does not provide employees with training on hazard communication, bloodborne pathogen, or emergency exit. 4. The employer does not provide employees with personal protective equipment when working in the laboratory. 5. On 3/5/2025, located in the laboratory, a doctor slapped a urine specimen cup out of an employee's hand and proceeded to rip off the employee's nitrile gloves. 6. On 7/23/2025, located in the doctor's office, an employee asked a question regarding medication for a patient and the doctor lunged over the desk, knocking a clipboard and pens out of the employee's hand.	Inspection conducted. No citations issued.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2346245	Clark County Wetlands Park		09/08/2025	Phone	Y		Closed	O-Safety	1. On 9/7/2025 at 2:25 p.m., an employee was walking in the sales floor area behind the counter when they tripped on the leg of an office chair and fell. The employee was taken to Sunrise Hospital by ambulance due to an injury to the hip and and elbow.	Resolved through inquiry proceess.
R-2346324	Teriyaki Madness		09/09/2025	Phone	Y		Closed	O-Health	1. There are insects and pests, like cockroaches, in the dining area and kitchen, and no pest control is utilized. 2. Washing facilities, such as lavatories are not maintained in sanitary condition. 09/09/2025 SM	Resolved through inquiry proceess.
R-2346432	Dutch Bros, LLC	Dutch Bros Coffee	09/03/2025	Online	Y	Y	Open	O-Safety	1. Employees are required to stand outside for 60 minutes with no shade provided. DF 9/10/25	Open investigation.
R-2346472	Mandalay Bay, LLC	Mandalay Bay Resort & Casino	09/09/2025	Phone	Y		Closed	S-Health	1. On 09/08/2025 and around 6:30pm, an employee was found unconscious on the 23rd floor of the Guest Tower. When security arrived, CPR was initiated and 911 was called. The ambulance transported the employee to Spring Valley Hospital, where they are still admitted. On 09/09/2025, the employer reported the hospitalization. 09/09/2025 SM	Resolved through inquiry proceess.
R-2346757	New Life New Image LLC		09/10/2025	Online	Y		Closed	S-Health	1. Employees are required to handle uncapped needles which are left out after injections. Needles are not not discarded immediately. cw 9/11/2025	Resolved through inquiry proceess.
R-2346863	LV Stadium Events Company, LLC		09/10/2025	Online	Y		Open		1. On June 9th employees and security staff waited outside of the Ford Entry without access to water for more than 30 minutes for an employee appreciation event.	Open investigation.
R-2346875	Planet Hollywood Resort & Casino		09/10/2025	Phone	Y		Closed	O-Safety	1. On September 6, 2025 at approximately 11:55 a.m., a housekeeper was mopping the bathroom floor of Room 616 when her leg gave out and hit her head on the floor. The employee used her panic button and security responded. The employee requested paramedics and was transported to Sunrise Hospital where she was admitted. The employee was then released on September 8, 2025. Management stated they could not get ahold of the employee via her emergency contacts, and was made aware of the hospitalization when the employee returned to work last September 9, 2025. 9/10/25 AL	Resolved through inquiry proceess.
R-2346904	Sierra Masonry, LLC		09/09/2025	Phone	N		Closed		1. On 09/09/2025 around 9:50am, an employee was working in the southwest corner of the jobsite and was injured by a car as it crashed through the worksite fencing. This was the result of a collision, where the car was struck by several vehicles nearby on Craig Road, and the car and driver were not associated with any of the onsite contractors or worksite activity. EMS was called and the ambulance transported the employee to UMC hospital, where he was admitted and being evaluated for surgery. The employer reported the incident on 09/09/2025. 09/09/2025 SM	No action. Not work related.
R-2347033	6543 South Las Vegas Boulevard Tenant LLC	WeWork	09/10/2025	Online	Y		Closed	S-Health	1. The employer has not maintained or regularly serviced the fire detection system. While not triggered by testing or maintenance, the alarms have activated nearly daily over the past few weeks. There have been complaints and concerns about the hazards associated with the noise from the alarms. 09/10/2025 SM	Resolved through inquiry proceess.
R-2347271	Las Vegas Paving Corporation		09/11/2025	Phone	Y		Closed	O-Safety	1. On 9/10/2025 at approximately 6:00 am, an employee was sitting in a parked traffic truck, on the shoulder on I-215 and Windmill with warning and directional arrow lights flashing, when the vehicle was rear-ended by a person operating a privately owned vehicle. The employee was transported to Sunrise Hospital and diagnosed with back injuries, a concussion, and brain bleeding. 09/11/2025 JC	Resolved through inquiry proceess.
R-2347367	Westgate Las Vegas Resort & Casino		09/11/2025	Phone	Y		Closed	O-Safety	1. On 09/07/2025, at approximately 11:45 am, an employee was walking back to their workstation in the gaming area, when a guest accidentally bumped into the employee, causing them to fall and injure their left hip and elbow. On 09/08/2025, the employee presented to Sunrise Hospital for treatment. The employer did not notify OSHA of the hospitalization within 24-hours, as required, until 09/11/2025. 09/11/2025 JC	Resolved through inquiry proceess.
R-2347522	Allure Las Vegas Condos		09/11/2025	Online	Y		Closed	O-Health	1. The valet attendant is stationed outside with no air conditioning or cooling methods. 09/11/2025 JC	Resolved through inquiry proceess.

Division of Industrial Relations

Occupational Safety and Health Administration

Complaint Log Detail FY2026 - 1st Quarter July to September 2025

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2347845	MGM Grand Hotel, LLC	MGM Grand Hotel/Casino	09/12/2025	Phone	Y		Open	O-Safety	1. On 9/11/25 at approximately 10:00 a.m., an employee fell from a ladder while repairing wallpaper in a guest room. The employee was transported to Sunrise Hospital and officially admitted at 4:00 p.m. as confirmed by management. The employee is still at the hospital at the time of the call. 9/12/25 AL	Open investigation.
R-2347890	Primm Valley Resort & Casino		09/12/2025	Phone	Y		Closed	O-Safety	1. On 9/11/25 at approximately 1:18 p.m., an employee changed a wall sconce in the saloon while standing on a bench seat measured to be approximately 36 inches high. When he stepped off, he lost balance and fell to the floor. He was transported to West Henderson Hospital at approximately 1:37 p.m. and was admitted overnight. 9/12/25 AL	Resolved through inquiry process.
R-2347946	Paris Las Vegas	Paris Las Vegas Hotel & Casino	09/12/2025	Phone	Y		Closed	O-Safety	1. On 9/11/25 at approximately 9:37 a.m., a facilities carpenter was removing wall paneling while on a stepladder at the Less Elements shop. The employee fell and was transported to UMC. The employer was unable to reach the employee until the morning of 9/12/25, at which time it was confirmed that the employee was admitted and was still at the hospital at the time of the call to OSHA. 9/12/25 AL	Resolved through inquiry process.
R-2347949	Northshore Learning Center		09/12/2025	Online	Y		Closed	O-Health	1. There is mold growth within the walls of the facility in the "hummingbird" classrooms, exposing faculty to mold. No remediation has taken place. 9/17/2025	Resolved through inquiry process.
R-2347956	Department of Interior - US Fish and Wildlife Service		09/12/2025	Phone	N		Closed	O-Safety	1. A trainee fell from a flight of stairs while in a training class for firefighters. 9/12/25 AL	No action. No jurisdiction. Referred to Federal OSHA.
R-2347991	Terrible Herbst Convenience Store		09/12/2025	Online	N		Closed		1. Two cashiers are under the influence of cannabis while on shift. 09/12/2025 DT	No action. No OSHA standard violated.
R-2348001	Terrible Herbst #390		09/12/2025	Online	Y		Closed	O-Safety	1. Employees are exposed to physical violence from customers and vagrants who are threatening them. Management is aware of the issue but has not addressed it. 09/12/2025 DT	Resolved through inquiry process.
R-2348473	3535 LV Newco LLC	The Linq Hotel & Casino	09/15/2025	Phone	Y		Closed	O-Health;O-Safety	1. On 9/12/25 at approximately 2:39 a.m., an employee called security to report an unresponsive co-worker on the 28th floor. Emergency services were called, and the employee was transported to Sunrise Hospital. 9/15/25 DT	Resolved through inquiry process.
R-2348642	Sunsolar Solutions Inc.	Sunsolar Solutions	09/15/2025	Phone	Y	Y	Closed	S-Safety	1. Located at 16 High Sierra Drive, Henderson, Nevada 89074, two employees were observed on the roof without any means of fall protection.	Open investigation.
R-2348697	STORD WAREHOUSE LLC	Stord LAS2	09/15/2025	Phone	Y		Open	O-Safety	1. At the establishment, employees are not provided with powered industrial truck training before operating a forklift on site. 2. Throughout the facility, loose items are stored on storage racks. Items are stored on pallets that are broken, overhanging, and exceeding the racks weight capacity. 3. Approximately one month ago, an OP driver was struck by a pallet that was being stored on a storage rack above. 4. Throughout the facility, emergency exits are blocked due to staging material. 5. In the return area, B2B area, and D2C area, there is no means of egress for employees. 6. In the B2B and D2C areas, multiple extension cords are daisy-chained to power equipment. 7. Throughout the facility, lockout/tagout procedures are not being followed. 9/15/2025 PG	Open investigation.
R-2348819	Dollar Tree Store #08321		09/15/2025	Online	Y		Closed	O-Safety	1. Near the cleaning supplies aisle in the ceiling, an employee was using a ladder, working inside of the ceiling, and did not block the area below the working area where objects could fall.	Resolved through inquiry process.
R-2349474	State of Nevada Department of Corrections	High Desert State Prison	09/16/2025	Phone	Y		Closed	O-Health	1. The employer is requiring boat repairs to take place in the waste ponds while employees are utilizing these boats. The repairs include changing a battery, which weighs 100 pounds. 9/16/2025 KR	Resolved through inquiry process.

Division of Industrial Relations

Occupational Safety and Health Administration

Complaint Log Detail FY2026 - 1st Quarter July to September 2025

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2349964	Nevada Department of Corrections-Southern Desert Correctional Center		09/17/2025	Phone	Y		Open	O-Health	1. At approximately 1:30 PM on 09/16/25 an officer was overcome by fumes from spray adhesive from roof repair being done on the visitation building. Officer was transported to the hospital and admitted. AN 09/17/25	Open investigation.
R-2350042	DSSL Fabrication		09/17/2025	Online	Y		Open	S-Safety	In the shop area, the following hazards exist: 1. Metal dust and debris from the equipment is not properly ventilated. 2. Emergency exits are blocked. 3. Electrical circuits are overloaded. 4. Unsafe flexible cords are being used. 5. PPE is not provided to the employees.	Open investigation.
R-2350054	Clark County School District Sig Rogich Middle School		09/16/2025	Online	N		Closed	O-Safety	1. On September 11, 2025, Rogich Middle School teacher Joseph Sedlak posted on social media statements celebrating someone's murder. The principal of the school has been notified, but it is not clear what the plan of action is to remedy this situation. This is a potential safety concern In that a teacher entrusted with the safety and well-being of children is making statements like "If they were aiming for his head, they were a terrible shot", and "I have watched the video over and over like 50 times by now. And not the far away video, but the close-up video. Love every fraction of a second of it and it gets better with every watch". Parents must be made aware that someone who harbors these types of sentiments is working with their children. Persons who make public statements like this can instill fear in those others they may work with. I request that your agency look into this as these types of behaviors may be a warning sign and should be addressed as soon as possible. I am able to provide visual proof in the form of screenshots to your agency if needed. Please reach out to me through my email if you need this information. Thank you for your time.	No action. No applicable standard. Referred to CCSD.
R-2350334	The Venetian Expo		09/17/2025	Phone	Y		Closed	O-Health;O-Safety	1. The HVAC system located in the southwest corner of the Venetian Expo has a strong refrigerant odor and a mist which falls down on employees entering the Venetian Expo and the employees entering the employee entrance for the Venetian Resort. The odor and mist causes a potential asphyxiation hazard resulting in the employees experiencing respiratory issues and headaches, along with chemical burns on the skin. AN 09/18/25	Resolved through inquiry process.
R-2350544	Las Vegas Clinical Trials		09/18/2025	Online	Y		Closed	O-Health;O-Safety	1. Constant water leaks from the ceiling in multiple areas are exposing employees to a potential slip hazard. 2. Extension cords are daisy chained to other extension cords. 3. The emergency exit is blocked by doctor's table. 09/18/2025 DT	Resolved through inquiry process.
R-2351028	Walgreens		09/19/2025	In person	Y		Closed	O-Health	1. On 9/15/2025 the store's front restroom drain backed up and flooded the store with sewer water. Employees had to work the majority of the day, and were not provided measures to work in a sanitary condition.	Resolved through inquiry process.
R-2351129	Alamo Water Department		09/19/2025	Phone	Y		Open		1. The employer does not provide PPE to employees such as tyvec suits. 2. The employer does not train employees on the hazards of the cleaning chemicals. The pump near the Alamo children's park overflows, and employees are cleaning without training on the chemicals they use. 3. Around December of 2024 an employee was doused with sewage. The employees medical care was extensively delayed, and has been sick due to the exposure. The employer has no policies on how to handle exposure to the sewage.	Open investigation.
R-2351157	Ark Las Vegas Restaurant Corporation		09/19/2025	Phone	Y		Closed	S-Safety	1. The employer is not providing personal protective equipment such as gloves. 2. The employer is not documenting accident investigations.	Resolved through inquiry process.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2351197	Venetian Resort Hotel Casino / Palazzo Resort Hotel Casino		09/19/2025	Phone	Y		Closed	S-Safety	1. On 9/19/2025 at 4:20 AM, around the convention center, an employee was closing an airwall. Their fingers got caught between two airwall sections and left middle finger was amputated below the fingernail. EMS transported to Sunrise hospital for treatment.	Resolved through inquiry proceess.
R-2351201	Goodwill Retail Store and Donation Center		09/19/2025	Phone	Y		Closed	S-Health	1. On 9/19/2025 at 2:35 PM an employee was found passed out in the restroom with potential drug paraphernalia. EMS transported the employee to Sunrise Hospital for treatment.	Resolved through inquiry proceess.
R-2351702	Kroger NLV Distribution Warehouse	Smith's Distribution Center	09/16/2025	Online	Y		Closed	S-Safety	1. The employer did not include safe battery charging procedures in the written operating instructions or training materials. 2. The employer did not maintain batteries used in powered industrial trucks in a safe condition. Several older 24-volt batteries in the building had excessive corrosion buildup. 3. The employer did not provide employees handling batteries and battery acids with appropriate personal protective equipment. 4. The employer did not ensure that powered industrial truck operators were trained in the use of attachments. 5. The employer did not ensure that powered industrial truck operators were reevaluated at least once every three years. 6. The employer did not ensure that employees working in the battery charging area were trained on the hazards of exposure to off-gassing fumes from batteries. 7. The employer did not provide employees who handle lead-acid batteries and perform tasks involving direct contact with lead with training on the hazards of lead exposure. 8. The employer did not ensure that medical personnel were readily available for advice and consultation on matters of occupational health. 9. The employer did not ensure the availability of adequate first aid supplies and trained personnel for medical emergencies. In addition, no employees had been adequately trained to provide first aid for reasonably anticipated medical scenarios. 10. The employer did not provide suitable emergency eyewash and shower facilities in a safe condition.	Open investigation.
R-2351827	Marketon Supermarket		09/22/2025	Phone	Y	Y	Closed	S-Safety	1. On 09/21/2025 at approximately 10:52 am, an employee operated a bandsaw to cut pork ribs in the meat department at the supermarket which resulted in an amputation to their right thumb.	Open investigation.
R-2352252	RoadSafe Traffic Systems, Inc		09/23/2025	Phone	Y		Closed	O-Safety	1. At the intersection of South Valley View Boulevard and West Sirius Avenue, traffic flaggers are directing construction traffic without having receiving any training.	Resolved through inquiry proceess.
R-2352259	EOS Fitness		09/18/2025	Phone	Y		Closed	O-Safety	1. Water pools on the locker room floors creating slip hazards for employees.	Resolved through inquiry proceess.
R-2352296	Lanz Construction LLC		09/08/2025	Online	Y		Closed	O-Health;O-Safety	1. On September 8, employees were not provided with access to a portable restroom on the construction site. Workers were denied restroom access when requested. 2. An employee needed a water break to cool down due to hot temperatures but was confronted with leaving their work zone. This indicates a lack of adequate heat illness prevention measures to include water, breaks, and shaded rest areas. JA 9/23/2025	Resolved through inquiry proceess.
R-2352484	Concentra Medical Centers		09/23/2025	Online	N		Closed		Medical malpractice, sexual harassment, medical battery, workers compensation fraud, intimidation, manipulation, etc	No action. No jurisdiction.
R-2352884	Frontier Town Construction		09/24/2025	Phone	Y		Closed	S-Safety	1. The employer failed to provide a sufficient number of restroom facilities to accommodate the employees working on-site.	Resolved through inquiry proceess.
R-2352967	Commercial Roofers, Inc.		09/24/2025	Phone	Y		Closed	S-Safety	1. An employee in the yard of Commercial Roofers was exposed to struck-by hazards while unloading a pallet from a forklift, when metal from the pallet dislodged and struck the employee in the head.	Resolved through inquiry proceess.

State of Nevada
Division of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2026 - 1st Quarter July to September 2025

item 7

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2353016	Spring Valley Hospital Medical Center		09/15/2025	Email	N		Closed	S-Health;S-Safety	1. On 09/14/2025, at approximately 6:00pm, in the ICU a patient was in the process of being weaned off sedation medication and extubating started to get verbally aggressive with staff. The staff attempted to orient the patient to the process of extubating, however, the patient proceeded to grab multiple nurses' wrists and twist them, leaving a red mark on one of them. The patient was put in restraints with the assistance of other staff members, who continued to attempt to grab at other staff members. The staff members who had their wrists twisted were offered to go to the ED to get evaluated but declined. Staff were advised that if pain ensues from the injury to go the ED for a medical evaluation. The physician was made aware of the incident who spoke to the patient.	No action. Employer has responded to previous UPAs with WPV program.
R-2353125	North Las Vegas-Parks and Recreation Division		09/24/2025	Phone	Y		Closed	S-Safety	1. A park maintenance worker sustained a back injury while lifting a portable baseball mound and required hospitalization as a result of the incident.	Resolved through inquiry process.
R-2353413	Great Western Meats		09/22/2025	Phone	N		Closed	O-Safety	1. Employees worked on slippery surfaces in the meat processing area after hosing down the floors. The employer provided slip-resistant boots, but if the boots wore down, employees would have to purchase their own replacements.	No action. Employer provided PPE for relevant working conditions.
R-2353576	Quality Iron		09/25/2025	Phone	N	N	Closed	I-Safety	1. Employees were observed working at elevated heights without being tied off to their harnesses, exposing them to fall hazards. JA 9/25/2025	No action. Process not active.
R-2353658	Amirian Management Company	Popeyes Louisiana Kitchen	09/25/2025	Phone	Y		Open	O-Safety	1. On September 24, 2025, an employee sustained a burn injury to the right foot and leg while performing mopping duties after stepping into a mop bucket of hot water. The employee was transported to University Medical Center and admitted for treatment. JA 9/25/2025	Open investigation.
R-2353891	Nuvista Inc		09/25/2025	Online	Y		Open	O-Safety	1. At the Las Vegas Convention Center and Venetian Expo Center, supervisors are allowing employees to use ladders in an unsafe manner. 09/26/2025 DT	Open investigation.
R-2353980	Penta		09/26/2025	Phone	Y	Y	Open	S-Safety	1. Inside the excavation, employees are working inside without cave-in protection. 2. Around the excavation the spoils piles are on the edge of the excavation site.	Open investigation.
R-2354074	Hadfield Development, Inc.	Hadfield Building Corp	09/26/2025	Phone	Y	Y	Closed	S-Safety	1. On 9/26/2025 around 10:00 AM an employee of a subcontractor was observed entering a trench deeper than 4 feet that had no visible means of cave in protection.	Inspection conducted. No citations issued.
R-2354183	Las Vegas Basketball Center, LLC		09/26/2025	Online	N		Closed		Multiple very dangerous areas of uneven flooring. They have put raised dividers in between the courts poorly made of wood and painted same color as floor to be camouflaged but they have made multiple people fall. The boards are raised up off the floor as well as raised 3 inches off the ground. Throughout the center there are multiple areas of uneven flooring in high traffic areas. Multiple schools and businesses use this facility and it is very unsafe and they also do not turn the air on during games for schools unless you are a paying business. - Inside the basketball center, multiple areas.	No action. No alleged employee exposure to hazard.

Division of Industrial Relations

Occupational Safety and Health Administration

Complaint Log Detail FY2026 - 1st Quarter July to September 2025

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Do Insp	UPA Open or Closed	Severity-Subject	Hazard Desc & Location	Inspection Results/Comments
R-2354192	Octapharma Plasma, Inc.		09/25/2025	Online	N		Closed		This place will have 3 bays full, 12 donors each and there is no one monitoring them. There will be multiple employees in one bay with no one monitoring others. On 9/24/25 between 10:15-11:06 I sat with my hand up for 10 minutes no response to me or my machine. The pressure on my arms was scary and fingers went numb. Rohan responded to me after coming back from break and seeing me. Multiple managers were on the floor and no one responded to any machines except for completions. 6 employees remained in one bay until they were done sticking. As a former employee of a plasma center I am aware of the donor safety policy of 6 donors to 1 person monitoring and they are not practicing that at all. I understand if it's busy but still donors should be monitored for health and safety concerns. I do know Manager Teri was on floor during this time and I witnessed him walk to our section grab new gloves and set ups for the bay they were sticking completely ignoring my machine.	No action. No alleged employee exposure to hazard.
R-2354694	Smith's Food & Drug Centers, Inc.	Smith's Food & Drug #364	09/26/2025	Online	N		Closed	O-Safety	Employee working pickup lot walking through parking lot wearing all black without a reflective vest on.. Busy smiths parking lot	No action.
R-2355252	Solina Foods		09/26/2025	Online	N		Closed	O-Health	1. A truck driver was not permitted to use the restroom at the facility, nor were they provided access to a portable restroom.	No action. No jurisdiction.
R-2355316	Clark County School District	Hal Smith Elementary School	09/30/2025	Phone	Y		Closed	O-Health	1. On 9/26/2025 an employee experienced a stroke while she was in the reading center preparing lessons for the school day. The employee was admitted to Henderson Hospital.	Resolved through inquiry process.
R-2355333	24/7 Limousines Ltd.	24/7 Limousines	09/22/2025	Phone	N		Closed		1. Two employees contracted staph infections and are now in the hospital. The employees both shared the Sprinter #3 vehicle 3 months ago.	No action. No jurisdiction.
R-2355350	Catholic Charity of Southern Nevada		09/30/2025	Phone	Y		Open	S-Safety	1. On 9/27/2025 at 7:29 AM, an employee was cleaning a meatball slicer machine. The employee forgot to unplug the machine and inadvertently hit the foot pedal which turned on the machine. The tip of the employee's right middle finger was amputated and he was admitted to University Medical Center. The employer was made aware of the amputation on 9/29/2025 and contacted NVOSHA.	Resolved through inquiry process.
R-2355582	HIGHGATE HOTELS LP		09/30/2025	Phone	Y		Open	S-Safety	1. On 9/29/2025 at 8:30 PM, an employee was putting away an airwall in one of the conference rooms after a conference ended. The employee's left ring finger was caught between the conference room wall and the airwall resulting in an amputation to the tip of the finger. The employee was transported to Sunrise Hospital, and the tip of his finger was reattached.	Open investigation.
R-2355814	LC & D Construction Inc.		08/27/2025	In person	Y	Y	Closed	I-Safety	1. Two employees were observed working at a construction were site preparing concrete forms for a concrete pour with multiple exposed uncapped metal stakes protruding up to 20 inches from the compacted dirt surface below, exposing the employees to impalement hazards. 08/27/2025 JC	Open investigation.
R-2355819	Unknown		09/29/2025	Online	N		Closed	S-Health	1. The employer requires employees to utilize hazardous chemicals without controls, such as ventilation, that are appropriate to the hazard. 09/30/2025 SM	Open investigation.
R-2356110	Jaimes Concrete		09/15/2025	Online	Y		Open	O-Safety	1. On May 20, 2025, a Jaimes Concrete crew did not determine the location of a public underground utility installation and damaged a Southwest gas pipeline while conducting excavation work using a backhoe. 10/2/25 AL	Open investigation.
R-2356112	Desert Concrete, LLC		09/15/2025	Email	Y		Closed	O-Safety	1. On April 10, 2025, a Desert Concrete crew did not determine the location of a public underground utility installation and damaged a Southwest gas pipeline while conducting excavation work using a concrete stake. 10/2/2025 AL	Resolved through inquiry process.
R-2356275	Unknown/Invalid Establishment		09/24/2025	Online	Y	Y	Open	S-Health	1. Employees were observed cutting rebar and welding metal objects indoors without local exhaust ventilation, air filtration, or fume extraction systems to control hazardous welding fumes. 2. Employees were not provided with or wearing welding-filtered masks or respirators, exposing them to hazardous metal fumes and gases. JA 10/2/2025	Open investigation.

Advisory Council**NRS 618.347 – Reports Concerning Issuance of NRS 618.375(1), NRS 618.375(2)****General Duty Citations by the Division****4th Quarter FY24: April – June 2025****1. Abaris Training Resources, Inc. - Inspection 1822647**

Nevada Revised Statute 618.375(1): Duties of employers. Every employer shall furnish employment and a place of employment which are free from recognized hazards that are causing or are likely to cause death or serious physical harm to his or her employees.

The employer did not ensure that each employee was protected from recognized hazards that are likely to cause serious physical harm. In the Warehouse, an employee an electric pallet jack (Brand: Unknown) to move pallets and load racks. The column base plates of the storage racks within the warehouse were not anchored to the floor. The employee was potentially exposed to serious crush-by injuries the event the storage rack tipped due to inadvertent contact between the storage racks and the powered industrial trucks.

Reference: ANSI MH16.1: 2012 Specification for the Design, Testing and Utilization of Industrial Steel Storage Racks.

ANSI B31.1 – 1973 Power Piping, Section 105.3

ASTM D1785 – 12 Standard Specification for Poly(Vinyl Chloride) (PVC) Plastic Pipe, Schedules 40, 80, and 120
Plastic Pipe Institute (PPI)

Abatement Note: Among other methods, one feasible and acceptable abatement method to correct this hazard is to replace the PVC piping system with an approved system for compressed air applications.

Proposed Penalty \$2,837.00

2. Nevada Department of Corrections dba Ely State Prison – Inspection 1788126

Nevada Revised Statute 618.375(1): Duties of employers. Every employer shall furnish employment and a place of employment which are free from recognized hazards that are causing or are likely to cause death or serious physical harm to his or her employees.

The employer did not ensure that each employee was protected from recognized hazards that are likely to cause serious

physical harm. In the Warehouse, an employee an electric pallet jack (Brand: Unknown) to move pallets and load racks. The column base plates of the storage racks within the warehouse were not anchored to the floor. The employee was potentially exposed to serious crush-by injuries the event the storage rack tipped due to inadvertent contact between the storage racks and the powered industrial trucks.

Reference: ANSI MH16.1: 2012 Specification for the Design, Testing and Utilization of Industrial Steel Storage Racks.

Section 1.4.7 Column Base Plates and Anchors.

The bottom of all columns shall be furnished with column base plates, as specified in Section 7.1. All rack columns shall be anchored to the floor with the anchor bolts, which shall be designed in accordance with Section 7.3, to resist all applicable forces as described in Section 2.1 and Section 2.2.

A feasible means of abatement would be for the employer to ensure all storage rack columns furnished with column base plates are anchored to the floor.

Proposed Penalty \$2,939.00

3. Dignity Health St. Rose Dominican, Siena Campus – Inspection 1798901

Nevada Revised Statute 618.375(1): Duties of employers. Every employer shall furnish employment and a place of employment which are free from recognized hazards that are causing or are likely to cause death or serious physical harm to his or her employees.

The employer failed to furnish employment and a place of employment free from recognized hazards that were causing or were likely to cause death or serious physical harm to his or her employees. The employer did not protect employees from the hazard of infection by Legionella bacteria and were at risk of developing Legionnaires' disease as follows.

1. On May 31, 2024, water samples were collected by a third-party from approximately 19 different locations in the hospital for testing as part of the employer's water management plan. Results received by the employer on June 7, 2024, indicated that elevated levels of the Legionella bacteria were detected in the water samples.
2. On June 18, 2024, follow-up testing of water samples was conducted, and results received on June 28, 2024, indicated that elevated levels of the Legionella bacteria were confirmed at 9 of the previously tested locations.
3. On December 14, 2024, water samples were collected from approximately 18 different locations in the hospital, including Cooling Towers 1, 2, and 3. Results received on December 23, 2024, indicated significant levels of Legionella Pneumophila and Legionella Anisa in 12 of the 18 locations tested.
4. On December 26, 2024, the employer initiated a Hospital Incident Command System to manage the response. Prior to and up until this date, employees were potentially exposed to serious illness from exposure to Legionella bacteria.

Reference: Water Safety Management Plan 2024, St. Rose Dominican Hospital - Siena Campus, 3001 St. Rose Parkway, Henderson, NV 89052.

Section 3.1, page 22, Water Safety Management Team.

Section 4.1, pg. 39, Detection Limits per the CDC for Legionella bacteria.

Section 6.1, page 68, Quarterly Sampling Program Summary.

A feasible means of abatement is for the employer to abide by the guidelines outlined in their Water Safety Management Plan.

Proposed Penalty \$16,550.00

4. Clark County Water Reclamation District - Inspection 1799151

Nevada Revised Statute 618.375(1): Duties of employers. Every employer shall furnish employment and a place of employment which are free from recognized hazards that are causing or are likely to cause death or serious physical harm to his or her employees.

The employer did not ensure that employees were protected from recognized hazards that are likely to cause serious physical harm. In the parts storage warehouse, the employer utilized stackable storage racks that were not anchored. Parts needed to operate the water recycling reclamation operations and facilities support functions were stored and retrieved from the racks by employees operating a powered industrial truck (PIT) Mitsubishi forklift (Model: FGN25N Serial# AF17D00813). The 3-tier storage racks measuring up to 8 feet high stored items weighing as much as 200 pounds and stacked as high as 13 feet. Employees operating PITs were potentially exposed to recognized crush-by injuries such as fractures or concussions in the event of the storage racks tipping or collapsing.

Reference: Section 1.4.7 of ANSI MH16.1: 2012 Specification for the Design, Testing and Utilization of Industrial Steel Storage Racks.

Section 1.4.7 Column Base Plates and Anchors - The bottom of all columns shall be furnished with column base plates, as specified in Section 7.1. All rack columns shall be anchored to the floor with anchor bolts, which shall be designed in accordance with Section 7.3, to resist all applicable forces as described in Section 2.1 or Section 2.2.

A feasible means of abatement would be for the employer to anchor the racks to the floor in accordance with ANSI MH16.1-2012.

Proposed Penalty \$3,015.00

5. 634 N. Main Street, LLC dba Circa Hospitality Group - Inspection 1802020

Nevada Revised Statute 618.375(1): Duties of employers. Every employer shall furnish employment and a place of employment which are free from recognized hazards that are causing or are likely to cause death or serious physical harm to his or her employees.

The employer did not furnish employment and a place of employment free from recognized hazards that cause or are likely to cause death or serious physical harm to his or her employees. Employees were exposed to recognized serious crush-by hazards while operating a powered industrial truck without an active operator protection device or system. An employee was operating a Hyster Lift Truck (model:J40XNT) at the time of the opening without a seatbelt. The employee utilizing the Hyster Lift Truck (model:J40XNT) without an active operator protection device was exposed to serious crushing hazards in the case of a tipover.

Reference: Section 5.30 - Traveling of ASME B56.1-2000 Safety Standard for Low and High Lift Trucks

Section 5.3.19 - An active operator protection device or system, when provided, shall be used. Operator protection in the event of tipover is intended to reduce the risk of entrapment of the head and torso between the truck and the ground but may not protect the operator against all possible injury (sec pam. 7.2.2).

A feasible means of abatement would be to ensure employees wear a seatbelt at all times while operating forklifts.

Proposed Penalty \$11,823.00

Advisory Council

NRS 618.347 – Report Concerning Issuance of NRS 618.375(1), NRS 618.375(2)

General Duty Citations by the Division

1st Quarter FY2026: July – September 2025

1. Automatic Distributors - Inspection 1826662

Nevada Revised Statutes 618.375(1): Duties of employers. Every employer shall furnish employment and a place of employment which are free from recognized hazards that are causing or are likely to cause death or serious physical harm to his or her employees.

The employer did not furnish a place of employment which are free from recognized hazards that are causing or are likely to cause death or serious physical harm to employees in the following instance:

Located on the northwest side of the warehouse, one column post in section AA.25.02.01 was observed to be damaged and still in service, with wooden pallets of materials stored on each racking at heights of up to 29 feet. Each racking contained materials weighing up to 2,500 pounds, exposing employees to the recognized hazards of being struck by or crushed by falling materials in the event of a catastrophic failure of the racking system, especially under applicable force conditions.

Reference:

ANSI MH16.1 2012 Specification for the design, testing and utilization of industrial steel storage racks. Section: 1.4.1 Owner Maintenance (2)

Abatement Note:

Among other methods, a feasible means of abatement would be to remove stored items from the damaged racking system until the racking system is repaired or replaced.

Proposed Penalty \$4,020.00

2. New Rise Renewables Reno, LLC - Inspection 1826920

Nevada Revised Statutes 618.375(2): Duties of employers. Every employer shall furnish and use such safety devices and safeguards, and adopt and use such practices, means, methods, operations and processes as are reasonably adequate to render such employment and places of employment safe and comply with all orders issued by the Division.

The employer failed to furnish and use such safety devices and safeguards, and adopt and use such practices, means, methods, operations and processes as are reasonably adequate to render such employment and places of employment safe and comply with all orders issued by the Division.

Located in the Pre-Treatment area of the plant, employees performing operational tasks during the clean in place (CIP) process lacked the requisite knowledge and experience with the equipment and procedures to safely perform the CIP process. On or about May 24th, 2025, one employee was directly exposed to the hazardous chemical caustic soda 50% during the CIP process after accessing the CIP tank while the compartment was pressurized.

According to the safety data sheet (SDS) provided by the employer, the caustic soda 50% was capable of causing serious skin burns and eye damage.

Proposed Penalty \$6,331.00

3. Viper Tradeshow Transportation, Inc. dba Viper Tradeshow Services, Inc. - Inspection 1822861

Nevada Revised Statute 618.375(1): Duties of employers. Every employer shall furnish employment and a place of employment which are free from recognized hazards that are causing or are likely to cause death or serious physical harm to his or her employees.

The employer did not furnish employment and a place of employment free from recognized hazards likely to cause death or serious physical harm to its employees. The employees were exposed to serious hazards presented by unanchored storage racks (model: unknown). Warehouse employees stored various packages, boxes, and materials on steel storage racks, including loading and unloading palletized materials with a forklift. Racks were not anchored to the floor in the following instances:

1. At the west wall of the warehouse, six storage racks were not anchored.
2. In the center of the warehouse, fourteen storage racks were not anchored.

Employees were exposed to potential struck-by and crushing hazards due to the risk of storage racks tipping or collapsing as a result of unanchored base plates.

Reference: 1.4.7 of ANSI MH16.1-2008 Specification for the Design, Testing, and Utilization of Industrial Steel Storage Racks.

Section 1.4.7 Column Base Plates and Anchors.

The bottom of all columns shall be furnished with column base plates, as specified in Section 7.2. In addition, all rack columns shall be anchored to the floor with anchor bolts capable of resisting the forces caused by the horizontal and vertical loads on the rack.

A feasible means of abatement is to anchor all racks in accordance with ANSI MH16.1-2008.

Proposed Penalty \$4,256.00