



**DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF INDUSTRIAL RELATIONS**

AGENDA

NOTICE OF PUBLIC MEETING
of the
ADVISORY COUNCIL OF THE DIVISION OF INDUSTRIAL RELATIONS
May 23, 2025
11:00 a.m.

You are hereby given notice that the Advisory Council of the Division of Industrial Relations of the Department of Business and Industry, State of Nevada (Advisory Council) will conduct a public meeting on Friday, May 23, at 11:00 a.m. This meeting will be held at the following locations, via Microsoft Teams, and by phone:

Division of Industrial Relations
2300 West Sahara Ave, Suite 300
Las Vegas, NV 89102

Division of Industrial Relations
1886 College Parkway
Carson City, NV 89706

Microsoft Teams Access:

https://teams.microsoft.com/l/meetup-join/19%3ameeting_MTg2MTk0MDktZTc1NS00MWE2LWIyOTctOTIzMzNkOTAzNDc0%40thread.v2/0?context=%7b%22id%22%3a%22e4a340e6-b89e-4e68-8eaa-1544d2703980%22%2c%22oid%22%3a%22902705bb-72ea-4a36-bf52-b0b6df212e55%22%7d

Meeting ID: 225 367 444 631
Passcode: HF238gx6

To Join by Phone:
Phone Number: 775-321-6111
Phone conference ID: 788 591 046#

NOTICE

1. Items listed on the Agenda may be taken out of order;
2. Two or more items on the Agenda may be combined;

3. Items of the Agenda may be removed or delayed at any time; and
4. Public comment may be limited to two (2) minutes per speaker in the discretion of the chair. No action may be taken on any matter raised during public comment. Public comment will not be restricted based on viewpoint, but must be relevant to, and within, the authority of the Advisory Council.

AGENDA

1. Call to Order (Chair); Roll Call; Introduction of Advisory Council members; and establishment of a quorum.
2. Public Comment (see Notice 4) (Chair)
3. **FOR POSSIBLE ACTION:** Approval of Minutes from the February 19, 2025, meeting. (Chair)
4. **FOR DISCUSSION:** Division of Industrial Relations FY 2025 Activity Update
 - a) Administrator's Update (Victoria Carreón)
 - b) Deputy Administrator's Update (Jodie Tonkin)
 - c) Mechanical Compliance Section-MCS (Sherry Bixler)
 - d) Mine Safety and Training Section-MSATS (Rodney Neils)
 - e) Occupational Safety and Health Administration (William Gardner)
 - f) Safety Consultation and Training Section-SCATS (Todd Schultz)
 - g) Workers' Compensation Section-WCS (Jodi McCollins)
5. **FOR DISCUSSION:** Regulations & Legislation Updates (Amber Williams)
 - a) Temporary Regulations on Brazed Plate Heat Exchangers NAC [455C.114](#).
 - b) 2025 Bills that may impact the Division of Industrial Relations
6. **FOR DISCUSSION:** Review and comments on OSHA quarterly complaint reports January – March 2025 (NRS 618.336 and NRS 232.600) (William Gardner)
7. **FOR DISCUSSION:** Review of OSHA quarterly reports on violations of NRS 618.375 January – March 2025 (NRS 618.347) (William Gardner)
8. **FOR DISCUSSION:** Agenda items for next scheduled meeting. (Chair)
9. **FOR POSSIBLE ACTION:** Discussion on possible investigations or studies to be conducted (NRS 232.600). (Chair)
10. Public Comment (see Notice 4) (Chair)
11. Adjournment. (Chair)

Any person with a disability as defined by the Americans with Disabilities Act who requires special assistance to participate in the meeting may contact, at least five (5) business days prior to the meeting, Heather Wilson by emailing ADACoordinator@dir.nv.gov, or by calling (702) 486-9100 to arrange for reasonable accommodations.

Copies of the supporting (not privileged and confidential) material may be obtained upon request by emailing heather.wilson@dir.nv.gov, calling Heather Wilson at (702) 486-9100, or mailing a

request to the Division of Industrial Relations, 2300 West Sahara Avenue, Suite 300, Las Vegas, NV 89102, Attention: Heather Wilson.

This Notice and Agenda has been posted at the following locations:

- Division of Industrial Relations, 2300 West Sahara Avenue, Suite 300, Las Vegas, Nevada 89102
- Division of Industrial Relations, 1886 College Parkway, Carson City, Nevada 89706

This Notice and Agenda have also been posted at the following website addresses:

- Division of Industrial Relations Notice of Meeting at <http://dir.nv.gov/meetings/meetings>
- Nevada Public Notices at <https://notice.nv.gov>

Division of Industrial Relations Advisory Council
Meeting Minutes: February 19th, 2025

Item 3

1. Call to Order:

At 11:00 a.m. on February 19th, 2025, the meeting of the Advisory Council for the Division of Industrial Relations (DIR) was called to order by Chairman Paul McKenzie. Roll Call was taken by Heather Wilson.

Las Vegas Office: None

Carson City Office: Paul McKenzie, Rob Benner, and Susie Martinez.

Virtual: Maureen Ostby, Ian Langtry, Jeff Seavey, and Vincent Saavedra.

It was determined a quorum was present.

DIR staff who attended the meeting are as follows:

Las Vegas Office: Victoria Carreon, William Gardner, Todd Schultz, and Jodi McCollins.

Carson City Office: Jodie Tonkin, Rodney Neils, and Sherry Bixler.

Virtual: Sam Taylor, Amber Williams, and Heather Wilson

2. Public Comment on Items to Which Action May be Taken

No items for public comment were raised.

3. For Discussion: Introduction of the new Chief Administrative Officer's for Division of Industrial Relations Legal and Mechanical Compliance Sections.

Administrator Carreon introduced Sherry Bixler, new Chief Administrative Officer of the Mechanical Compliance Section and Amber William, new Chief Administrative Officer & Senior Counsel of the Legal Section.

4. For Possible Action: Selection of Chair and Vice Chair for the 2025 term.

Chairman McKenzie opened the floor for motions to nominate for Chair and Vice Chair.

Robert Benner put forth a motion for Paul McKenzie to serve as Chair and it was seconded by Vincent Saavedra. After hearing no other motions, the Committee unanimously approved Chairman Paul McKenzie.

Vincent Saavedra put forth a motion for Rob Benner to serve as Vice Chair and it was seconded by Susie Martinez. After hearing no other motions, the Committee unanimously approved Vice Chairman Rob Benner.

5. Approval of Meeting Minutes of Previous Meeting – November 21st, 2024.

Division of Industrial Relations Advisory Council
Meeting Minutes: February 19th, 2025

Item 3

Motion to approve from Robert Benner and was seconded by Susie Martinez. The motion was approved unanimously.

6. Division of Industrial Relations Activity Update

a. Administrator's Update – Victoria Carreon

Administrator Carreon started the meeting reviewing Fiscal Year (FY) 2025 Priorities that included the implementation of regulations that were recently approved. Some additional key budget requests for FY 2026-2027 include a new database for OSHA and MCS while adding additional staff for OSHA, WCS, MCS, and SCATS.

b. Deputy Administrator's Update – Jodie Tonkin

Deputy Administrator Tonkin followed with the FY 2025 accomplishments that included filling key positions, achieved the lowest vacancy rate statewide, and implementing The Compliance Engine contract, ensuring compliance with Nevada Revised Statutes. A few of the top priorities reviewed were completing user acceptance for the CARDS Enhancement project, training external and internal users for new CARDS development, and improving employee morale and retention.

c. Mechanical Compliance Section-MCS – Sherry Bixler

Chief Administrative Officer, Sherry Bixler, provided the MCS FY 2025 accomplishments that included filling all supervisor vacancies, completing over 11,000 inspections, closing more than 16,000 deficiencies, implementing Wells Fargo E-Bill Express to take credit card payments, and implementing The Compliance Engine contract to allow payment of elevator permits to be received directly by the state. The top priority is to create an outreach program to educate owners of equipment having jurisdictional oversight.

d. Mine Safety and Training Section- MSATS – Rodney Neils

Chief Administrative Officer, Rodney Neils, provided the MSATS FY 2025 accomplishments that included completing over 300 compliance inspections, identifying and eliminating 567 worksite hazards, providing over 2700 consultations/technical assistance industry wide, and hosting more than 340 classroom hours with approximately 824 students. The top priorities are to fill vacant positions in Elko and Carson City, increase silica sampling and outreach to ensure operators are complying with MSHA standard, and achieve zero workplace fatalities through targeted inspections and training outreach.

e. Occupational Safety and Health Administration-OSHA – William Gardner

Chief Administrative Officer, William Gardner, provided OSHA's FY 2025 accomplishments that included conducting almost 1400 inspections and issuing 958 serious citations. OSHA removed 33,970+ employees from hazards, launched electronic billing for citations and other payments, used a vendor to successfully interpret 305 calls to enhance customer service, and decreased initial penalties from \$9.3 million to current penalties \$7.0 million. A few top priorities include initiating targeted PSM inspections by

Division of Industrial Relations Advisory Council
Meeting Minutes: February 19th, 2025

Item 3

March 2025 and preparing heat-related enforcement strategies for the upcoming summer heat.

f. Safety Consultation and Training Section-SCATS – Todd Schultz

Chief Administrative Officer for SCATS, Todd Schultz, provided SCATS' FY 2025 accomplishments that included conducting almost 500 Safety and Health Consultation visits, identifying over 2,560 serious hazards, providing 672 hours of safety and health training with 3,153 participants, and increasing their social media following on Facebook and LinkedIn. Their top priorities are to develop and launch a new Heat Illness training class and market/grow the VPP and SHARP partnership programs.

g. Workers' Compensation Sections-WCS – Jodi McCollins

Chief Administrative Officer, Jodi McCollins, provided WCS's FY2025 accomplishments that included completing over 16,000 compliance investigations regarding mandatory coverage statewide, conducting over 1,040 random sweeps resulting in over 500 Stop Work Orders for non-compliance, and receiving/investigating over 460 complaints. Their top priorities are to increase public training courses, increase various outreach opportunities to ensure reporting deadlines-requirements-coverage requirements, and to increase lacking specialties for the treating and rating panels of doctors.

- 7. For Possible Action:** Consideration of the annual report of the Administrator of delinquent debts and approval of a request to the Board of Examiners to designate debts that are impossible or impractical to collect as bad debt.

Chairman McKenzie turned the floor over to Administrator Carreon for the presentation of the Bad Debt Write-Off Report. After presenting the report to the Committee, no questions were raised, prompting Chairman McKenzie to seek a motion to approve the report. Motion to approve was provided by Rob Benner and then seconded by Susie Martinez. Vince Saavedra was not present during this review. The motion was approved unanimously by those present.

8. Regulations Update

- i. Temporary regulations on Brazen Plate Heat Exchangers
- ii. 2025 Bills and Bill Draft Requests that may impact the Division of Industrial Relations
 - 1. AB74 Insurance;
 - 2. AB142 Stress Related workers' compensation claims;
 - 3. AB200 Revises provisions relating to workers' compensation – average prevailing wage;
 - 4. SB78 Provisions related to Boards and Commissions;
 - 5. BDR 325 Revises providing relating to self-insurance by certain employers or associations of employers;
 - 6. BDR 594 Revises provisions relating to workers' compensation;

Division of Industrial Relations Advisory Council
Meeting Minutes: February 19th, 2025

Item 3

7. BDR 625 Revises provisions relating to workers' compensation;
8. BDR 629 Revises provisions relating to workers' compensation;
9. BDR 921 Revises provisions relating to workers' compensation;
10. BDR 666 Revises provisions relating to occupational safety and health.

There were no questions about the regulations, bills and bill drafts presented.

9. **For Discussion:** CAO William Gardner presented the OSHA quarterly complaint reports for July – September 2024 and October – December 2024.

CAO Gardner was available and fielded some questions regarding specific citations and issues found in the packet.

10. **For Discussion:** CAO William Gardner presented the OSHA quarterly on violations for July – September 2024 and October – December 2024.

Seeing/Hearing no questions, the chairman moved to the next report.

11. **For Discussion:** CAO William Gardner presented the Review of inquiries/inspections related to forklift, trenching, and excavation inspections for July thru September 2024.

Seeing/Hearing none, the chairman moved to the next item.

12. **For Discussion:** Agenda Items for next meeting

Seeing/Hearing none, the chairman moved to the next item.

13. **For Possible Action:** Discussion on Possible investigations or studies to be conducted.

Seeing/Hearing no input, Chairman moved to next item.

14. Public Comment:

Seeing/Hearing no comment, Chairman moved to next item.

15. Adjournment:

Motion to adjourn at 11:56 am by Robert Benner and seconded by Susie Martinez.



State of Nevada

Division of Industrial Relations

Division of Industrial Relations Advisory Council

Quarterly Meeting

May 23rd, 2025

Item 4: Administrator's Update- Victoria Carreón

- **FY 2026-FY 2027 Budget Update- Committee Approvals**
 - New OSHA/Mechanical Compliance Section Database
 - Funding for Review of Medical Fee Schedule
 - 30 of 32 positions requested approved
 - 3 positions to Administer the Workers' Compensation Assessment
 - 1 Business Process Analyst for CARDS support
 - 4 positions for Workers' Compensation Employer Compliance Unit
 - 4 positions for Mechanical Compliance Section to improve compliance
 - 18 OSHA positions to create 2 new Industrial Hygienist Teams



Item 4: Deputy Administrator's Update- Jodie Tonkin

- **Staffing Updates**
 - Division Attorneys
 - Vacancy Rate Remains Low
 - Employee Appreciation Events
- **Claims and Regulatory Data System (CARDS)**
 - External and Internal Training Began May 12, 2025
 - Go-Live Date is June 2, 2025
 - Ongoing Support
- **Top Priorities**
 - Procurement Process for OSHA/MCS Database Vendor
 - Onboarding of Legislatively Approved Staff



Bring Your Kid to Work Day Event at DIR Office in Reno

Item 4: Mechanical Compliance Section Update- Sherry Bixler

- **FY25 Year-to-Date Accomplishments**


- Almost fully staffed
- Completed 5,340 inspections
- Closed 3,815 deficiencies
- Implemented CyberSource; all payments now come directly to MCS.
- The quarterly AIA meeting on 5/13/25 was educational and successful, the focus was on certain testing requirements and updates to regulations that will take effect 12/31/25

- **Top Priorities**

- Fast track implementation of New Software Solution once final approval is received
- Continue sending outreach informational bulletins to keep inspectors, contractors, and owners of equipment with jurisdictional oversight up to date on regulation changes.
- Schedule and begin quarterly meetings with Licensed Service Contractors, and Boiler/Pressure Vessel Inspection Agencies.

Item 4: Mine Safety and Training Section Update- Rodney Neils

- **FY2025 Inspection Activity**
 - Completed a total of 419 safety/health inspections to date
 - Eliminated over 728 work site hazards
 - Provided over 5000 consultations/technical assistance
- **FY2025 Training Accomplishments**
 - Provided over 600 hours of instruction
 - Trained approximately 1,300 students
- **Safety Initiatives**
 - Conducting targeted inspections on mobile equipment
 - Conducting increased silica sampling



Item 4: Occupational Safety and Health Administration Update- William Gardner

- **FY25 Inspection Data:**

- Total # of inspections: 1,061 (on pace to surpass goal)
- Total # of employees removed from hazards: 47,812
- Total # of violations identified: 5,334
- Percent of penalties retained: 87.5%

- **Heat Illness Regulation is enforceable (April 29, 2025)**

- Guidance released January 29, 2025.
- Multiple outreach campaigns in coordination with SCATS.
- Targeting and inspections will prioritize inspections on heat-priority days.



Supervisor and CSHO measure a trench.

Item 4: Safety Consultation and Training Section Update- Jake Huber

FY 2025 Consultation Activity

- Conducted a total of 674 Safety and Health Consultation visits.
- Identified over 3,425 serious hazards.
- SCATS social media now has 262 Facebook and 634 LinkedIn followers.

FY2025 Training Activity

- Provided 906 hours of safety and health training with 4,713 participants trained.
- Provided Heat Related Illness Classes – Nine classes with 376 participants. (Upcoming: 5/22/25, 5/29/25, 6/18/25, 7/17/25)

Cooperative Programs VPP and SHARP

- VPP – 10
- Pre-SHARP – 6
- SHARP – 36



Heat Related Illness – Nevada Self-Insurers Association 4-11-25

Item 4: Workers' Compensation Section Update – Jodi McCollins

- **FY2025 Employer Compliance Activity**

- Conducted 3,394 employer compliance site visits
- Conducted over 2,319 Sweeps
- Investigated over 26,000 reported policy cancellations
- Conducted over 28,605 Investigations
- Issued over 960 Stop Work Orders for non-compliance

- **FY2025 WCS Audit Activity**

- Medical Unit conducted an audit of 127 Heart and Lung treating providers
- Insurer Compliance Unit has received 379 Benefit Penalty complaints and processed over 1,000 COLA reimbursement requests
- Audit Unit audited 280 claims and completed 136 Insurer/TPA Audits



Item 5: Regulations and Legislation Update – Amber Williams

- **Temporary Regulation Approved-** Brazed plate heat exchangers
- **Workers' Compensation Bills**
 - AB93- Amends definition of police officer for purposes of industrial illnesses
 - AB142- Changes definition of first responder for a stress-related workers' compensation claim to include crime scene investigators
 - SB24- Adds emergency medical responder to stress claims in NRS 616C.180
 - SB170- Changes requirements for physical exam for firefighters and police officers for cancer, heart and lung to determine if an illness is an occupational disease
 - SB258- Creates new formula for subrogation cases
 - SB317- Workers' Compensation omnibus bill
 - SB376- Allows workers to be reimbursed for heart and lung medical treatment from providers outside of the treating panel in certain cases.
- **OSHA Bills**
 - AB414- Creates new worker protections from greenhouse gases
 - SB260- Creates new worker protections from wildfire smoke

Item 6: OSHA Complaint Report: Jan – March 2025

See backup materials in packet.

Item 7: OSHA quarterly report on violations of NRS 618.375 for Jan – March 2025(NRS 618.347) – William Gardner

See backup materials in packet.



State of Nevada

Division of Industrial Relations

Occupational Safety & Health Administration

COMPLAINT LOG SUMMARY FY2025 - Quarter 3

January - March 2025

Number Complaints Received Las Vegas - Reno	Number Phone/Hotline Complaints Received	Number In-person Complaints Received	Number Inspections Conducted	Number No Inspections Conducted	Cases Open
639	241	24	101	125	69

Safety	Health	Both Safety / Health	N/A
330	176	46	87

FISCAL YEAR COMPARISON TOTALS	
FY25	639
FY24	324
FY23	104
FY22	139
FY21	388

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2025 - 3rd Quarter January to March 2025

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	Inspection Number	UPA Open/Closed	Severity-Subject	Hazard Description and Location	Inspection Results/Comments
C-2247676	TESLA, INC.		01/02/2025	Phone	N	N		Closed	O-Safety	1. Employees are not allowed to sit down and rest between work activities if they finish early and there is nothing further to do.	No action - No justification warranting an inspection per NOM.
C-2248208	SMITH'S FOOD & DRUG		01/03/2025	Phone	Y	Y		Closed	O-Health	1. Black mold present in the meat department on the walls, ceilings and equipment.	Resolved through inquiry process.
C-2248436	ALLMETAL, INC.		01/04/2025	Online	Y	Y		Closed	O-Safety	1. Located in the production area, ergonomic standing mats in front of machines 30 and 31 are in poor condition and pose a tripping hazard.	Resolved through inquiry process.
C-2248441	ALLMETAL, INC.		01/04/2025	Online	Y	Y		Closed	O-Safety	1. Located in the production area, ergonomic standing mats in front of machines 30 and 31 are in poor condition and pose a tripping hazard.	Resolved through inquiry process.
C-2249233	TESLA MOTORS, INC.		01/07/2025	Phone	Y	Y		Closed	S-Safety	1. Located at the jobsite in the "BE4 & BE3" area, Powered Industrial Truck operators per company policy have the right of way while there is pedestrian traffic leading to near miss incidents. Whereas, pedestrians are required to give PIT's the right of way as they transit the production floor leading to potential struck-by accidents involving PIT operators.	Resolved through inquiry process.
C-2249235	CEMEX CONSTRUCTION MATERIALS PACIFIC LLC		01/07/2025	Online	Y	Y		Closed	S-Safety	1. Located at the washout area, on the eastern side of the facility by the mechanic shop, the employer is not maintaining the drainage system for the cement mixing trucks washout bays. This is leading to a buildup of water and concrete waste products in the clean out bays, including concrete dust, creating slip hazards for employees.	Resolved through inquiry process.
C-2249499	CHURCHILL COUNTY ASSESSOR		01/07/2025	Online	Y	Y		Closed	O-Health	Located in the Assessor's Office on the South wall below the HVAC unit (Suite 200), employees are becoming ill due to the effects of mold that exists behind the drywall. The office is no longer sanitary due to the toxic mold exposing nearby employees.	Resolved through inquiry process.
C-2249695	Pioneer Crossing Casino		01/08/2025	Phone	Y	Y		Closed	S-Safety	1. Located at the jobsite, the walking-working surfaces around the bar do not have sufficient slip protection from leaks and spills which are exposing employees to slip hazards. 2. Located at the jobsite, the walking-working surfaces inside the beer storage room are not kept clean and free from slip hazards while entering and leaving the area.	Resolved through inquiry process.
C-2249890	LABORWORKS		01/08/2025	Online	N	N		Closed		A group of plane hijacker's (MH 370) tried to harras, abduct and kill me inside and outside my working surroundings starting 2015. They slaughtered 21 foreigners in Dhaka, blew Paris Stadium with power of Mr Clinton and Hillary Clinton. They are still forcing me to go to Labor Works. They make a sense that each and every American workers and Labors work for Tulip Siddiq a British Labor Party politician. They tried couple of times to abduct and disappear me in Dhaka, Bangladesh from 2008-2015. - Reno / Sparks/ Fernley / Fallon area Nevada.	No action - No jurisdiction.
C-2249986	Mt. Rose Development Company	Mt. Rose Ski Tahoe	01/09/2025	Phone	Y	Y		Closed	O-Health	1. Located in the Rosebud tech area, the ceiling has been water saturated for a considerable period of time. Mushrooms and/or mold appear to be growing there, possibly exposing employees to airborne toxins.	Resolved through inquiry process.
C-2250351	FREEWAY INSURANCE		01/10/2025	Phone	Y	Y	1799342	Closed	O-Health	1. Located at the jobsite, toilet facilities have not been available to employees for the last 3 days. Prompt access to the facilities have caused extensive delays in allowing access to use the facilities when needed.	Inspection conducted. No citations issued.
C-2250416	EXPRESS MESSENGER SYSTEMS, INC	ONTRAC	01/10/2025	Phone	Y	Y		Closed	S-Safety	1. In the shipping area known as "black belt", employees are exposed to falling objects and shipping boxes when the conveyor belt system is jammed.	Resolved through inquiry process.
C-2250620	Sonic Drive-In		01/09/2025	Online	Y	Y		Closed	S-Safety	1. Located at the jobsite, deep fryers have gas leaks causing fireballs to ignite off the fryer baskets exposing employees to severe burns.	Resolved through inquiry process.
C-2250849	RENO VA HEALTH CENTER		01/13/2025	Online	N	N		Closed		Reno facility and management Giving radiation protection badges to staff on a quarterly basis. Current SOP states that they will be given monthly. Staff are not updated on any dosimeter badges exposure rating for several months at a time. - Main Hospital, Cath lab, Radiology, IR	No action. No jurisdiction. Referred to NV Radiation Control Program.
C-2250889	SILVER STATE RELIEF		01/12/2025	Online	Y	Y		Closed	O-Safety	Located on the east side of the facility at the drive-thru box, a metal door opening/closing mechanism does not operate properly causing the door to close on employee's fingers and hands causing injury. The door is held open with a bungee cord.	Resolved through inquiry process.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2025 - 3rd Quarter January to March 2025

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	Inspection Number	UPA Open/Closed	Severity-Subject	Hazard Description and Location	Inspection Results/Comments
C-2251273	BENDER GROUP		01/13/2025	Phone	Y	Y		Closed	S-Safety	At the jobsite, the following hazards are alleged: 1. Located in the cold room, at the very back of the facility, there is a mobile staircase available for employees to use that has cracked welds on the steps. 2. Located in the back of the facility, by the Calico account, there is a step stool available for employees to use that has damaged steps.	Resolved through inquiry process.
C-2251777	Regency at Caramella Ranch - Clubhouse		01/14/2025	Phone	Y	Y		Closed	S-Safety	1. In the clubhouse, electrical panels are blocked in the electrical room and storage closet. Employees do not have clear access to electrical panels.	Resolved through inquiry process.
C-2252186	XPRESS LUBE		01/15/2025	Phone	Y	Y		Closed	S-Safety	1. In the maintenance room, the walking-working surface is not clear, exposing employees to trip hazards. 2. In the oil changing area, there is oil on walking-working surfaces, exposing employees to slip hazards. 3. Near the roll-up doors in the oil changing area and outside on the back side of the building there are exposed wires, exposing employees to shock hazards. 4. Fire extinguishers in the establishment do not receive an annual maintenance check.	Resolved through inquiry process.
C-2253771	AVALON HEALTHCARE	NORTHERN NEVADA STATE VETERANS HOME	01/20/2025	Online	N	N		Closed	O-Safety	1, Located in the restroom that is attached to the break room, the employer has installed a device believed to be a camera.	No action. No critreia warranting an inspection.
C-2254052	Little Feathers Learning Center		01/21/2025	Phone	Y	Y		Closed	O-Health	1. Located throughout the facility, hand soap and paper towels are not available for employee use for hygiene purposes.	Resolved through inquiry process.
C-2254237	ALSCO INC.		01/22/2025	Online	Y	Y		Closed	S-Health	Located on the production floor: 1. Infrequent and improper usage of PPE including masks being worn by employees processing dirty hospital linen from soil/sort through wash. PPE rules are not being enforced. 2. Poor control of sterilization on rolling bins containing soiled hospital linens including but not limited to drivers and load out staff willingly grabbing contaminated carts. This is resulting in cross contamination as well. Each of the above allegations is resulting in facility wide cross contamination especially during breaks, shift changes, and swapping from hotel to hospital linens on production lines.	Resolved through inquiry process.
C-2254612	WASHOE COUNTY SCHOOL DISTRICT		01/17/2025	Online	Y	Y		Closed	S-Health	1. Located in area C-111: Employees have reported respiratory symptoms such as; coughing, sneezing, throat irritation, nasal congestion, occurring after a few hours of being in the building on the days that they work in the office. 2. One employee reported elevated levels of endocrine-disrupting chemicals, including PFAS, Parabens, Phthalates, and Cadmium in his blood. 3. Water in breakroom sink and drinking fountain is sometimes discolored and has a lot of particles in it.	Resolved through inquiry process.
C-2254801	WALMART SUPERCENTER		01/22/2025	Online	Y	Y		Closed	S-Health	1. located in the back of the store, a hazardous chemical believed to be acid spilled on one of the managers causing them to be taken to the hospital. The hazardous chemical was then left where it spilt with employees working nearby and has yet to be cleaned up. It is unknown if the injured manager was admitted for their injuries.	Resolved through inquiry process.
C-2256949	HOLM ELECTRIC		01/28/2025	Online	Y	Y		Closed	S-Health	1. Located at house #949, employees are exposed to drywall dust during construction and the employer has not provided any form of respiratory protection.	Resolved through inquiry process.
C-2257021	AMERICAN BATTERY TECHNOLOGY COMPANY		01/27/2025	Online	Y	Y	1802729	Closed	S-Health	1. Housekeeping is not sufficient as nickel dust is being tracked all over the bathrooms, locker rooms, and offices exposing employees to the dust. 2. The men's bathroom only has two functional stalls for over 60 male employees.	Inspection conducted. No citations issued.
C-2257449	PANDA EXPRESS, INC.		01/30/2025	Phone	Y	Y		Closed	S-Health	1. Located in the kitchen, there was a sewer leak that exposed employees to slips, trips and falls. The store was not closed and employees had to walk through sewage for two hours. 2. Located in the kitchen, one employee was required to clean up the sewage. The employee was only given sandwich gloves to perform this task. The employee used a shop vacuum, bleach and towels to clean the sewage. 3. Located in the kitchen, employees required to clean up sewage from a leak were not trained on how to safely clean up sewage waste.	Resolved through inquiry process.
C-2257592	CARSON VALLEY HEALTH HOSPITAL		01/30/2025	Phone	Y	Y		Closed	O-Health	Located inside the first floor and second floor labs of the old building, employees are experiencing skin rashes and respiratory issues believed to be caused from the HVAC system.	Resolved through inquiry process.
C-2257660	UNKNOWN ESTABLISHMENT		01/30/2025	Phone	N	N		Closed		Located at the workplace, an employee working indoors feels the work environment is too cold.	No action. No applicable standard.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2025 - 3rd Quarter January to March 2025

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	Inspection Number	UPA Open/Closed	Severity-Subject	Hazard Description and Location	Inspection Results/Comments
C-2257938	Ruby Dome, Inc		01/31/2025	Online	Y	Y		Closed	S-Health;S-Safety	Located in the shop: 1. Walkways not kept clear. 2. Spills not cleaned up. 3. Unlabeled secondary containers. 4. Flammable not stored in flammable cabinet. 5. Cords not grounded. 6. No eye wash station.	Resolved through inquiry process.
C-2257952	NORTHERN NEVADA CORRECTIONAL CENTER		01/31/2025	Online	N	N		Closed		Located at the Regional Medical Facility at the Northern Nevada Correctional Center, 20+ employees are working in cold conditions (52° - 54°) which is impacting dexterity of employees handling needles, exposing employees to accidental needle sticks. Union representative and management have been notified of the conditions that have been present for the last several weeks.	No action. No applicable standard.
C-2257954	AYR WELLNESS		01/31/2025	Phone	Y	Y		Closed	S-Health	1. Employees are working with hot water and bleach and employees have not been provided proper training to work with hazardous chemicals. 2. Employees are working with hydrogen peroxide without proper training. 3. Employees are mixing fabuloso and dawn soap with bleach. 4. Employees are not provided PPE for working with hazardous chemicals.	Resolved through inquiry process.
C-2258402	TESLA, INC.		01/31/2025	Online	Y	Y		Closed	O-Safety	Located at the Tesla facility, on the Ireland Dr. building, an employee for the USPRO temporary agency injured their left shoulder as they picked up a long metal piece from a crate.	Resolved through inquiry process.
C-2258441	GREATER NEVADA CREDIT UNION		02/01/2025	Online	N	N		Closed		On multiple occasions myself and other employees left to open and close the branch by ourselves. Resulting in not only lack of dual control but also a serious safety issue in case of robbery. Also left alone for lunches and unable to leave the building. Not able to use the restroom because we could not leave the building unsupervised. The number of employees threatened at a time: 1. The total number of employees exposed to this: 4 - Lobby and back areas of the bank (vault room)	No action. No applicable standard.
C-2258443	DOLAN TOYOTA		02/02/2025	Online	N	N		Closed		Dolan Toyota allows employees to vape indoors throughout the dealership including small and large employee offices. This violates the law and creates an unsafe environment for employees and unborn children. - Indoors. Offices. Bathrooms.	No action. No applicable standard.
C-2258654	Desert Valley Dental		02/03/2025	Online	N	N		Closed		1. Bloody gauze and blades going through the sterilizer with debris not being cleaned off prior to sterilizing.	No action. No jurisdiction over patient safety. Referred to Dental Board.
C-2258953	Tesla Giga Nevada		02/03/2025	Phone	Y	Y		Closed	S-Safety	1. Located at the Tesla facility on Ireland Drive, a USPRO temporary employee was lifting a 6-foot piece of metal that weighed approximately 20-30 pounds and injured is shoulder. 2. Located at the Tesla facility on Ireland Drive, a USPRO temporary employee was not trained on proper lifting techniques and workplace ergonomics to adequately perform assigned duties.	Resolved through inquiry process.
C-2258977	HUMBOLT GENERAL HOSPITAL		02/03/2025	Phone	Y	Y	1805617	Closed	O-Health	Located at the facility, the hospital's generator is operated once a week, and the HVAC system takes in the diesel exhaust fumes which circulate throughout the facility. Employees have experienced dizziness, headaches, coughing, and burning of the eyes and throat due to the exhaust fumes.	Resolved through inquiry process.
C-2259084	HUMBOLDT GENERAL HOSPITAL		02/03/2025	Online	N	N		Closed		1. There is odor emitting from the ventilation exhaust in the Behavioral Health Clinic.	No action. Not enough information to process.
C-2259166	AMERICAN BATTERY TECHNOLOGY COMPANY		02/03/2025	Online	Y	N	1802729	Closed	S-Health	Located on the production floor and in the offices, there is a black cancerous dust covering entire facility. Exposed employees are experiencing skin reactions to the dust.	Inspection conducted. No citations issued.
C-2259237	THE WEBSTAIRANT STORE, INC		02/04/2025	Phone	Y	Y		Closed	S-Safety	1. Employees in the inbound shipping warehouse are driving PIT (powered industrial trucks) or forklifts recklessly. 2. Employees in the inbound shipping warehouse are driving cherrypickers with employees up in the cage.	Resolved through inquiry process.
C-2259462	AMERICAN BATTERY TECHNOLOGY COMPANY		02/04/2025	Online	Y	Y	1802729	Closed	S-Health	1. Located throughout the building, black mass (dust) produced from the lithium battery recycling process in production has spread to all surfaces in the building. For example, the office carpet was recently sampled and the results showed severe contamination. This dust is visible on virtually every surface in the building and accumulates daily. Employees wearing respiratory protection to include PAPRs, are complaining of exposure symptoms including asthma and itchy mouth while working. The black mass carries known carcinogens and sensitizers (Nickel, Cobalt, Manganese oxides and lithium and fluorine compounds). This has been brought up to management and our safety officials and no action has been taken. Note: Testing was performed and indicated positive nickel on all surfaces per 100 cm^2 standard surface testing with ICP lab analysis.	Inspection conducted. No citations issued.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2025 - 3rd Quarter January to March 2025

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	Inspection Number	UPA Open/Closed	Severity-Subject	Hazard Description and Location	Inspection Results/Comments
C-2259470	CHROMALLOY GAS TURBINE LLC	CHROMALLOY NEVADA	02/03/2025	Online	Y	Y		Closed	S-Health	1. Located in the shipping department near the entrance, employees handling dangerous chemicals including acid have not received adequate training. The chemical fumes are causing breathing issues and burning nostrils.	Resolved through inquiry process.
C-2259476	RENO HIGH SCHOOL		02/05/2025	Online	N	Y		Closed		While I respect Reno High School's history, that is not an excuse to let it rot, and expect students to learn, feel safe, or even be proud of going there. They begged me to speak out for them! NO working bathrooms, not enough working drinking fountains, possible mold, asbestos, lead, doors propped with old wooden wedges, old carpets, tripping hazards, cords and wires running everywhere, no GFI, overcrowded classrooms, poor air quality, poor heating, unlocked, not secure exit doors that anyone could enter during class sessions. Even our JROTC leaders said it was a complete joke in terms of security. How did it get this bad? Our kids deserve better, so I am contacting everyone I can think of to affect change! Not fair to them and the staff forced to go there. It's gross! How did it get this bad? Shame to see it rot. These conditions pose a significant risk to public safety, and I urge prompt investigation and action to address them. Please confirm receipt of this complaint. You have a SEVERE LIABILITY at Reno High School. Thank you for your time and immediate attention to this serious matter. - The whole main building. It needs to be inspected ASAP. And my room N6, was not equipped to be a computer lab. Not enough power, network drops, cords everywhere. I asked to move to a more suitable room and was denied by admin.	No action. Not enough information to process.
C-2259708	US FOODS, INC.		02/05/2025	Online	Y	Y		Closed	S-Safety	1. Located at the jobsite, liftgate trailer 360-186 requires manually opening/closing while holding one hand on the switch. The liftgate sometimes gets stuck and falls out unexpectedly exposing employees to possible struck-by hazards.	Resolved through inquiry process.
C-2259711	CEMEX SPARKS CONCRETE PLANT		02/05/2025	Online	Y	Y		Closed	O-Safety	1. Located at the plant silo, an extension cord that has been in permanent use fell from the top of the plant silo and hit the complainant and his truck. After the complainant reported the incident to a mechanic, the mechanic reconnected the extension cord from where it had fallen atop the plant silo.	Resolved through inquiry process.
C-2259714	CEMEX SPARKS CONCRETE PLANT		02/05/2025	Online	Y	Y		Closed	O-Safety	1. Located at the plant silo, an extension cord that has been in permanent use fell from the top of the plant silo and hit the complainant and his truck. After the complainant reported the incident to a mechanic, the mechanic reconnected the extension cord from where it had fallen atop the plant silo.	Resolved through inquiry process.
C-2259717	CEMEX SPARKS CONCRETE PLANT		02/05/2025	Online	Y	Y		Closed	O-Safety	1. Located at the plant silo, an extension cord that has been in permanent use fell from the top of the plant silo and hit the complainant and his truck. After the complainant reported the incident to a mechanic, the mechanic reconnected the extension cord from where it had fallen atop the plant silo.	Resolved through inquiry process.
C-2260083	BRIGGS ELECTRIC, INC.		02/05/2025	Phone	Y	Y		Closed	O-Health	Located at the jobsite: 1. Construction employees have not been provided with lavatories equipped with hand washing stations. 2. Hand towels have not been provided in conjunction with the lavatory washing stations. Note: Martin-Harris is the reported general contractor on this jobsite.	Resolved through inquiry process.
C-2260369	Vergith Contracting Company		02/07/2025	Online	Y	Y		Closed	O-Health	Located in the Mountain Tower floors 4 - 12: Working around what looks like black mold. Employees provided dust mask and gloves for ppe.	Resolved through inquiry process.
C-2260634	HUMBOLDT GENERAL HOSPITAL		02/07/2025	Online	Y	N	1805617	Closed	O-Health	1. On 1/29/2025 in the General Hospital, Clinic F, Behavioral Health area, employees were exposed to the odor of diesel generator exhaust through the ventilation system and experienced symptoms including but not limited to headache, nausea, and abdominal pain.	Inspection conducted. 1 citation issued - \$0.
C-2260646	PANASONIC ENERGY OF NORTH AMERICA		02/07/2025	Phone	Y	Y		Closed	O-Safety;S-Health	1. Located at the jobsite, throughout the Phase 1 and Phase 2 areas for Assembly/Winding, housekeeping has not kept the jobsite clean and in a sanitary condition as an unknown black substance has accumulated near the HVAC systems causing employees to have nose bleeds and nausea. 2. Located at the jobsite, some illuminated exit signs are no longer illuminated in areas where exit signs may be difficult for employees to see in the event of an emergency.	Resolved through inquiry process.
C-2260675	TESLA INC.		02/07/2025	Hotline	N	N		Closed	O-Safety	1. Complainant did not specify the nature of his complaint in his voicemail message.	No action.
C-2260681	MEI-GSR HOLDINGS LLC	GRAND SIERRA RESORT AND CASINO	02/07/2025	Phone	Y	Y		Closed	S-Health	In the dish pit next to the buffet in the banquet department on or about 2/5/2025, 1. Mold and dust are allowed to accumulate. 2. Repair of water-damaged drywall potentially exposed employees to airborne asbestos fibers and mold.	Resolved through inquiry process.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2025 - 3rd Quarter January to March 2025

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	Inspection Number	UPA Open/Closed	Severity-Subject	Hazard Description and Location	Inspection Results/Comments
C-2261080	KYND CANNABIS COMPANY		02/07/2025	Online	Y	Y		Closed	S-Health;S-Safety	Located in the cultivation room, by the back door and back office, the following hazards are alleged: 1. At wash station 2, there is sharp sheet metal sticking out by the pallet racking, subjecting employees to potential lacerations. 2. At wash station 2, there is only 1 anti slip mat provided, subjecting employees to potential slipping hazards. 3. By the wash station, there are housekeeping issues allowing mold to grow on the walls. 4. By wash station 2, the emergency shower is blocked with buckets and baskets. 5. By wash station 2, the pallet racking is not bolted to the concrete.	Resolved through inquiry process.
C-2261250	SOLAREEDGE TECHNOLOGIES INC		02/07/2025	Online	Y	Y		Closed	S-Health;S-Safety	Located in the main building and parking area: 1. There are no safety data sheets (SDS) accessible to employees. 2. There is no emergency evacuation plan for the facility in the event of an emergency. 3. There are no fire extinguishers placed in conspicuous places throughout the work areas. 4. Employees are required to park in a back corner of the property and walk several hundred yards, across driveways where big rigs and autos travel, with no designated pedestrian walkway. There is no signage warning drivers to watch for pedestrians. 5. The production line has 12 soldering stations where small desktop fans are used to redirect the smoke/fumes away from the work areas, however there is no ventilation available. Employees have become ill and suffered headaches. 6. There is an unsafe level of noise in and around the production area especially around the air compressor. Hearing protection is not required nor offered.	Resolved through inquiry process.
C-2261708	HUMBOLDT GENERAL HOSPITAL		02/11/2025	Phone	Y	N	1805617	Closed	S-Health	Located on the east side of the facility entrance, near the walk-in clinic, employees were exposed to indoor air quality with HCHO (formaldehyde) levels of approximately 1.406 mg/m3, and CO2 (carbon dioxide) levels of approximately 3,878 ppm. Employees have experienced headaches and dizziness.	Inspection conducted. 1 citation issued - \$0.
C-2261965	TAHOE FOREST PRODUCTS LLC		02/10/2025	Online	Y	Y	1804626;1804711	Closed	S-Safety	Located at the sorter area: 1. The sawmill has a chain system that carries the lumber and sorts it into bundles. Employees are periodically required to perform repairs and maintenance on this equipment up to 20-feet above the lower level without the benefit of fall protection. There are no tie off points available. A horizontal lifeline was recommended for this area but the employer has yet to take action. 2. At the end of the sorter by the rough stacker, there is an exposed chain and sprocket. Located at the filer room upstairs access gate: 3. The gate and railing have deteriorated to the point it where it would not prevent someone from falling 12-feet to the lower level. Additional fall protection is needed for when the gate is open. Located at the sawmill entrance (Rolling door) above the portable toilets: 4. There is a lack of fall protection for employees bringing materials in through this access point. A tie off point is needed here. Located underneath the sawmill: 5. Exposed wiring is hanging in areas where employees work exposing them to electrical hazards. 6. There is an exposed chain and sprocket near the outfeed to the resaw to the backline transfer. Located at the backline transfer: 7. There are exposed holes where at least one employee has fallen through that are 6-feet above the moving chains to the chipper.	Inspection conducted. No citations issued.
C-2261997	CEMEX CORPORATION	Cemex Construction Materials Pacific, LLC.	02/12/2025	Online	Y	Y		Closed	S-Safety	Located at plant 2 the following hazards are alleged: 1. Employees have to stand in water with an extension cord submerged in the water to complete their duties. 2. Employees are subjected to excessive dust while filling their trucks, causing a driving hazard in the concrete yard and exposing others to potential struck-by hazards.	Resolved through inquiry process.
C-2262019	CMC Tire		02/12/2025	Phone	Y	Y		Closed	S-Safety	1. Employees are exposed to pressurized tires (100 psi) expanding and causing flying lockrings when employees are instructed to work on tires before they sit for the required 24 hours during the foaming process.	Resolved through inquiry process.
C-2262100	PETERSON PRODUCTS, INC.		02/10/2025	Online	N	N		Closed	O-Safety	1. Located at the jobsite, improper PPE is used. 2. Improper training.	No action. Not enough information to process.
C-2262927	RENO BEHAVIORAL HEALTHCARE HOSPITAL, LLC.		02/13/2025	Online	Y	Y		Closed	O-Health	1. Located on Unit 200, Room #3: Employees are exposed to a sewer leak. The door to the room is continuously left open.	Resolved through inquiry process.
C-2263153	Boys & Girls Clubs of Western Nevada		02/12/2025	Online	Y	Y		Closed	O-Health	1. In the Teen Center kitchen, employees handle hydrogen peroxide based cleaning solutions without PPE.	Resolved through inquiry process.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2025 - 3rd Quarter January to March 2025

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	Inspection Number	UPA Open/Closed	Severity-Subject	Hazard Description and Location	Inspection Results/Comments
C-2263435	TESLA INC.		02/13/2025	Online	Y	Y		Closed	S-Safety	1. Located in the 1st floor batt enclosure column J52, the Arc flash PPE is not cleaned or maintained in any way. Management has told employees to take the Arc Flash PPE home and clean the Arc Flash PPE themselves. 2. Located in the 1st floor batt enclosure column J52, the Arc Flash PPE in not properly stored and is covered in dust, dirt, and oil. 3. Located in the 1st floor batt enclosure column J52, employees have requested Arc Flash safe tools and personal PPE, but those request were denied. This affects all maintenance tech in the department on all 4 shifts.	Resolved through inquiry process.
C-2264189	CERRIS SYSTEMS		02/19/2025	Online	N	N		Closed		1. No safety compliance in place for staff, company does not follow safety guidelines and is risking safety for all onsite and offsite employees.	No action. Not enough information to process.
C-2264198	SANMAR		02/19/2025	Online	Y	Y		Closed	O-Health;O-Safety	1 Trailers dusty and the floors are never cleaned, making employees cough. 2. Inbound area has pallets unsafely stacked on each other.	Resolved through inquiry process.
C-2264378	MARS PETCARE US, INC.		02/18/2025	Online	Y	Y		Closed	O-Health	1. Located at the main entrance, there are unsanitary conditions inside of the security guard shack that include dust, dead bugs, and food on the floor and desk.	Resolved through inquiry process.
C-2264468	CENTER FOR ADVANCED EYECARE		02/17/2025	Online	Y	Y		Closed	S-Health	Employer has not notified employees of possible carbon monoxide exposure. Heater was turned off February 17th, 2025 by HVAC company.	Resolved through inquiry process.
C-2264842	Mountain View Health and Rehabilitation Center		02/18/2025	Online	N	N		Closed		Located at the facility of Mountain View Health and Rehab in Carson City, NV. Workers were perceived to be consuming alcohol while performing job duties. The complaint observed a coworker drinking from a cup used for residents that smelled strongly of whiskey and later from a water bottle that reeked of tequila. This occurred in the kitchen area, where employees handle hazardous equipment, including hot ovens and knives.	No action. No applicable standard.
C-2265017	Pioneer Crossing Casino		02/20/2025	Phone	Y	Y		Closed	S-Safety	1. Located at the jobsite, in the bar area, the walking-working surfaces around the bar do not have sufficient slip protection from leaks and spills which are exposing employees to slip hazards. 2. Located at the jobsite, in the bar area, the anti-fatigue mats have been replaced with lightweight mats. The new mats do not cover same/whole area that previous mats covered, the edges are sticking up and an employee witnessed a coworker get tripped and took a hard fall, which prompted coworkers and patrons of the casino to tend to the employee and check that she was not seriously injured.	Resolved through inquiry process.
C-2265206	TRUCKEE MEADOWS WATER AUTHORITY		02/20/2025	Online	N	N		Closed		Employee, me being forced to work while having a contagious sickness. Being reprimanded for it despite providing a medical doctors note/excuse. - Corporate building	No action. No applicable standard.
C-2265396	SWITCH		02/20/2025	Online	Y	Y		Closed	O-Health	1. Located at the jobsite Nap 4 building, the porta potty's are not sufficient enough for the number of workers on site estimated to be around 219. They are not cleaned regularly enough for employees to use and are limiting the availability of porta potty use for females due to the limited number for men to use.	Resolved through inquiry process.
C-2267099	NORTHERN NEVADA CORRECTIONAL CENTER		02/25/2025	Online	N	N		Closed	O-Safety	1. Located at the top floor of the medical facility for the mental health unit, the elevator is inoperative, and employees are having to transport patients, equipment, and food up and down 3 flights of stairs.	No action. No critreia warranting an inspection.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2025 - 3rd Quarter January to March 2025

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	Inspection Number	UPA Open/Closed	Severity-Subject	Hazard Description and Location	Inspection Results/Comments
C-2267251	UNIFI AVIATION, LLC		02/26/2025	Phone	Y	N	1807402;1807404	Closed	S-Health;S-Safety	Approximately during the month of January 2025 to the present, located in and around the Reno-Tahoe International Airport gates B10, B8, and B2, Unifi Aviation, LLC (working Delta Airlines flights) exposed employees to the following: 1. Employees are not required to wear hearing protection when working near jet engines of commercial aircraft while they were in operation. Management did not ensure that new-hire employees were provided with and used appropriate hearing protection, exposing employees to permanent hearing loss. 2. An employee was struck by, knocked to the ground, and partially run over by a belt loader driven by another employee. The employee who was struck sustained damage to their legs. 3. There was at least one near-miss incident of an employee walking close to an operating jet engine due to lack of adequate safety training. 4. Employees miss critical safety communications from coworkers due to being distracted by music on ear buds. 5. The employer did not evaluate the hearing protector attenuation for hearing protectors supplied by employees. 6. Employees working inside the cargo compartments of aircraft are subjected to being compressed between heavy luggage items when other employees continually load luggage onto belt loaders without allowing time for the arrangement of luggage within the cargo compartment due to management insisting on rapid completion of tasks. 7. Employees are not provided proper PPE such as knee protection and head protection, exposing employees to bodily injury and head injury from impact. 8. Employees are subjected to fall hazards and caught-between hazards when riding on moving belt loader conveyor belts for ingress to and egress from aircraft cargo compartments. 9. Fire extinguishers are not inspected. 10. The employer does not have a written health and safety program. 11. The employer has not established a safety committee. 12. The employer does not conduct maintenance on powered industrial trucks such as belt loaders and baggage tractors, exposing employees to struck-by hazards due to PIT brake malfunction. 13. Powered industrial trucks are not examined at least daily before being placed in service. 14. Employees are regularly exposed to hazardous cleaning chemicals without appropriate hand protection.	Inspection conducted. 7 citations issued - \$6,640.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2025 - 3rd Quarter January to March 2025

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	Inspection Number	UPA Open/Closed	Severity-Subject	Hazard Description and Location	Inspection Results/Comments
C-2267588	PANASONIC ENERGY OF NORTH AMERICA		02/27/2025	Online	N	N		Closed	O-Health;O-Safety	Specific called out locations are Cathode Coating phase 2 GE3-GE8, coating washroom, Final assembly Winding lines 3-14. 1. The largest hazard is the PENA (Panasonic Energy North America) refusal to follow any OSHA rule or guideline if it's inconvenient or costly. 2. Duty of Care. PENA has not done sufficient examination of process and many completely unknown hazards exist that are never addressed. 3. It appears that PENA is actively and intentionally not OSHA compliant and is intentionally taking shortcuts for cost savings or production goals. 4. Employees company wide are insufficiently and incorrectly trained. Leading to avoidable accidents regularly. Normal process is to OJT train until it's time to certify for a role, then SOP AND SWI trainings happen. 5. SOP and SWI process is not maintained leading to procedures and instructions being years out of date, incomplete, and confusingly written. 6. Some(likely all but cannot confirm) departments have chosen to completely ignore SOP and SWI and just release blasts of R&U (read and understand) or Process change or engineering trial notices. These are often emails that do not contain any real instruction for operators, but are general intent based statements about WHAT is going to happen leading to avoidable confusing mess and no understanding of what process actually is in any given moment and place. 7. PENA does not ensure all employees are properly trained or certified or that equipment is safely maintained. Departments are frequently being asked to do work that no one is trained or certified to do and to "figure it out" and when barely working machines or MHE breaks, it is often not fixed or replaced and placed back in use in a dangerous state. 8. Incorrect equipment, tools, MHE, ect used widely. Almost all of the prior were acquired second hand or stolen from other companies and were not picked due to suitability. Some examples: are utilities being run from extension cords indefinitely that are too long or low gauge leading to arc flash and fire danger and occurrences, daisy chained excision cords, broken and abandoned ladders, missing fall protection, missing grounding on fire cabinets, fall and tip protection missing, earthquake protection missing, insufficient machine guarding, permanent removed or indefinitely removed machine guarding, uncontrolled environmental hazards, insufficient venting of hazardous cases, zero active air monitoring, leaking vents, missing eye wash and shower stations, missing LOTO equipment and process. Broken and non working LOTO equipment. 9. PENA EHS does not actually attempt to correctly solve safety issues. Instead they default to either; add a new piece of PPE or remove the offending object. Both of which are typically more dangerous and unnecessary than a simple engineering control or administrative process or not needed AT ALL. For example someone mistepped off of a step ladder (two steps	No action. Not enough information to process.
C-2268403	Golden Nugget Lake Tahoe Hotel & Casino		02/28/2025	Online	Y	Y		Closed	O-Safety	1. Located in the Saltgrass Steak House, food trays in the service window reach temperatures up yo 200 degrees exposing employees to burns.	Resolved through inquiry process.
C-2268869	USPRO		02/28/2025	Email	Y	Y		Closed	O-Safety	Located at the Tesla Ireland Drive facility in the battery department, an employee implemented improper lifting procedures and without proper assistance while moving battery cases weighing up to 50 pounds resulting in a left shoulder injury .	Resolved through inquiry process.
C-2269122	KRONE NORTH AMERICA		03/04/2025	Phone	Y	Y		Closed	S-Safety	Located in the warehouse: 1. Employees are required to operate forklifts including sit down, stand-up, and high reach types without the benefit of being trained or certified. There are a total of four untrained operators. 2. The employer requires employees to wear steel toed footwear however they do not enforce the rule and employees often work without the required foot protection.	Resolved through inquiry process.
C-2269807	LYON HOSPITALITY LLC	YERINGTON INN	03/06/2025	Phone	Y	N	1791191	Closed	S-Health	Located in rooms 212-218 and 237-242 of the 200 building: 1. A sewage leak occurred in mid January 2025 that spilled into these rooms and as of March 6th, has not been cleaned up. The plumbing elbow where the leak occurred was replaced on February 4th, but has not been verified by a professional. Management has conveyed to employees that the insurance company is involved however employees of the motel have been instructed to enter the rooms in the meantime for various reasons without any personal protective equipment and have repeatedly become ill.	Inspection conducted. 3citations issued - \$0.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2025 - 3rd Quarter January to March 2025

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	Inspection Number	UPA Open/Closed	Severity-Subject	Hazard Description and Location	Inspection Results/Comments
C-2269852	UNIFI AVIATION, LLC		03/03/2025	Online	Y	N	1807404	Closed	S-Health;S-Safety	1. On or about 2/23/2025 on the ramp area, faulty brakes on a tug led to a collision of ground service equipment that resulted in an employee being injured. 2. Located behind the ticket counter, mats with raised and uneven edges and surfaces expose employees to tripping hazards. 3. On or about 12/26/2024, an employee was transported from the workplace to a hospital by emergency medical services and was admitted to the hospital; management did not investigate the incident despite the employee having suffered an occupational injury or illness. 4. Ramp agents and customer service agents (employees who work on the ramp, at the ticket counter, and at the gate) have experienced illness and injuries such as muscle strain and contusions and management does not investigate the incidents in an effort to cover up the total number of injuries occurring. 5. Throughout December 2024 to the present, ramp agents have been observed wearing ear pods and listening to music while performing tasks on the ramp, exposing employees to safety hazards due to missed safety communications. 6. Throughout December 2024 to the present, employees have been observed not wearing PPE such as steel toe footwear and hearing protection while performing tasks in the bag room and on the ramp. 7. Employees are allowed to wear their hair loose, exposing employees to caught-in hazards both in the bag room area and on the ramp areas. 8. Employees are not adequately trained in safety methods such as safe zones when working near commercial jet engines, exposing employees to the hazards of injury and death.	Inspection conducted. 7 citations issued - \$6,640.
C-2269907	MARTIN HARRIS CONSTRUCTION, LLC		03/06/2025	Phone	Y	Y		Closed	O-Health;O-Safety	1. Located at the job site, at the north end by the UPS area, no safety guardrails are installed and employees are being exposed to a 52" break in elevation. 2. Not enough sani-hut bathrooms are available for the number of male and female employees at the site.	Resolved through inquiry process.
C-2269930	HUNTINGTON INGALLS INDUSTRIES	NEWPORT NEWS SHIPBUILDING	03/06/2025	Phone	N	N		Closed		Located in the UXO/BRM Bombing Ordinance Maintenance Department: 1. Employees are being fit tested and issued respirators including full-mask and PAPRs without first completing a medical evaluation by a PLHCP. 2. The employer has not completed a workplace safety assessment to identify hazards that may necessitate the use of respiratory protection. 3. Employees who are required to use respiratory protection while performing welding activities have not been received training on the employer's respiratory program or the respirators they are using.	No Jurisdiction. Federal OSHA jurisdiction.
C-2270892	MEI-GSR HOLDINGS LLC	GRAND SIERRA RESORT AND CASINO	03/07/2025	Online	N	N		Closed		1. Located in the gray area, temperatures are in low 60 degrees without any heat being provided.	No action. No applicable standard.
C-2270901	CMC REBAR		03/07/2025	Online	Y	N	1809720	Closed	S-Safety	1. Located in the production area , the south rebar shear safety laser is being bypassed by the employer exposing employees to struck-by hazards while rigging rebar to the overhead crane. 2. Located in the production area, the double bender machine next to the south rebar shear safety laser is manually turned off during operation, exposing employees to caught-in and amputation hazards. 3. Located outside the facility, employees loading rebar on the trucks are working at heights greater than 4 feet without fall protection. 4. Located in the production area, the inside overhead crane next to the south rebar shear station, have worn out hooks. Employees are rigging rebar and are exposed to dropping objects and struck-by hazards. 5. Located in the production area, the inside fixed mounted overhead cranes do not have audible warning devices to alert employees during operation, exposing employees to struck-by hazards.	Inspection conducted. 4 citations issued - \$34,370.
C-2272809	RENO BEHAVIORAL HEALTHCARE HOSPITAL, LLC.		03/13/2025	Online	Y	N	1818082	Open	S-Safety	1. Located at the facility, the seclusion room door frame in unit 100 is broken and requires patient escorts to additional doors without seclusion areas exposing employees to workplace violence. 2. Located at the facility, the plexiglass of the unit 100 dayroom and seclusion room has not been replaced and installed allowing patients to climb over, exposing employees to workplace violence.	Inspection conducted. No citations issued.
C-2273282	SMITH'S FOOD AND DRUG		03/14/2025	Online	N	N		Closed	O-Health;O-Safety	1. At the establishment, located at the main breakroom with adjacent bathrooms employees are complaining about a sewer smell coming from the bathroom. 2. At the establishment, located at the pharmacy, employer is charging a price for bottled water to their employees.	No action. Not enough information to process.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2025 - 3rd Quarter January to March 2025

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	Inspection Number	UPA Open/Closed	Severity-Subject	Hazard Description and Location	Inspection Results/Comments
C-2273363	BECHTEL POWER CORPORATION		03/17/2025	Phone	N	N		Closed	O-Safety	1. A portable generator is being used to power batteries without grounding.	No action. Not enough information to process.
C-2273373	Redwood Materials		03/17/2025	Online	Y	Y		Closed	O-Health	1. Safety Data Sheets not provided to employees upon request. 2. Failure to provide N-95 or PAPR prior to handling contaminated material.	Resolved through inquiry process.
C-2273686	CHEWY Inc	CHEWY FULFILLMENT CENTER	03/18/2025	Online	Y	Y		Closed	O-Safety	1. Located in the Auto Store Station, the ergonomic matting is falling apart and uneven creating a trip hazard from gaps and parts of the matting sticking up.	Resolved through inquiry process.
C-2274204	DOLLAR TREE, INC.		03/19/2025	Phone	Y	N	1812206	Closed	S-Safety	1. Located in the back receiving area, there are blocked exit paths. 2. Located in the back receiving area, merchandise is stacked without means of secure placement and is falling on employees.	Inspection conducted. 1 citation issued - \$0.
C-2274445	HOBBY LOBBY		03/19/2025	Phone	Y	Y		Closed	S-Safety	1. At the new Hobby Lobby facility, employees are building racking systems without proper training. 2. Employees are not provided PPE and are exposed to cuts without gloves or safety glasses when working with broken glass. 3. Employees are operating PIT without certification or training.	Resolved through inquiry process.
C-2275125	WELLS FARGO		03/21/2025	Online	N	Y		Closed		1. At the facility, employees did not have access to a restroom from 3/17/25 - 3/20/25.	No action. Hazards no longer exists per complainant.
C-2275132	WELLS FARGO		03/21/2025	Online	Y	Y		Closed	O-Health	1. At the facility, employees did not have access to a restroom from 3/17/25 - 3/20/25.	Resolved through inquiry process.
C-2275138	WELLS FARGO		03/21/2025	Online	Y	Y		Closed	O-Health	1. At the facility, employees did not have access to a restroom from 3/17/25 - 3/20/25.	Resolved through inquiry process.
C-2275520	ACCO ENGINEERED SYSTEMS, INC.		03/24/2025	Online	Y	Y		Closed	S-Health	1. Located in the pipe fitting and welding area, fumes from the welders fill the room with smoke to the point where multiple employees have developed coughs and have lost their voices. Employees have complained to management and have been told nothing can be done to fix the ventilation. Welding is performed on mild steel and stainless steel. Stainless steel welding is potentially exposing employees to hexavalent chromium.	Resolved through inquiry process.
C-2275749	CHEWY Inc	CHEWY FULFILLMENT CENTER	03/23/2025	Hotline	Y	Y		Closed	S-Safety	1. Located at the out-bound area of the jobsite, PIT operators are being allowed to operate forklifts and walkie motorized pallet jacks without the benefit of steel toe protective footwear.	Resolved through inquiry process.
C-2276052	CARSON HOME FURNISHINGS		03/24/2025	Online	Y	Y		Closed	S-Safety	1. Located at the jobsite, in the back storage area, walkways are blocked with boxes and various items making walkways difficult to transit exposing employees to limited egress in the case of emergency. 2. Located at the jobsite, in the back storage area, the fire exit is frequently blocked by various objects preventing employees to use the exit in case of emergency.	Resolved through inquiry process.
C-2276077	Surf Thru, Inc.	Surf Thru Express Carwash	03/25/2025	Online	Y	N	1815955;1815960	Open	S-Health;S-Safety	1. PPE not adequate for jobs being performed. Employees working with caustic chemicals and not provided safety glasses or chemical resistant gloves. 2. Employer requires employees to walk down the car wash tunnel while it is in operation resulting in multiple close calls with rotating machinery inside of the carwash tunnel 3. Fans/dryers at exit blows vehicle exhaust in the direction of employees.	Inspection conducted. 1 citation issued - \$0.
C-2276196	CAESARS ENTERTAINMENT, INC	SILVER LEGACY	03/25/2025	Online	N	N		Closed	S-Safety	1. Located throughout the workplace there are 7 scissor lifts which are not being maintained in safe working order and are available for employees use. Reported issues with the 7 scissor lifts include leaking hydraulic lines, faulty brakes, electronic sensor malfunctions when employees attempt to use the lift to give them an elevated work surface, and suspension components being worn out on the tires.	No action. Not enough information to process.
C-2276681	UNITED PARCEL SERVICE		03/26/2025	Online	Y	Y		Closed	O-Health	1. On 3/25/2025, in the bathroom closest to PD 2 on the ground level, there was a sewage smell coming from the sinks.	Resolved through inquiry process.
C-2277105	Redwood Materials Tahoe Campus		03/27/2025	Phone	Y	Y		Closed	O-Health	1. Located at the jobsite, employees are tasked to clean up chemical by-products of old batteries without HAZCOM training provided by employer without the benefit of proper PPE exposing employees to chemical hazards.	Resolved through inquiry process.
C-2277630	DAEHAN SOLUTION NEVADA, LLC.		03/18/2025	Email	Y	N	1814893	Closed	S-Health	1. There are dangerous liquids. The operators don't put on their safety goggles, gloves, or masks. 2. Supervisors do not wear proper gear while working with the wax. 3. Water bottles are used for chemicals instead of proper bottles. The chemicals are being left open and unattended.	Open investigation
C-2277980	Lemm Corp., LLC		03/31/2025	Online	Y	Y		Closed	S-Safety	1. Employer not enforcing the requirement of fall protection when working at heights.	Resolved through inquiry process.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2025 - 3rd Quarter January to March 2025

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	Inspection Number	UPA Open/Closed	Severity-Subject	Hazard Description and Location	Inspection Results/Comments
C-2278007	Geneva Supply, Inc.		03/29/2025	Online	Y	N	1815921	Closed	O-Health;S-Safety	Located at the workplace in the offices, front of warehouse, back of warehouse, and all around the facility, the following hazards are alleged: 1. Ladders provided to employees are unsafe and unstable. 2. Carts used to pick orders are not maintained in a serviceable manner, they are hard to push/pull, and wheels are falling off. 3. Carts have fallen on employees. 4. The workplace does not have effective extermination program to control the harborage of rodents. 5. Employees are not able to open exit routes at all times.	Open investigation
C-2278058	TELLWORKS LOGISTICS		03/28/2025	Hotline	N	N		Closed		Located at the workplace, one employee believes they are exposed to something that is causing hives.	No action. Not enough information to process.
R-2248389	LABORWORKS		01/05/2025	Online	N	N		Closed		1. Chance of disappearing in work place . Joy a Bangladeshi politician, Tulip Siddiq a British politician, Hillary Clinton of USA they were trying to force me work there.	No action. No jurisdiction.
R-2248403	LABORWORKS		01/05/2025	Online	N	N		Closed		1. Chance of disappearing in work place . Joy a Bangladeshi politician, Tulip Siddiq a British politician, Hillary Clinton of USA they were trying to force me work there.	No action. No jurisdiction.
R-2248440	WEBSTAIRSTORE DISTRIBUTION CENTER		01/03/2025	Online	Y	Y		Closed	S-Safety	1. Located at the warehouse #873, employees are operating PITs at unmarked walkways and not yielding to workers throughout the warehouse exposing them to struck-by hazards. 2. Located at the warehouse #873, employer is not providing safety glasses and/or proper PPE for employees at the workplace. 3. At the warehouse #873, located at the conveyor belt, the employer is allowing employees to ride and walk across the conveyor belt exposing them to multiple hazards. 4. At the warehouse #873, located throughout the facility, aisles are being obstructed with product and stacking boxes that are creating multiple hazards. 5. At the warehouse #873, located throughout the facility, wet spills are not being cleaned up that are exposing employees to slip and fall hazards.	Resolved through inquiry process.
R-2248465	GRIMALDI'S PIZZERIA		01/04/2025	Online	N	N		Closed		1. Two employees tested positive for COVID-19. The employer allowed the employees to continue working after the COVID-19 results were brought to their attention.	No action. Not enough information to process.
R-2249232	Green Diamond Landscaping, LLC- Reno-Sparks Residential & Commercial Landscaping		01/06/2025	Online	Y	N	1796676	Closed	S-Safety	1. Located at 683 Pine Meadows Drive, Sparks, NV 89431, employees were observed leaning over the edge to clean the gutters of a two-story condo building without any means of fall protection.	Inspection conducted. No citations issued.
R-2249504	Absolute Hose And Fittings	Absolute Construction Supply	01/08/2025	Phone	Y	Y		Closed	S-Health;S-Safety	Located in the facility the following hazards are alleged: a. There is no emergency evacuation plan for employees to follow. b. Located in the shop emergency eye wash stations are blocked by merchandise. c. Located in the shop chemicals are not being stored in locked cabinets. d. There are no MSD's available for chemicals contained on site. e. Emergency exits are kept locked during working hours. f. Fire extinguishers are not being inspected annually.	Resolved through inquiry process.
R-2249752	FREEWAY INSURANCE		01/08/2025	Phone	Y	N	1799342	Closed	O-Health	1. The whole facility smells like sewage. 2. Employees do not have access to a restroom or sink.	Inspection conducted. No citations issued.
R-2250008	CARSON RESTAURANT CONCEPTS LLC	ROY'S BAR & GRILL	01/08/2025	Online	Y	Y		Closed	S-Safety	The following hazards are alleged at Roy's Bar & Grill located at 939 Mica Dr #20, Carson City, NV, 89705: 1. Employees that work in the kitchen do not wear non-slip shoes, exposing employees to a slip, trip and fall hazard. 2. A water leak from the wall into the dining room area has remained unrepaired for over 8 months, exposing employees to a slip, trip and fall hazard. 3. Allegedly, an employee had the tip of his finger amputated within the last two weeks of December, 2024, when the men's door slammed shut catching the tip of his finger between the door and the door casing. This workplace accident has not been reported to OSHA.	Resolved through inquiry process.
R-2251106	SCOTT ROOFING, LLC.		01/13/2025	Email	Y	N	1797412	Closed	S-Safety	Located at 985 Quail Hollow Drive employees are engaged in roofing operations without the benefit of fall protection.	Inspection conducted. 2 citations issued - \$14,070.
R-2251784	CLICK BOND, INC.		01/08/2025	Email	N	N		Closed		Located in the manifold cleaning area at the 1601 Fairview Dr. building: 1. Employees are exposed to chemicals including benzene and methylene chloride while cleaning parts without the proper respiratory protection or room ventilation.	No action. Allegations addressed in a previous UPA.
R-2251983	PATRIOT CONTRACTORS LLC		01/14/2025	Online	Y	N	1797930	Closed	S-Safety	1. Employees were witnessed working in a muddy excavation with vertical walls that was over 8-feet in depth.	Inspection conducted. 1 citation issued - \$4,522.30.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2025 - 3rd Quarter January to March 2025

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	Inspection Number	UPA Open/Closed	Severity-Subject	Hazard Description and Location	Inspection Results/Comments
R-2252113	Unknown/Invalid Establishment		01/14/2025	Online	N	N		Closed		A group of thieves, robbers, criminals joined Mr Clinton and their politics in early 1990s from Bangladesh, Delhi and Pakistan. They are everywhere seen in USA with harrasing, abusing and disturbing atmosphere. I can not work because they can stop any Government as powerful they are . They are controlling my school, House, families all over the world. - Any Nevada	No action. No jurisdiction.
R-2253500	THE AUTO SHOP		01/16/2025	Online	Y	N	1799132	Closed	S-Health;S-Safety	1. Gasoline, coolant, and motor oil is being stored in mason jars without labeling throughout the facility. 2. The automotive lifts have never been serviced. 3. There is oil, and coolant spills throughout the facility exposing employees to slip/trip/and fall hazards. 4. In the facility multiple extension cords are frayed and are missing their grounding pin.	Inspection conducted. 2 citations issued - \$2,127.90.
R-2253516	Nevada ENT & Hearing Associates		01/17/2025	Online	Y	Y		Closed	S-Health	1. Located at the facility in the exam room that is on the right side of the nurse's station, employees were not wearing exam gloves to protect themselves from blood borne pathogens while swabbing a patient's affected area with antiseptic liquid.	Resolved through inquiry process.
R-2254030	American Arborists of Nevada, LLC		01/21/2025	In person	Y	Y		Closed	S-Safety	1. Located at the facility, in the yard, the emergency stop bar on a towable Vermeer wood chipper does not function and exposes employees possible to amputation hazards. 2. Located at the facility, the employer required workers to provide their own personal protective equipment; hard hats, high visibility vest, gloves and safety glasses. 3. Located at the facility, employees are using fall protection harnesses that are worn and damaged. 4. Located at the facility, employees are using the top of a commercial truck bed cover as a walking/working surface to elevate themselves to heights of up to 10 feet to trim trees without fall protection or guarding from falls.	Resolved through inquiry process.
R-2255101	Elko County School District	Owyhee Combined School	01/23/2025	Phone	Y	Y		Open	S-Health	1. On 1/21/2025 at 8:40 am an employee was checking a boiler in the attic of the school when they turned off the power to change out the fuze the fuze exploded on their right hand causing a burn. The employee reported his injury to the principal. The employee's spouse came to the school and took them to the hospital. They were driven to EIRMC (Eastern Idaho Regional Medical Center) in Idaho Falls. They were admitted 1/21/2025 at 12:01 pm. The employee sustained chemical burn from 2% total body surface area (TBSA) of right hand.	Resolved through inquiry process.
R-2256601	CONTINUUM PACKING SOLUTIONS, LLC		01/28/2025	Hotline	Y	N	1801898	Closed	S-Health	1. On the main filling line on the production floor, employee enters the filler where the juice containers are filled. Employees are bodily entering a potential permit required confined space without monitoring the environment. 2. Employees are provided half mask respirators but they are not provided training, fit tests, or medical evaluations.	Inspection conducted. No citations issued.
R-2256947	CAESARS ENTERTAINMENT, INC	SILVER LEGACY	01/24/2025	Online	N	N		Closed		1. Absence of a functioning overweight alarm and missing security camera in elevator PE-10 indicate serious lapses in safety protocols creating a hazard for patrons. 2. The prolonged delay in addressing 19 patrons trapped in elevator for over 90 minutes, and the dismissive attitude of staff during the emergency calls are unacceptable. 3. There were no hotel provided medical specialists outside the elevator as promised to provide care for the patrons experiencing panic attacks and/or dehydration. - Elevator number PE-10	No action. No jurisdiction.
R-2256973	Aaron's Rent To Own		01/28/2025	Online	Y	N	1801082	Closed	S-Safety	1. The south east emergency exit in the stockroom is being blocked by merchandise. 2. Metal shelving is not bolted or secured to the ground in the stockroom creating unsecure storage. 3. Items in storage that are stacked are not secured and create a struck by hazard.	Inspection conducted. 1 citation issued - \$4,138.
R-2257135	THRIVE MARKET, INC.		01/29/2025	Online	Y	Y		Closed	S-Safety	At the facility, on 01/07/25 and 01/08/25, employees were verbally threatened with violence by a coworker. The employer was notified but failed to address the incidents with the employee displaying aggressive behavior, pursuant to the company's zero-tolerance against workplace violence policy.	Resolved through inquiry process.
R-2257168	THRIVE MARKET, INC.		01/29/2025	Online	Y	Y		Closed	S-Safety	At the facility, on 01/07/25 and 01/08/25, employees were verbally threatened with violence by a coworker. The employer was notified but failed to address the incidents with the employee displaying aggressive behavior, pursuant to the company's zero-tolerance against workplace violence policy.	Resolved through inquiry process.
R-2257219	CMC STEEL FABRICATORS, INC.	CMC REBAR	01/29/2025	Phone	Y	Y		Closed	S-Safety	Located at the facility, an employee was manually adjusting the metal forks on a Skytrak (10K pound rated) forklift. The employee's middle finger on his left hand was caught between the back of the vertical portion of the metal forks and the backrest resulting in amputation of the finger tip and nail, but no bone loss.	Resolved through inquiry process.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2025 - 3rd Quarter January to March 2025

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	Inspection Number	UPA Open/Closed	Severity-Subject	Hazard Description and Location	Inspection Results/Comments
R-2258164	CLICK BOND, INC.		01/28/2025	Phone	Y	N	1801760	Open	S-Health	Located in the manifold cleaning area at the 1601 Fairview Dr. building: 1. Employees are exposed to chemicals including benzene and trichloroethylene while cleaning parts without the proper respiratory protection or room ventilation.	Inspection conducted. 1 citation issued - \$9,045.
R-2258412	HIGH MOUNTAIN DOOR AND TRIM		01/31/2025	Online	N	N		Closed	O-Safety	1. Employees are being let go without any justification.	No action. No criteria warranting inspection per NOM.
R-2258495	RENO HIGH SCHOOL		02/02/2025	Online	N	N		Closed		1. Employees are exposed to exposed wiring. 2. Employees are exposed to trip hazards.	No action. Not enough information to process.
R-2259043	RENOWN REGIONAL MEDICAL CENTER		02/03/2025	Online	Y	N	1803543	Closed	S-Safety	Located in Emergency Room Green 32: Patient attempted to stab the Nurse with scissors.	Inspection conducted. 4 citations issued - \$7,774.
R-2259262	FUNDIS COMPANY	NEVCAL TRUCKING	02/04/2025	Phone	Y	Y		Closed	S-Safety	1. On 2/3/2025 at 2:45 PM in the parking lot at 2180 Kleppe Ln, an employee was climbing down from the back of the truck container when their clothes got snagged on the trailer lock. The employee fell from the truck ladder approximately 3.5 feet and they fell and hit the ground. The ambulance was called and the employee was taken to Renown Regional and admitted at 3:30 pm. The employee had 2 surgeries on their leg. The employee injury was a broken femur from the fall.	Resolved through inquiry process.
R-2259528	Martin-Harris Construction	M&H Enterprises, Inc.	02/05/2025	Phone	Y	Y		Closed	O-Health	1. Employee bathrooms do not have toilet paper.	Resolved through inquiry process.
R-2260034	Western States Fire Protection	Delta Fire Systems	02/06/2025	In person	Y	Y		Closed	S-Safety	Located at 1 South Sierra Street, Reno, NV 89501, an employee was engaged in unloading a 900-pound non-motorized portable mechanical manlift/material lift from a delivery truck. Once the lift was lowered to the ground, the employee attempted to move the equipment to a different position. The lift collided with the street curb, causing it to tip over onto the employee, resulting in four fractures in his pelvis.	Resolved through inquiry process.
R-2260186	New Gen Automotive		02/06/2025	In person	Y	N	1804891	Closed	S-Health	At the worksite, the following hazards are alleged: 1. The employer does not have a HAZCOM program including SDS's available for employees. 2. The only eyewash available to employees is located in the bathroom by the front desk. 3. There is no flammable cabinet to store chemicals.	Inspection conducted. 3 citations issued - \$9,045.
R-2260924	HARVEYS TAHOE MANAGEMENT COMPANY, INC.	HARVEYS LAKE TAHOE	02/08/2025	Phone	N	N		Closed		1. On 2/8/25 at approximately 5:00pm, DCSO dispatch called in a report of someone falling off the roof to their death at Harvey's Lake Tahoe. Sergeant Steve Miller was contacted by B7572 to inquire the report. It was discovered that the person who fell was not an employee of Harvey's, nor were they a guest at the hotel. Sergeant Miller stated he would call back if any other details were discovered during their investigation.	Inspection conducted. 3 citations issued - \$7,802.
R-2261425	SPARKS FAMILY HOSPITAL	Northern Nevada Specialty Hospital an Extension of Northern Nevada Medical Center	02/10/2025	Email	Y	N	1804453;1805325	Closed	S-Safety	1. On 2/10/2025 at approximately 3:30 pm, a staff member was assisting to place a patient into a Broda chair. The patient refused and wanted to stay on the floor. While refusing to get up off the floor, the patient turned her head and bit an RN on her shoulder just below the head of the humerus. The bite mark was visible through a long sleeve shirt that was beneath a scrub top.	Inspection conducted. 1 citation issued - \$2,421.
R-2261611	Sierra Nevada Excavation LLC		02/11/2025	Phone	Y	N	1803593	Closed	S-Safety	Located at the intersection of Cottonwood Lane & Hardie Lane, across the street from the Fernley swimming pool, approximately 3-5 workers were installing sewer pipe in a trench approximately 3 feet wide and 14 feet deep. The trench was observed without shoring or collapse protection for employees.	Inspection conducted. No citations issued.
R-2261703	Sierra Nevada Excavation LLC		02/11/2025	Phone	Y	N	1803593	Closed	S-Safety	1. On 2/11/2025, employees were observed in a trench without shoring, exposing employees to cave-in and other potential hazards.	Inspection conducted. No citations issued.
R-2261777	GALLAGHER FORD		02/10/2025	Online	Y	Y		Closed	S-Health	1. Located in the gas shop, there is no ventilation system for the carbon monoxide coming from the running vehicles. The in-floor ventilation system has been filled with concrete. When the garage doors are closed in the winter, employees are exposed to carbon monoxide poisoning when vehicles are running.	Resolved through inquiry process.
R-2261780	PLANET FITNESS		02/11/2025	Phone	N	N		Closed		1. The facility is not kept clean to the extent that the nature of the work allows; there is dust accumulation on the floors.	No action. No jurisdiction.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2025 - 3rd Quarter January to March 2025

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	Inspection Number	UPA Open/Closed	Severity-Subject	Hazard Description and Location	Inspection Results/Comments
R-2262195	Switch Tahoe Reno		02/12/2025	Phone	N	N		Closed	S-Safety	1. Located at the jobsite, contractor employees required to work at heights above 6 feet and are not provided with fall protection while performing work on top of the structures known as red plateaus.	No action. Alleged condition over the 6 month statute of limitation.
R-2262958	Incline Village Recreation Center		02/14/2025	Online	N	N		Closed		1. Located in the bottom parking garage exits are blocked.	No action. Complainant withdrew complaint.
R-2263154	INTERWEST SUPPLY COMPANY		02/12/2025	Online	Y	Y		Closed	S-Safety	1. Located at the jobsite, the primary shop floors concrete is heavily cracked and severely disintegrated where areas with holes are filled with dirt in order for employees to continue working on uneven walking-working surfaces exposing them to trip hazards. 2. Located at the jobsite, in the main shop, the crane has not had periodic inspections done before use or periodic maintenance inspections in the last two years. 3. Located at the jobsite, in the machine shop, the new crane installed has not been inspected to insure compliance with the altered installation requiring welding without manufacturer certification. 4. Located at the jobsite, in the main shop, electrical junction/conduit boxes are not closed exposing employees to electrical hazards.	Resolved through inquiry process.
R-2263923	QUALITY FIRST HOME IMPROVEMENT INC.		02/18/2025	Phone	Y	N	1804959	Closed	S-Safety	1. Located at the jobsite, an employee was observed replacing roof shingles on a residential roof at heights above 8 feet from the surface below without any means of fall protection. 2. Located at the jobsite, an employee was observed dismantling an extension ladder onto a roof at heights above 8 feet without the ladder extending 3 feet past the landing.	Inspection conducted. 1 citation issued - \$4,965.
R-2264200	GRANITE PERFECTION, LLC		02/17/2025	Online	Y	N	1805845	Closed	S-Safety	1. Locate at the facility, the employer is not providing employees with the following PPE: respirators when cutting granite, eye protection, and hard hats exposing them to multiple hazards. 2. Located at the facility, the employer is exposing employees to injury without a guard on a grinder while cutting granite. 3. At the facility, at the shop, water and mud is covering the shop floor exposing employees to fall hazards. 4. Located at the facility, the employer is exposing employees to unsafe practices while operating a fork lift.	Inspection conducted. No citations issued.
R-2264252	PARKWAY ATHLETIC CLUB SOUTH RENO		02/19/2025	Online	Y	Y		Closed	S-Health	1. Class instructors are exposed to music levels exceeding 92 decibels exposing them to potential long term hearing damage.	Resolved through inquiry process.
R-2265191	SILVER STATE RELIEF		02/20/2025	Online	Y	Y		Closed	O-Safety	1. Located on the east side of the facility at the drive-thru box, a metal door opening/closing mechanism does not operate properly causing the door to close on employee's fingers and hands causing injury. The door is held open with a bungee cord.	Resolved through inquiry process.
R-2265934	Quik Stop		02/21/2025	Online	N	N		Closed		1. Plumbers drinking and doing drugs while on the job.	No action. No jurisdiction.
R-2265968	CAMPBELL CONSTRUCTION CO., INC.		02/21/2025	Online	Y	Y		Closed	O-Safety	1. Located at the shop, makeshift rubber mats are not adhering to the floor and are exposing employees to trip hazards.	Resolved through inquiry process.
R-2266160	Best Buy		02/22/2025	Hotline	Y	N	1810567	Closed	S-Safety	Located at the workplace, the following hazards are alleged: 1. Employees are allowed to use a 6-step and 7-step mobile staircase that have both been damaged and repaired by a non-qualified person. The staircases are kept locked away by the restroom when not in use. 2. Located in the vacuum section, Dyson vacuums are being stored on the top shelf in an unsafe manner, hanging over the shelving, and exposing employees to struck-by hazards.	Inspection conducted. 3 citations issued - \$31,566.
R-2266185	Spruce LLC		02/24/2025	Phone	Y	Y		Closed	S-Safety	Located at 1155 Mill Street, Reno, NV 89502 within the kitchen of the Starbucks coffee shop, an employee tripped over a bucket/tray resulting in a fractured hip.	Resolved through inquiry process.
R-2266224	Charger Water Treatment Products		02/24/2025	Phone	Y	Y		Closed	O-Health	1. Employee in the warehouse is working with water softening resin and experiencing skin irritation. 2. Employees working with water softening resin are not provided with PPE.	Resolved through inquiry process.
R-2266270	Lee's Roofing		02/24/2025	In person	Y	N	1806091	Closed	S-Safety	1. Employees are working on a 8 in 12 pitch roof without the benefit of fall protection.	Inspection conducted. 3 citations issued - \$6,174.
R-2266455	RENOWN REGIONAL MEDICAL CENTER		02/25/2025	Online	Y	N	1803543	Closed	S-Safety	1. In the Roseview Tower, a patient put an employee into a choke hold.	Inspection conducted. 5 citations issued - \$8,774.
R-2266753	BRIGHTVIEW LANDSCAPE		02/25/2025	Phone	Y	Y		Closed	S-Safety	1. On 2/24/2025 at 2 pm at 2350 S Carson St the employee stepped off a curb, rolled their ankle and broke their ankle. The employee was taken by ambulance to Carson Tahoe hospital. Employee was admitted to the hospital that afternoon.	Resolved through inquiry process.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2025 - 3rd Quarter January to March 2025

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	Inspection Number	UPA Open/Closed	Severity-Subject	Hazard Description and Location	Inspection Results/Comments
R-2266801	UNIVERSITY OF NEVADA RENO		02/25/2025	Phone	Y	Y		Closed	O-Health	1. An employee was admitted to the hospital overnight after being found lethargic and unresponsive. The employee had just finished teaching a Physical Chemistry class in the Davidson Math and Science building, room 312.	Resolved through inquiry process.
R-2267096	SAFEWAY INC. STORE #1210		02/26/2025	Online	Y	Y		Closed	S-Health	Main Floor of Store: Using hazardous floor wax stripping chemicals while third -party vendors are in store and not provided any personal protective equipment.	Resolved through inquiry process.
R-2267519	HOLIDAY INN CLUB VACATIONS TAHOE RIDGE RESORT		02/26/2025	Online	Y	Y		Closed	S-Health;S-Safety	1. In the Nagel buildings 10,11&12, there are open electrical panels exposing employees to electrical hazards. 2. Throughout the building, there are unlabeled electrical panels and circuit breakers exposing employees to electrical hazards. 3. In the Terrace building, there is trash and debris in the storage areas and appliance storage area. 4. In the "bubble " area, dead rats are being discovered. 5. Throughout the buildings, emergency exits and exterior walkways do not have working lights in stairwells. 6. Several of the buildings have major water intrusion issues that have never been resolved. Water is leaking through light fixtures, causing bubbling within painted ceilings, and carpets being saturated continually due to inadequate drainage, and countless leaking windows. There is black mold in some of the rooms.	Resolved through inquiry process.
R-2267629	Devcon Construction Incorporated	Devcon	02/27/2025	Phone	Y	N	1807001;1807003	Closed	S-Safety	1. On 2/27/2025, at approximately 10:30am, a Biggie brand crane located at 1859 Peru Drive (the lot south of 1777 Peru Drive) tipped over during the lifting of concrete panels.	Inspection conducted. 1 citation issued - \$3,547.
R-2267764	TRUCKEE MEADOWS COMMUNITY COLLEGE		02/27/2025	Phone	Y	Y		Closed	S-Health	Located at the facility in building B, an employee became ill and collapsed to the floor.	Resolved through inquiry process.
R-2267957	ANYTIME FITNESS		02/27/2025	Online	Y	N	1807387	Closed	S-Safety	1. Located at the jobsite, on the west end, emergency exits are blocked with fitness equipment preventing immediate evacuation in the case of an emergency. 2. Located at the jobsite, near the west end emergency exit and east wall between squat racks, fire extinguishers are not properly mounted or regularly inspected exposing employees to potential ineffective fire extinguisher use in the case of an emergency. 3. Located at the jobsite, on the west wall, daisy chaining relocatable power taps and extension cords for cardio equipment/TV's as permanent wiring can expose employees to fire hazards. 4. Located at the jobsite, on the south side and west side floor areas with purple turf, there are multiple floor fan wires and several areas of loose carpeting exposing employees to trip hazards.	Inspection conducted. No citations issued.
R-2268063	CALIBER HOLDINGS LLC	CALIBER COLLISION	02/28/2025	Phone	Y	Y		Closed	S-Safety	1. On 2/27/2025 at 1:10 PM the employee was looking for a part that had been thrown away in the dumpster at the Harvard Way location. While the employee was trying to climb out of the dumpster and onto the ladder (attached to dumpster) the employee lost their balance and fell to the ground from the top of the dumpster (6 feet). Employee fractured their tibia and fibula. The employee was taken by ambulance to Renown Regional Center. The employee was admitted and had emergency surgery that evening to address compartment syndrome due to increased pressure around the injury.	Resolved through inquiry process.
R-2268166	California Erectors, Inc.		02/28/2025	Phone	Y	Y		Closed	S-Safety	1. On 2/28/2025 at 1:30 PM at 1121 USA Parkway in Sparks, NV an employee was connecting the steel from the crane. As one of the connectors made the connection, the employee caught their left hand between the header and the column. The employee had their (left ring) finger pinched. The tip of the employee's left ring finger was amputated. The employee was transported by a superintendent to Northern Nevada Medical Center at 2375 E Prater Way in Sparks, NV. Northern Nevada Medical Center was able to reattach the finger in the ER.	Resolved through inquiry process.
R-2269019	SIERRA REGIONAL CENTER		03/04/2025	Email	Y	N	1809648	Closed	S-Safety	1. The mother of a client receiving services from Sierra Regional Center, called to express concerns of the care her daughter is receiving and stated when she gets out of the hospital, she is going to blow up the building.	Inspection conducted. 9 citations issued - \$3,500.
R-2269431	HENRY SCHEIN, INC.		03/05/2025	Phone	Y	Y		Closed	S-Health;S-Safety	1. Located at the facility multiple powered industrial trucks have cracked or other damage to their batteries causing sulfuric acid to leak out of them, exposing employees to acid that can cause burns or respiratory issues if inhaled. 2. Employees are not wearing PPE when servicing powered industrial truck batteries.	Resolved through inquiry process.
R-2269438	SHERWIN WILLIAMS ARCHITECTUAL		03/05/2025	Phone	Y	Y		Closed	S-Health;S-Safety	1. Located at the facility multiple powered industrial trucks have cracked or other damage to their batteries causing sulfuric acid to leak out of them, exposing employees to acid that can cause burns or respiratory issues if inhaled. 2. Employees are not wearing PPE when servicing powered industrial truck batteries.	Resolved through inquiry process.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2025 - 3rd Quarter January to March 2025

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	Inspection Number	UPA Open/Closed	Severity-Subject	Hazard Description and Location	Inspection Results/Comments
R-2269448	SIERRA MEAT COMPANY	SIERRA MEAT & SEAFOOD	03/05/2025	Phone	Y	Y		Closed	S-Health;S-Safety	1. Located at the facility multiple powered industrial trucks have cracked or other damage to their batteries causing sulfuric acid to leak out of them, exposing employees to acid that can cause burns or respiratory issues if inhaled. 2. Employees are not wearing PPE when servicing powered industrial truck batteries.	Resolved through inquiry process.
R-2269615	McDonald's		03/05/2025	Phone	Y	Y		Closed	O-Safety	1. Located at the facility between the kiosk and the pick-up counter, the roof is leaking and water is exiting from a recessed light fixture exposing employees to a slipping hazard.	Resolved through inquiry process.
R-2270239	PETER HAZEL ART		03/05/2025	Online	Y	Y		Closed	S-Health	1. Employer grinds and sands glass, resulting in airborne dust. 2. Welding is performed indoors without PPE. 3. Acetone is used indoors without PPE. 4. There is an accumulation of dust in the facility.	Resolved through inquiry process.
R-2270884	Sparks Family Hospital Inc	Norther Nevada Medical Center	03/10/2025	Email	Y	N	1811506	Closed	S-Safety	1. Patient in ER room #10 verbally threatened staff with physical assault and homicide.	Inspection conducted. No citations issued.
R-2271159	BLUE STAR CONSTRUCTION LLC		03/10/2025	Email	Y	Y		Closed	S-Health;S-Safety	Located at the jobsite: 1. Construction employees tasked with demolishing a roof including the insulation beneath were exposed to fiberglass dust without the benefit of respiratory protection. Employees have reported suffering from lung irritation. 2. Multiple construction employees are working on this job without their OSHA 10-hour card in construction.	Resolved through inquiry process.
R-2272486	Al Dahra ACX		03/13/2025	Phone	Y	Y		Closed	S-Safety	On 3/12/2025, an employee was overseeing bales of hay being loaded onto a flatbed trailer for transportation. A tarp broke free due to windy conditions from a stack of hay bales located on the ground, as one employee was standing on the ground, the strap wrapped around the employees' foot and threw him to the ground. The employee drove himself to Humboldt General Hospital in Winnemucca, Nevada where he was tended then was transported via ambulance to Renown Regional Medical Center in Reno, Nevada where he was admitted with neck and head injuries.	Resolved through inquiry process.
R-2272794	REGAL NAILS		03/13/2025	Online	Y	Y		Closed	S-Health	Regal Nails is located in the Walmart at 3200 Market Street, Carson City, NV 89706. The following hazards are alleged: 1. Employer has not created and implemented a Hazard Communication Program. 2. Employer has not created and implemented a Respiratory Protection Program. 3. Employer has not created and implemented a Written Safety Program. 4. Employer has not performed a job hazard analysis. 5. Employees are not provided PPE and are providing their own PPE. 6. Tools and equipment used for nail services is not sanitized after use, exposing employees to infections. 7. There are unlabeled bottles which are said to contain alcohol.	Resolved through inquiry process.
R-2272799	Alpine Roofing Co, Inc.		03/14/2025	In person	Y	N	1810931;1810936	Closed	S-Safety	1. Two employees were observed on the roof of the Golf Mart building on Kietzke Ln. Reno, Nevada without the benefit of fall protection while working near the lower end of the parapet walls. The employees were exposed to a potential fall to 18 feet to the ground below.	Inspection conducted. No citations issued.
R-2272853	Bruce MacKay Pump & Well Service, Inc.		03/14/2025	Phone	Y	N	1811010	Closed	S-Safety	Employee working at heights from a pallet lifted by a forklift. Employee is exposed to a fall of approximately 25 feet.	Inspection conducted. 3 citations issued - \$12,060.
R-2272905	GFI Nevada LLC		03/14/2025	Phone	Y	Y		Closed	S-Health;S-Safety	The business is reportedly operating from the owner's residence. Located at this location the following hazards are alleged: 1. Throughout the backyard of the work location, semi-truck maintenance operations are being conducted to include oil changes, vehicle fluid exchanges and tire mounting work without the benefit of provided personal protective equipment such as gloves and safety eyeglasses, nor is there an available eye-wash station on site. 2. Safety Data Sheets are not made available to employees at the work location. 3. Throughout the backyard of the work location, semi-truck maintenance operations are being conducted without the benefit of wheel chocks being utilized on the vehicles. 4. Maintenance work performed atop cargo trailers, reaching approximate heights of 15 feet above the ground, is performed without the benefit of fall protection measures in place, nor has the employer provided fall-protection training to their employees. 5. At the worksite, restroom facilities are not provided to employees.	Resolved through inquiry process.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2025 - 3rd Quarter January to March 2025

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	Inspection Number	UPA Open/Closed	Severity-Subject	Hazard Description and Location	Inspection Results/Comments
R-2273270	InReach by Sodexo		03/17/2025	Phone	N	N		Closed	O-Health	1. On 3/13/2025 at approximately 10:00 am, an employee was picking items at the warehouse when they passed out. Employee was found unresponsive by another employee and the supervisor was called. Employee was provided orange juice and the ambulance was called. Employee was taken by ambulance to Renown Regional and diagnosed with hypoglycemia.	No action. No jurisdiction.
R-2273449	TERRA TILE ARTS		03/17/2025	Phone	N	N		Closed		1. At 600 Spokane St, employees exposed to high levels of noise in the workplace.	No action. Not enough information to process.
R-2273479	PURE GROUND INGREDIENTS, INC.		03/17/2025	In person	Y	N	1813184;1813192	Open	S-Health;S-Safety	Located in the facility: 1. Employees are not provided with respiratory protection against the airborne dust from the manufacturing of spices. 2. Employees are reusing contaminated dust masks because there aren't enough provided by the employer. 3. Located in the first floor bay #1, the powered equipment is not properly grounded and is shocking employees. 4. Large amounts of dust have accumulated throughout the facility creating a housekeeping hazard. 5. Storage racking is only partially anchored to the floor creating a potential overhead hazard if the heavy product stored on the racks falls or collapses. 6. One yellow forklift routinely operated and is in disrepair. 7. The employer is not providing adequate personal protective equipment for the activities being performed to include eye protection. 8. Water leaks through the roof onto the facility floor following rain or snowfall creating slip and fall hazards. 9. Located in the first floor bays #2 and #6, the machines in these bays have recently caught fire and are not properly maintained.	Inspection conducted. 8 citations issued - \$27,765.
R-2274154	PINNACLE HEATING & AIR CONDITIONING		03/18/2025	In person	Y	N	1811647	Closed	S-Safety	1. An employee was observed on the roof of the Golf Mart building on Kietzke Ln. Reno, Nevada without the benefit of fall protection while working near the lower end of the parapet walls. The employees were exposed to a potential fall to 18 feet to the ground below.	Inspection conducted. No citations issued.
R-2275254	KMM Logistics and Network Services		03/20/2025	Online	Y	Y		Closed	S-Safety	Located at the site with coordinates of 41.6323, -117.7419 , on 12/15/2024, an employee fell from a communication tower. The fall protection measures in place saved the employee from falling to the ground. However, it took about 30 minutes for a successful rescue recovery.	Resolved through inquiry process.
R-2275299	UNKNOWN ESTABLISHMENT		03/21/2025	Phone	Y	N	1813582	Closed	S-Health	Located in Suite 9, a company named Kill Crew has had construction work being performed for approximately 3 weeks. The construction company name is not known. The following hazards are alleged: 1. An unknown contractor is generating a lot of dust from drywall removal and installation, exposing the employees of Hand Craft Coffee Co., neighboring businesses, and the contractor's employees to potentially hazardous dust. The contractor's employees performing the work are wearing dust masks, it is not known if the dust masks are N95. 2. An unknown contractor is cutting concrete generating a lot of dust, exposing the employees of Hand Craft Coffee Co., neighboring businesses, and the contractor's employees to potentially hazardous dust. The contractor's employees performing the work are wearing dust masks, it is not known if the dust masks are N95.	Inspection conducted. No citations issued.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2025 - 3rd Quarter January to March 2025

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	Inspection Number	UPA Open/Closed	Severity-Subject	Hazard Description and Location	Inspection Results/Comments
R-2275331	JOHNS MANVILLE		03/20/2025	Online	N	N		Closed	S-Safety	1. Located at the jobsite, safety devices are bypassed through the Allen Bradley Logic system exposing employees to unsafe working conditions while operating equipment on the production floor. 2. Located at the jobsite, in the saw house, cross cut saws are operated with the interlock opened exposing employees to amputation hazards. 3. Located at the jobsite, in the saw house , the emergency stop on the Gang Saws do not function as intended due to faulty safety relays allowing equipment to restart instantly exposing employees to amputation hazards. 4. Located at the jobsite, on the north wall of the building, the main electrical switch gear panels have cardboard covering multiple panels exposing employees to electrical hazards. 5. Located at the jobsite, on the south east end of the building, the Nitrogen system and Pentane tank system alarms are bypassed through the Allen Bradley Logic system exposing employees to potentially hazardous environmental conditions. 6. Located at the jobsite, new hire employees are not trained in proper electrical safety while performing work on energized panels exposing employees to electrical hazards. 7. Located at the jobsite, in the center of the facility, machine guarding is not in place on the laminator & conveyor equipment feed and exit points exposing employees to caught-in or -between hazards. 8. Located at the jobsite, on the north side of the Laminators, the Lower Explosive Limit sensors are bypassed in Allen Bradley Logic, preventing the fire alarms to be triggered when unsafe environmental conditions exist exposing employees to fire hazards.	No action. VPP Site - Referred to SCATS.
R-2275531	UNKNOWN		03/24/2025	Online	N	N		Closed		1. Located at the jobsite, employees are exposed to an unmarked hole in the road that is approximately 2 feet deep, and approximately 3 feet wide.	No action. Not enough information to process.
R-2276117	Ferguson Plumbing Supply		03/24/2025	Online	Y	N	1814887	Closed	S-Safety	1. Located at the jobsite, the flooring in between aisles 25 & 26 are in disrepair while aisle 13 is severely deteriorated causing powered industrial trucks to bounce excessively during operation exposing employees to bodily injuries. 2. Located at the jobsite, the roof insulation is deteriorated and falling apart from weather causing excessive leakage from the elements exposing employees to slip and fall and struck-by hazards. 3. Located at the jobsite, cherry picker equipment is not being maintained, causing issues with electrical and mechanical systems to break down while in use. 4. Located at the jobsite, merchandise is stored in between aisles when shelves are full, preventing employees reaching an exit in the event of emergency. 5. Located at the jobsite, 6 powered industrial trucks are not properly maintained per manufacturers specifications with tires close to falling off and leaking oil exposing employees to possible tip over and struck-by hazards.	Inspection conducted. 4 citations issued - \$54,851.
R-2276188	FITNESS FOR 10		03/25/2025	Online	N	N		Closed		1. The bathrooms are closed therefore there's no hot water for customers to wash their hands.	No action. No jurisdiction.
R-2276449	RENO IRON WORKS		03/26/2025	Phone	Y	Y		Closed	S-Safety	1. On 3/25/2025 at 9:00 am an employee was working with steel when they had a ground level fall. The steel beam landed on the employee's knee cap. Employee was transported by a company vehicle to Renown Regional and was admitted on 3/25/2025. The employee's injuries were a broken kneecap. The employee will be going to surgery for their knee on 3/26/2025.	Resolved through inquiry process.
R-2276483	Laboratory Sciences of Arizona, L.L.C.		03/26/2025	Phone	Y	Y		Closed	S-Safety	1. On 2/26/2025 at 1700 at Banner Health Community Hospital at the entrance to the laboratory a lab employee was going to open the door for a coworker. They were walking backwards when they tripped and fell and had a ground level fall. They fell and hit their hip on the ground. Employee went to ER at the hospital (Banner Health). They were transferred to Sierra Northern Nevada Emergency room for an orthopedic specialist. They were admitted on the morning of 2/27/2025. Employee suffered a fractured left hip.	Resolved through inquiry process.
R-2277017	Unknown/Invalid Establishment		03/27/2025	Phone	N	N		Closed	O-Safety	1. Located south bound on 395, near the North McCarran Blvd and Clear Acre Lane exit number 70, it appeared that a crane lifting concrete at a construction site was not on stable ground.	No action. Not enough information to process.
R-2277480	PUBLIC AUCTION RENO		03/28/2025	Phone	Y	Y		Open	S-Safety	1. Located in the main store, merchandise stored on racking system is unstable and not secured. Multiple items are hanging over the edge of the racking. Employees are exposed to a struck by hazard.	Resolved through inquiry process.
R-2277987	DOUGLAS COUNTY SCHOOL DISTRICT		03/31/2025	Online	N	N		Closed		1. Employee was terminated in August of 2024. Employee tripped over a tree branch laying across the sidewalk.	No action. Not enough information to process.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2025 - 3rd Quarter January to March 2025

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	Inspection Number	UPA Open/Closed	Severity-Subject	Hazard Description and Location	Inspection Results/Comments
C-2248204	McDonald's		01/01/2025	Online	N	N		Closed	S-Safety	No OSHA standards apply.	No action. No applicable standard.
C-2249211	Vadatech Inc		01/03/2025	In person	Y	N	1796423	Closed	S-Health	1. Employees work with or near hazardous chemicals, such as heavy metals, and the employer has not implemented a hazard communication program and has not provided employee training. 2. Employees work with heavy metals, such as lead, and the employer has not conducted an initial determination of the workplace or work operations and exposure monitoring, and has not notified employees of monitoring results. 1/7/2025 KR	Inspection conducted. 2 citations issued - \$26,812.
C-2249455	Hofbrauhaus Las Vegas		01/03/2025	Online	Y	Y		Closed	O-Safety	1. There is an electrical hazard on the expo line between the steam table and the soda machine. There have been instances of employees being shocked and they are concerned with the electrical hazards. 1/8/2025 SLT	Resolved through inquiry process.
C-2249466	Marshalls		01/08/2025	Online	Y	Y		Closed	O-Health	1. In the Stockroom, Employee Lounge, and LP Office there are rats. Rat droppings are in the pillows, boxes, and pet supplies.	Resolved through inquiry process.
C-2249479	American Star Guard Services		01/08/2025	Phone	Y	Y		Closed	O-Health	1. The restroom at the establishment is not maintained in a sanitary condition for employee use. 2. The door handle on the guard shack is broken, preventing the door from opening at all times.	Resolved through inquiry process.
C-2249579	Clark County School District Transportation Department		01/08/2025	Phone	Y	Y		Closed	O-Health	1. On-site, there are only two restrooms available for employees—one for women and one for men—each with just two stalls, which is insufficient to accommodate over 100 employees.	Resolved through inquiry process.
C-2249785	Big 5 Sporting Goods		01/08/2025	Phone	Y	Y		Closed	O-Health	1. The water heater in the attic of the facility has been leaking and water is coming through light fixtures. The breakrooms and bathrooms are flooded. 2. Employees are not allowed to utilize bathrooms on site and have been informed to go to another store to use them. 1/8/2025 KR	Resolved through inquiry process.
C-2249913	Protective Force International		01/03/2025	Online	Y	Y		Closed	S-Safety	1. The vehicles that employees use are not maintained regularly. A vehicle had a malfunction that caused an employee to crash on the highway. There are also panels hanging off the vehicles and employees can smell gas fumes inside the vehicle cabin. 2. There is an odor coming from the restroom that are causing employees to feel nauseous.	Resolved through inquiry process.
C-2249943	France Neilson, DDS, PLLC - LLC	The Tooth Family Dental	01/09/2025	Phone	Y	Y		Closed	O-Safety	1. On 1/8/2025 an employee had their friend call and threaten to come to the workplace and physically harm another employee. 2. On 1/9/2025 an employee approached, intimidated, and threatened to physically harm another employee. The employer was notified of threats of workplace violence, did not investigate or implement the disciplinary policy, and sent the threatened employee home.	Resolved through inquiry process.
C-2249966	O'Reilly Auto Enterprises, LLC	O'Reilly Auto Parts #6072	01/09/2025	Phone	Y	Y		Closed	O-Health	1. The employer refuses to provide cleaning supplies to clean the restroom and requires the employees to purchase them.	Resolved through inquiry process.
C-2249990	Nevada Holistic Medicine LLC	The Treehouse Vegas	01/09/2025	Online	Y	Y		Closed	O-Safety	1. Bathrooms are not working and are unsanitary. Restrooms are not cleaned resulting in some employees feeling sick due to the smell. cw 1/9/25	Resolved through inquiry process.
C-2250000	Dale's Texaco Inc	Dale's Sinclair	01/09/2025	Phone	Y	Y		Closed	S-Safety	1. The trainer and the employees who handle propane and are filling propane cylinders and are not trained nor certified. 2. Two minor employees are additionally untrained and handling propane. 3. There is no SDS book available to the employees. 4. Cleaning products are in unlabelled bottles.	Resolved through inquiry process.
C-2250017	SOLACE ENTERPRISES, LLC	AETHER GARDENS	01/07/2025	Online	Y	Y		Closed	O-Safety	1. The water in some faucets are too hot, and causes burns to the skin. The restroom are the women's bathroom located over by the pre-roll room. 2. There is an exposed drain pipe that some have reported tripping over located by the order fulfillment door. There is also a hole in the ground that can cause injury. 3. There are tables that close off the necessary pathways to exits in case of fire or evacuation. 01/09/2024 EM	Resolved through inquiry process.
C-2250380	Bellagio	Bellagio Hotel & Casino	01/09/2025	Online	Y	Y		Closed	S-Health	1. Infront of the Gucci store, concrete is being cut and spreading dust into the air. There no wet methods or ventilation units being utilized. Work has been performed at this location since January 6th, 2025. 1/10/25 KR	Resolved through inquiry process.
C-2250593	Wynn Las Vegas, LLC	Wynn Las Vegas / Encore at Wynn Las Vegas	01/09/2025	Online	Y	Y		Closed	S-Safety	1. Inside the Corporate Security/Investigations offices, located in the 2M 108 section of the Wynn hotel, the air quality inside the office is making numerous employees sick.	Resolved through inquiry process.
C-2250601	Children's Bone And Spine Surgery		01/07/2025	Online	Y	Y		Closed	S-Health;S-Safety	1. In the office, the water dispensers is not maintained in sanitary conditions, employees are exposed to health hazards.	Resolved through inquiry process.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2025 - 3rd Quarter January to March 2025

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	Inspection Number	UPA Open/Closed	Severity-Subject	Hazard Description and Location	Inspection Results/Comments
C-2250616	Dollar General #12786		01/10/2025	Phone	Y	Y		Closed	S-Health;S-Safety	1. The employees are being exposed to sewer gases.	Resolved through inquiry process.
C-2251240	Cutting Edge Lawn Care, LLC		01/06/2025	Phone	Y	Y		Closed	S-Health	1. Employees are spraying and mixing chemicals such as those used for weeds, with no personal protective equipment such as masks or gloves. 2. Employees are not being provided Hazard Communication Training. 3. Gas-powered leaf blowers are being activated in employees faces. 01/13/2024 SLT	Resolved through inquiry process.
C-2251257	Travel Centers of America		01/09/2025	Online	Y	Y		Closed	O-Health	1. Employees do not have access to potable water. 01/13/2024 SLT	Resolved through inquiry process.
C-2251633	Encore LLC at The Bellagio		01/14/2025	Phone	Y	Y		Closed	O-Safety	1. The fire exits on the south end of the convention center near tower 8 are being blocked with a boom lift, tables, and chairs. 01/14/2024 EM	Resolved through inquiry process.
C-2251669	FedEx Ground Package System, Inc.		01/14/2025	Phone	Y	Y		Closed	O-Safety	1. A bay door that had broken approximately 2 weeks ago was repaired with the usage of vice grips to hold the bay door open during business hours. The bay door gets lower and lower as the day progresses because the vice grip are an ineffective means of repair. 01/14/2025 EM	Resolved through inquiry process.
C-2251734	Children's Bone And Spine Surgery		01/09/2025	Online	N	N		Closed		1. In the middle of the front office, There's a broken water fountains that hasn't worked for a long time which I believe has mold. It's smells really bad for over a month now. Employees that have been here longer say this has happened previous years as well On 01/15/25: The complaint return my call and is referencing a fountain display used as decor. She says the fountain releases a rotten egg smell. This fountain is not the source of water for employees nor requires them to work with it.	Resolved through inquiry process.
C-2251735	Vanilla Rice's Hibachi Take Out		01/14/2025	Phone	Y	Y		Closed	O-Safety	1. Extension cords are used to power a rice cooker, noodle heater and a cooling machine. The extension cords are ran across the floor where employees walk through during their shifts. 2. There is one extension cord that is missing a ground pin that sparks when employees plug something into the extension cord. 3. The grill is not cleaned and left over oil seeps out onto the floor creating a slippery floor. 4. There is a ventilation system that has a built in red light alarm system that notifies the user of when the ventilation system needs to be serviced. The ventilation's red light has been on for several days. The ventilation system is located across from the cooling machine. 01/14/2025 EM	Resolved through inquiry process.
C-2251782	Harrah's Las Vegas		01/05/2025	Online	N	N		Closed		Spread of potential germs and diseases to employees and guests. Employees have a paper bowl and plastic spoons in place of soap dispenser. I have video evidence. According to many employees, this happens often. - Employee restrooms, but specifically the employee entrance from the comedy club to the left.	No action. No applicable standard.
C-2251991	Trader Joe's		01/15/2025	Online	Y	Y		Closed	O-Safety	1. Employees are exposed to hazards while moving items on dollies that exceed their safety limits. 2. Employees are required to carry loads that could cause the employee to lose their balance and fall when climbing up or down ladders. 1/14/2025 AB	Resolved through inquiry process.
C-2252027	Hand Center of Nevada		01/14/2025	Online	Y	Y		Closed	O-Health	1. Employees are required to work in a facility without running water. 2. Employees are required to work in a facility without access to a restroom. 1/14/2024 AB	Resolved through inquiry process.
C-2252160	Silver State Hospice Care, LLC		01/14/2025	Online	Y	Y		Closed	O-Health	1. Employees are required to work in a facility where the room temperature is approximately 60 degrees Fahrenheit. 1/15/2024 AB	Resolved through inquiry process.
C-2252467	Southern Nevada Regional Housing Authority		01/08/2025	Online	N	N		Closed		1. There is an extremely foul odor in the supportive services department. 1/16/2025 SLT	No action. Not enough information to process.
C-2252719	Stephano's Greek & Mediterranean Grill		01/14/2025	Online	Y	Y		Closed	O-Safety	1. In the freezer, there are exposed wires from a light fixture. 2. The employer exposes its employees to a broken ladder. 3. When cleaning an exhaust hood, the employer exposes its workers to an unstable table. JA 1/16/2024	Resolved through inquiry process.
C-2252792	LUV Car Wash		01/14/2025	Online	N	N		Closed	S-Health;S-Safety	This specific location has black mold spreading on the walls. Management and Higher ups were made aware, said there were bigger problems that need fixing. They require employees to be back there and clean for hours exposing them. - Equipment room	No action. No applicable standard.
C-2252814	Encore Group (USA), LLC	Encore Global LLC	01/16/2025	In person	Y	Y		Closed	S-Health	1. On 1/7/2025 at the Bellagio Hotel during the COVESA/CES expo, employees that worked in the hallway connecting the bay doors to the Bellagio ballroom convention center, were exposed to noxious levels of carbon monoxide. Employees experienced symptoms of dizziness, nausea, headaches, tingling, and respiratory complications.	Resolved through inquiry process.
C-2253043	Nevada Partnership for Homeless Youth		01/09/2025	Online	Y	N	1800642	Closed	O-Safety	1. In the front lobby, hallway, and other areas, exit routes are obstructed. Employees are unable to access fire exits due to donations being stacked. AB 1/17/2025	Inspection conducted. No citations issued.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2025 - 3rd Quarter January to March 2025

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	Inspection Number	UPA Open/Closed	Severity-Subject	Hazard Description and Location	Inspection Results/Comments
C-2253267	WOW - The Vegas Spectacular		01/17/2025	Phone	Y	Y		Closed	S-Safety	1. The aerial act riggers have not been trained or certified. Employees are concerned for their safety while performing aerial acts up to 20 feet above the ground below. The week of January 17th a performer fell due to improper rigging.	Resolved through inquiry process.
C-2253491	Nevada Partnership-Homeless		01/17/2025	Online	N	N		Closed		I made a fire complaint, and after the FD came for an inspection my boss, Arash, pressured me to quit. He didn't even know I was the one who called in the complaint; he just assumed it was me and started pressuring me to leave by acting in an intimidating manner towards me. He was trying to bait me into saying or doing something that would make me react to him. In the end, I decided to put in my two weeks' notice because I don't feel comfortable working under his leadership. - Nevada Partnership for Homeless Youth	No action. No violation of standard alleged.
C-2253519	Pride Construction LLC	PRD Excavation and Grading	01/15/2025	Phone	Y	Y		Closed	S-Safety	1. One of the water trucks has a gas pedal assembly, which has no pad to place your foot on. 2. One of the trucks has no power steering, which makes it difficult to control while driving. 3. The transmission in the loader has gears that slip, which makes it dangerous to operate. 1/21/2025 JC	Resolved through inquiry process.
C-2253547	MountainView Hospital, Inc.		01/16/2025	Online	Y	Y		Closed	S-Health	1. Biohazard bags are not being properly closed. 2. Sharps containers are being overfilled and not properly closed. 1/21/2025 SLT	Resolved through inquiry process.
C-2253666	Clark County Public Works		01/16/2025	Online	Y	Y		Closed	O-Safety	1. Employees are not provided the appropriate flotation devices to ensure employees are safe while performing larvicide treatment on the Colorado River. Employees utilize boat rentals from a third party and these rentals often do not have the right size flotation devices, or are not equipped with them at all.	Resolved through inquiry process.
C-2253968	Fuse Technical Group		01/20/2025	Online	Y	Y		Closed	O-Safety	1. Floors of the warehouse are dangerously slippery, primarily in the northwest side of warehouse. 1/21/2025 JC	Resolved through inquiry process.
C-2254565	Designated Defense Security Services		01/22/2025	Phone	Y	Y		Closed	S-Safety	1. The employer is not ensuring all uniforms or accessories distinctive as to style, color or material will be furnished, without cost, to employees by their employer.	Resolved through inquiry process.
C-2254582	Sunrise Hospital and Medical Center		01/22/2025	Phone	Y	Y		Closed	S-Safety	1. In the operating room, the Sharps program is not being followed. 2. The employer is not ensuring the employees in the operating room are placing biohazard equipment in designated clean area.	Resolved through inquiry process.
C-2254604	Station Casinos, LLC		01/22/2025	Phone	Y	Y		Closed	S-Health;S-Safety	1. At Hanks Bar located at Green Valley Ranch, the fountain guns are not sanitized properly. 2. At the Hanks Bar, next to the main well there is a presence of mold. 3. At the Hanks Bar, the employees are exposed to ergonomic hazards when serving and making drinks behind the bar.	Resolved through inquiry process.
C-2254631	Anthem Country Club		01/22/2025	Online	Y	Y		Closed	S-Safety	1. Employees exposed to hazards from operating a scissor lift without certification/training. 2. Employees exposed to hazards from operating a scissor lift that has not been inspected.	Resolved through inquiry process.
C-2255099	First Legal		01/17/2025	Online	Y	Y		Closed	O-Health	1. There is a strong ongoing sewage smell coming from the bathroom that is affecting the employees working in the area.	Resolved through inquiry process.
C-2255107	University Medical Center		01/21/2025	Phone	Y	Y		Closed	O-Health	1. Employees are getting sick due to mold in the carpets from rainwater that seeps through the two outside doors.	Resolved through inquiry process.
C-2255116	Carriage House Timeshare Association		01/21/2025	Phone	Y	N	1800301	Closed	S-Health	1. In the housekeeping department, containers that contain cleaning chemicals are missing labels. 2. Bleach and pine sol are being mixed together and used by employees to clean hotel rooms.	Inspection conducted. 1 citation issued - \$8,276.
C-2255117	Caesars Palace		01/23/2025	Online	N	N		Closed	O-Safety	1. There are broken elevators in the employee parking garage (west garage on Twain/Franklin Sinatra) JA 1/23/2025	No action. No Jurisdiction - Referred to Mechanical Compliance Section.
C-2255119	Siena Golf Course, LLC dba Siena Golf Course		01/21/2025	Phone	Y	Y		Closed	S-Safety	1. In the Siena Bistro cooler, there is a light bulb that has water seeping inside the bulb and the excess water is dripping from the lightbulb to the floor.	Resolved through inquiry process.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2025 - 3rd Quarter January to March 2025

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	Inspection Number	UPA Open/Closed	Severity-Subject	Hazard Description and Location	Inspection Results/Comments
C-2255130	Designated Defense Security Services		01/22/2025	Online	N	N		Closed		On 1/19/25- I contacted Mat about us getting a winter coat as we work outside. I said the temperatures for this week were going to be mid to low 30's and dipping into 29/28. I was told that I/we could purchase a coat from the main office. (\$50.00) Those temperatures are freezing (32 degrees Celsius) and to not provide us with a winter coat is absurd. Your fingers, ears, nose & toes freeze along with your whole body being cold. The winds blowing didn't help. I only has a windbreaker given to me back in October of 2024. We have to be able to use our hands and we're on our feet so cold feet hurt along with talking to people exposes our faces to the freezing temperatures. At 22:00 it was 30 degrees and 23:00 it was 29 but felt like temperatures were lower. There were 3 of us working on 01/19/2025 at McCarran Car Rental 1/21/2025 at 0300 the temperature was 29. - McCarran Car Rental Center @7135 Gilesie st. We work outside direction the cars for return, allowing shuttle buses from terminal 1 & 3 to go through. Providing directions to Uber, Lyft, Taxi's and other vehicles for picking up or dropping off people. We have to make sure people aren't in the crosswalks, not blocking the way for people entering or exiting the building, give instructions on how to get to turo(open lot), to the bus terminal, get vehicles in the wrong lanes of traffic to move. We answer questions for off site car rentals.	No action. No applicable standard.
C-2255612	Pye Barker Fire & Safety, LLC		01/24/2025	Online	Y	N	1800096	Closed	S-Health	1. Employees are required to work in an extinguisher service section where particulates not otherwise regulated (PNOR) spreads across the workplace above the permissible exposure level. 2. Employees are not provided sufficient eye protection from particulates not otherwise regulated (PNOR) service operations. 3. Employees are not provided sufficient inhalation protection from particulates not otherwise regulated (PNOR). 1/24/2025 AB	Inspection conducted. 3 citations issued - \$7,236.
C-2255932	Thrive Cannabis Marketplace		01/27/2025	Online	Y	Y		Closed	S-Health	1. Employees are concerned with the smell of sewage and gas on the sales floor and the hazards associated with it. 01/27/2025 SLT	Resolved through inquiry process.
C-2255978	Delta Air Lines, Inc	Delta Airlines	01/22/2025	Online	Y	Y		Closed	O-Safety	1. There is no heater in the Delta break room. 1/27/2025 AR	Resolved through inquiry process.
C-2256225	Digestive Disease Center		01/24/2025	Phone	Y	Y		Closed	S-Safety	1. Employees utilize a chemical for cleaning instruments without receiving proper training. Utilizing this chemical causes respiratory illness. A safety data sheet (SDS) was not provided.	Resolved through inquiry process.
C-2256229	King Futts		01/27/2025	Phone	Y	Y		Closed	S-Safety	1. Employees are working in private residences performing asbestos abatement without proper PPE and without following proper disposal procedures.	Resolved through inquiry process.
C-2256557	Designated Defense Security Services		01/27/2025	Phone	Y	Y		Closed	O-Safety	1. The security booth in the parking garage is infested with bed bugs. It's been that way for at least the last 6 months. The employer is aware and has made no attempts to correct the situation.	Resolved through inquiry process.
C-2256587	Las Vegas Paver Mfg, LLC		01/27/2025	Online	Y	Y		Closed	S-Safety	1. The cube does not have safety measures in place to prevent employees from putting their hands inside, while its running. 2. Employees are operating paver making equipment under the influence of drugs. 3. There is only one harness for employees to use when performing work on the second and third level of the "cube" and the harness is old and needs to be replaced. 4. Employees operate the forklifts in an unsafe manner horse playing. 5. Employees have to remove concrete that is lodged in the equipment and do not have sufficient face masks. They are forced to buy masks at their own expense. 1/27/2025 JC	Resolved through inquiry process.
C-2256669	Southern Nevada Adult Mental Health Services	SNAMHS	01/27/2025	Online	Y	Y		Closed	O-Safety	1. The exit doors at the front desk are blocked by workstation chairs, which could hinder easy egress for employees in the event of an emergency.	Resolved through inquiry process.
C-2257121	Durango Casino & Resort		01/28/2025	Online	Y	Y		Closed	O-Health	1. Chemicals are being stored improperly and unsafely in the sanitation/banquet storage area.	Resolved through inquiry process.
C-2257666	Walmart Neighborhood Market		01/30/2025	Phone	Y	Y		Closed	O-Safety	1. The only male and female employee restrooms in the store are unsanitary, and have fecal matter smeared on the walls. 2. Employee restroom sinks have no soap. 3. Employee restroom sinks have no, or only intermittent hot or warm water. AB 01/30/2025	Resolved through inquiry process.
C-2257692	Best Agency		01/30/2025	Phone	Y	Y		Closed	O-Safety	1. At the indoor and outdoor gondolas located at The Venetian Resort, gondoliers are subject to insufficient lifeguard coverage, unstable gondolas while loading and unloading passengers, and a lack of emergency response training; causing unsafe working conditions. AB 01/30/2025	Resolved through inquiry process.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2025 - 3rd Quarter January to March 2025

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	Inspection Number	UPA Open/Closed	Severity-Subject	Hazard Description and Location	Inspection Results/Comments
C-2257698	Malco Enterprises of Nevada Inc.	Budget Car and Truck Rental of Las Vegas	01/28/2025	Online	Y	N	1801316	Closed	S-Health	1. In the conference room, employees refurbishing a table were exposed to toxic fumes. 2. The fire entry/exit gates, exits, and walkways are blocked. 3. The upstairs restrooms water faucets are not maintained working condition.	Inspection conducted. No citations issued.
C-2257999	Newage Lake Las Vegas, LLC	Hilton Lake Las Vegas Resort and Spa	01/29/2025	Online	Y	N	1806967	Closed	S-Health	1. On the first floor, the men's changing room and restroom has a sewer smell. 2. Housekeeping is storing chemicals in unlabeled bottles. 3. The employer does not provide training for the following: blood borne pathogen, hazard communication, hazardous chemical training. 4. The employer does not have safety committee meetings.	Inspection conducted. No citations issued.
C-2258022	Cummins Inc.		01/31/2025	Online	Y	Y		Closed	O-Safety	1. In the warehouse and maintenance bays, the air conditioner and heat has not worked for over a year. The temperature has consistently been below 60 degrees Fahrenheit daily. Due to the low temperatures, employees have experienced numbness in their hands and feet making it difficult to work.	Resolved through inquiry process.
C-2258023	Wynn Las Vegas, LLC	Wynn Las Vegas	01/31/2025	Phone	Y	Y		Closed	O-Safety	The following concerns are in the Uniform Control Department: 1. There are 40 racks squeezed between the conveyors, and employees are required to walk in between them. 2. There are multiple boxes throughout the area that cause trips and emergency hazardous conditions. JA 1/31/2025	Resolved through inquiry process.
C-2258058	Pottery Barn		01/29/2025	Online	Y	Y		Closed	O-Safety	1. Employees climb up a 15–20-foot ladder to retrieve merchandise located on storage racks. The 15–20-foot ladder is attached with bungee cords to the shelving in the warehouse 2. Employees stand on the top rung of an 8-foot A-frame ladders in the showroom to access the chandelier installed onto the ceiling. 3. Employees climb the storage shelves without any safety measures to retrieve merchandise. 4. The exit door in the warehouse is blocked with boxes full of store merchandise. 01/31/2025 EM	Resolved through inquiry process.
C-2258158	Caesars Palace		01/31/2025	Online	Y	Y		Closed	O-Health	1. The air conditioner has been broken in the Monte Cristo Cigar Bar for six months. This was brought to managements attention and has not been fixed. 2. There is mold in the piping, and management has not resolved the issue. 3. The refrigerator that stores fruit, water, and milks has been leaking water and flooding the back walkway where coffee and other utensils are located. Employees may slip or fall to get to these items. 01/31/2025 KR	Resolved through inquiry process.
C-2258575	TGI Concessions	Villa Pizza at LAS	01/27/2025	Online	Y	Y		Closed	O-Safety	1. Wiring is hanging under the storage by the ice and sanitation buckets.	Resolved through inquiry process.
C-2258756	Smith's Food & Drug Center #350		02/03/2025	Online	Y	Y		Closed	O-Health	1. Employees are not being provided potable water. 2/3/25 SLT	Resolved through inquiry process.
C-2258792	Clark County Public Defender's Office		02/03/2025	Online	N	N		Closed		There are two elevators in this 4 story building. One elevator has been out of order for early a year. The second elevator is FREQUENTLY out of order, leave workers, clients, and visitors to the 4th floor library without a means to 1get upstairs. We have multiple workers here who are unable to use stairs as the result of knee surgeries, cancer, and many other reasons. There has been no efforts to repair the elevator that has been down for a year and there seems to be very little effort to keep the one remaining elevator in working order. We literally have workers and visitors who get trapped on the 4th floor for hours waiting for the elevator to be repaired as they are unable to use the stairs. - The elevators for the building, located in the main entrance of the building.	No action. No jurisdiction - Referred to Mechanical Compliance Section.
C-2259042	O Happy Bread		02/01/2025	Online	Y	Y		Closed	S-Health	1. The employer is not providing a continuous and effective extermination program to control the vermin in the facility.	Resolved through inquiry process.
C-2259452	CAESARS FORUM		01/31/2025	Online	N	N		Closed		Set Up Equipment is horrible for employees no wet signs for customers no equipment to clean the building safety is bad people around the building is bad - fire system employees not treated coding around the building not even training in security	No action. No hazard identified.
C-2260008	Costco Wholesale #685		02/06/2025	Phone	Y	Y		Closed	S-Safety	1. Exit are blocked in the tire shop and employees are concerned with the associated hazards. 02/06/2025 SLT	Resolved through inquiry process.
C-2260010	Clark County Public Works		02/03/2025	Online	Y	Y		Closed	O-Safety	1. Clark County released an unredacted OSHA 300 form as part of an open records, public records, FOIA request on 24 October 2024. The information on 16 employee injuries was included on the form. 02/03/2025 EM	Resolved through inquiry process.
C-2260178	Universal Protection Service, LP	Allied Universal	01/09/2025	Online	Y	Y		Closed	S-Health	1. Employees are not provided with the proper personal protective equipment when directed to clean up blood, urine, and/or feces. 2. Employees were not offered the Hepatitis B vaccination. 3. Employees were not provide with bloodborne pathogens exposure training. 01/09/2025 EM	Resolved through inquiry process.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2025 - 3rd Quarter January to March 2025

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	Inspection Number	UPA Open/Closed	Severity-Subject	Hazard Description and Location	Inspection Results/Comments
C-2260180	The Lodge at Blue Diamond		01/06/2025	Online	N	N		Closed	O-Health	1. In my short time working at this establishment I fell ill multiple times due to the fact that employees are required to come in even if they're sick. I know of at least 5 employees at this location who came to work while I'll. One of my co workers was so sick one day she was running to the bathroom to vomit every 29 minutes then returning to the kitchen to cook. Another had to come to work just 3 days after a medical procedure which caused her incredible pain and a prolonged healing time. There was a flu virus running around too which is how I got terminated. I know I got sick from my co workers because I don't go anywhere besides work and home and they were visibly ill. In addition to being forced to work while I'll under threat of termination they do not follow food safety protocol. There is cross contamination with raw and ready to eat ingredients and changing of labels while not changing the food. - The Lodge at Decatur	No action. No jurisdiction - Referred to Southern Nevada Health District.
C-2260191	Stonecreek Surgery Center LLC		02/06/2025	Online	N	N		Closed		1. The employer has failed to maintain temperature parameters for sterilization and assembly of surgical instruments, which may effect the quality control of the instruments. 2/11/2025 AB	No action. No jurisdiction - Referred to Southern Nevada Health District.
C-2260451	Terrible Herbst #390		02/04/2025	Online	N	N		Closed		2 weeks ago . 4 employees effected by it with nasal drip and sneezing 01/24/2025 - Back storage room Under sink Against wall Expired food products in the freezer and storage room. No OSHA standard to apply.	No action. No jurisdiction.
C-2260972	Big Rig Manufacturing, Inc.		02/10/2025	Phone	Y	Y		Closed	S-Safety	1. Employees are smoking marijuana on the job site and are assembling buses while operating heavy equipment under the influence. 2. Employees are not using personal protective equipment such as steel toe shoes. 3. Employees are shoving unattended carts of sheet metal across the floor which may strike another employee. 4. Untrained/unlicensed employees are operating indoor girder cranes. 5. Forklift operators are driving recklessly and nearly striking employees.	Resolved through inquiry process.
C-2261431	Marriott Resorts Hospitality Corporation	Marriott's Grand Chateau	02/10/2025	In person	Y	N	1815628	Open	S-Health	1. The HVAC in the Marketing Team Room is unsanitary; is leaking through the ceiling in two places; and causing the employees to contract occupational asthma. Employees are being required to sit next to the vents and in areas where air filters are not up to date despite medical notes stating they may not sit next to them.	Inspection conducted. No citations issued.
C-2261541	Hilton Grand Vacations Management, LLC	Hilton Grand Vacations Club on the Las Vegas Strip	02/11/2025	Phone	Y	Y		Closed	O-Safety	1. Located in the VIP Department, there are approximately 10 employees that work in a storage room turned office. Employees are concerned that the access/egress is inadequate.	Resolved through inquiry process.
C-2261951	MLS		02/10/2025	Online	Y	Y		Open	S-Safety	1. An employee slipped and fell in the parking lot on a pool of motor oil. The employer did not clean the spill to prevent further slip and falls.	Resolved through inquiry process.
C-2262068	Encore Global		02/11/2025	Online	Y	N	1804858	Closed	S-Health	1. Parking garage workstations are located near ventilation fans which potentially exhaust carbon monoxide, carbon dioxide, and nitrogen oxide over the permissible exposure level in the employee's breathing zone. 2/12/2025 AB	Open investigation.
C-2262202	Felix Lighting Las Vegas		02/06/2025	Online	Y	Y		Closed	S-Safety	1. Racks were installed in the warehouse and are not completely bolted down. Employees store pallets with equipment on the unbolted racks.	Resolved through inquiry process.
C-2262206	Diamond Resorts Management	Polo Towers	02/12/2025	Online	Y	Y		Closed	S-Safety	1. The employer is not providing potable water to employees. The water provided at the east side fountains and the level 1 basement are being supplied from the same water feed line as the public toilets.	Resolved through inquiry process.
C-2262467	Xtreme Manufacturing, LLC		02/10/2025	Online	Y	Y		Closed	S-Safety	1. In the assembly line building, employees are not using face shields while operating cutting wheels which are additionally missing guards. 2. In the assembly line building, employees are using grinders without eye protection such as eye face shields.	Resolved through inquiry process.
C-2262483	New York-New York, LLC	New York-New York Hotel & Casino	02/11/2025	Online	Y	Y		Closed	O-Safety	1. Numerous GRAs are getting injured in doorways because they do not have door holders; the door holders are insufficient; the door holders fall at the slightest bump of the door in the tower and casino.	Resolved through inquiry process.
C-2262486	Vet-Sec Protection Agency		02/13/2025	Phone	Y	Y		Closed	O-Health	1. Three private security patrol cars have excessive exhaust fumes entering the cabin while driving and idling outdoors, causing dizziness, lightheadedness, shortness of breath to the employee occupants. AB 02/13/2025	Resolved through inquiry process.
C-2262509	State of Nevada Correctional Facility	High Desert State Prison	02/13/2025	Online	Y	Y		Closed	O-Safety	1. The employer has not provided copies of the 2024 OSHA forms 300 and 300a to employees and/or their union representatives after numerous requests.	Resolved through inquiry process.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2025 - 3rd Quarter January to March 2025

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	Inspection Number	UPA Open/Closed	Severity-Subject	Hazard Description and Location	Inspection Results/Comments
C-2262510	RV Retailer Idaho, LLC	Blue Compass RV	02/13/2025	Online	Y	N	1805185	Open	S-Safety	1. Employees are not provided with harnesses or any sort of fall protection when working on top of RVs. 2. The table saw in the maintenance shop is not guarded and is often hidden when safety audits occur. 3. Employees and management use the forklift's attachment to access the dumpster or high areas in the maintenance shop. Last week, a manager was standing on the forklift's attachment to fix a leak which was approximately 20 to 25 feet in the air. 4. Ladders used to access tall RVs are too short and don't meet the 3-rung requirement. 5. Employees were not trained to fill propane and were not provided the appropriate PPE when filling smaller propane containers. 6. There is no grounding or bonding when filling small propane tanks. 7. There is a water leak where the bay doors are which results in a slip/trip hazard.	Inspection conducted. 5 citations issued - \$49,651.
C-2262588	State of Nevada - Southern Nevada Adult Mental Health Services		02/13/2025	Phone	Y	Y		Closed	O-Safety	1. The employees do not have access to water for basic hygiene practices or potable drinking water.	Resolved through inquiry process.
C-2262601	Lithion Battery Inc.		02/06/2025	Phone	N	N		Closed		1. Employees are concerned with potential fire hazard from production of batteries in the sealing department of the manufacturing building. 2/13/2025 SLT	Resolved through inquiry process.
C-2263003	Reborn Cabinets		02/14/2025	Online	Y	Y		Open	O-Health	1. Lead and asbestos testing are not performed prior to employees beginning work. Employees work throughout Clark and Nye County, and perform demolition and remodeling for cabinetry in various homes. 2. The employer does not permit employees to purchase or utilize any testing equipment for lead or asbestos. 3. Employees are not permitted to utilize HEPA vacuums for routine work inside housing units. 2/14/2025 KR	Resolved through inquiry process.
C-2263057	Green Valley Grocery		02/13/2025	Online	Y	Y		Closed	S-Health;S-Safety	1. Employees exposed to rodents, insects and other vermin, inside the convenience store during all hours of the day.	Resolved through inquiry process.
C-2263089	Tire Works		02/14/2025	Online	Y	Y		Closed	S-Safety	1. At the facility, employees store tools on the ground. 2. Oil is stored next to combustible material. 3. Employees are not provided respirators when working with fumes. 4. Fire Extinguishers are not in a visible area. 5. Areas are not kept clean, creating a trip hazard. 7. SDS are not provided to employees.	Resolved through inquiry process.
C-2263600	Clark County School District Sig Rogich Middle School		02/18/2025	Online	Y	Y		Closed	S-Health	1. In the 700 area there is a smell of gas, possibly methane, and employees are concerned with the hazards associated with it. 2. The roof is leaking throughout the entire building and employees are concerned with associated hazards. 2/18/25 SLT	Resolved through inquiry process.
C-2263779	National Gay and Lesbian Task Force		02/16/2025	Online	N	N		Closed	O-Health	1. Airborne biological hazards were being exchanged at the site.	No action. No hazard identified.
C-2263855	RPV Enterprises Inc	Bogarts Bone Appetit	02/18/2025	Online	Y	Y		Closed	O-Safety	1. Located in the self-wash tub rooms 1 - 4, the outlets are falling out and are not GFCI protected.	Resolved through inquiry process.
C-2263920	Elara by Hilton Grand Vacations		02/18/2025	Online	N	N		Closed		THIS DEPARTMENT INSIDE OF HILTON GRAND VATIONS HAS COMMITTED THIS ACT MORE THAN ONCE AND WITH MULTIPLE EMPLOYEE'S. FIRST TIME WAS WITH AN OUTSIDE PUBLIC CONTACT (OPC) NAMED LOUIE CLIBOURNE; MANAGEMENT BULLIES ANYONE WHO DOESN'T FIT INTO THEIR CLICK. THE SAME MANAGEMENT TEAM; MARISSA KALBER, PIERRE LIENOR, WILLIAM HUNNICUT, AND JENNIFER PERKINS. THEN AGAIN, THEY BELITTLED AND BULLIED ANOTHER BUS AMBASSADOR MELANIE GUTIERREZ UNTIL SHE HAD TO TAKE FMLA FOR HER MENTAL HEALTH. NOW, THEY ARE DOING THE SAME WITH MYSELF. PIERRE LIENOR WITH ANOTHER MANAGER GREGORY PEOPLES THREATENED MY JOB AFTER FALSE ACCUSATIONS FROM OTHER EMPLOYEE'S - ELARA GRAND VACATIONS	No action. No jurisdiction.
C-2263934	Parry's Pizzeria & Taphouse		02/17/2025	Online	Y	Y		Closed	S-Safety	1. There is black mold in our four soda guns and their holders and pipes, which employees use for their drinks during work shifts. 2. There are electrical wires hanging over our downstairs liquor and ice wells.	Resolved through inquiry process.
C-2264243	Caesars Palace		02/19/2025	Phone	Y	Y		Closed	S-Safety	1. In the Palace Tower, 15th floor engineering storage room near the guest elevators, black mold has been growing floor to ceiling for approximately 6+ months. The employer covered the mold with plastic sheeting which has not mitigated the mold. 2. Employees have received training on mold removal and mitigation, but are only authorized to remove 10 square feet with clean water. The mold in the storage room is in excess of the 10 square feet.	Resolved through inquiry process.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2025 - 3rd Quarter January to March 2025

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	Inspection Number	UPA Open/Closed	Severity-Subject	Hazard Description and Location	Inspection Results/Comments
C-2264728	Nevada Department of Transportation		02/14/2025	Online	N	N		Closed		On 02.07.2025, I was stuck in the elevator and there were no signs posted, or no cones posted to stay off the elevator. The elevator dropped twice while I was inside and caused my back to be hurt, in addition to a major panic attack where EMS had to be called. I was told after the incident that Otis was there but NDOT had no knowledge of them being there. While I was in the elevator I was told the power was cut off. In addition to the elevator inspection being out of date. - The new headquarters for the Nevada Department of Transportation, it use to be home of the Highway Patrol.	No action. No jurisdiction - Referred to Mechanical Compliance Section.
C-2264787	UNLV Medicine Ear Nose & Throat (ENT) Spring Valley Clinic		02/11/2025	Online	N	N		Closed		1) The physician's office has a clear line of sight to the waiting room, giving a significant risk for a HIPAA violation from anyone in the waiting room to see the computers in that office. 2) Patient rooms 8 and 9 at the north end of the office are not within visible sight to the medical assistants' working desk, and patients can easily leave these rooms to approach the electrical room or staff break room unwitnessed. Today, 2/11/25, I witnessed several patients leave this room, and approach this protected back hallway. 3) I have proposed a simple solution to these problems by switching the four north end patient rooms with the four south end administrative offices, to allow the staff at the central desk the capacity to more easily limit patients from approaching their protected work/break areas. This idea was dismissed by the current management. - VHPA physician office attached to Spring Valley Hospital.	No action. No jurisdiction - Referred to Medical Board of Examiners.
C-2264840	TJX Companies Inc	HomeGoods	02/20/2025	Phone	Y	Y		Closed	O-Safety	1. In the back of the house, there are boxes that are being stored blocking emergency access routes.	Resolved through inquiry process.
C-2265181	Nevada Restaurant Services, Inc.	Dotty's #19	02/20/2025	Online	Y	Y		Closed	S-Health;S-Safety	1. Employees are exposed to sewer smells throughout the entire building causing eye and respiratory irritation.	Resolved through inquiry process.
C-2265978	The Butcher Block		02/23/2025	Online	Y	Y		Closed	O-Health	1. A strong sewage smell has been present in the restaurant for the past two months.	Resolved through inquiry process.
C-2266232	Chili's Grill & Bar		02/24/2025	Online	Y	Y		Closed	O-Safety	1. The building has water damage from ongoing leaks in the booths, bar areas, and under sinks, and employees are concerned with the hazards associated with it. 2/24/2025 SLT	Resolved through inquiry process.
C-2266809	State of Nevada Department of Education		02/25/2025	Phone	Y	Y		Open	S-Health	1. In the office, the employer is having new carpeting installed, exposing employees to harsh fumes which has caused respiratory distress.	Resolved through inquiry process.
C-2267003	Red Rock Casino Resort Spa		02/24/2025	Online	N	N		Closed		1. The service elevator, located at the back of the hotel towers, has been out of order for a year. 2. At the back of the hotel towers, employees are overloading and overcrowding a single elevator.	No action. No jurisdiction - Referred to Mechanical Compliance Section.
C-2267067	Primm Valley Resort & Casino		02/26/2025	Phone	Y	Y		Closed	O-Safety	1. At the hotel reception desk, there is water leaking from the ceiling onto a television, creating an electrical hazard for 15 employees. AB 02/26/2025	Resolved through inquiry process.
C-2267478	TLC Holdings, LLC	TLC Care Center	02/20/2025	Online	Y	N	1806758	Open	S-Health	1. Employees are not provided appropriate personal protective equipment needed to interact with patients who have MRSA and other infectious diseases. 2/27/2025 JC	Inspection conducted. No citations issued.
C-2267555	Sinclair Broadcast Group Inc.	KSNV	02/27/2025	Online	Y	Y		Open	O-Health	1. On the first floor, employees are concerned about potential exposure to asbestos and have complained of symptoms. 2. There is a sewage odor throughout the first floor and employees have complained about symptoms. 2/27/2025 KR	Resolved through inquiry process.
C-2267628	CUSTOM JACKS FOUNDATION	CUSTOM JACKS	02/27/2025	Phone	Y	Y		Closed	O-Health	1. CNC machines operate without ventilation, leading to an unsafe accumulation of airborne sawdust. 2. Employees are not given adequate respiratory protection while working with sawdust.	Resolved through inquiry process.
C-2267763	University Medical Center		02/27/2025	Phone	Y	Y		Closed	O-Health	1. The employer failed to provide employees with the results of previous air sampling upon request.	Resolved through inquiry process.
C-2267769	Tryke Companies	Curaleaf	02/27/2025	Online	Y	Y		Open		1. Employees are standing at a front desk in front of a computer screen for approximately 8 hours. Employees are potentially sustaining neck strain.	Resolved through inquiry process.
C-2267983	State of Nevada Department of Education		02/28/2025	Phone	Y	Y		Closed	O-Health	1. The new carpet installed throughout the facility is emanating a bad odor causing triggering allergic reactions and headaches among the staff. 2. The air quality in the facility is poor. 02/28/2025 JC	Resolved through inquiry process.
C-2268011	Kenworth Sales Company Inc.	Kenworth Sales Las Vegas	02/28/2025	Online	Y	Y		Closed	O-Safety	1. The delivery vehicles at the workplace require maintenance and brake pads need replacing. 2. Some of the delivery vehicles have issues with the brake pedal feeling spongy, which requires extra effort by the driver to safely stop the vehicle. 3. One of the delivery vehicles was operated without oil. 02/28/2025 JC	Resolved through inquiry process.
C-2268564	Lanz Construction LLC		03/03/2025	Phone	Y	Y		Closed	O-Safety	1. On 02/28/2025, a supervisor was consuming alcohol at a jobsite on Charleston Blvd. near North Las Vegas. 3/3/2025 JC	Resolved through inquiry process.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2025 - 3rd Quarter January to March 2025

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	Inspection Number	UPA Open/Closed	Severity-Subject	Hazard Description and Location	Inspection Results/Comments
C-2268696	WOW - The Vegas Spectacular		01/21/2025	Email	N	N		Closed	S-Safety	1. The aerial act riggers have not been trained or certified. 2. Employees are concerned for their safety while performing aerial acts up to 20 feet above the ground below. In the past week a performer fell due to improper rigging. 3/3/2025 AR	Resolved through inquiry process.
C-2268698	Walgreens		02/03/2025	Online	Y	Y		Closed	O-Safety	1. There are used syringes in the employee bathrooms. 2. The walkway in the stockroom is blocked with boxes. 3. When getting an item from the top shelf, there is no buddy system to operate the ladder that is taped to a side rail in the pharmacy.	Resolved through inquiry process.
C-2269101	Global Resources & Supports, Inc.		03/03/2025	Online	N	N		Closed		1. The work environment is hostile. 2. Overtime pay is withheld.	No action. No jurisdiction.
C-2269367	Ross Dress for Less #1595		02/28/2025	Online	Y	Y		Closed	O-Safety	1. Boxes are thrown on the stairs by the compactor. 2. Boxed are placed in front of emergency exit in the stockroom while unloading the truck. The truck driver has to move, and step over boxes to exit. 3. Employees using the compactor have to step on/over, and push boxes out of the way to get to the compactor. 4. The gondolas used to tag shoes together in the home department are held together by lanyards because the screws are missing. 5. The tiles in the women's restroom are lifting up off the ground, and creating a trip hazard. 03/03/2025 EM	Resolved through inquiry process.
C-2269376	Ross Dress for Less #1595		02/28/2025	Online	Y	Y		Closed	O-Safety	1. Boxes are thrown on the stairs by the compactor. 2. Boxed are placed in front of emergency exit in the stockroom while unloading the truck. The truck driver has to move, and step over boxes to exit. 3. Employees throwing items into the compactor have to step on/over, and push boxes out of the way to get to the compactor. 4. The gondolas used to tag shoes together in the home department are held together by lanyards because the screws are missing.	Resolved through inquiry process.
C-2269784	Marriott Resorts Hospitality Corporation	Marriott's Grand Chateau	03/05/2025	In person	Y	N	1815628	Open	O-Health	1. Mold is present in the Marketing and Sales Department , causing illness among employees. 3/5/25 PG	Open investigation.
C-2269837	TLC Holdings, LLC	TLC Care Center	03/05/2025	Online	N	N		Closed		1. The Scheduler required a night nurse to manage two halls of patients during medication pass between 7:00 pm and 9:00pm during nights when the Center is short staffed.	No action. No applicable standard.
C-2270067	Caesars Palace		03/06/2025	In person	Y	N	1810155	Closed	S-Health;S-Safety	1. Employees exposed to electric carts and motorized pallet jacks with expired certifications, to include all 3-shifts. 2. Employees exposed to electric carts and motorized pallet jacks being driven by new employees with no training and no certifications, to include all 3-shifts. 3. Employees exposed to blocked fire exits in the housekeeping supply room - backroom area with 3-electric carts or motorized carts and trash. 4. Employees exposed to electric carts or motorized carts (6-orange) with broken, missing, or hanging brake lights, some horns don't work, and some have no back-up noise for safety.	Inspection conducted. 2 citations issued - \$14,726.
C-2270088	AGORA Cosmetics		03/03/2025	Online	Y	Y		Closed	S-Safety	1. Employees are operating the forklift and handling materials in an unsafe manner. 2. Employees do not have hand or eye protection.	Resolved through inquiry process.
C-2270098	University of Nevada, Las Vegas		02/28/2025	Online	Y	Y		Closed	O-Health	1. In the hospitality building, and throughout every office in HOS 110 suite, various foul odors are present. The odors come from sewage, exhaust fumes, burning food, burning oil, and particle board/burning wood are been present in various offices, hallways, classrooms of the building.	Resolved through inquiry process.
C-2270458	Kenworth Sales Company Inc.	Kenworth Sales Las Vegas	03/05/2025	Online	N	N		Closed		1. Not able to take lunch on 2/28/2025 even with working over 9 hour shift. 3/4/2025 working over 7 hours with no lunch. Regularly unable to take breaks during scheduled shift. - 4830 Donovan Way. Kenworth building.	No action. No jurisdiction - Referred to Labor Commission.
C-2270863	Walker Furniture		02/27/2025	Online	N	N		Closed		1. Our HR manager on Tuesday February 27, 2025 was in her office and she had a bowel movement from 8 Am to 12 just sitting in her fecal matter till someone said something to management because a strong odor coming from her office, she was told to leave and she was leaving there poop all over the chair and ground and left a trail throughout the store. Then requested help from someone to help her into her vehicle. It's hard to work with that kind of smell, when her office is right by working area on the dock. 02/27/2025 EM	No action.
C-2270920	CareNow Urgent Care		03/10/2025	Online	N	N		Closed	O-Health	1. Patients are falsely identified in the EHR System and are categorized as so to appear to as having shorter wait times. Employees are concern false reporting may poorly effect medical community in emergency situations. 3/10/2025 AB	No action. No jurisdiction - Referred to Southern Nevada Health District.
C-2270938	Empire Caterpillar		03/10/2025	Online	Y	Y		Closed	O-Health	1. Employees working with human waste and radiation were not provided with the proper personal protective equipment (PPE) training. 2. Personal protective equipment (PPE) is not provided to employees.	Resolved through inquiry process.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2025 - 3rd Quarter January to March 2025

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	Inspection Number	UPA Open/Closed	Severity-Subject	Hazard Description and Location	Inspection Results/Comments
C-2271036	Goodwill Industries of Southern Nevada, Inc.	Goodwill	03/10/2025	Phone	Y	Y		Closed	S-Safety	1. Employees were injured on two separate occasions by the trash compactor door. 2. Located in the warehouse, the weight capacity of the storage racks is exceeded. 3. Material are not securely stored on the storage racks. 4. The forklift operators are not trained and certified to operate forklifts. 5. Employees in the warehouse are not provided with personal protective equipment, such as eye protection or gloves.	Resolved through inquiry process.
C-2271155	AAA Custom Cabinets, Inc.	AAA Custom Cabinets, Inc.	03/10/2025	Online	Y	N	1811472	Closed	S-Safety	1. Improper and unsafe tools for use of dado machine. 2. The table saws are missing guards. 3. Eyewear is not used when using saws. cw 3/10/2025	Inspection conducted. No citations issued.
C-2271527	One World Specialties LLC		03/04/2025	Online	Y	N	1811786	Open	O-Safety	1. Fire extinguishers are not being inspected monthly. 2. Employees are not provided with fire extinguisher training. 03/04/2025 EM	Inspection conducted. No citations issued.
C-2271550	Americold Logistics, LLC		03/11/2025	Phone	N	N		Closed		1. Employees operate unsafe stand up forklifts in Building B. There are approximately 10 stand up forklifts that do not function properly. The stand up forklifts rattle when operated due to missing parts, and the wheels attached to the stand up forklifts have missing bolts. 03/11/2025 EM	Resolved through inquiry process.
C-2271605	Ryder		03/10/2025	Online	Y	Y		Closed	S-Health;S-Safety	1. Employees exposed to forklift drivers intoxicated with marijuana and alcohol driving around warehouse.	Resolved through inquiry process.
C-2271771	Sierra Ready Mix		03/11/2025	Online	Y	Y		Closed	O-Health	1. There are multiple slip, trip and fall hazards all over the yard including the mechanic shop due to wet surfaces. 3/12/2025 AL	Resolved through inquiry process.
C-2271815	Clark County School District	Northeast Career & Technical Academy	03/12/2025	Phone	Y	Y		Closed	O-Health	1. Throughout Building A, there is a strong smell of sewer gas causing employees to have nausea, headaches, and watery eyes. The smell is strongest after lunch time.	Resolved through inquiry process.
C-2271947	Cintas Corporation No. 3		03/12/2025	Phone	Y	Y		Open	S-Safety	1. Seams-persons are instructed to store razors in their pockets, and employees are cutting themselves when retrieving them from their pockets. 2. Seams-persons are instructed to use seam rippers and thread clippers and have not provided training to use them.	Resolved through inquiry process.
C-2272004	Radiant Smiles, LLC		03/12/2025	Phone	Y	Y		Closed	S-Health	1. Employees are exposed to bloodborne pathogens and are not provided with personal protective equipment such as safety glasses and gowns. 2. The employer has stopped providing Cavicide wipes and are creating home made disinfectant wipes which are not a proper disinfectant.	Resolved through inquiry process.
C-2272020	Las Vegas Manor and Associates		03/12/2025	Online	Y	Y		Closed	S-Safety	1. There have been multiple ladder accidents at 2 different properties managed by this company. Heritage Park Senior Apartments at 3555 Stober Blvd., Las Vegas, NV 89103 and Sienna Senior Apartments at 4175 South Decatur Blvd., Las Vegas, Nevada 89103. They have not reported at least 2 separate accidents to OSHA. 2. At least 12-15 employees are working for the company without OSHA cards.	Resolved through inquiry process.
C-2272197	All Current Electrical Sales		03/12/2025	Online	N	N		Closed		1. Witnessed 2 or more employees ingesting marijuana via vape pen in parking lot during work hours - Front Parking lot of office	No action. No hazard alleged.
C-2272203	Doral Pebble Campus		02/06/2025	Online	N	N		Closed		1. They have teenagers directing traffic for school pick that has vehicles backed up onto Blue Diamond. - Pebble Rd, Torrey Pines Rd, Blue Diamond Rd	No action. No jurisdiction.
C-2272429	Couture Dermatology & Plastic Surgery		03/11/2025	Online	Y	Y		Open	O-Safety	1. In the back room, break room, and front office, there are tripping hazards due to uneven tile and electrical outlets protruding from the floor. 2. A closet door that opens out into an employee walkway can strike employees as they turn down the walkway. 03/14/2025 AB	Resolved through inquiry process.
C-2272667	DBR Plumbing LLC		03/12/2025	Online	Y	Y		Closed	S-Safety	1. Employees are lowering pipes into excavations without safety equipment. 2. Employees are not provided water breaks.	Resolved through inquiry process.
C-2272756	Exponents Insta USA Inc. Las Vegas		03/12/2025	Online	Y	N	1812304	Open	O-Safety	1. There is no hood on the table saw. 2. Employees are not trained and certified to operate the forklifts. 3. Pallet storage is not stable and secure. 03/14/2025 EM	Inspection conducted. 4 citations issued - \$13,166.
C-2273200	Bellagio		03/17/2025	Online	Y	Y		Closed	S-Safety	1. The employer does not provide fall protection for employees working at heights of up to 60 feet in the warehouse. 2. The employer does not provide hard hats to employees, even after injuries have occurred, and fails to address the issue. JA 03/17/2025	Resolved through inquiry process.
C-2273242	Clark County	Aviation Department	03/17/2025	Online	Y	Y		Closed	O-Safety	1. The employees are exposed to workplace violence in the warehouse. JA 3/17/2025	Resolved through inquiry process.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2025 - 3rd Quarter January to March 2025

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	Inspection Number	UPA Open/Closed	Severity-Subject	Hazard Description and Location	Inspection Results/Comments
C-2273307	Forte Specialty Contractors		01/21/2025	Online	N	N		Closed	O-Safety	No one is Train in Incident or Accident Reporting No one is Train on Bloodborne Pathagents No Training on Personal Protective Equipment No one is trained on Emergency Action Plan No proper PPE is being Provided by Company Allegiant Electric or any files that they are receiving by Allegiant Electric. Employees are being paid to work by Allegiant Electric. My Friend: Ivan Almost Lost an Eye with Metal and Company Allegiant Electric dosent want to help (Happened on 01-14-2025) Jobsite Lot 61 Also that jobsite it self is unsafe with open trenches and no one using fall protection on the edge with general contractor Falcon Ridge Lot 61 is on the main gate by General Contractor Forte Specialty Contractor, LLC 11200 Granite Ridge Drive Las Vegas, NV 89135 The Main Entrance by West Flamingo Rd & Granite Ridge Dr	No action. Not enough information to process.
C-2273425	Chip-N-Dale's Custom Landscaping		03/17/2025	Phone	Y	Y		Closed	O-Safety	1. The employer did not provide the necessary PPE, including gloves, face masks, and goggles, to employees who handle fertilizer as part of their regular job duties. 2. No restroom is immediately available to employees.	Resolved through inquiry process.
C-2273482	Allegiant Air LLC	Allegiant Airlines	03/17/2025	Phone	Y	Y		Open	O-Safety	1. Located in OCC Building #1, near dispatch, maintenance control, and crew services, the office space lacks proper lighting, making it difficult for employees to identify trip hazards.	Resolved through inquiry process.
C-2273741	South Buffalo Springs Animal Hospital		03/11/2025	Online	Y	N	1811502	Open	S-Health	1. The building floods with water contaminated with urine and feces from the yard and employees are concerned with the hazards associated. 2. There are vermin, such as insects, in the boarding rooms. 3. There is storage equipment that is at risk of falling.	Inspection conducted. 1 citation issued - \$0.
C-2273845	CRET LLC	Nellis Auction	03/18/2025	Online	Y	Y		Closed	O-Safety	During the Friday to Sunday shift, there are several safety concerns regarding the operation of Powered Industrial Trucks (forklifts): 1. Forklift operators are not providing sufficient notice to nearby employees through visual, audible, or verbal cues when moving equipment. This lack of communication increases the risk of accidents. 2. Forklifts are transporting pallets at heights of 6 feet or higher over long distances, sometimes across the entire length of the building, while at least 10 employees are present in the vicinity. Limited visibility and stability further compound the safety risk. 3. Operators are exiting trailers without notifying nearby individuals, potentially putting others at risk due to the lack of awareness. 4. Forklifts are being operated without using the proper warning lights, reducing visibility and increasing the likelihood of accidents. JA 3/18/2025.	Resolved through inquiry process.
C-2274128	Indian Health Services - Moapa	Irene Benn Medical Center	01/30/2025	Online	Y	Y		Open	O-Safety	1. There is no running water in the clinic. 2. Employees are given no guidance on infection prevention. 3/19/2025	Resolved through inquiry process.
C-2274312	Medical Transport Company, LLC		03/19/2025	Phone	Y	Y		Open	O-Safety	1. The transport vans are not being maintained in a safe condition. Vans are being ran while the check engine lights are on, air conditioning is not functioning, and some seat belts and door handles are not working. 2. Vans have stopped running while on the freeway, forcing employees to make emergency stops on the side of the road.	Resolved through inquiry process.
C-2274316	Boulder Hwy TNC, LLC	Town & Country Manor III	03/19/2025	Online	Y	Y		Closed	O-Health	1. Employees are exposed to black mold in rooms 167, 117, and 119, as well as outside rooms 204, 205, 206, 207, and 208, which has caused illness among staff. JA 3/19/2025	Resolved through inquiry process.
C-2274419	Clark County School District	Northeast Career & Technical Academy	03/14/2025	Online	N	N		Closed	O-Health	1. Throughout Building A, there is a strong smell of sewer gas causing employees to have nausea, headaches, and watery eyes. The smell is strongest after lunch time.	Resolved through inquiry process.
C-2275516	Clark County Division of Child Support		03/24/2025	Online	Y	Y		Closed	O-Health	1. There is not enough toilet closets to support the staff. 3/24/2025 AB	Resolved through inquiry process.
C-2275655	Swissport		03/23/2025	Online	Y	Y		Closed	O-Health	1. On the British Airways flight ramp at gate E1, guards are not provided with appropriate personal protective equipment, such as gloves, while performing employee clothed body pat-downs. 2. Employees have not been trained on the potential hazards of coming into contact with bloodborne pathogens in the event of an incident.	Resolved through inquiry process.
C-2275740	Resorts World Las Vegas, LLC	Resorts World Las Vegas	03/21/2025	Online	Y	Y		Closed	S-Safety	1. At the beginning of February 2025, the glass sliding door on the donut case broke shattering glass everywhere. Three weeks later, a new glass door was installed and broke the next day shattering glass everywhere, and one employee got glass in their eye.	Resolved through inquiry process.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2025 - 3rd Quarter January to March 2025

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	Inspection Number	UPA Open/Closed	Severity-Subject	Hazard Description and Location	Inspection Results/Comments
C-2275938	Biolife Plasma Services		03/20/2025	Online	Y	Y		Closed	O-Health	1. In the sample preparation area for plasma donation, there is a strong sewage smell that is affecting the employees that work in that area.	Resolved through inquiry process.
C-2276017	University Medical Center of Southern Nevada		03/24/2025	Phone	Y	Y		Closed	S-Health	1. There is a roach infestation in both X-Ray rooms, and an employee was bitten by one. 2. Employees are exposed to radiation in the Trauma IR Rooms while procedure are performed. Employees are required to enter the space during care but are not provided lead covers. 3. Employees are exposed to radiation were the mini-C arm machines are used as there is no shielding in place. 4. In the ER room, there is a low clearance pipe in the pathway of employees in the area. 3/26/2025 AB	Resolved through inquiry process.
C-2276021	OFT, INC.		03/25/2025	Online	Y	Y		Closed	O-Health;O-Safety	1. Employees have requested face masks to prevent inhaling of nuisance food particulates and the employer has refused. 2. The employer has used unsafe practices to retrieve pocket knives from inside machines. 3. Employees are required to use bathroom sink for nuisance food particulates such as spices that enter the eyes. 3/26/2025 AB	Resolved through inquiry process.
C-2276074	Caesars Palace LLC	Caesars Palace	03/25/2025	In person	Y	N	1810155	Closed	S-Safety	1. In the housekeeping supply area, a red broken battery powered loading cart has not been put out of service for repairs. 2. Employees have not been provided a refresher training and evaluation for powered industrial trucks for 3 years.	Inspection conducted. 2 citations issued - \$14,726.
C-2276137	The Carriage House		03/24/2025	Online	N	N		Closed		Employees are being pressured to complete room cleanings in less time than stipulated in their contracts, compromising both contractual agreements and workplace safety. Thomas Shaw consistently instructs housekeepers to finish their tasks within a reduced timeframe, disregarding the potential risks to employee well-being and safety. - Guests rooms and hallways	No action. No jurisdiction.
C-2276185	Invictus International		02/25/2025	Online	N	N		Closed		Armed guards high on drugs while on shift carrying handguns - 675 Grier	No action. No hazard alleged.
C-2276203	AM Steel LLC		02/03/2025	Online	N	N		Closed	O-Safety	Estan fabricando para proyectos grandes (Structural steel) y no tienen la capacidad en el establecimiento - 1901 Losee rd. NLV NV 89030	No action. No hazard alleged.
C-2276212	PACSUN		02/18/2025	Online	Y	Y		Open	O-Safety	1. In the stockroom, The HVAC unit is broken. As a result, the working conditions in this area have become extreme, particularly on hotter days, which significantly impacts all employees performing their tasks.	Resolved through inquiry process.
C-2276430	Creative Cleaning Service		03/24/2025	Phone	Y	Y		Open	O-Safety	1. On December 11, 2024, an employee was removing shelving from a 10-foot height while standing on an 8-foot A frame ladder. The employee fell from the ladder and injuring his face against the wall and had his foot caught while making impact with the lower level. The employee reported the injury and requested medical assistance on December 13, 2025. The employer denied medical assistance. 2. The injured employee requested medical attention on December 30, 2024, and was denied. 3/26/2025 AB	Resolved through inquiry process.
C-2276666	Global Community High School		03/26/2025	Phone	Y	Y		Closed	S-Health	1.A classroom has been without air conditioning for four weeks, resulting in students and faculty to feel exhausted and nauseated while utilizing the room. Staff have been alerted that a part is missing from the unit for two weeks, but it has not been fixed and there are concerns with the growing heat that employees and students may experience heat exhaustion. 3/26/2025 KR	Resolved through inquiry process.
C-2276697	Quest Diagnostics		03/26/2025	Phone	Y	Y		Closed	S-Health	1. Employees are concerned that their "near misses" or workplace incidents are not being handled in accordance with the exposure control plan or bloodborne pathogen program. An employee had a potential needle stick incident, resulting in a broken glove and blood directly on their skin. When speaking with management, they were told that it was a "near miss" and that they would not need health screenings or to follow the procedures that were a part of the exposure control plan or bloodborne pathogen program. Employees have also had urine and other bodily fluids thrown at them. 3/26/2025 KR	Resolved through inquiry process.
C-2276700	Clark County School District C.V.T. Gilbert ES		03/26/2025	Online	Y	Y		Closed	S-Safety	1. There is no a/c in the classrooms. It started Monday 3/24/25.	Resolved through inquiry process.
C-2277022	HHC 7155 WEST ANN ROAD, LLC	Houston TX Hot Chicken	03/26/2025	Online	Y	Y		Open	O-Safety	1. Throughout the building, employees have been exposed to 90-degree heat without air conditioning or fans for over a month. AB 03/27/2025	Resolved through inquiry process.
C-2277422	Preventive Pest Control Las Vegas		03/28/2025	Online	Y	Y		Closed	O-Health	1. Pesticides are improperly stored and utilized by employees, as employees have no received hazard communication training. 2. Any personal protective equipment that is provided for employees are expired or "broken". 4/8/2025	Resolved through inquiry process.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2025 - 3rd Quarter January to March 2025

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	Inspection Number	UPA Open/Closed	Severity-Subject	Hazard Description and Location	Inspection Results/Comments
C-2277629	Single Day Surgery Center		03/26/2025	Online	Y	Y		Open	O-Health	1. The floors are lifting up in the bathrooms which pose a trip hazard to employees. 2. Employees are required to push and move wheelchairs and gurneys that have no brakes or do not work properly.	Resolved through inquiry process.
C-2277631	Atlas Mechanical, Inc.		03/28/2025	Online	Y	Y		Open		1. Employees are smoking marijuana during working hours while working on and around heavy machinery.	Resolved through inquiry process.
C-2277632	Kohl's		03/27/2025	Online	Y	Y		Open		1. On 03/25/25-03/26/25 there was merchandise and product on the floor in several departments creating tripping hazards for employees. 2. Behind the customer service counter there is minimal space which leads to trips over broken totes/boxes. 3. Back room stock racks have product draped over the shelves, potentially exposing employees to being struck by falling product. 4. New hire employees do not receive safety training.	Resolved through inquiry process.
C-2277633	Jessie Rae's BBQ		03/28/2025	Online	Y	Y		Open	S-Safety	1. The building is hot, and the air conditioning has been broken for over a year. Employees are being potentially exposed to heat stress related illness.	Resolved through inquiry process.
C-2278039	Sprouts Farmers Market #509		03/29/2025	Online	Y	Y		Open	O-Health	1. Employees at the establishment may be exposed to contagious illnesses due to the absence of a current program ensuring the health, safety, and control of infectious disease exposure.	Resolved through inquiry process.
C-2278131	Las Vegas NV Opco LLC	Mission Pines Nursing & Rehabilitation Center	03/31/2025	In person	Y	Y		Closed	S-Health	1. There is a bed bug infestation in the facility. Employees have been bitten. Administration has done nothing to address the situation.	Resolved through inquiry process.
C-2278161	Salvation Army		03/31/2025	Online	Y	Y		Closed	O-Safety	1. In the bathrooms, employees are exposed to OPIMS and Bloodborne pathogens such as feces and menstruation disposals. 2. In the bathroom, sanitation is not maintained.	Resolved through inquiry process.
C-2278391	HomeGoods, Inc.		03/31/2025	Phone	Y	Y		Closed	S-Safety	1. The Processing Room stores trash ten-feet high and an unstable manner with the potential to fall on employees. 2. Merchandise boxes are stored over five-feet high in the processing room and creates a crush-by hazard for employees. 4/1/2025 AB	Resolved through inquiry process.
C-2278615	Walmart Market #3356		03/31/2025	Online	Y	Y		Closed	O-Safety	1. Glass doors by pain medication and make-up removal fell on top of employees and the glass broke.	Resolved through inquiry process.
C-2278625	Biolife Plasma Services		02/06/2025	Online	Y	Y		Open	O-Health	1. In the biolife building, the lab sink has been smelling for over a month which is causes employees to get headaches or nauseous.	Resolved through inquiry process.
C-2278627	New York-New York, LLC	New York-New York Hotel & Casino	02/14/2025	Online	N	N		Closed		1. Supervisors do not have OSHA 30 cards. 2. OSHA 10 and OSHA 30 cards expired for engineers	No action.
C-2278631	Clear River LLC		03/03/2025	Online	Y	Y		Open	O-Health	1. There is mold inside of the wall that connects to the fertigation room to the main hallway which is next to a drain.	Resolved through inquiry process.
C-2278639	Foodie Fit		03/20/2025	Online	Y	Y		Open	O-Safety	1. Employees are not provided with personal protective equipment (ppe) such as non slip footwear. 2. In the Prep room near the prep station, there are slip hazards due to water spills resulting in employee injuries.	Resolved through inquiry process.
C-2278644	Marksman Security Corporation		03/26/2025	Online	Y	Y		Closed	O-Health	1. Air Conditioning and heating is not working in the guard shack. 2. Hot water is not working in the guard shack bathroom.	Resolved through inquiry process.
C-2278799	CZAR Marketing Group		03/17/2025	Online	N	N		Closed		1. Mexican cartel is managing the call center and uses abusive management style because employees are not college graduates. 2. Management have ankle bracelets, come to work high and drunk, and smoke weed on breaks. 3. Management hires gang members to carry out gang orders and to follow people to bus stops and threatens to shoot up the bus stop. 4. Management forces people with back injuries to stand even under social security documents. 5. Employees have criminal records putting others in harm way with local gangs and Mexican cartel.	No action. Directed source to LVMPD.
C-2279098	Sierra Ready Mix		03/26/2025	Online	Y	Y		Closed	S-Health;S-Safety	1. Employees have no access to potable water. Potable water shall be provided in all places of employment, for drinking, washing of the person, cooking, washing of foods, washing of cooking or eating utensils, washing of food preparation or processing premises, or personal service rooms. 2. Employees do not have access to the correct number of water closets based on the number of male and female employees at the facility. 3. Employees are required to operate work trucks that do not have air conditioning and are exposed to excessive heat conditions inside the cab of their trucks for over 8+hours a day. 4. Employees are exposed to unsanitary conditions in all lavatories onsite. 5. Employees shall be provided with hot and cold water or tepid running water in each lavatory onsite.	Resolved through inquiry process.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2025 - 3rd Quarter January to March 2025

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	Inspection Number	UPA Open/Closed	Severity-Subject	Hazard Description and Location	Inspection Results/Comments
C-2279126	H&R Block		03/31/2025	Online	Y	Y		Closed	S-Safety	1. Employees exposed to high temperatures inside office with no working air conditioner.	Resolved through inquiry process.
C-2279134	Clark County School District Food Services		03/25/2025	Online	Y	N	1815594	Open	S-Safety	1. There is no training on safety programs or plans in the central kitchen. 2. Employees are operating forklifts without training. 3. Equipment is missing guards or the guards are unsecured. 4. There is no eyewash station. 5. Employees are cleaning and/or working on equipment that are not locked out or unplugged. 6. In the warehouse there are blocked fire exits.	Inspection conducted. 1 citation issued - \$12,059.
C-2280559	The Raider Image		03/17/2025	Online	Y	Y		Closed	S-Health;S-Safety	1. The warehouse does not have a fire sprinkler system and employees are concerned about the associated hazards. 2. Employees are using chemicals, such as cleaning chemicals and soap, without effective information or training.	Resolved through inquiry process.
C-2281984	Bellagio		03/31/2025	Online	Y	Y		Open	O-Safety	1. Employees working on the casino floor, in the pits, and in the walkways are experiencing difficulty breathing, headaches, congestion, skin rashes, and nausea due to the signature air scent that has been used since around March 2023.	Resolved through inquiry process.
F-2249933	Washington Tires and Accessories LLC	Amigo Tires	01/09/2025	Phone	N	N		Closed		An employee arrived at work on January 7, 2025 at approximately 7:00PM and appeared unwell. The employee was in the courtyard at 7:53PM stumbling and leaning against objects. The employee collapsed to the ground at 8:00PM and was last observed to be moving on the ground January 8, 2025 at 4:00AM. The owner observed the employee via CCTV at 7:40AM, called the manager who later arrived and called Emergency Services. The employee was pronounced deceased. Clark County Coroner's Office Case# 2025-0194, LVMPD Event# 250100027478.	No action. Fatality not occupationally related.
F-2259293	City Of North Las Vegas Police Department		02/04/2025	Phone	N	N		Closed		1. On 2/4/2025 at approximately 2:20 pm an officer responded to a 911 call regarding a suspect throwing rocks and having an unknown weapon. The officer suffered multiple gunshot wounds. The officer was transported and admitted to UMC hospital for surgery. The employer was notified of the officer's passing on 2/05/2025. 2/5/2025 AR	No action. City of North Las Vegas Police jurisdiction.
F-2259454	The Barbers Garage		02/04/2025	Phone	Y	N	1802409	Closed		1. On 2/4/2025 at approximately 11:35 PM an electrician fell through an attic to the level below. The electrician was transported and admitted to UMC Hospital.	Inspection conducted. No citations issued.
F-2266024	Nevada Yellow Cab Corporation	Yellow Cab Company	02/22/2025	Phone	N	N		Closed		1. On 2/21/2025 at approximately 3:44 PM, an employee was found at the Taxicab Authority office unresponsive in the restroom. The employee was transported to Sunrise Hospital and pronounced deceased. The employer was made aware of the fatality at approximately 11:45 PM and subsequently reported the fatality to NVOSHA.	No action. Fatality not occupationally related.
F-2268939	University Medical Center		03/04/2025	Phone	N	N		Closed		On 03/04/2025, at approximately 03:30AM the decedent was found by a co-worker in the employee restroom, disoriented and unable to speak. He was taken to the emergency department for a suspected stroke and received a triple bypass operation. The employee passed away in hospital on 03/06/2025 at approximately 10:00AM.	No action. Fatality not occupationally related.
F-2270481	National Freight Industries		03/07/2025	Phone	N	N		Closed		The employee went outside of the facility to the smoking area for a break. The employee collapsed near the smoking area where he was discovered by a first shift supervisor that was arriving at the facility for the start of first shift at 5:09am. Emergency medical services was called, and the employee was transported to Henderson Hospital and was pronounced dead at approximately 7:45am.	No action. Fatality not occupationally related.
F-2271448	Pinnacle Community Services Ltd	Pinnacle Community Services, Ltd	03/11/2025	Phone	N	N		Open		1. On March 11, 2025 at approximately 12 a.m. the employee arrived at 6228 Burnt Hills Drive, North Las Vegas, Nevada 89130 to provide personal care/cleaning services to three developmentally disabled persons. At approximately 8:45 a.m. the employee was found unresponsive. At approximately 9:06 a.m. cardiopulmonary resuscitation (CPR) was performed on the unresponsive employee, and emergency services were called. The employee was transported by ambulance to Mountain View Hospital. The employee was pronounced deceased at Mountain View Hospital at approximately 10 a.m. on 03/11/2025.	No action. Fatality not occupationally related.
R-2248195	Nayar Underground		01/03/2025	Phone	Y	Y		Closed	S-Safety	1. On 1/3/2025 at 11:00am, a metal plate was being placed over a trench. The trench plate came loose and fell onto an employee's foot. The employee was transported to UMC for treatment.	Resolved through inquiry process.
R-2248196	Lumen Technologies		01/02/2025	Phone	Y	Y		Closed	O-Safety	1. On 12/31/2024, an employee was on a ladder doing a cable installation at a residence where he fell and fractured his leg. Someone called 911 and the employee was then transported to Sunrise Hospital, where he was admitted & remains admitted. 1/3/2024 AR	Resolved through inquiry process.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2025 - 3rd Quarter January to March 2025

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	Inspection Number	UPA Open/Closed	Severity-Subject	Hazard Description and Location	Inspection Results/Comments
R-2249053	Cels Enterprises Inc		01/07/2025	Online	Y	Y		Closed	S-Safety	1. Pallets are stacked three high in the warehouse and are unstable and may fall. 2. Forklift operators are not fully trained. 3. Forklift operators do not honk their horns and do not wear seat belts.	Resolved through inquiry process.
R-2249058	G2 Secure Staff		01/07/2025	Phone	Y	Y		Closed	O-Safety	1. On Saturday, 01/04/2024, at 10:00 PM, an employee who had been waiting on passenger arrivals had lost consciousness due to low blood sugar and low blood pressure. The employee was taken to sunrise hospital by ambulance.	Resolved through inquiry process.
R-2249192	Cafe Berlin		01/07/2025	Phone	Y	Y		Closed	S-Safety	1. In facilities, shelves are held together with zip-ties. 2. Employees working with chlorine are not provided PPE.	Resolved through inquiry process.
R-2249194	Nevada Restaurant Services Inc		01/07/2025	Phone	Y	Y		Closed	S-Safety	1. At the Doty's Casino Job site, employees are not provided the proper ladders to access the roof. 2. Employees are not provided fall protection while performing work on the roof.	Resolved through inquiry process.
R-2249215	Overton Power District 5		01/07/2025	Phone	Y	N	1796660	Closed	S-Safety	1. On Willis Carrier and Pioneer, 3 employees were performing work on a volt transformer, an employee had cut a energized wire, and experienced a flash burn. 1 employee had been flown to UMC hospital and hospitalized.	Inspection conducted. 1 citation issued - \$8,067.
R-2249225	Alliance Environmental Group		01/03/2025	Email	Y	N	1796408	Closed	S-Health	1. Employees are working in containment without utilizing any PPE, such as respirators or Tyvek suits. 2. There are no manometers or negative air machines on site. 1/7/2024 KR	Inspection conducted. No citations issued.
R-2249526	Team Fishel		01/08/2025	Phone	Y	Y		Closed	O-Safety	1. Located on Torey Pines Dr. & Harmon Ave, a crew was observed working in the street without any flaggers or signaling.	Resolved through inquiry process.
R-2249783	Black Mountain Fulfillment		01/08/2025	Phone	Y	Y		Closed	O-Safety	1. At the establishment, live electrical wires are hanging from the ceiling. 2. Employees are not wearing seat belts while operating the forklift.	Resolved through inquiry process.
R-2249908	RISE Recreational Dispensary & Delivery		01/03/2025	Online	Y	Y		Closed	O-Safety	1. Employees are providing curbside services at night with no protection while handling money and cannabis products.	Resolved through inquiry process.
R-2249931	Spring Mountain Treatment Center		01/08/2025	Email	Y	Y		Closed	O-Health	1. On December 17th, in the North Unit Nursing Station, a patient made threats and attempted to get into the nurses station. The patient was then given emergency medication. 2. On December 21st, in the North Unit Nursing Station, a patient pulled down ceiling tiles and then started hanging from the ceiling by their hands. They were placed into a seclusion room and locked in seclusion. 3. On December 22nd, in the North Unit Hall, a patient began making threats to other patients and staff. They were given emergency medications and placed in an approved standing restraint. 4. On December 22nd, in the North Unit dayroom, a patient began getting aggressive with another patient. They were given emergency medications and placed in an approved standing restraint. 5. On December 22nd, in the North Unit Patient Bedroom, a patient began getting aggressive to a staff member. They were given emergency medications and placed in an approved seated restraint. 6. On December 24th, in the North Unit Hall, a patient used a fire extinguisher and attempted to brandish it as a weapon after punching the box housing it. They were given emergency medications and placed in an approved seated restraint. 7. On December 24th, in the East Unit Hall, a patient threw a water container at a staff member. This hit the staff in the shin, and resulted in redness at the area. Patient was calmed and sent to their room. 8. On December 29th, in the North Unit Hall, a patient used a marker in an attempt to threaten staff. They were given emergency medications and placed in an approved seated restraint. 9. On January 1st, in the North Unit Hall, two patients got into an altercation. One was given emergency medications and placed in an approved seated restraint. 10. On January 1st, in the Sahara Group Room, two patients got into an altercation. One was given emergency medications and placed in an approved seated restraint. 11. On January 2nd, in the North Unit Hall, a patient jumped over a nurses station and aggressively into the next unit. They were given emergency medications and placed in an approved seated restraint. 12. On January 3rd, in the South Unit Hall, a patient began banging their head on the exit door. They were given emergency medications and placed in an approved seated restraint. 13. On January 9th, in the Intake Consult Room, a patient shoved a staff member. They were given emergency medications and placed in an approved seated restraint. 14. On January 11th, in the North Unit Common Area, two patients began a physical altercation with one another. One was escorted away and later released. 15. On January 11th, in the South Unit Hall, a patient began yelling and became disruptive by throwing items. After having medication called, they began to try and enter another patients room. They were given emergency medications and placed in an approved seated restraint.	Resolved through inquiry process.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2025 - 3rd Quarter January to March 2025

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	Inspection Number	UPA Open/Closed	Severity-Subject	Hazard Description and Location	Inspection Results/Comments
R-2249981	Entek Manufacturing, LLC		01/09/2025	Phone	Y	N	1789813	Closed	S-Safety	1. In August 2024, the machine shop's black and yellow Amada saw was being used to cut a block of metal. During that task, the employer overrode the machine's capabilities resulting in a partial amputation of a finger. 2. In September 2024 in fabrication, there is a table saw at the end of the aisle which an employee was using to cut a piece of metal. While trying to cut through the metal, the piece of metal pinched the middle finger of the employee's right hand and the saw cut through the finger resulting in an amputation. 3. The table saw and disc grinder involved in the September 2024 and November 2024 amputation were not bolted down at the time of injury. 4. The employer did not report the amputations within 24 hours to NV OSHA. 5. Employees are provided safety glasses, but the employer does not enforce it on the floor. cw 1/9/25	Inspection conducted. 2 citations issued - \$11,621.70.
R-2250021	Unicorn Moving		01/08/2025	Online	N	N		Closed		1. On 1/4/2025, an employee tripped while moving a box down the stairs, tripped, and hit a wall with their hands. There were no bandages available.	No action. No applicable standard.
R-2250232	Las Vegas Paving Corporation		01/06/2025	Phone	Y	Y		Closed	S-Health	1. On 01/04/2024 around 11:30 am, two vehicles got into an accident at the intersection of Maryland Parkway & Briger Street. One vehicle spun out and hit employee 1. Employee 2 called 911 and employee 1 was transported to UMC where they were admitted due to pelvic fractures and is scheduled for surgery for Monday. 1/10/2025 SLT	Resolved through inquiry process.
R-2250337	Foreland Refining Corp		01/10/2025	Online	Y	Y		Closed	S-Safety	1. At the facility, steam line restraints are not provided for pipes. 2. Employees are exposed to gasses due to the lack of vapor recovery. 3. Employees are not provided eyewash stations. 4. Emergency exits are blocked throughout the facility. 5. Spilled waste or material are not cleaned up.	Resolved through inquiry process.
R-2250432	Las Vegas Gynecologic Oncology		01/10/2025	Online	Y	Y		Closed	O-Health	1. Safety Data Sheets are not available for employees at the facility. 2. Biohazardous contaminated materials are thrown into regular trash bins.	Resolved through inquiry process.
R-2250566	Legacy Wellness, LLC	Elements Massage	01/10/2025	Phone	Y	Y		Closed	S-Health	1. In the facility, employees are exposed to high hydrogen sulfide concentration or sewer fumes from the bathroom. 2. In the facility, employees are exposed to allergens. 3. In the facility, employee work place has not been kept cleaned, and ventilation system have not been maintained.	Resolved through inquiry process.
R-2250572	Splash Supper Club		01/09/2025	Online	Y	Y		Closed	S-Safety	1. Employees exposed to potential burns and/or fire hazards with due to transporting hot coals around Club without personnel protective equipment or safety procedures in place. 2. Employees exposed to potential slip and fall risk due to liquids being splashed on the floor during hookah preparation. 3. Employees exposed to potential electrocution hazards with liquids being splashed on the floor and outlets without proper outlet covers for the wet conditions.	Resolved through inquiry process.
R-2250615	Dignity Health - St. Rose Dominican Hospital		01/10/2025	Email	N	N		Closed	S-Safety	1. A mother of a patient and a staff member were involved in a verbal altercation that led to a physical altercation between the two. There was spitting, hitting, and punching involved by both parties.	Resolved through inquiry process.
R-2250627	Stratosphere Casino, Hotel & Tower		01/09/2025	Phone	Y	Y		Closed	S-Safety	1. At the facility, an employee working outside was going back inside had his finger caught on the door and crushed. The employee had been transported to Sunrise Hospital by ambulance.	Resolved through inquiry process.
R-2251150	7-Eleven Food Store #13705		01/13/2025	Phone	Y	Y		Closed	O-Safety	1. On January 12 at approximately 4:00 a.m., an employee tried to stop a customer from stealing an item from the store. The employee followed the customer to the parking lot where he was assaulted by the customer with a baseball bat. The employee was transported to UMC Trauma Center where he was admitted in the ICU for head injuries. 1/13/24 AL	Resolved through inquiry process.
R-2251276	Down 4 Sound		01/10/2025	Online	Y	Y		Closed	O-Safety	1. Employees are operating forklifts in the warehouse while under the influence of controlled substances such as marijuana. 1/13/25 AL	Resolved through inquiry process.
R-2251291	Valley Health System LLC	Centennial Hills Hospital Medical Center	01/08/2025	Email	Y	Y		Closed	O-Safety	1. In patient room 631, on 12/21/2024 at 12:10 pm, M, C 8011735456- Patient in 631 kicked a nurse in stomach and cussing, very aggressive. Threatened to get a knife to get out of here. 2. In patient 809, on 12/21/2024 at 12:15 pm, N, S 8011686931-Patient upset and kicked 2 nurses and scratched 1, medicated and restrained.	Resolved through inquiry process.
R-2251422	Sunrise MountainView Hospital, Inc.		01/08/2025	Email	N	N		Closed	O-Safety	1. On 11/25/2024 a patient threw a food tray and bedpan at an employee in IMC Room 2102. 2. On 12/2/2024 a patient became combative and scratched an employee in 4 South Room 4032.	Resolved through inquiry process.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2025 - 3rd Quarter January to March 2025

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	Inspection Number	UPA Open/Closed	Severity-Subject	Hazard Description and Location	Inspection Results/Comments
R-2251511	Summerlin Hospital Medical Center		01/06/2025	Email	N	N		Closed	O-Health	1. On 12/20/2024, a patient attempted to bite the arm of the CNA through their clothing, but did not break skin, while the CNA was rolling the patient to change the bed linens. 2. On 12/19/2024, a patient yelled at staff members and commented, "More staff members should die like that CEO." 3. On 12/26/2024, a patient became agitated during the restraint process and the patient tried to bite the house supervisor. The patient verbally threatened to punch another staff member, while calling another staff member inappropriate names. 4. On 12/28/2024, a patient brought in for combativeness and intoxication. The patient stuck and ER tech in the chest while the tech was attempting to change the patient into a hospital gown. 5. On 01/06/2025, a patient suffering from dementia attempted to elope and would not follow directions back to their room. 1/14/2025 JC	Resolved through inquiry process.
R-2251535	North Vista Hospital		01/08/2025	Email	N	N		Closed		1. On 11/21/2024 at 2:50 a.m. in the adult emergency department - triage, the patient entered the ED triage area, refused to speak with RN, suddenly lunged at the RN, pinned him against the wall and began swinging punches at the nurse. Other staff & security came to assist, the patient and the RN went to the floor before the patient could be subdued.	Resolved through inquiry process.
R-2251626	G2 Secure Staff, LLC		01/14/2025	Phone	Y	Y		Closed	S-Safety	1. On 01/12/2025 at approximately 7:40PM, an employee tripped and fell while jogging to get to her work location. The employee fell, injuring her hip and was in the hospital awaiting surgery. The employee was transported to Sunrise Hospital by ambulance.	Resolved through inquiry process.
R-2251684	Rio Hotel and Casino		01/14/2025	Mail	N	N		Closed		1. At the facility, member of the public was not provided a king-suite. 2. Member of the public found a lingering smell of marijuana in the room. 3. Member of the public was not provided adequate elevator access. 4. Member of the public was not provided a replacement room.	No action. No jurisdiction.
R-2251750	PRD Construction		01/14/2025	Phone	Y	Y		Closed	S-Safety	1. One employee hurt his wrist on 01/14/2025 while driving the 1995 Ford L 9000 water truck with no power steering fluid. The employee notified the employer of the injury, and the jobsite Forman fired the employee. 01/14/2025 EM	Resolved through inquiry process.
R-2251769	Just For Show, Inc.		01/09/2025	Online	Y	Y		Closed	O-Safety	1. Located in the hallway between the office and the warehouse, there is no lighting for employees to safely walk through and the path is narrow due to stored equipment. 2. There are material and debris all over the warehouse floor. 3. Employees are not provided with safety glasses to wear when working in the warehouse. 4. Employees wear open toe shoes in the warehouse.	Resolved through inquiry process.
R-2251783	Steel Finishers LLC		01/07/2025	Phone	Y	Y		Closed	S-Health;S-Safety	On 01/06/2025 around 07:00, at the C-19 gate of Harry Reid International Airport, while attempting to rotate steel frames during installation, forklift 1 used rigging to lift frame and forklift 2 was supposed spin/ rotate the rigging. However, not sure of what happened, but part of frame hit forklift 2 & operator jumped out; consequently fractured L leg (compound fx- tib/ fib).	Resolved through inquiry process.
R-2251788	Costco Wholesale Corporation		01/14/2025	Online	N	Y		Closed	O-Safety	1. Employees are verbally threatened by members of the public. 2. Customers that threaten employees are allowed to be on the premises. 1/14/2025 AB	No action. No jurisdiction.
R-2252112	Worldwide Flight Services		01/15/2025	Online	Y	N	1805183;1805233	Closed	O-Safety	1. On the electric lift located on the side of the building next to the airport runway, employees frequently jump on and off the electric lift before it is properly lowered or fully lifted. 2. There is not adequate training or enforcement of procedures for the electric lift located on the side of the building next to the airport runway. 3. Employees regularly operate tugs at excessive speeds without wearing seat belts. 4. Management does not take any disciplinary action to address unsafe tug operation. AB Feb 12, 2025	Inspection conducted. No citations issued.
R-2252146	Blu Sky Restoration Contractors		01/15/2025	Phone	Y	Y		Closed	S-Safety	1. An employee assigned to a restoration crew was carrying a 5 gallon bucket of liquid slipped and fell injuring his knee. The employee was admitted to Summerlin Hospital with surgery pending. 11/15/2025 JC	Resolved through inquiry process.
R-2252267	TTEC Holdings, Inc.		01/15/2025	Online	Y	Y		Closed	O-Health	1. All restrooms are unsanitary and the stalls are too small to accommodate the employees.	Resolved through inquiry process.
R-2252268	Summerlin Hospital Medical Center		01/15/2025	Email	N	N		Closed	O-Health	1. On 01/11/2025, a patient who had soiled himself and being assisted by staff members became agitated and when a second staff member entered the room to de-escalate, the patient struck a staff member with a call light and twisted their fingers. A second staff member was also hit the call light. 2. On 1/13/2025, a patient was confused and aggressive scratched, kicked and punched staff members.	Resolved through inquiry process.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2025 - 3rd Quarter January to March 2025

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	Inspection Number	UPA Open/Closed	Severity-Subject	Hazard Description and Location	Inspection Results/Comments
R-2252562	Loyalty Brand Marketing, LLC	Cheek Boss	01/08/2025	Online	Y	Y		Closed	O-Safety	1. In the shipping department, extension cords are plugged into each other causing a fire hazard. 2. Tripping hazards caused by strips of plastic are constantly present in the shipping department. DF 1/16/2025	Resolved through inquiry process.
R-2252778	Advanced Legal Systems Inc.		01/16/2025	Phone	Y	Y		Closed	S-Safety	1. On 1/14/2025 at approximately 1:30 PM, an employee was conducting a routine client visit at 325 S Maryland Pkwy, Las Vegas, NV 89101 when they were asked by the client if a wire coming out of the wall could be cut. The employee touched the wire to inspect where the wire was going and received an electrical shock. The employee returned to their office location and was instructed to seek medical care. The employee was admitted for medical treatment at Dignity Health - St. Rose Dominican Hospital, Sahara Campus.	Resolved through inquiry process.
R-2252789	The Animal Foundation		01/16/2025	Phone	Y	Y		Closed	S-Safety	1. On 12/3/2024, an employee was carrying a dog that was waking up from sedation. The dog turned and bit the employee on the left cheek of the face. The employee was driven to Concentra Urgent Care. On 12/7/2024, the employee was admitted to Valley Hospital due to a secondary infection from the injury. On 1/16/2025, the employer was notified that the admittance on 12/7/2024 was for inpatient care and subsequently notified NVOSHA.	Resolved through inquiry process.
R-2252802	Audio Integrations, Inc.		01/16/2025	Phone	Y	Y		Closed	S-Safety	1. Located in the Summit Club at the Colb Residence job site on 11181 Stardust Drive, Las Vegas, NV 89135, two employees are working from the top cap of ladders.	Resolved through inquiry process.
R-2252812	Valley Health Specialty Hospital		01/16/2025	Email	Y	N	1800521;1806058	Closed	O-Safety	1. On January 1, 2025, in the room 311, a patient grew verbally combative and verbally assaulted a physical therapist which resulted in consultation and deescalating. 1/16/2025 AB	Inspection conducted. 1 citation issued - 0\$.
R-2253032	Smog Busters		01/17/2025	Phone	Y	Y		Closed	O-Health	1. There are no restroom available for employees. 1/21/25 AL	Resolved through inquiry process.
R-2253336	Wellness, etc.		01/14/2025	Online	N	N		Closed	O-Health	1. Concerns are expressed over employees not utilizing red light therapy devices correctly on clients.	No action. No jurisdiction.
R-2253482	Optima Healing and Recovery		01/17/2025	Online	N	N		Closed		On January 14, 2025, I observed a hostile and unsafe work environment at Optima Healing and Recovery. During a meeting, a consultant (Guiseppe Mandell) yelled derogatory remarks at me, such as, "You're a fraud," "I would have fired you," and "You don't have what it takes." He stood over me aggressively, yelling with a red face and bulging eyes, creating a threatening atmosphere. Jason Smith, the owner, witnessed the incident but did not intervene. I was the only female in the room, which exacerbated the feeling of intimidation and fear. Approximately 5 employees work at this site, all of whom could potentially be exposed to similar hostile behavior if not addressed. - The incident occurred at the main office of Optima Healing and Recovery: Address: 631 N. Stephanie, Suite 512, Henderson, NV 89014	No action. No violation of standard alleged.
R-2253570	Prestige Golf Cars		01/18/2025	Phone	Y	Y		Closed	O-Safety	1. At the loading dock, employees have to jump down to the lower level while removing carts from delivery trucks.	Resolved through inquiry process.
R-2253855	Sunrise Hospital and Medical Center		01/08/2025	Email	N	N		Closed	O-Safety	1. On December 19, 2024, in the Adult Emergency Room, a female registered nurse (RN) was inserting an IV for a male patient when he rolled over and rubbed her inner thigh with his hand. The RN pulled away before the patient's hand reached her groin.	Allegation addressed in another inspection. 1 citation issued - \$597.50
R-2254284	Rhodes Ranch Recreation Center		01/21/2025	Online	N	N		Closed		1. There is mold in the heating vent above the conference room. 01/22/2025 SLT	No action.
R-2254558	NAPA Auto Parts		01/22/2025	Phone	Y	Y		Closed	S-Safety	1. In the dispatch room, the exit route door is locked, in the event of a fire employees must be able to open the exit route from the inside.	Resolved through inquiry process.
R-2254574	X World 360		01/22/2025	Phone	Y	Y		Closed	S-Safety	1. The employer does not Written Safety Program. 2. At the Excalibur location, employees are being shocked when powering on the machines. 3. At all locations, the employees are powering on the machines using the electrical panel and using breakers without training.	Resolved through inquiry process.
R-2254972	Anthem Country Club		01/09/2025	Phone	Y	Y		Closed	S-Safety	1. At the facility, employees driving the scissor lift are not certified. 2. In the laundry room, employees utilize a broken commercial dryer. 3. In the mechanic room, employees are exposed to unsecured CO2 tanks.	Resolved through inquiry process.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2025 - 3rd Quarter January to March 2025

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	Inspection Number	UPA Open/Closed	Severity-Subject	Hazard Description and Location	Inspection Results/Comments
R-2255097	TBC - The Boring Company		01/23/2025	Email	Y	N	1799833	Open	S-Health	1. In the tunnels, EEs work with hazardous chemicals and have complained about being provided inadequate PPE. They are concerned with the associated hazards and there have been complaints of associated injuries, such as chemical burns, for at least the past 3 months. 2. Employees sustaining chemical burns have not been reported to OSHA. An incident occurred in November 2024, where an employee was injured by chemicals such as accelerant, resulting in secondary chemical burns. Further, the employer was previously cited for issues related to chemicals, such as accelerant. 3. A hazard assessment for personal protective equipment (PPE) was either not performed, or performed in such a way that the potential hazards were not identified and/or appropriate PPE was not selected and used.	Open investigation.
R-2255127	Dialogue Direct		01/23/2025	Phone	Y	Y		Closed	S-Safety	1. At the facility, employees are not certified. 2. At the facility, forklift drivers drove into unbolted storage racks.	Resolved through inquiry process.
R-2255131	Master of Barricades, LLC		01/23/2025	Phone	Y	Y		Closed	O-Safety;S-Health	1. At the facility at approximately 02:15 PM, an employee experienced a seizure and fell unconscious. The employee was transported to umc hospital by ambulance.	Resolved through inquiry process.
R-2255438	Mac Discount, LLC	Mac.Bid	01/22/2025	Online	Y	N	1799814	Closed	S-Health	1. Employees are not provided drinking water. 2. Restrooms are not being maintained in a sanitary condition and are lacking items such as toilet paper, paper towels, and soap. 1/24/2025 JC	Inspection conducted. No citations issued.
R-2255478	GCA Environmental		01/24/2025	Online	Y	N	1800064	Closed	S-Health	1. Employees are potentially exposed to asbestos inhalation due to the lack of training and communication. 1/24/2025 AB	Inspection conducted. No citations issued.
R-2255863	Sunrise MountainView Hospital, Inc.		01/15/2025	Email	N	N		Closed	O-Safety	1. On 1/13/2025 a patient struck a RN in the head with a hospital phone in 5N/549.	Resolved through inquiry process.
R-2255942	Henderson Health and Rehabilitation Center		01/10/2025	Email	Y	Y		Open	O-Health	1. On 8/13/2024 at 1:00am, a resident was upset in the lobby because they asked a staff member for money out of their funds, but the resident didn't have funds. The resident went to their room when they grabbed a butter knife and struck an employee in the staff members upper chest. No medical treatment was required. 1/27/2025 AR	Resolved through inquiry process.
R-2255952	Henderson Health and Rehabilitation Center		01/10/2025	Email	N	N		Closed	O-Safety	1. On 12/20/2024 at 8:30am, an employee was caring for a resident when they hit the employee in the chest located in the residents room of the behavioral unit. No treatment was required for the employee. 1/27/2025	Resolved through inquiry process.
R-2256107	Difara Pizza Holdings Inc.	Dom Demarco's Pizzeria & Wine Bar	01/27/2025	Email	Y	Y		Closed	O-Safety	1. The employer does not have floor mats in the kitchen area exposing employees to slip and fall hazards. 1/27/2025 JC	Resolved through inquiry process.
R-2256199	Meliora General Construction		01/25/2025	Phone	Y	Y		Closed	S-Safety	1. On Saturday, 1/25/25, an employee was unpacking a statue for installation and it fell over landing on the employee's left foot. The employee was transported by ambulance to UMC. He underwent surgery on his left foot and remains hospitalized.	Resolved through inquiry process.
R-2256465	Metal Supermarket		01/28/2025	Phone	Y	N	1802040	Closed	O-Safety	1. The storage racks in the warehouse, which hold between 5,000 and 6,000 pounds of metal materials, are not secured to the ground and stand 20 feet tall. 2. Multiple bolts are protruding through the floors, creating tripping hazards. 3. The drill tables are not anchored. 4. Exit routes within the warehouse are blocked.	Inspection conducted. No citations issued.
R-2256641	Allied Universal		01/24/2025	Phone	Y	Y		Closed	O-Safety	1. At approximately 3:40PM on 01/23/2025, an employee experienced chest pains while standing at his post as a security guard. The employee was transported to Sunrise Hospital by Community Ambulance and was admitted. AB Jan 28, 2025	Resolved through inquiry process.
R-2256716	Transdev		01/24/2025	Phone	Y	Y		Closed	O-Safety	1. At approximately 07:15AM on 01/24/2025, an employee injured his left finger while trying to lift a metal plate. The employee was transported to Mountain View Hospital by a supervisor, was admitted, and received an amputation of his left, middle finger. AB 01/28/2025	Resolved through inquiry process.
R-2256759	Best Buy		01/28/2025	Phone	Y	Y		Closed	O-Safety	1. For the past 3 days this week, sewage has been backing up and is coming out of the drains on the work floor causing a strong smell and permeating the carpet. 2. Employees did not have immediate access to a restroom for several hours due to sewage backing up through both men's and women's restrooms. cw 1/28/2025	Resolved through inquiry process.
R-2256761	Builder Services Group	Central Valley Insulation	01/28/2025	Phone	Y	Y		Closed	O-Safety	1. There are water leaks all over the building resulting in cracks on the walls and areas where concrete walls are failing causing them to crumble. 2. The office near the rear of the building has soiled carpet where a sewage leak occurred. 3. The warehouse restroom has tile peeling up resulting in a trip hazard. 4. The restrooms and office spaces are very dirty and trash is not removed from the office space.	Resolved through inquiry process.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2025 - 3rd Quarter January to March 2025

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	Inspection Number	UPA Open/Closed	Severity-Subject	Hazard Description and Location	Inspection Results/Comments
R-2257067	John Paul Restoration, LLC		01/28/2025	Email	Y	Y		Closed	O-Health	1. The incident occurred at 4200 S. Valley View Blvd, Las Vegas, NV 89103. On January 15, 2025, an employee performing demolition work to remove a vanity in the restroom sustained an injury to their left eye.	Resolved through inquiry process.
R-2257442	Desert View Hospital and Medical Center		01/29/2025	Email	N	N		Closed	O-Health	1. On 1/28/2025, a patient who was in the emergency department was non-compliant and punched a staff member on the arm. 1/30/25 AL	Resolved through inquiry process.
R-2257523	West Henderson Hospital Medical Center, LLC		01/30/2025	Email	Y	Y		Closed	O-Safety	1. On 12/18/2024 in the emergency department, a patient attempted to strike staff with their fist. Security was called and patient attempted to elope. Patient was restrained. No harm to staff or patient. 2. On 12/12/2024 in the emergency department, an intoxicated patient was argumentative and combative with EMS staff. Hospital staff member attempted to assist and the patient kicked them in the groin and abdomen. Patient was restrained. No harm to staff. 1/30/25 SLT	Resolved through inquiry process.
R-2258098	Desert View Hospital and Medical Center		01/31/2025	Phone	Y	Y		Closed	O-Safety	1. An employee was walking into work when they tripped on the curb and fell onto the floor, causing the employee to fracture their femur. The employee was then taken into the emergency department. JA 1/31/2025	Resolved through inquiry process.
R-2258142	Renaissance Las Vegas Hotel	the Hotel	01/31/2025	Online	Y	Y		Closed	S-Safety	1. Employees exposed to rusting hot water heaters leaking from the second floor down into the hotel back of house hallway, the loading dock roll-up door(where a shield has been placed to protect motor of roll-up door), and into the fire control room. 2. Employees exposed to slip and fall hazards with hotel backup generators leaking oil. 3. Employees exposed to fire hazards from a faulty fire and smoke alarm system, that is always in trouble mode. 4. Employees exposed to sewer smells in back of house from employee sinks. 5. Employees exposed to leaking sprinkler pipes in the garage on each level. 6. Employees exposed to crush-by and pinch hazards from ballroom doors not being fully attached at hinges and the locking mechanisms not being fully attached or working.	Resolved through inquiry process.
R-2258146	CTI Industrial Supply		01/29/2025	Online	Y	Y		Open	O-Safety	1. There is no ventilation in the entire building, and the is a strong paint smell instantly results in a headache, upon entering the business. 01/31/2025 EM	Resolved through inquiry process.
R-2258421	Circle K Stores Inc.		01/31/2025	Phone	Y	Y		Closed	O-Safety	1. The employer exposes its employees to damage to the forecourt cover when they clean or remove trash from the bins. JA 1/31/2025	Resolved through inquiry process.
R-2258768	3 Corners LLC	Circa Hospitality Group	02/03/2025	Online	Y	N	1802020;1803019	Closed	S-Safety	1. Employees are operating forklifts without certification. 2. The emergency exit located at the southwest corner of the warehouse near the Main Street and Bonanza intersection is blocked by a large fan. 3. Storage racks are damaged in the roller section. 4. On 2/1/2025, metal carts fell off of the work truck leading to a near miss. Metal carts are never secured and the drivers leave the backs of the trucks open so there is nothing holding the metal carts in. 5. There is a box truck used for deliveries in poor condition. There has been no brake maintenance and the wheels are in poor shape. cw 2/4/2025	Inspection conducted. 2 citations issued - \$18,736.
R-2258782	Progressive Insurance Claims Office		02/03/2025	Phone	Y	Y		Closed	S-Health	1. On January 30, 2025, an employee was admitted to the hospital following an incident of stress induced pinched nerve to the front facial area. 2/3/2025 AB	Resolved through inquiry process.
R-2259001	A BATHING APE	BAPE STORE® LAS VEGAS	02/03/2025	Online	Y	Y		Closed	O-Safety	1. The employer exposes its employees to an unstable stool to reach products stocked high on shelves. JA 2/4/2025	Resolved through inquiry process.
R-2259252	BDT Las Vegas Holdings LLC		02/04/2025	Phone	Y	Y		Closed	S-Health	1. An employee was carrying a 2x4 downstairs missed a step and fell. They were transported by office staff to North Vista Hospital, and admitted for a broken right ankle. This incident occurred on January 29th, at 2:22 PM. 2/4/2025 KR	Resolved through inquiry process.
R-2259261	Americold Logistics, LLC		02/04/2025	Phone	Y	Y		Closed	S-Health	1. There have been numerous ammonia spills, including a spill in the last week on two different sides of the A-Building. Employees have to work around and in the ammonia, which includes performing routine work while there are clouds of ammonia and liquid ammonia on the ground. 2. Employees have been injured repeatedly, included rolling ankles, and having breathing problems, as a result of the ammonia spills. No hospitalizations were reported to Nevada OSHA. 2/4/2025 KR	Resolved through inquiry process.
R-2259472	Embassy Suites Convention Center Las Vegas		02/03/2025	Online	Y	Y		Closed	O-Health	1. There are pigeons above the front entrance that drop bird wastes on guests and employees. 2/5/25 AL	Resolved through inquiry process.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2025 - 3rd Quarter January to March 2025

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	Inspection Number	UPA Open/Closed	Severity-Subject	Hazard Description and Location	Inspection Results/Comments
R-2259719	Westdeck Concrete Coating, LLC		01/30/2025	Online	Y	Y		Closed	S-Safety	1. There are storage racks over 12 feet high are not bolted to the ground. 2. Employees are working while not wearing safety glasses, steel toe boots, and reflective vests. 3. There are damaged oil cans spilling oil throughout the yard. 4. Employees are operating forklifts that are not certified.	Resolved through inquiry process.
R-2259937	Contour RE LLC		02/03/2025	Online	N	N		Closed		1. An employee was retaliated against for reporting wrongdoing, which created a hostile and unsafe work environment. The company intentionally withheld my pay to pressure me into quitting, causing financial distress and emotional strain. The last time I observed this hazard was 11/25/24. The number of employees exposed to this toxic environment is approx. 10, as anyone who speaks up risks facing similar treatment. 02/03/2025 EM	No action. No jurisdiction.
R-2260139	Acton Academy Red Rock		02/06/2025	Email	Y	N	1804195	Closed	O-Health	1. The building has had an ongoing mold issue since approximately June 2024 to which employees are exposed. At that time, the issue was resolved by the tenant of the building (the school, which does not own the building). 2. At a later time, more mold was found in the kitchen area of the building, which was also resolved by the tenant and included ripping apart much of the kitchen area. 3. The controlling employer of the facility is the landlord. Per the contractual agreements, the landlord has responsibility to correct these issues (they would also be deemed the correcting employer). However, the landlord has not made any efforts to resolve the ongoing mold concerns. 2/6/2025 AB	Inspection conducted. No citations issued.
R-2260152	ABM Building Services, LLC		02/06/2025	Email	Y	Y		Closed	S-Health	1. The employer does not provide PPE or supplies needed to perform job duties and tasks. 2. Employees are supposed to use hazardous chemicals while performing daily tasks and have not received training. 3. The workplace is not free of recognized hazards, and employees are concerned that working conditions are unsanitary. 2/6/2025 SLT	Resolved through inquiry process.
R-2260176	Nick Sebastian Private Residence		02/05/2025	Online	Y	Y		Closed	S-Safety	1. There is a crew working at a private residence without proper personal protective equipment. Employees are not wearing hard hats, not wearing reflective clothing, or safety clothing. 2. Construction is ongoing on the residence where employees are operating heavy equipment. The machinery are being parked, and used on a public road without ground guides, or a flagman. 3. Dangerous conditions such as improper offloading of materials and improper digging with workers inside of holes on the property while heavy equipment work beside them without safety equipment (hard hats). 02/05/2025 EM	Resolved through inquiry process.
R-2260459	Walk This Way		02/07/2025	Phone	Y	Y		Closed	S-Safety	1. On 2/6/2025 at approximately 6:20 AM, an flagger employee was preparing to start work near an electrical utility trench that was approximately 5 feet deep. The employee attempted to jump over the trench and fell into the trench and sustained fractures to their ribs. The employee declined emergency services and was transported by the employer to a local Concentra and was transferred by EMS to UMC Trauma and was admitted for treatment. The employer was notified that the employee was being admitted on 2/6/2025 at 5:00 PM.	Resolved through inquiry process.
R-2260516	Cedco, Inc.		02/07/2025	In person	Y	N	1803565	Closed	S-Safety	1. At the jobsite located at Grand Park and Sandstone Rise Drive, employees placed hollow blocks on a retaining wall while standing on top of single planks placed above stacked hollow blocks mounted on an elevated platform. 2. Employees were instructed to use a 5ft. scaffold that did not have scaffold safety pins, bracing, guard rails and mudsills while on uneven ground to lay hollow blocks up to five feet high on a retaining wall. 2/7/25 AL	Inspection conducted. No citations issued.
R-2260971	S3H Inc		02/08/2025	Phone	Y	Y		Open	O-Safety	1. On 2/8/2025 at approximately 6:30 AM an employee performing plumbing and pipe work opened a game box to kick a pro press gun and inadvertently moved a band saw which cut his right index finger. The employee was driven by their supervisor, Brandon Baxter, to nearby clinic and later transferred to UMC Hospital for observation.	Resolved through inquiry process.
R-2260992	Legacy Capital Services LLC		02/10/2025	Phone	Y	Y		Closed	S-Safety	1. On 2/8/2025 an employee was working on a 10-12 foot ladder and fell to the ground. The employee was transported to St. Rose Hospital and released.	Resolved through inquiry process.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2025 - 3rd Quarter January to March 2025

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	Inspection Number	UPA Open/Closed	Severity-Subject	Hazard Description and Location	Inspection Results/Comments
R-2261157	Centennial Hills Hospital		01/29/2025	Email	N	N		Closed	S-Safety	1. On 12/16/24, in the ICU, a patient's family member threatened to bring a pistol to the hospital. 2. On 12/24/24, in the Emergency Department, a patient threatened to fight an employee in the parking lot after work. 3. On 12/31/24, in Room 350, a patient threatened to beat an employee. 4. On 1/11/25, in the Med Surg Unit, a patient became agitated and aggressive; patient swung their walker and struck the security guard with it. 5. On 1/17/25, in Room 630, a patient punched a CNA in the face. 6. On 1/23/25, in ER47, a patient struck an employee in her right upper arm. 7. On 1/26/25, in 351-3T, a patient's family member threatened an employee.	No action.
R-2261205	University Medical Center of Southern Nevada		01/23/2025	Email	N	N		Closed	S-Safety	1. On January 7, 2025, in MICU 27, a patient became upset and started thrashing and kicking, striking an employee in the chest. 2. On January 9, 2025, in Adult ED MSC, a patient became combative and struck an employee in the abdomen.	No action.
R-2261246	Valley Health System, LLC.	Henderson Hospital	01/08/2025	Email	N	N		Closed	S-Safety	1. On December 12, 2024, in Green Valley Ranch FED, a patient threatened staff members. 2. On December 14, 2024, in 5B, a patient was verbally abusive and threatened to harm staff. 3. On December 20, 2024, in room 5202 bed 1, a patient punched a staff member in their right lower jaw. 4. On 12/25/24, in L&D, a family member of a patient became verbally threatening. 5. On 12/26/2024, in 5B, a patient became verbally abusive, then threw items at staff members.	No action.
R-2261262	Smith's Food and Drug Centers, Inc.	Smith's Food and Drug Center #354	02/10/2025	Phone	Y	Y		Closed	O-Safety	1. Management has moved two helium tanks to the employee breakroom, but they have not secured the tanks. 2. Employees blowing up balloons using the helium tanks in the breakroom have not been trained to use them. cw 2/11/25	Resolved through inquiry process.
R-2261465	Wendy's #2829		02/10/2025	Online	Y	Y		Closed	S-Safety	1. On 02/08/2025, a manager came into the restaurant exposing a Taurus 9mm semiautomatic handgun. 2. Managers and employees smoke marijuana outside and return to the kitchen area preparing and serving food; a marijuana cigarette was left on the table in the employee breakroom. 3. A manager allowed an employee to filter hot oil without providing proper personal protective equipment (PPE), specifically, burn resistant gloves. 4. A manager yells at employees about job tasks for which they are not properly trained to perform. 02/13/2025 JC	Resolved through inquiry process.
R-2261484	Silver City Processing		02/10/2025	Phone	Y	N	1806970	Open	S-Health	1. EEs utilize hazardous chemicals, such as Dolomitic Hydrated Lime and are not provided PPE, such as respiratory and eye protection and safety equipment such as eyewash stations, are not available. 2. Employees are not provided safety toe boots even though they are handling heavy machinery and are picking up heavy materials.	Inspection conducted. 1 citation issued - \$4,256.
R-2261739	Embree Construction Group		02/07/2025	In person	Y	N	1806968	Open	S-Health	1. At 102 East Lake Mead, employees are cutting concrete without PPE or dust controls, such as integrated water systems or vacuums. They are concerned about the associated hazards, such as exposure to silica.	Inspection conducted. No citations issued.
R-2261764	Amazon.com Services LLC		02/09/2025	Online	Y	Y		Closed	S-Safety	1. Maintenance technicians are not provided PPE when cleaning the restrooms. 2. In the maintenance department, technicians are not provided training working with electrical equipment and not provided training on PPE.	Resolved through inquiry process.
R-2261962	Superior Plumbing & Drain		02/11/2025	Online	Y	Y		Closed	S-Safety	1. On 2/10/2025 employees were working to expose an old sewer pipe. The sewer pipe trench was 6 feet underground and under unstable concrete. There was no support on the trench walls with scaling which caused the walls to collapse. Two employees were injured and sustained ankle, knee and back injuries.	Resolved through inquiry process.
R-2262140	MGM Grand Hotel/Casino		02/12/2025	Phone	Y	Y		Open	O-Safety	1. On February 11, 2025, at approximately 6:00 PM, an employee fell from the stairs inside the David Copperfield Theater in the employee area, specifically in the break room area pre-shift. The staircase consists of approximately 20 risers and includes a handrail. The employee stumbled on the last two steps at the bottom of the staircase.	Resolved through inquiry process.
R-2262373	Wendy's #2829		02/10/2025	Online	Y	Y		Closed	O-Health;-Safety	2/08/2025 - Manager walked into work with Weapon -9mm Taurus 2/8/2025 - Manager (Stephanie) , left marijuana blunt on break room table, shift is all mostly high schoolers ranging from "14-17 approximately Managers(Alexander & Stephanie)- Went outside during shift to partake in marijuana blunt along with associates frequently. Also does drugs then will return back into the building reeking marijuana then count company monies making numerous mistakes 2/8/2025 , Manager was so high eyes low blood shot red , I observed her dozing off a bit counting the register in office Manager allowed me to filter hot oil several nights without proper PPE burn resistant gloves caused they're "filthy" Manager"Alexander" -Use of "runts" THC pen during shift and return to work frustrated and high after , yelling about things no one is properly trained on and much more - 4760 E Flamingo Rd, Las Vegas, NV 89121	Resolved through inquiry process.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2025 - 3rd Quarter January to March 2025

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	Inspection Number	UPA Open/Closed	Severity-Subject	Hazard Description and Location	Inspection Results/Comments
R-2262375	Wendy's #2829		02/10/2025	Online	Y	Y		Closed	S-Safety	2/08/2025 - Manager walked into work with Weapon -9mm Taurus 2/8/2025 - Manager (Stephanie) , left marijuana blunt on break room table, shift is all mostly high schoolers ranging from "14-17 approximately Managers(Alexander & Stephanie)- Went outside during shift to partake in marijuana blunt along with associates frequently. Also does drugs then will return back into the building reeking marijuana then count company monies making numerous mistakes 2/8/2025 , Manager was so high eyes low blood shot red , I observed her dozing off a bit counting the register in office Manager allowed me to filter hot oil several nights without proper PPE burn resistant gloves caused they're "filthy" Manager"Alexander" -Use of "runts" THC pen during shift and return to work frustrated and high after , yelling about things no one is properly trained on and much more - 4760 E Flamingo Rd, Las Vegas, NV 89121	Resolved through inquiry process.
R-2262423	Aspire Realty Group		02/13/2025	Online	N	N		Closed		Dear Sir/Madam, My name is Antoinette White, and I am writing to request urgent assistance regarding a serious health and safety issue. As a disabled tenant, I have been exposed to black mold on two separate occasions within rental properties managed by your organization (or the relevant property management company, if different). The affected properties are 242 W Chicago Ave, #5, and 230 W Chicago Ave, #2, both in Las Vegas. The mold infestation in my current apartment at began in March 2024. Despite reporting this issue to the landlord, no action has been taken to relocate me or effectively remediate the mold problem. This continued exposure is causing significant concern for my health and well-being. I am seeking immediate resolution to this matter. Please advise on the appropriate channels and procedures to follow in order to address this serious health hazard. If this is not the correct department, please direct my inquiry to the relevant party. Thank you for your time and attention to this urgent matter. I look forward to your prompt response and a plan of action to resolve this situation. Sincerely, Antoinette White Prosperity4212@yahoo.com (702) 412-2946	No action. No employer/employee relationship.
R-2262444	Summerlin Hospital Medical Center		01/29/2025	Email	N	N		Closed	O-Health	1. On 1/17/2025 a patient struck a staff member in 4W. 2. On 1/23/2025 a patient kicked and punched a nurse in 447 CVCU. 3. On 1/24/2025 a patient punched a RN on the chest in ICU 378.	Resolved through inquiry process.
R-2262507	America United Construction Inc		02/12/2025	Mail	Y	Y		Closed	O-Safety	1. On February 11, 2025, employees worked near Galleria Drive and Burns Road without harnesses while standing on slippery surfaces, with exposed rebar underneath. 2. They operated high-pressure hoses to spray concrete from above without wearing proper personal protective equipment. 3. Employees were exposed to rebar throughout the job site.	Resolved through inquiry process.
R-2262631	Smith's Marketplace #367		02/25/2025	Online	Y	Y		Closed	O-Safety	1. At the facility, walkways and door ways are blocked. 2. An employee's hair was caught by wires on the balers. 3. An employee was injured, not recorded on the OSHA logs.	Resolved through inquiry process.
R-2262677	Boulder City Hospital, Inc.		02/13/2025	Email	N	N		Closed	S-Safety	1. A patient attempted elopement and attempted to grab a staff member as they were exiting the department. A different staff member attempted to prevent elopement by wrapping their arms around the patient resulting in the staff member and patient falling to the ground with the staff member underneath the patient. The patient elbowed the staff member in the stomach. The staff member was treated in the emergency department and ordered to return to full duty.	Resolved through inquiry process.
R-2262735	Quest Diagnostics		02/12/2025	Online	N	N		Closed	O-Safety	1. Employees are not utilizing the appropriate vials and needle size for children.	No action. No alleged employee exposure to hazards.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2025 - 3rd Quarter January to March 2025

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	Inspection Number	UPA Open/Closed	Severity-Subject	Hazard Description and Location	Inspection Results/Comments
R-2263046	Spring Mountain Treatment Center		02/14/2025	Email	N	N		Closed	O-Health	1. On January 27th, in the South Unit Nursing Station, a patient began defacing property. They were escorted away and released later, after updating their plan. 2. On January 31st, in the North Unit Hall, a patient began lunging at staff and were given emergency medications, to later be placed in an approved seated restraint. 3. On February 2nd, in the Sahara Unit Hall, a patient began trying to get into other patient rooms. They then became aggressive when staff attempted to calm him, and was given emergency medications, to later be placed in an approved seated restraint. 4. On February 2nd, in the North Unit Hall, a patient began lunging at staff and were given emergency medications, to later be placed in an approved seated restraint. 5. On February 3rd, in the North Unit Dayroom, a patient began lunging at staff and were given emergency medications, to later be placed in an approved seated restraint. 6. On February 5th, in the West Unit Common Area, a patient began barricading themselves in the dayroom and became aggressive with staff. They were given emergency medications, to later be placed in an approved seated restraint. 7. On February 9th, in the North Classroom, a patient became aggressive with staff. They were given emergency medications, to later be placed in an approved seated restraint. 8. On February 9th, in the North Unit Hallway, a patient began harming themselves with clothing, and walls. They were given emergency medications, to later be placed in an approved seated restraint.	Resolved through inquiry process.
R-2263159	Valley Health System		02/13/2025	Email	N	N		Closed	S-Health;S-Safety	1. On 2/11/2025 at approximately 1:00 pm a patient assaulted an employee. 2. On 1/26/2025 at approximately 8:50 pm a patient assaulted an employee. 3. On 1/24/2025 at approximately 5:40 pm a patient assaulted an employee. 4. On 1/20/2025 at approximately 3:30 pm a patient assaulted an employee. 5. On 1/23/2025 at approximately 11:30 pm a patient assaulted an employee. 6. On 1/23/2025 at approximately 2:00 pm a patient assaulted an employee. 7. On 1/25/2025 at approximately 5:40 pm a patient assaulted an employee.	Resolved through inquiry process.
R-2263430	City of Las Vegas Fire Department		02/15/2025	Phone	Y	Y		Closed	O-Safety	1. At 500 West Casino Center Boulevard, while working out, an employee fell over and struck his head on the ground. An ambulance transported the employee to UMC.	Resolved through inquiry process.
R-2263536	West Henderson Hospital Medical Center, LLC		02/14/2025	Email	N	N		Closed		1. On 12/27/2024 in the emergency department, a patient verbally threatened employees and attempted to physically harm an employee. The patient was physically restrained and there were no injuries to the patient or staff. 2/18/25 SLT	Resolved through inquiry process.
R-2263602	Basic Food Flavors, Inc.		02/18/2025	Phone	Y	Y		Closed	O-Safety	1. Employees operating the forklifts have not been provided training, and are not certified to operate forklifts. 02/18/2025 EM	Resolved through inquiry process.
R-2263692	Nye County		02/18/2025	Phone	Y	Y		Closed	O-Safety	1. On 02/13/2025, on 9000 East 95 North at approximately 2:30 PM, an employee was on their way back from lunch and tripped on a parking block. The employee sustained hip injuries and abrasions on the knuckles. The employee was transported to UMC hospital. 2. The hospitalization was not reported within 24 hours.	Resolved through inquiry process.
R-2263712	Terrible Herbst Convenience Store, #268		02/13/2025	Phone	Y	Y		Closed	S-Safety	1. There is a rat infestation in the store.	Resolved through inquiry process.
R-2263713	Chicago Landscape		02/18/2025	Phone	Y	Y		Closed	S-Safety	1. At jobsites, employees are not provided PPE. 2. Employees are not provided fall protection.	Resolved through inquiry process.
R-2263797	Robles Granite & Marbles		02/18/2025	Online	Y	N	1805612	Closed	S-Health	1. Employees do not use wet methods to cut marble and quartz bulk material. 2. The employer has failed to implement mechanical ventilation to control the dust. 2/18/2025 AB	Inspection conducted. No citations issued.
R-2263890	Big Sky Fulfillment, Inc.		02/07/2025	Online	Y	Y		Closed	O-Safety	1. Employees operating forklifts in the warehouse without the proper certification. 2. Employees operating forklifts in the warehouse while under the influence of marijuana. 2/18/25 AL	Resolved through inquiry process.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2025 - 3rd Quarter January to March 2025

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	Inspection Number	UPA Open/Closed	Severity-Subject	Hazard Description and Location	Inspection Results/Comments
R-2264159	MountainView Hospital, Inc.		02/13/2025	Email	Y	Y		Closed	O-Health	1. On 2/01/2025, a patient tried to pull an IV drip from their arm. A Sitter attempted to intervene when the patient grabbed the Sitters hand and forcefully squeezed the Sitter's hand injuring their finger and knuckles resulting in redness and swelling. No fracture. 2. On 1/30/2025, a patient kicked a staff member on the side of right knee. The employee was treated and released to full duty. 3. On 1/28/2025, a patient being escorted off property, struck a Security Guard on the shoulder with walking cane. X-Rays revealed no damage. Las Vegas Metro PD was notified of the incident. 4. On 2/10/2025, a patient grabbed the right wrist and twisted the arm of an employee who was putting a tele box back on the patient. 5. On 2/01/2025, a patient grabbed an employee's right wrist as the employee attempted to start an IV. The employee was treated at Mountainview ED and had a follow-up with Occupational Health. 6. On 2/10/2025 a patient grabbed the wrist and twisted the arm of a patient safety sitter, while the safety sitter was putting a Tele Box back on the confused patient. 7. On 2/10/2025, a patient suffering from dementia grabbed the wrist of an employee who was attempting to fix telemetry leads on the patient. 2/19/2025 JC	Resolved through inquiry process.
R-2264257	Family Dollar		02/19/2025	Phone	Y	Y		Closed	S-Safety	1. On 2/18/2025, an employee was at a cash register. A customer vehicle crashed through the side of the building, pushing an aisle divider, which pinned the employee. The employee sustained multiple fractures. The employee was transported by EMS to a local hospital and was admitted for treatment.	Resolved through inquiry process.
R-2264484	Robco Electric, Inc.		02/18/2025	Phone	Y	N	1804981;1808929	Closed	S-Safety	1. On 2/18/2025 at the Veterans Tribute CTA parking lot, two employees of Robco Electric were working in a boom lift basket without fall protection.	Open investigation.
R-2264494	Revel Nevada		02/19/2025	Phone	Y	Y		Closed	O-Safety	1. At the facility, employees are not provided hazard communication training. 2. Employees are not provided a SDS for D Fire One Shot.	Resolved through inquiry process.
R-2264496	Summerlin Hospital Medical Center		02/13/2025	Email	N	N		Closed	O-Health	1. On 1/29/2025 at approximately 4:30 p.m., a patient from the Pediatric Emergency Room - P2 became aggressive and punched an employee in the shoulder. 2/19/2025	Resolved through inquiry process.
R-2264711	Western Technologies, Inc	Western Tech	02/19/2025	Email	Y	Y		Open	S-Health	1. Western Technologies is an asbestos consulting company, who performs mobile, onsite PCM analyses in Nevada and are not doing so in accordance with the regulatory requirements. 2. The employee performing the analyses is not a registered asbestos analyst certified by the American Industrial Hygiene Association (AIHA). 3. This may have recently occurred on one or more projects for the Regional Housing Authority in southern Nevada.	Resolved through inquiry process.
R-2264722	Summerlin Hospital Medical Center		02/13/2025	Email	N	N		Closed	O-Health	1. On 2/4/2025 at approximately 8:05 p.m., a patient from room 526 became aggressive and threw a food tray cover and a water pitcher at an employee. Security was called to intervene. The employee was offered EAP, but declined. 2/20/2025 AL	Resolved through inquiry process.
R-2264730	University Medical Center of Southern Nevada		02/13/2025	Email	N	N		Closed	O-Safety	1. On January 29, 2025, at approximately 8:45 pm. In PICU room 275, a patient kicked an employee in their chest and upper left arm. 2. On January 31, 2025, at approximately 11:30 pm. In Adult ED POD 8, a patient head-butted an employee on the left side of their head. 3. On February 1, 2025, at approximately 8:30 pm. In Adult EC crit 1, a patient nicjed an employee in their chest. 4. On February 3, 2025, at approximately 4:00 am. In room 209-1, 2 south, a patient attempted to bite the employee on their hands. The patient then kicked the employee in their stomach and punched them in their face.. 5. On February 7, 2025, at approximately 8:30 am. In 1538, a patient struck an employee twice on the left side of the neck causing a miner scratch. 6. On February 8, 2025, at approximately 5:30 pm. In room 303-1, 3 south, a patient struck an employee in their face.	Resolved through inquiry process.
R-2264800	Force Building Services		02/19/2025	Online	Y	Y		Closed	O-Safety	1. Electrical work is conducted by unqualified personnel. 2. Employees do not wear the correct personal protective equipment when working on energized panels that have the potential for arc flash. 3. There is no lock-out tag-out program when conducting electrical services. 4. Scissor lifts are operated in an unsafe manner. 2/20/2025 AL	Resolved through inquiry process.
R-2264998	Prime Roofing, LLC		02/20/2025	In person	Y	N	1805332	Closed	I-Safety	1. Four employees are working on the roof of a one story home and are not protected from falling to the next lower level.	Open investigation.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2025 - 3rd Quarter January to March 2025

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	Inspection Number	UPA Open/Closed	Severity-Subject	Hazard Description and Location	Inspection Results/Comments
R-2265227	Valley Health System LLC	Centennial Hills Hospital Medical Center	02/19/2025	Email	N	N		Closed	S-Safety	1. On 02/01/2025 at 2:30pm in the Valley Vista Emergency Department a family of a patient making verbal threats of physical violence towards staff and Provider, escorted out by Las Vegas Metro Police Department. 2. On 01/26/2025 at 11:00am in the MS6 PT assisted patient into the bathroom. Patient refused supervision to stand to urinate. PT educated on need for supervision due to fall risk. Patient refuses to sit to urinate. Patient becomes agitated, curses, grabs, shoves PT. PT asks patient to let go of him so he can step out and patient lets go. PT notifies RN who is able to attend to patient.	No action. Workplace Violence Program previously reviewed.
R-2265278	Summerlin Hospital Medical Center		02/20/2025	Email	N	N		Closed	O-Health	1. On 2/13/2025 at approximately 5:15 a.m., a patient in the Emergency Room restroom lunged and swung her fist at a nurse assisting the said patient. 2/21/25 AL	No action. Workplace Violence Program previously reviewed.
R-2265289	Southern Hills Medical Center, LLC	Southern Hills Hospital and Medical Center	02/13/2025	Email	N	N		Closed	S-Health	1. On 2/9/2025 at 3:55 PM a psych patient verbally threatened their roommate and their staff. The patient was placed in seclusion. 2. On 2/8/2025 at 9:55 AM a psych patient pushed a CNC and was placed in a physical hold. 3. On 2/6/2025 at 12:35 AM a psych patient was slamming doors and hit a RN and had to be medicated, and was returned to their room. 4. On 2/6/2025 at 12:15 PM a psych patient was being aggressive towards staff and was throwing items. The patient was restrained, medicated, and taken to seclusion. 5. On 2/3/2025 at 6:55 PM a psych patient was verbally threatening the property, kicked and pulled the hair of a staff. Metro was called and charges were filed against the patient. 6. On 2/4/2025 at 2:30 PM a patient was confused when being transferred rooms, when they punched the employee. The patient's visiting family held the patient and security responded to the patient. 7. On 2/4/2025 at 1:35 PM a psych patient became agitated, undressed in a hallway, verbally threatened the staff. Security, oved the patient to seclusion until they were calmer. 8. On 2/4/2025 at 12:45 AM a psych patient verbally assaulted a MHT and attempted to grab their face mask. The patient was medicated and continued to receive care. 9. On 2/9/2025 at 1:55 PM a psych patient verbally threatened staff. Security was called who held and medicated the employee. 10. On 2/9/2025 at 6:30 a patient became combative and agitated, scratching an employees arm. The patient was medicated and ceased their behavior. 11. On 2/1/2025 at 6:30 PM a psych patient verbally threatened staff. The patient was medicated and put in seclusion. 12. On 1/30/2025 at 12:45 AM a psych patient made verbal threats to staff. The patient was medicated and put in seclusion, and was then returned to their room. 13. On 2/3/2025 at 5:15 am a psych patient was being disruptive and yelling, attempts to deescalate failed and the patient began to grab at staff badges. The patient was secluded and medicated. 14. On 2/2/2025 a psych patient attempted to charge at staff and verbally threatened physical harm. the patient was medicated. 15. On 1/29/2025 on 2:55 pm a psych patient verbally assaulted staff. The patient was medicated and remained in their room. 16. On 1/29/2025 at 8:55 am a psych patient verbally assaulted staff. The patient was secluded, and medicated. 17. On 2/2/2025 at 1:35 pm a psych patient was sexually inappropriate with an RN, and attempted to touch the staff. The patient was placed in seclusion. 18. On 1/29/2025 at 5:55 PM a psych patient made verbal threats to staff. The patient was given medication, restrained, and placed in seclusion. 19. On 2/7/2025 a patient became aggressive with a staff member, grabbing their hair and ripping their scrubs. Security and metro responded and charges were filed. 20. On 2/3/2025 at 10:40 AM a psych patient attempted to elope (separate) and verbally	Resolved through inquiry process.
R-2265324	Dignity Health - St. Rose Dominican Sahara Campus	Dignity Health - St. Rose Dominican Hospital, Sahara Campus - Las Vegas, NV	02/15/2025	Email	N	N		Closed	S-Health	1. A dementia patient was being discharged when they became aggressive. The patient scratched a staff member causing an abrasion.	Resolved through inquiry process.
R-2266146	Mesa View Home Care		02/20/2025	In person	Y	N	1805801	Closed	O-Safety	1. The employer is an establishment that meets the definition of a Medical Facility, pursuant to NRS 618.7305, and has not provided the establishment's 2023 OSHA Form 300A by May 1, 2024 as required pursuant to NRS 618.7318(1).3. 2/20/2024	Inspection conducted. No citations issued.
R-2266255	Harry Reid International Airport		02/24/2025	Phone	Y	Y		Closed	O-Health	1. There is a fruit fly infestation in the front of house at Airport Terminal 1 baggage claim. 2. There is a maggot infestation in the front sink at Airport Terminal 1 baggage claim. 2/24/2025 AR	Resolved through inquiry process.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2025 - 3rd Quarter January to March 2025

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	Inspection Number	UPA Open/Closed	Severity-Subject	Hazard Description and Location	Inspection Results/Comments
R-2266259	Las Vegas Metropolitan Police Department - Clark County Detention Center		02/24/2025	Phone	Y	Y		Open	O-Safety	1. On 2/23/2025 at around 4am, a correction officer was head-butted on the right side of the face by an inmate in the North Tower Bureau. The correction officer was then admitted to UMC. 2/24/2025 AR	Resolved through inquiry process.
R-2266477	Albertsons		02/24/2025	Phone	Y	Y		Open	O-Safety	1. On 2/22/2025 at 9:31pm, a front end clerk was walking on the sale floor towards the front end when they tripped and fell. The front end clerk was admitted to Spring Valley Hospital awaiting for surgery. 2/25/2025 AR	Resolved through inquiry process.
R-2266506	Mandalay Bay Resort And Casino		02/24/2025	Phone		Y		Open	S-Health	1. On February 21, 2025, at approximately 11:30pm, an employee was in an electric cart behind the fire dispatch area and fainted after complaining of feeling light-headed. 911 was called and the employee was transported to Sunrise Hospital where he was admitted. 2/25/2025 JC	Open investigation.
R-2266570	Sunrise Carpentry Inc.		02/25/2025	Phone	Y	Y		Closed	S-Safety	1. At the Citrine jobsite on 2/24/2025 around 3:15 pm, an employee was installing plywood on a parapet wall and was using their foot to hold the plywood in place. When picking up the nail gun, the employee pressed the nail gun onto their boot. Their fingers slipped and hit the trigger resulting in a nail going through the boot and into the side of the employee's foot. A coworker took the injured employee to Centennial Hills Hospital. The employee is currently still at Centennial Hills awaiting an ortho specialist. Surgery will be required to remove the nail.	Resolved through inquiry process.
R-2266572	Tand, Inc.	TAND	01/27/2025	Phone	Y	N	1800220;1800223;1800228;1800232	Closed	S-Safety	1. Employees exposed to crush-by hazards from no cave-in protection in trench.	Inspection conducted. No citations issued.
R-2266577	Sunrise Hospital and Medical Center		02/21/2025	Email	N	N		Closed	O-Safety	1. On January 24, 2025, in the Adult Emergency Room (AED) Fast Track (ER Hold Only), a patient became verbally aggressive after not being able to use the restroom on demand. The patient was informed that the registered nurse (RN) was assisting another patient. The patient proceeded to challenge the staff and vocalize that they did not believe it was true along with statements indicating that the RN was racist for not assisting her to the restroom. 2. On January 24, 2025, in the Surgical Suites, a patient was yelling at an RN about not receiving needed medication on their scheduled time. The patient proceeded to become aggressive towards the RN after being offered the medication and then insisted on having their IV removed so they could leave. Against medical advice, the patient was escorted out by security. 3. On January 25, 2025, in the Adult Emergency Room - VTA 2B, a patient was being verbally aggressive with a nurse after not agreeing with the medical care being provided. Security was dispatched to the scene to assist in deescalating the situation and escorted the patient to their car. The patient later checked back in due to her condition. The patient later became verbally aggressive and was escorted off the premises. 4. On January 25, 2025, in Neuro/Stroke Services (NSS), staff were alerted of a patient being unresponsive. They arrive to the patient's restroom to find the patient's son attempting to assist. The patient's son refused staff from intervening and repeatedly made verbal threats to kill staff while punching the bathroom wall. The patient's son punched staff in the chest. Security arrived on scene after being alerted. The patient's son was placed in custody and escorted out by Las Vegas Metro Police. No staff sustained any injuries. 5. On January 28, 2025, in the Adult Emergency Room (AED) - Observational Treatment Area 2 (OTA2), a patient became agitated and verbally aggressive with staff. The patient threatened to punch the RN after being directed to pick from the floor before being allowed to obtain a new tray of food. Security was dispatched and supervised any further interaction between the RN and the charge RN as they administered medication to the patient. No staff sustained any injuries. 6. On January 31, 2025, in the Burn Intensive Care Unit (Burn ICU), security arrived to assist in a situation where a patient assaulted nursing staff. Upon arrival, the patient was observed to be in a 2-point soft restraint in his bed. After speaking with two house supervisors, a patient care technician (PCT), and two RNs, staff reported that the PCT was kicked two times on the right side of their face, RN-1 was kicked two times in the chest and RN-2 was kicked 1 time in the head causing her to fall back onto the wall. Staff did not want to press criminal charges as they attributed the behavior to the patient being mentally confused. Security remained on site until a doctor ordered medication and a 4-point	Inspection conducted. 1 citation issued - \$597.50

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2025 - 3rd Quarter January to March 2025

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	Inspection Number	UPA Open/Closed	Severity-Subject	Hazard Description and Location	Inspection Results/Comments
R-2266632	Unknown/Invalid Establishment		02/25/2025	Hotline	N	N		Closed		Polyeurathane and epoxy paint are being dumped into the ground and into trash without proper authorities knowing. Polyeurathane and epoxy paint are being used in the area where employees are working which has caused burning throats and coughing with the employees.	No action. Not enough information to process.
R-2266642	Harrah's Laughlin		02/25/2025	Phone	Y	Y		Closed	S-Safety	1. On 2/24/2025 at approximately 8:00 p.m., a patron stole a ticket and security went out into the parking lot to identify the patron. At some point, one of the security guards jumped onto the hood of the patron's vehicle which was against company policy. The vehicle sped up and the security guard was thrown to the ground. Paramedics were called and the security guard was taken to Western Arizona Regional Medical Center and was then transferred to Sunrise Hospital with a brain bleed and a fractured skull.	Resolved through inquiry process.
R-2266702	Little Caesar's Enterprise, Inc.		02/25/2025	Phone	Y	N	1808586	Closed	O-Safety	1. Employees working in the rear area making dough have no safe exit in the case of the building catching on fire. There is only one way out at the front of the building, and between the dough area is the cooking equipment. At times, up to 12 employees can be working at this location.	Inspection conducted. No citations issued.
R-2266740	Tile Max, LLC		02/25/2025	Phone	Y	N	1806562;1810158	Closed	S-Health	1. Employees were assigned to cut into existing areas of tiles and board and no masks were provided. 2. Employees began work on 2/3/2025 to complete demolition of the bathroom. During demolition approximately a week ago, it was brought to everyone's attention that the joint compound, black mastic glue, vinyl tiles, and linoleum all tested positive for asbestos. The home was built in the 1970s and neither the owner of the home nor the employer took action to ensure testing was completed prior to starting work. Employees are still currently completing work in the home. 2/25/2025 CW	Open investigation.
R-2266798	Wells Enterprises, Inc.		02/25/2025	Phone	Y	N	1806899	Open	S-Safety	1. On 2/24/25, an employee crushed his left foot between his forklift and a bollard when attempting a bump stop. Employee was transferred via ambulance to Sunrise Hospital where he was admitted for surgery.	Open investigation.
R-2267060	Highway Striping and Signs, LLC		02/25/2025	Phone	Y	Y		Closed	S-Health;S-Safety	1. Employees are exposed to high concentrations of paint fumes in the air from paint dumping in the company yard and this is affecting employees by causing immediate symptoms like eye irritation, headaches, dizziness, nausea, and breathing difficulties, while long-term exposure can lead to more serious health issues including respiratory problems.	Resolved through inquiry process.
R-2267115	Boulder City Hospital, Inc.		02/20/2025	Email	N	N		Closed	S-Safety	1. A concerned citizen called the hospital and stated that there was a person in their apartment building parking lot threatening to come to Boulder City Hospital and hurt the nursing staff. the Boulder City Police Department was notified and a report was taken. The Hospital was placed in lockdown for the rest of the evening.	No action. Workplace violence program previously reviewed.
R-2267146	Ross Dress for Less #112		02/25/2025	Online	N	N		Closed		1. There are no public restrooms available for customers. 2/26/2025 SLT	No action. No applicable standard.
R-2267178	Papillon Helicopters - Las Vegas		02/07/2025	Email	N	N		Closed	O-Safety	1. Management does not have an emergency response plan for employees working in another company location in Arizona. 2/26/25 AL	No action. Referred to Arizona Department of Occupational Safety and Health.
R-2267292	Spectrum Construction LLC	Spectrum Construction	02/17/2025	Phone	Y	N	1804616	Closed	S-Safety	1. On February 17, 2025, at 12:00 p.m., an employee fell from a ladder onto the concrete and sustained severe injuries.	Open investigation.
R-2267772	American Tax Service		02/27/2025	Online	Y	Y		Closed	O-Health	1. In the facility, employees are exposed to pathogens including bronchitis and pneumonia. 2. In the facility, employees are not provided PPE for airborne contaminants.	Resolved through inquiry process.
R-2267965	Anytime Labor LLC	Labor Max Staffing	02/28/2025	Phone	Y	Y		Closed	O-Safety	1. Labor Maxx employees, hired to work as flaggers on construction sites, are smoking marijuana at the facility, prior to leaving to go to their assigned jobsites. 2/28/2025 JC	Resolved through inquiry process.
R-2268413	Pam Specialty Hospital of Las Vegas LLC		03/03/2025	Email	N	N		Closed	O-Health	1. A submission for the workplace violence program has not been submitted to OSHA within the last 12 months.	No action. No requirement to submit WPV program annually.
R-2268465	North Pointe Dental		03/03/2025	Phone	Y	Y		Open	S-Health	1. Employees are working with hazardous chemicals and safety equipment such as, an eye wash station or first aid kit, are not provided. 2. Employees are handling sharps, but the employer does not maintain a sharps injury log.	Resolved through inquiry process.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2025 - 3rd Quarter January to March 2025

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	Inspection Number	UPA Open/Closed	Severity-Subject	Hazard Description and Location	Inspection Results/Comments
R-2268470	Pointe North Dental		03/03/2025	Phone	Y	Y		Open	S-Health	1. Employees are working with hazardous chemicals and safety equipment such as, an eye wash station or first aid kit, are not onsite. 2. Employees handle sharps, but the employer does not maintain a sharps injury log.	Resolved through inquiry process.
R-2268671	Wynn Las Vegas, LLC	Wynn Las Vegas / Encore at Wynn Las Vegas	03/03/2025	Phone	Y	Y		Closed	S-Health	1. On 3/2/2025 around 2 PM, a security employee was attempting to holster their firearm and shot themselves in the right thigh. The employee was transported to Sunrise Hospital but was not admitted. Employer reported the incident on 3/3/2025 at 2:05 PM. 3/3/25 SLT	Resolved through inquiry process.
R-2268997	W&W Steel Erectors, LLC		02/26/2025	Phone	Y	Y		Closed	O-Safety;S-Health	1. On 02/25/2025, an ironworker was struck by a piece of steel tubing while working on a construction project at the M Resort in Henderson. The employee was transported to Sunrise Hospital by ambulance, was treated for broken ribs, and released the same day. 03/04/2025 AB	Resolved through inquiry process.
R-2269005	Quest Diagnostics		03/03/2025	Online	N	N		Closed		1. The patient and their child's medical records are frequently changed or altered.	No action. No jurisdiction.
R-2269038	Amazon.com Services LLC		02/25/2025	Phone	Y	Y		Closed	O-Health;O-Safety	1. At approximately 01:00AM on 02/10/2025, an employee was struck in the head by falling boxes while working at the outbound shipping dock. Four days later, on 02/14/2025, at approximately 01:00AM, the employee was admitted to MountainView Hospital for abdominal pain the employee believed to be related to the injury received on 02/10/2025. The employer was not notified of the hospitalization until 02/24/2025. 03/04/2025 AB	Resolved through inquiry process.
R-2269116	Desert Flour LLC	Panera Bread Bakery Cafe	02/28/2025	Online	Y	Y		Closed	O-Health	1. Located in the kitchen, a sink was filled with blood from an employee being cut.	Resolved through inquiry process.
R-2269137	ASAW L.L.C.	Ragnar Underground	03/04/2025	Phone	Y	Y		Closed	S-Safety	1. In the area immediately southwest of condominiums located at 365 Seine Way, 7 workers are exposed to an unprotected excavation face approximately 10' high. 03/04/2025 AB	Resolved through inquiry process.
R-2269298	University Medical Center of Southern Nevada		02/20/2025	Email	N	N		Closed	O-Safety	1. On February 13, 2025, at approximately 1:15 PM in PICU 278. A patient slapped an employee in their face. 2. On February 15, 2025, at approximately 9:30 PM in the adult emergency. A patient slapped an employee in their face. 3. On February 19, 2025, at approximately 7:50 AM in room 1309. A patient pushed the rolling computer station over, which landed on the employee foot.	No action. Workplace violence program previously reviewed.
R-2269598	Comprehensive Cancer Center of Nevada		03/04/2025	Online	Y	Y		Closed	S-Health	1. Located in the Nuclear Medicine/PET Department, employees are not provided with personnel monitoring equipment to monitor radiation exposure. 2. The employer did not advise nor furnish radiation exposure records to employees and former employees.	Resolved through inquiry process.
R-2269606	Freddy's Frozen Custard & Steakburgers		03/05/2025	Phone	Y	Y		Closed	O-Safety	1. Employees are required to clean the restrooms at night. They are not provided the appropriate PPE when being required to reach into the toilet to wipe with a cloth. 2. Employees are required to mop the restaurant at night and are using the same water used in the restroom in the kitchen and lobby.	Resolved through inquiry process.
R-2269776	Western States Contracting, Inc.		02/28/2025	In person	Y	N	1808532	Closed	S-Safety	1. At the Novi by KB Homes jobsite, an employee was working in an approximately 8 feet deep excavation, within a trench box, without a means to exit the trench box safely. The employee worked and walked in the unprotected portion of the excavation.	Open investigation.
R-2269781	Tele Tech Services Corporation		03/05/2025	Online	N	N		Closed		I was discussing with my coworkers and management about a promotion. Management recommended a weight loss beverage. After I took the beverage I had migraines, shortness of breath, numbness in my limb and heart palpitations. Other coworkers complained about the same thing. The company fired me afterwards . - The managers work onsite and offsite.	No action. No applicable standard.
R-2269800	Bellagio		03/05/2025	Online	Y	Y		Closed	S-Safety	1. In the Bellagio warehouse, employees are operating an order picker forklift without wearing a safety harness.	Resolved through inquiry process.
R-2269840	PH 11 LLC	The Lexi Las Vegas	03/04/2025	Online	Y	Y		Closed	O-Health	1. Located in the Rsk restaurant kitchen and bathrooms, there are no running water and soap for employees to wash their hands, or paper towels or air dryers to dry their hands. 2. Located in the Rsk restaurant kitchen, there are rats and cockroaches. 3. Located in the Lounge Bar, the floors are not cleaned or maintained.	Resolved through inquiry process.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2025 - 3rd Quarter January to March 2025

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	Inspection Number	UPA Open/Closed	Severity-Subject	Hazard Description and Location	Inspection Results/Comments
R-2269897	Valley Hospital Medical Center		03/06/2025	Email	N	N		Closed	O-Safety	1. On November 5, 2024, in Behavioral Health Unit, Patient grew aggressive and physically attacked a staff member, panic alarm was sounded, and staff assisted de-escalation. Patient was medicated and placed in restraints. 2. On November 6, 2024, in the Emergency Department, a patient grew verbally aggressive and proceeded to attack staff members, security guards assisted de-escalation. Patient was discharged and was escorted off the property. 3. On November 6, 2024, in the Behavioral Health Unit, a patient attacked staff member during medication distribution. Patient was de-escalated, taken to seclusion, and medicated. No injuries were recorded. 4. On November 17, 2024, in the Emergency Department, a mentally unstable patient attempted to physically attack staff members, security guards and additional staff were alerted and aided in de-escalation. 5. On November 21, 2024, in the Emergency Department, a patient was self-harming their personal self and proceeded to attack the staff personnel that were assisting. Police officials were contact, no injuries were reported. 6. On November 21, 2024, in the Emergency Department, a mentally unstable patient grew aggressive and proceeded to attack staff members. Staff members placed the patient in restraints. Patient exited restraints and required further de-escalation. No injuries were reported. 7. On November 1, 2024, in the Emergency Department, a patient grew aggressive and proceeded to attach staff personnel and proceeded to required restraints as well as additional de-escalation. Police officials was contacted. 8. On December 11, 2024, in the 4P Department, a patient grew verbally and aggressive and proceeded to attack staff. Patient was de-escalated and placed in restraints. 9. On December 11, 2024, in the Post Anesthesia Care Unit, a patient awoke from sedation and immediately grew verbally and physically aggressive. Patient was de-escalated and no injuries were reported. 10. On November 22, 2024, in the Emergency Department, a patient grew verbally and aggressive and proceeded to attack staff. Patient was de-escalated and placed in restraints. 3/6/25 AB	No action. Workplace violence program previously reviewed.
R-2269941	Golden Route Operations	Market Gaming, LLC	03/06/2025	Phone	Y	Y		Closed	S-Health;S-Safety	1. Employee taken to closest hospital for possible heart attack.	Resolved through inquiry process.
R-2269999	National Pipeline Contractors, LLC	National Pipeline Contractors	02/28/2025	In person	Y	N	1808180	Closed	I-Safety	1. Two employees were observed in an approximately 7 feet deep trench without cave in protection.	Open investigation.
R-2270061	Farmer's Insurance Exchange		03/06/2025	Phone	Y	Y		Closed	S-Health;S-Safety	1. Employee collapsed from unknown injuries and hospitalized.	Resolved through inquiry process.
R-2270076	Nevada Health Centers - WIC Bonanza	WIC	03/06/2025	Phone	Y	Y		Closed	S-Health;S-Safety	1. Employees exposed to falling debris from ceiling and insulation coming down from water damage from rain on roof.	Resolved through inquiry process.
R-2270082	Las Vegas Resort Holdings, LLC	Sahara Las Vegas	03/06/2025	Phone	Y	Y		Closed	S-Safety	1. Employees exposed to trip and fall hazards with 2-loading dock plates on the east side of hotel that come up so quietly that employees do not know the dock plates have gone up.	Resolved through inquiry process.
R-2270086	WFS Express, Inc.		03/06/2025	Phone	Y	Y		Closed	S-Safety	1. Employees exposed trip, fall, and possibly crush-by hazards with 2 out of 4 dock plates not functioning properly. The chain does not catch, the dock plate leveler doesn't actuate.	Resolved through inquiry process.
R-2270097	Alliance Ground International LLC	AGI	03/06/2025	Phone	Y	Y		Closed	S-Safety	1. Employees exposed trip, fall, and possibly crush-by hazards with 2 dock plates not functioning properly. The chain does not catch, the dock plate leveler doesn't actuate.	Resolved through inquiry process.
R-2270285	Summerlin Hospital Medical Center		03/06/2025	Email	N	N		Closed	O-Health	1. On 2/21/2025 at approximately 5:20 a.m., a patient from Room 4S kicked an employee in the chin. 3/7/2025 AL	Resolved through inquiry process.
R-2270301	Summerlin Hospital Medical Center		03/06/2025	Email	N	N		Closed	O-Health	1. On 2/26/2025 at approximately 2:00 a.m., a patient from the Emergency Department became verbally aggressive to hospital staff while the said patient was being assisted in changing to hospital attire. 3/7/25 AL	Resolved through inquiry process.
R-2270324	Summerlin Hospital Medical Center		03/06/2025	Email	N	N		Closed	O-Health	1. On 2/27/2025 at approximately 12:45 p.m., a woman tried to leave the hospital cafeteria without paying for a drink. The woman was approached by a staff member who was then slapped by the woman three times on the right right forearm. Security escorted the woman to the emergency room. 3/7/2025 AL	Resolved through inquiry process.
R-2270916	Entek Manufacturing, LLC		03/10/2025	Online	Y	Y		Closed	O-Safety	1. In the machine shop, the cranes are faulty. 2. In the machine shop, little to no PPE is used. 3. In the machine shop, there are no lifting devices in place for lifting heavy parts.	Resolved through inquiry process.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2025 - 3rd Quarter January to March 2025

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	Inspection Number	UPA Open/Closed	Severity-Subject	Hazard Description and Location	Inspection Results/Comments
R-2271168	Kiewit Infrastructure West Co.		03/10/2025	Phone	Y	Y		Closed	S-Safety	1. On 3/9/2025 at approximately 10:30 PM, an employee was attempting to disengage a fork that was attached to a Caterpillar 950 loader. When the fork disengaged, the employee's hand was still underneath, resulting in the tip of their right middle finger getting crushed. The employee was transported to the emergency room at Spring Valley Hospital but was not admitted. On 3/10/2025, the employee elected for revision amputation as a result of the incident which will be performed on 3/12/2025.	Resolved through inquiry process.
R-2271430	Spot Free LLC		03/11/2025	Phone	Y	Y		Closed	O-Safety	1. Employees drive a Ford pick up truck with bald tires, and pulling around a trailer with a power washer. The trailer has 8 donut tires that need to be refilled at the end of each night. 2. The supervisor during work hours is working under the influence of marijuana. 03/11/2025 EM	Resolved through inquiry process.
R-2271936	Flight Bar		03/12/2025	Phone	Y	N	1812303	Open	S-Health	1. In the Flight Bar area, employees utilize hazardous chemicals without personal protective equipment, such as gloves or safety goggles. They have complained about associated symptoms for at least the past two months. 2. Employees in the Flight Bar area utilize hazardous chemicals and there is concern employees may not have access to safety equipment, such as eye wash stations.	Open investigation.
R-2272036	University Medical Center of Southern Nevada		03/12/2025	Email	N	N		Closed	S-Safety	1. On 2/22/25 at 7:55 am, in 2 South room 532-2, a patient started fighting with a Public Safety Officer. 2. On 2/23/25 at 12:50 pm, at the 2 South Nurse's Station, a patient grabbed an employee by the wrist. 3. On 2/27/25 at 4:50 pm, on 3 South, a patient scratched an employee's left upper arm. 4. On 2/27/25 at 6:20 pm, in Trauma ED Hall 2, a patient kicked an employee in the back of his left arm. 5. On 3/2/25 at 7:40 am, in 5 North room 516-2, a patient made threats of violence towards an employee, then struck the employee in the face. 6. On 3/5/25 at 2:50 am, in 2 South room 207-1, a patient bit an employee on the finger.	No action. Workplace violence program previously reviewed.
R-2272207	University Medical Center of Southern Nevada		01/08/2025	Email	N	N		Closed	O-Safety	1. On 12/20/2024 at 7:45pm in 2 South Room 202-1: L2K patient was becoming combative with nursing staff and PSO stepped in to assist. Patient started becoming violent with PSO and struck the PSO in the face with a closed fist. 2. On 12/23/2024 at 1:45pm in EMS Hallway: Patient punched a doctor in the stomach as she was trying to assess the patient. 3. On 01/01/2025 at 11:30am in 5 North Room 511: Patient became upset while employee was cleaning them and changing their linens and struck the employee in the chest. 4. On 01/02/2025 at 7:30am in 2 South Room 206-2: Employee was assisting with restraining a combative patient. The patient's right leg was placed in restraints and the employee released the leg. Afterwards, the patient then kicked the employee in the forearm with the restrained leg. 5. On 01/01/2025 at 8:30pm in PEDS-ER: Employee was hit in the legs by flying objects the patient was throwing in the room.	No action. Workplace violence program previously reviewed.
R-2272220	Valley Health System, LLC.	Henderson Hospital	03/12/2025	Email	N	N		Closed	O-Safety	1. On 02/22/2025 at 08:50AM, in the Emergency Department Mental Health Hold Bed #3: A patient was being discharged, punched nurse in the side of the head, attempted to grab scissors, pushed security guard to floor and pulled hair, struck 2nd security guard. Henderson Police Department called and patient was placed in custody.	No action. Workplace violence program previously reviewed.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2025 - 3rd Quarter January to March 2025

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	Inspection Number	UPA Open/Closed	Severity-Subject	Hazard Description and Location	Inspection Results/Comments
R-2272263	Sahara Chrysler Dodge Ram		03/12/2025	Online	Y	N	1810542	Closed	O-Health;O-Safety	The employer exposes its employees to the following hazards: 1. Slip & Trip Hazards—Oil spills, coolant leaks, loose tools, cluttered work areas, uneven or unstable flooring, poor railings, narrow aisles, and limited maneuverability. 2. Struck-by Hazards—Falling parts from high shelves or storage units, flying debris. 3. Ergonomic Hazards—Repetitive motion, poor posture, excessive force, improper workstation setup (including incorrect desk height for counter workers). 4. Noise Hazards—Loud impact tools, grinding machines, and compressed air systems causing hearing damage. 5. Toxic Chemical Exposure—Brake cleaners, degreasers, and solvents with hazardous fumes. 6. Heavy Lifting Hazards—Moving or lifting heavy parts (tires, transmissions, batteries, brake rotors) without proper techniques or assistance. 7. Electrical Hazards—Exposed wires, overloaded electrical outlets, and limited space around electrical panels. 8. Material Handling Equipment Hazards—Unsafe forklift and pallet jack operation, including untrained workers and improper loading/unloading of heavy parts. 9. Blocked Emergency Exits—Stored parts or equipment obstructing exit doors. 10. Ladders & Elevated Storage Hazards—Falling from high storage racks due to lack of proper safety measures. 11. Exhaust Fume Buildup—Poor ventilation causing vehicle fumes to accumulate. 12. Lack of Safety Signage—Missing caution signs for wet floors, forklift areas, or restricted zones. 13. Inadequate Employee Training—Untrained staff handling hazardous chemicals, heavy loads, or emergency situations. 14. No Emergency Procedures—Workers are unaware of evacuation routes or fire extinguisher locations. 15. Improper Battery Storage—Batteries stacked too closely together in confined spaces. 16. Stacked Inventory Collapse—Poorly stacked boxes or parts falling when shelves are bumped. 17. No Safety Data Sheets (SDS) for Hazardous Materials 18. Lack of an Eyewash Station—No eyewash station near chemical storage areas. 19. Improper Trash Disposal—Leading to pest infestations.	Open investigation.
R-2272368	Lee Canyon Ski Resort		03/13/2025	Phone	Y	Y		Open	O-Safety	1. On 3/12 at 10:59AM, a guest snowboarder hit a ski instructor causing the ski instructor to fall on their left side. Ski Patrol attended to the ski instructor and they were taken to the emergency room at Centennial Hospital. The ski instructor was then admitted to the ICU in Sunrise Hospital.	Resolved through inquiry process.
R-2272466	Pro-Serve		03/13/2025	Phone	Y	Y		Open	O-Safety	1. On 3/12 at 2:30PM an employee was walking in the hallway to throw away trash when they slipped as they turned a corner and fell. The employee went to urgent care and was sent to Dignity Health - St. Rose Dominican Hospital Siena campus. The employee received surgery for their fractured right hip.	Resolved through inquiry process.
R-2272659	Prestige Roofing		03/14/2025	Online	Y	Y		Closed	S-Safety	1. On the 10862 Stardust jobsite, employees are not provided PPE. 2. While on the roof, employees are not wearing safety harnesses and lanyard. 3. Management does not enforce the fall protection program.	Resolved through inquiry process.
R-2272735	MONTBLEAU & ASSOCIATES		03/14/2025	Phone	Y	Y		Closed	O-Health	1. On March 13, 2025 at approximately 3:37 p.m., an employee conversing with her supervisor and co-worker collapsed in the office. Paramedics were called and the employee was transported to Spring Valley Hospital in Las Vegas, NV. 3/14/25 AL	Resolved through inquiry process.
R-2272744	Terrible Herbst, Inc.	Terrible's #429	03/11/2025	Online	Y	N	1811512	Closed	O-Health	1. The employer does not provide employees with adequate personal protective equipment for their body, eye, and face when cleaning out the car wash pit. 2. The foam detergent used to wash the cars in the car wash tunnel is hazardous. 3/11/2025 bm	Inspection conducted. No citations issued.
R-2272873	A-Mark Precious Metals Inc.		03/13/2025	Online	Y	N	1813019	Closed	O-Safety	1. Pallets everywhere throughout the warehouse creating tripping hazards. 2. Some employees operating the forklift and electric pallet jack without being certified. 3. Emergency exits are blocked. 03/18/2025 AB	Inspection conducted. No citations issued.
R-2272908	Roth Staffing Company		03/14/2025	Phone	Y	Y		Closed	O-Safety	1. On 03/12/2025 at a warehouse located at 3051 North Marion Drive Suite 107 , an employee was unloading a stack of whiteboards from inside a container truck's cab. The stack of whiteboards tipped over and fell on the employee, causing him to hit the wall of the truck cab. He was initially taken to Concentra and discharged. During his follow up check-up on 03/13/2025, it was discovered that the employee suffered a fractured C-7 vertebra. He was then transported to UMC and was confirmed to be admitted at the hospital on 03/14/2025 at 11:00 a.m. 3/13/25 AL	Resolved through inquiry process.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2025 - 3rd Quarter January to March 2025

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	Inspection Number	UPA Open/Closed	Severity-Subject	Hazard Description and Location	Inspection Results/Comments
R-2272909	TC Roofing Company		03/14/2025	Phone	Y	N	1814529	Open	S-Safety	1. On 3/14/2025 at approximately 7:05 AM, an employee had set up a ladder and was climbing up a ladder in order to complete a roof tear off job. The employee was transitioning to the roof, stepped on a piece of ice and slipped off the roof of the single-story house. The employee fell 8 feet to the next lower level. EMS was called and transported the employee to St. Rose Dominican Hospital. The employee was admitted to the hospital for a broken shoulder.	Inspection conducted. 1 citation issued - \$0.
R-2273192	GIBALTAR HOSPITALITY	7th & Carson	03/17/2025	Online	N	N		Closed		1. I have pictures and witnessed raw fish next to a sink full of dirty dishwater and food chunks. Dirty rides all over the back of the house and food that should be refrigerated and labeled and not refrigerated just sitting on counters. I witnessed cooked food next to raw food, all sitting in the back.	No action. No applicable standard. Referred to the Southern Nevada Health District.
R-2273341	INSPIRED CONSTRUCTION SERVICES LLC		03/17/2025	Email	Y	Y		Closed	S-Health	1. At 808 East Saint Louis Avenue, Las Vegas, NV 89104, the employer failed to implement all necessary containment measures during the asbestos removal process conducted by employees at the worksite. 2. At 808 East Saint Louis Avenue, Las Vegas, NV 89104, the employer did not dispose of asbestos-containing materials properly.	Resolved through inquiry process.
R-2273467	Highland Commercial Roofing SoCal, LLC	Highland Commercial Roofing	03/17/2025	In person	Y	N	1811251	Closed	S-Safety	1. The employees were working on the roof without fall protection.	Inspection conducted. No citations issued.
R-2273489	McDonald's		03/17/2025	Phone	N	N		Closed	O-Safety	1. A child was observed in the kitchen during normal operations.	No action. No jurisdiction.
R-2273751	Sunrise Carpentry Inc.		03/18/2025	Phone	Y	Y		Closed	S-Safety	1. On 03/17/2025 at approximately 9:30am, an employee attempted to raise a wood framed wall, by hand, at the KB Homes jobsite located at POD 62 Lot 112. The wall slipped from the employee's grasp falling onto his right leg, resulting in fractures to the fibula and tibia. The employee was transported to Saint Rose Dominican for treatment and surgery. 3/18/2025 JC	Resolved through inquiry process.
R-2273772	Creative Technology		03/18/2025	Phone	Y	Y		Closed	O-Safety	1. The employer does not verify employees possess OSHA-10 hour cards. 3/18/2025 JC	Resolved through inquiry process.
R-2273865	Area 15 Las Vegas, LLC		03/11/2025	Online	Y	N	1811875	Open	O-Safety	1. Employees accessing and performing work on the roofs are not protected from falls. 2. Electrical panels in the event spaces are blocked by liquor storage. 3. Emergency exit doors and egress routes are blocked. 3/18/2025 AR	Open investigation.
R-2273963	Solon Corporation		03/18/2025	Phone	Y	Y		Closed	O-Safety	1. Employees who have not obtained a photovoltaic (PV) license are permitted to install solar panels. 2. Employees are permitted to operate Sky-Trak material handlers without required training. 03/18/2025 JC	Resolved through inquiry process.
R-2274178	Exponents Insta USA Inc. Las Vegas		03/19/2025	Phone	N	N	1812304	Closed	S-Safety	1. The table saw is missing the guard and other safety features. Employees are having material kicked back at them. 2. Crates are being stacked on top of each other in an unsafe manner upwards of 17 feet high. 3. Only one of the forklift operators are certified, but the remaining operators are not certified. 4. The steel storage rack baseplates only have 2 anchor bolts installed. 5. The forklift's horn does not work.	Open investigation.
R-2274193	Olson Precast Company		03/19/2025	Phone	Y	Y		Closed	S-Safety	1. An employee was working on a three tiered scaffold, 20 feet underground in a waste treatment structure in order to sandblast and precoat. Employees were unable to reach the face of work, and were reaching over and outside the scaffolding in order to complete their work. Employees were using a propane torch to burn fibers on the wall while outside the guardrails without any other method of fall protection.	Resolved through inquiry process.
R-2274342	Hands Enterprises LLC		03/10/2025	Online	N	Y		Closed		Hazard Description: Storage of alcohol in unsafe temperatures to the point that some products exploded, serving expired products to clients, making employees work without a lunch break. There's at least 5 employees affected by this but there's multiple clients that are aware. Hazard Location: Extra Space Storage, 6440 S Jones Blvd. Las Vegas, NV 89119 Units 5021, 5020, 3048, 3047, 3046, 3045, 3044, 3043, 3042, 3041 CubeSmart Self Storage, 8265 W Sahara Ave, Las Vegas, NV 89117 (unsure of unit numbers) Fort Apache Desert Inn Self Storage, 3375 S Fort Apache Rd, Las Vegas, NV 89117 (unsure of unit numbers)	No action. No jurisdiction.
R-2274381	Mirasol Apartment Homes		03/19/2025	Phone	Y	Y		Open	S-Safety	1. The mail room door button does not work and may potentially block employees or residents in the room. 2. Multiple fire extinguishers are missing throughout the community.	Resolved through inquiry process.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2025 - 3rd Quarter January to March 2025

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	Inspection Number	UPA Open/Closed	Severity-Subject	Hazard Description and Location	Inspection Results/Comments
R-2274422	Sierra Air Conditioning, Inc.		03/19/2025	Phone	Y	N	1812265	Open	S-Safety	1. At approximately 10:30am on 3/18/2025, an employee was working on an 8 foot a-frame ladder in order to demo an AC unit within a garage. The employee was exiting the ladder onto the trusses when he fell approximately 9 feet to the floor and sustained a fractured femur. The employee was transported to Sunrise Trauma ER and was admitted for treatment. The employer was notified of the hospitalization on 3/19/2025.	Inspection conducted. No citations issued.
R-2274443	MGM Grand Hotel/Casino		03/19/2025	Phone	Y	Y		Closed	S-Safety	1. On 3/19/2025 at approximately 12:30AM an employee was cleaning the room service kitchen, the employee was walking and tripped over a floor mat, the fell to the floor and struck their left ankle. The employee was transported to Sunrise Hospital by EMS for treatment on their potentially fractured left ankle.	Resolved through inquiry process.
R-2274457	MountainView Hospital, Inc.		03/06/2025	Email	N	N		Closed	S-Health	1. On 1/8/2025 a patient attempted to grab an employee between the legs and used obscene language in MICU2-215A. 2. On 1/9/2025 a patient kicked an employee in the ribs in Emergency Room Holding ED-73. 3. On 1/10/2025 a patient scratched an employee in the chest while having a medical episode. 4. On 1/12/2025 a patient slapped an employee whole trying to remove an IV line in the 4 North Room 464. 5. On 1/12/2025 patient attempting to abscond punched an employee in the chest when the employee blocked their escape. 6. On 2/11/2025 a patient started fighting with a nurse and pushed his weight on her when she was trying to put the patient back in bed in 5 North Room 552B. 7. On 2/17/2025 a patient kicked on employee in the arm and kicked a second employee in the lip in the 5 North bathroom patient room. 8. On 2/24/2025 a patient punched an employee in the right eye and scratched and broke their skin in 5N Room 545. 9. On 2/25/2025 patient punched employee in the left side of their neck in 4 North Room 464. 10. On 2/25/2025 a patient attacked a guest and then scratched an employee attempting to intervene in 4 North Room 464.	No action. Workplace violence program previously reviewed.
R-2274458	Concretti Designs		03/19/2025	Phone	Y	Y		Closed	S-Health;S-Safety	1. Employees are being exposed to chemicals without labels such as Epoxy, Resin, and Xylene. 2. Employees were not provided with personal protective equipment (PPE) that fits while they are using the chemicals. 3. Employees are unable to access safety data sheets (SDS) when needed. The website with the SDS is password protected. 4. Employees were required to buy their own N95 respirator. The employer was only providing dust masks for chemical use.	Resolved through inquiry process.
R-2274613	Woof Gang Bakery & Pet Spa		03/18/2025	Online	Y	Y		Closed	S-Safety	1. The floor and tile are uneven in the salon's wet areas, potentially exposing employees to trip hazards. 2. There is exposed rebar at a wall that was never repaired/built. 3. There are exposed wires in the salon area near the tubs, potentially exposing employees to shock hazards. 4. The ceiling tiles are loose, and one fell and struck an employee on the head.	Resolved through inquiry process.
R-2274734	Production Resource Group		03/20/2025	Phone	Y	N	1812648	Open	O-Safety	1. On 3/19/2025 at approximately 11:45 AM, while constructing shelves, an employee's index finger became caught in a pin hole and was cut off. The employee was transported by ambulance and admitted to Spring Valley Hospital. 3/20/2025 JB	Open investigation.
R-2274929	Corporate Flight International Inc.	Thrive Aviation - Las Vegas Hangar	03/20/2025	Online	Y	Y		Closed	O-Safety	1. There are occasionally blocked emergency exits in the hangar. 2. Personal protective equipment (PPE) is not being utilized all the time by employees. 3. The employer does to provide enough eyewash stations. 3/20/2025 JC	Resolved through inquiry process.
R-2275112	Mountain Valley Express Co., Inc.		03/21/2025	Online	Y	Y		Open	S-Safety	1. In the warehouse, employees are not certified to utilize a forklift. 2. Employees are not trained and evaluated to use a forklift.	Resolved through inquiry process.
R-2275159	No Name		03/08/2025	Online	N	N		Closed		1. Workers don't have license or permits, painting without face masks, working on unsafe scaffolding.	No action. Not enough information to process.
R-2275298	Fisher Sand & Gravel		02/28/2025	In person	Y	N	1808172	Closed	S-Safety	1. Two employees were observed walking in a trench. It is unknown if the trenches benching is compliant.	Open investigation.
R-2275336	Edzo's Automotive LLC		03/05/2025	Online	N	N		Closed	O-Safety	1. I would just like to have an inspection done so I know myself and co workers are safe.	No action. Not enough information to process.
R-2275506	Dispensary Lounge		03/24/2025	Online	Y	Y		Closed	O-Health	1. Employees do not use chemicals in the correct manner while working in the kitchen/bar and bathroom. 2. Chemicals are improperly stored in the kitchen area. 3/24/25 AL	Resolved through inquiry process.
R-2275558	Titan Roofing, LLC		03/18/2025	In person	Y	N	1812800	Open	I-Safety	1. Two employees were observed doing roofing work without being tied off.	Open investigation.
R-2275956	Freddy's Frozen Custard & Steakburgers		03/21/2025	Online	Y	N	1813587	Closed	O-Safety	1. In the back storage room, stock and pallets are stored improperly creating a fire hazard. 2. Employee belongings are blocking the fire exit.	Open investigation.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2025 - 3rd Quarter January to March 2025

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	Inspection Number	UPA Open/Closed	Severity-Subject	Hazard Description and Location	Inspection Results/Comments
R-2276006	Serenity Salon and Spa		03/19/2025	Online	N	N		Closed		Did not have correct posted signage for tanning beds. Workers were practicing without a license. Possible other violations	No action. No hazards identified. Referred to Nevada Contractor's Board regarding unlicensed cosmetologists.
R-2276007	The Whiting-Turner Contracting Company	Whiting-Turner	03/25/2025	Phone	Y	Y		Closed	S-Safety	1. At the jobsite by the doorway of a building, employees are grinding concrete with a broken vacuum. 2. Employees are not provided respirators when they are exposed to dust.	Resolved through inquiry process.
R-2276471	Penny Electric		03/26/2025	Phone	Y	Y		Closed	O-Health	1. Employees are not provided or required to wear personal protective equipment while in the field.	Resolved through inquiry process.
R-2276698	State of Nevada Desert Regional Center		03/26/2025	Email	N	N		Closed	S-Safety	1. On 3/13/25 at 5:00 PM, in 1306 W&S, a patient was being aggressive and lashing out at everyone around them. The patient kicked and scratched staff.	No action.
R-2276699	Unknown/Invalid Establishment		03/26/2025	Phone	N	N		Closed	O-Health	1. There has been an ongoing leak within the facility that the landlord has stated they will repair. However, portions of the ceiling of this facility have fallen down, resulting in employees for the Top G Barbershop to deal with mold and rats due to the ongoing disrepair. Tenants and employees are concerned they will become ill if the facility is not repaired soon.	No action. No employer/employee relationship.
R-2276858	Boxabl Inc		03/26/2025	Phone	Y	Y		Closed	S-Health	1. Employees are utilizing faulty lifts that do not operate up or down, and have to be pushed to various locations on site due to tire issues.	Resolved through inquiry process.
R-2276917	MountainView Hospital, Inc.		03/26/2025	Email	N	N		Closed	O-Safety	1. On 03/26/2025 located in 5C; 504A; a patient punched a registered nurse in the arm and scratched their face and arm. 2. On 03/26/2025 located in 5c; 5151; a patient scratched a PCT and broke skin. 3. On 02/25/2025 in radiology; a male patient made sexual comments to therapist. 4. On 01/10/2025 in MICU-1 a male patient made sexual comment to female nurses. 5. On 02/09/2025 in the emergency room; a male patient was verbally aggressive to a nurse. 6. On 1/17/2025 in the 5 South room 5002, a patient struck a patient sitter in the chest. 7. On 02/11/2025 in 4 Center patient room, a patient was punching at the staff. 8. 01/23/2025 in SICU 234, a male patient yelled at a nurse and pulled on their jacket. 9. 01/26/2025 in 5 North room 550, a male patient kicked at staff. 10. 03/11/2025 on 4S; 4028A a patient grabbed and squeezed registered nurse's arm. 11. On 03/06/2025 on 4 South room 4112, a patient hit an employee on their right hand/wrist. 12. On 03/04/2025 in 5 North nurse's station a patient hit an employee in the neck and left collar bone.	No action. Workplace violence program previously reviewed.
R-2276940	University Medical Center of Southern Nevada		03/26/2025	Email	N	N		Closed	O-Safety	1. At 09:50 AM, on 03/09/2025, in the MICU, an intubated patient woke up confused, and began fighting with staff, striking an employee in the left side of his head. 2. At 05:00 AM on 03/12/2025, in the pediatric ER restroom, a pediatric patient became violent and began kicking, head-butting, slapping, scratching, and attempted to bite staff members. 3. At 4:10 PM on 03/14/2025, in the ortho clinic parking lot, and employee was attacked by a stranger in the parking lot. 4. At 06:50 AM on 03/15/2025, in the adult ED, MSC 6, a patient became upset while having their vitals taken, and struck an employee in the left bicep. 5. At 08:45 PM on 03/17/2025, in CVCU 11, a patient because agitated and attempted to bite an employee's hand. 6. At 5:00 AM on 03/20/2025, in the adult ED parking lot, a discharged patient refused to leave, and struck an employee in the eye while being escorted out. 7. At 08:20 AM on 03/24/2025, in 4 North, room 401-1, a public safety officer (PSO) responded to a call for a verbally abusive patient refusing to return to his room. While escorting the patient back to his room, the PSO was pushed and kicked in the chest. 8. At 10:30 AM on 03/25/2025, in 3 West, room 317-1, a restrained patient receiving an IV kicked an employee in the left side of the head. 9. At 03:00 AM on 03/25/2025, in 5 North, room 501-2, a confused and agitated patient became combative and kicked an employee in the right side of her head. AB 03/27/2025	No action. Workplace violence program previously reviewed.
R-2276969	The Salvation Army	The Salvation Army	03/27/2025	Online	N	N		Closed		Possible assaults life threatening rape don't do their Job possibly joins in incriminating	No action. No jurisdiction.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2025 - 3rd Quarter January to March 2025

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	Inspection Number	UPA Open/Closed	Severity-Subject	Hazard Description and Location	Inspection Results/Comments
R-2277001	Encompass Health Rehabilitation Hospital of Desert Canyon, LLC		03/26/2025	Email	Y	Y		Open	O-Health	1. On 3/7/2025 in patient room 304, an employee was assisting a patient move in their bed when the patient swung their arm and struck the employee.	Resolved through inquiry process.
R-2277113	Spring Mountain Treatment Center		03/27/2025	Email	N	N		Closed		1. On March 5th, in the West Unit Hallway, a patient became agitated and pushed a nurse. The patient was then restrained, and emergency medication was administered. 2. On March 15th, in the Cafeteria, a patient wanted to return to their room, and attempted to throw a table at a staff member before hitting them twice. The patient was then restrained, and no injuries were noted on the staff member. 3. On March 23rd, in the South Unit, a patient began kicking staff and was placed in an approved restraint. 4. On March 23rd, in the North Unit, a patient was agitated and volatile in their unit. Staff administered emergency medication, and placed in a standing, and later sitting, restraint. 5. On March 22nd, in the North Unit Nurses Station, a patient punched a nurse in the back of the neck.	No action. Workplace violence program previously reviewed.
R-2277522	Celebrity Coaches of America, Inc.		03/28/2025	Phone	Y	Y		Closed	O-Health	1. Employees are exposed to exhaust fumes when cleaning the buses for long periods in the establishment's lot, raising health concerns.	Resolved through inquiry process.
R-2277549	Westcorp Management	FireSkye	03/28/2025	Phone	Y	Y		Closed	O-Safety	1. The employees do not have the OSHA poster titled "Job Safety and Health: It's the Law" displayed in a visible location within their workplace. 2. There are no fire extinguishers that are easily accessible or in good working condition in the workplace.	Resolved through inquiry process.
R-2277639	Bechtel		03/28/2025	Phone	Y	Y		Open		1. The employee was walking down a slope in his work area when he felt tightness in his left thigh, preventing him from continuing to walk.	Resolved through inquiry process.
R-2278157	Mammoth Underground, LLC		03/18/2025	In person	Y	N	1811511	Closed	I-Safety	1. Located at the site, employees were observed working in a trench deeper than 5-feet without proper cave-in protection.	Open investigation.
R-2278158	ABM Industries, Inc	ABM Building Services, LLC	03/31/2025	Phone	Y	Y		Closed	S-Safety	1. An employee fell down 2 stairs and injured her left elbow and left hip. She had surgery on 3/27/25.	Resolved through inquiry process.
R-2278159	Southern Hills Medical Center, LLC	Southern Hills Hospital and Medical Center	03/31/2025	Mail	N	N		Closed	O-Safety	1. At the facility, on 03/06/2025, an employee was exposed to an attempt of physical violence and verbal abuse. 2. On 03/07/2025, an employee was exposed to verbal abuse. 3. On 03/08/2025, an employee was exposed to an attempt of physical harm when a vial was thrown towards them. 4. On 03/13/2025, an employee was exposed to inappropriate gestures and threat of violence. 5. On 03/19/2025, employees were verbally threatened with physical harm and assault. 6. On 03/20/2025, an employee was exposed to verbal assault. 7. On 03/21/2025, employees were exposed to verbal threats of physical harm. 8. On 03/23/2025, an employee was exposed to threats. 9. On 03/24/2025, an employee was exposed to an attempted physical assault.	No action.
R-2278160	Check City Corporate Office		03/31/2025	Phone	Y	Y		Open	S-Health	1. An employee was bitten by a brown recluse spider on 3/17/25 and required surgery.	Resolved through inquiry process.
R-2278632	Reyes Coca Cola Bottling		03/07/2025	Online	N	N		Closed		1. There is an excessive amount of pallets stacked to an unsafe height in an Albertsons store # 3207 and Vons store number #1795. Employees are climbing and walking on top pallets at Albertsons store # 3207 and Vons store number #1795. In Albertsons store # 3207 and Vons store number #1795, there is unsafe storing of product.	Resolved through inquiry process.
R-2278820	Boulder City Hospital, Inc.		03/26/2025	Email	N	N		Closed	S-Safety	1. A patient was admitted to the emergency department with severe hypoglycemia and was placed on a gurney. A Nurse began to place a IV and the patient became combative and punched and kicked the nurse. The nurse backed away from the patient and the patient got up from the gurney and jumped on a second nurse, knocking her to the ground. Both Nurses sustained injuries. Both nurses were provided first aid.	Open investigation.
R-2278887	Walmart Neighborhood Market #3655		03/29/2025	Phone	Y	Y		Closed	O-Health	1. On 03/29/2025, around 2:21pm, an employee was carrying supplies down some stairs and missed a step, which resulted in them falling down the 5 remaining steps. They sustained a head injury, and was transported to UMC Trauma Center.	Resolved through inquiry process.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2025 - 3rd Quarter January to March 2025

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	Inspection Number	UPA Open/Closed	Severity-Subject	Hazard Description and Location	Inspection Results/Comments
R-2278920	North Vista Hospital		03/26/2025	Email	N	N		Closed		1. On January 1, 2025, at approximately 11:25 AM in the Adult Psychiatric Unit. A employee was attempting to break up a fight between adult psychiatric patients, and was assaulted in the process. 2. On January 1, 2025, at approximately 11:30 AM in the Adult Psychiatric Unit. A patient struck an employee in the face and attempted to kick them. 3. On January 3, 2025, at approximately 9:35 PM in the Adult Psychiatric Unit. A patient struck an employee in the arm and pelvic area. 4. On January 18, 2025, at approximately 12:00 AM in the Adult Psychiatric Unit. A patient attacked an employee. 5. On March 3, 2025, at approximately 2:30 AM in the Adult Psychiatric Unit. A patient scratched an employees foreman and attempted to punch nurse; he was able to block his face, but patient made contact with nurse's wrist.	No action. Workplace violence program previously reviewed.
R-2278952	Bravo Underground, Inc.		03/31/2025	Phone	Y	Y		Open	S-Health	1. On 03/31/2025, around 12:04 pm, an employee was attempting to exit the backhoe and fell out of the cab. Upon hitting the ground, they had a seizure. The employee was transported to St Rose Sienna, where they are believed to be currently admitted.	Resolved through inquiry process.
R-2278960	Valley Health System LLC	Centennial Hills Hospital Medical Center	03/26/2025	Email	N	N		Closed	S-Health;S-Safety	1. On 02/24/2025 at 6:00pm in the MS 3 Unit a patient family member was upset and warned the staff that the patients' granddaughters, husband would be waiting for the staff member outside after work. Staff member was escorted to their car by security after their shift with no issues. 2. On 03/11/2025 at 9:00am in the IMC 423 a staff member was cleaning patient with her preceptor. Patient had a bowel movement and needed cleaned and changed. Patient was agitated and confused. Patient was refusing care, and aggressively grabbing, swinging and trying to bite staff. Patient scratched Gabriella and bit her preceptor, Brandy Ines. Patient was restrained with help of other staff members. 3. On 03/14/2025 at 5:50pm in the 5 N a son of patient yelling and pointing at staff when asked to have only 2 visitors per patient. Difficult to deescalate, walked off property. 4. On 03/16/2025 at 7:00am in the ED Lobby a Patient walked up to the ER desk and tapped on the window while staff was triaging another patient. Patient demanded a bus pass from staff with an aggressive tone and stated he was not suicidal. Patient was not previously checked into the ER. When asked why he was checking in patient kept stating he needs a bus pass. Patient is yelling at the staff from the lobby repeating the same thing. Dr. Naik came to evaluate the situation and patient and brought patient back to the triage chair. Patient still refusing to get seen by a doctor but demanding a bus pass. Patient became increasingly more agitated when staff attempts to ask why he wants to check in. Patient has me cornered in triage as he's becoming more agitated, and patient stands up and starts yelling. While all this happens, security has already been called twice with no response for long period then when they do answer they are questioning why we need them unnecessarily. At one point we were asked if there was a male nurse who could help instead. One nurse attempts to knock on security's door with no response. A code grey was called and security showed up for that.	No action. Workplace violence program previously reviewed.
R-2279123	Albertson's #3207		03/07/2025	Online				Open	O-Safety	1. There is an excessive amount of pallets stacked at an unsafe height. 2. Employees are climbing and walking on top of the pallets. 3. Product is being stored unsafe.	Open investigation.
R-2279396	Vons		03/07/2025	Online	Y	Y		Open	O-Safety	1. There is an excessive amount of pallets stacked at an unsafe height. 2. Employees are climbing and walking on top of the pallets. 3. Product is being stored unsafe.	Resolved through inquiry process.
R-2283934	Valley Health System, LLC.	Henderson Hospital	01/22/2025	Email	Y	Y		Closed	O-Safety	1. On 01/12/25 at 11:00 PM in 2003, RN was assisting patient back from restroom into bed, patient punched RN in face, then patient grabbed the RN's arm and dug his nails into the RN's wrist, causing minor abrasions on wrist.	Resolved through inquiry process.
R-2283950	University Medical Center of Southern Nevada		01/29/2025	Email	Y	Y		Open	O-Safety	1. On 01/19/25 at 11:30 am, in the 2 West Room 237-1, Patient was trying to pull out IV. Patient's mother along with employee tried to calm patient. Patient became more upset and tried getting out of bed. Patient kicked his mother and punched and kicked employee. 2. On 01/23/25 at 6:00 pm, In the Adult ED Ambulance Bay, Discharged patient was refusing to leave. Public Safety Officers escorted the patient to the changing area when the patient became violent and struck one of the PSO's in face. 3. On 01/24/25 at 4:30 pm, In the 2 West Room 232-1, An employee was assisting with applying restraints to a patient's left wrist by holding his arm and the patient kneed the employee in her left side and back.	Resolved through inquiry process.

State of Nevada
Department of Industrial Relations
Occupational Safety and Health Administration
Complaint Log Detail FY2025 - 3rd Quarter January to March 2025

Item 6

UPA #	Establishment Name	DBA	UPA Receipt Date	Receipt Type	Valid	Letter of Inquiry	Inspection Number	UPA Open/Closed	Severity-Subject	Hazard Description and Location	Inspection Results/Comments
R-2285939	Smart Bar USA, LLC		01/30/2025	Online	Y	N	1820089	Open	S-Health;S-Safety	1. Compressors at the worksite are generating noise above 85 decibels. 2. Employees are not provided hearing protection. 3. Compressors are connected to an extension cord, that is connected to a surge protector, that is connected to another extension cord. 4/22/2025 JC	Open investigation.

Advisory Council**NRS 618.347 – Report Concerning Issuance of NRS 618.375(1), NRS 618.375(2)****General Duty Citations by the Division****3rd Quarter FY25: January – March 2025****1. Daehan Solution Nevada - Inspection 1763670**

Nevada Revised Statute 618.375(1):Duties of employers. Every employer shall furnish employment and a place of employment which are free from recognized hazards that are causing or are likely to cause death or serious physical harm to his or her employees.

Located at the Highland T/Side Fabric racking area, one racking system with stored material was observed with a damaged upright column post, exposing employees to the recognized hazard of being struck by or crushed should there be a failure of the racking system.

Reference: ANSI MH16.1 2012 Specification for the design, testing and utilization of industrial steel storage racks. Section: 1.4.9 Rack damage stated: Upon any visible damage, the pertinent portions of the rack shall be immediately isolated by the user until the damaged portion is evaluated by a storage rack design professional. Before allowing the rack to be placed back into service the design professional must certify that the rack system and/or the repaired components have been restored to at least their original design capacity.

Abatement Note: Among other methods, one feasible means of abatement would be to repair or replace damaged racking.

Daehan Solution Nevada, LLC was previously cited for a violation of this occupational safety and health standard or its equivalent standard Nevada Revised Statute 618.375(1), which was contained in OSHA inspection number 1713456, citation number 4, item number 1 and was affirmed as a final order on 06/17/2024, with respect to a workplace located at 1600 E Newlands Drive Fernley, NV 89408.

Daehan Solution Nevada, LLC was previously cited for a violation of this occupational safety and health standard or its equivalent standard Nevada Revised Statute 618.375(1), which was contained in OSHA inspection number 1667652, citation number 2, item number 2 and was affirmed as a final order on 11/27/2023, with respect to a workplace located at 1600 E Newlands Drive Fernley, NV 89408.

Proposed Penalty \$57,044.00

2. Daehan Solution Nevada – Inspection 1763670

Nevada Revised Statute 618.375(1): Duties of employers. Every employer shall furnish employment and a place of employment which are free from recognized hazards that are causing or are likely to cause death or serious physical harm to his or her employees.

Located at the Highland Thinsulatio Highland Felt Pad MDI racking area, one racking system with stored material was observed with a damaged upright column post, exposing employees to the recognized hazard of being struck by or crushed should there be a failure of the racking system.

Reference: ANSI MH16.1 2012 Specification for the design, testing and utilization of industrial steel storage racks. Section: 1.4.9 Rack damage stated: Upon any visible damage, the pertinent portions of the rack shall be immediately isolated by the user until the damaged portion is evaluated by a storage rack design professional. Before allowing the rack to be placed back into service the design professional must certify that the rack system and/or the repaired components have been restored to at least their original design capacity.

Abatement Note: Among other methods, one feasible means of abatement would be to repair or replace damaged racking.

Daehan Solution Nevada, LLC was previously cited for a violation of this occupational safety and health standard or its equivalent standard Nevada Revised Statute 618.375(1), which was contained in OSHA inspection number 1713456, citation number 4, item number 1 and was affirmed as a final order on 06/17/2024, with respect to a workplace located at 1600 E Newlands Drive Fernley, NV 89408.

Daehan Solution Nevada, LLC was previously cited for a violation of this occupational safety and health standard or its equivalent standard Nevada Revised Statute 618.375(1), which was contained in OSHA inspection number 1667652, citation number 2, item number 2 and was affirmed as a final order on 11/27/2023, with respect to a workplace located at 1600 E Newlands Drive Fernley, NV 89408.

Proposed Penalty \$57,044.00

3. Nevada Barricade and Sign Company – Inspection 1781374

Nevada Revised Statutes 618.375(2): Duties of employers. Every employer shall furnish and use such safety devices and safeguards, and adopt and use such practices, means, methods, operations and processes as are reasonably adequate to render such employment and places of employment safe and comply with all orders issued by the Division.

The employer failed to furnish and use such safety devices and safeguards, and adopt and use such practices, means, methods, operations and processes as were reasonably adequate to render such employment and places of employment safe and comply with all orders issued by the Division in the following instance:

On 10/12/2024 two employees were allowed to perform their job tasks from the back of a moving vehicle without any protective practices, methods, or processes reasonably adequate to ensure employee safety while performing work. The employees were in the process of placing temporary traffic control devices to alter traffic lanes for a sporting event from the back of a moving flatbed Isuzu NPR-

XD work truck. The truck was equipped with removable interlocking gates and was also towing a Wanco electric arrow board trailer. The two back gates on the truck had been removed, exposing employees to potentially struck-by hazards from the trailer being towed, other objects outside of the truck, or being run over by the truck itself.

Reference: ANSI/ASSP A10.47-2021 Work Zone Safety for Roadway Construction. Section 4.5 Set Up and Removal of Traffic Control Devices.

One feasible means of abatement would be full perimeter protection of the truck bed, guarded platforms for employees to stand in while working on the back of moving vehicles, or employees wearing a self-retractable lanyard as part of a fall restraint system to keep employees safely within the bed of the truck.

Proposed Penalty \$9,045.00

4. Damon Industries – Inspection 1781576

Nevada Revised Statute 618.375(1): Duties of employers. Every employer shall furnish employment and a place of employment which are free from recognized hazards that are causing or are likely to cause death or serious physical harm to his or her employees.

The employer did not furnish a place of employment which are free from recognized hazards that could cause or are likely to cause death or serious physical harm to his or her employees. Located in dry storage, one row of racking system (10 bays, 10-foot 6-inches tall, up to 800 lbs. of product per bay) was observed in service with visible damage to the vertical and horizontal support columns in the following instances:

- a. Vertical foot anchor CH48.
- b. Vertical foot anchor CH56.
- c. Vertical foot anchor A19.
- d. Vertical foot anchor FG47F.
- e. Horizontal crossmember FG43A.

If the racking system were to sustain a catastrophic failure due to notwithstanding the applied forces, employees on foot and in powered industrial trucks working in the area could be exposed to struck-by or crushed-by hazards.

References:

ANSI MH16.1 2012 Specification for the design, testing and utilization of industrial steel storage racks (Section: 1.4.9 Rack Damage).

Abatement Note: Among other methods, a feasible means of abatement would be to remove stored items from the damaged racking system until the racking system is repaired or replaced and anchored to the floor.

Proposed Penalty \$8,276.10

5. Flooring Center USA dba Half Price Flooring – Inspection 1773288

Nevada Revised Statute 618.375(1): Duties of employers. Every employer shall furnish employment and a place of employment which are free from recognized hazards that are causing or are likely to cause death or serious physical harm to his or her employees.

The employer did not ensure that employees were protected from recognized hazards that are likely to cause serious physical harm. Employees were exposed to recognized crush-by hazards created by the use of storage racks in the following instances:

1. Approximately 30 sections of storage racks were damaged and loaded with rolls of flooring materials. Upright frame members and a cross brace of the storage racks had deformations including twists and bends. Additionally, the storage racks had horizontal beams that were separating or had separated from the adjoining column.
2. Approximately 28 storage rack baseplates were not anchored to the floor.

The storage racks were located throughout the entire warehouse area, and were at risk of being tipped over or collapsing while flooring materials such as carpet and vinyl were being loaded and unloaded with a forklift or had already collapsed. Employees operating forklifts and checking inventory near the damaged or unsecured storage racks were exposed to recognized crush-by hazards that are likely to cause death or serious physical harm in the event of a storage rack tipping or collapsing.

Reference ANSI MH 16.1 Specification for Design, Testing, and Utilization of Industrial Steel Storage Racks.

American National Standards Institute (ANSI) standard MH16.1-2012 (a revision of MH16.1-2008): Specifications for the Design, Testing and Utilization of Industrial Steel Storage Racks, which includes, among others, the following:

Section 1.4.7 Column Base Plates and Anchors:

The bottom of all columns shall be furnished with column base plates, as specified in 7.1. All rack columns shall be anchored to the floor with anchor bolts, which shall be designed in accordance with Section 7.3, to resist all applicable forces as described in Section 2.1 or Section 2.2.

Section 1.4.9 Rack Damage

Upon any visible damage, the pertinent portions of the rack shall be unloaded immediately by the user until the damaged portion is repaired or replaced.

Flooring Center USA, LLC DBA Half Price Flooring was previously cited for a violation of this occupational safety and health standard or its equivalent standard, which was contained in NVOSHA inspection number 1463710, citation number 1, item number 1, and was affirmed as final order on April 29, 2020, with respect to a workplace located at 4221 West Charleston Avenue , Las Vegas, NV 89102.

A feasible means of abatement would be for the employer to follow the requirements of American National Standards Institute (ANSI) MH16.1-2012. The employer must ensure that column base plates of each storage rack are properly anchored to the floor. Additionally, the employer must ensure that racks with visible damaged are unloaded immediately until the damaged portion is repaired or replaced.

Proposed Penalty \$14,564.00

6. Flooring Center USA dba Half Price Flooring. – Inspection 1783037

Nevada Revised Statute 618.375(1): Duties of employers. Every employer shall furnish employment and a place of employment which are free from recognized hazards that are causing or are likely to cause death or serious physical harm to his or her employees.

The employer did not ensure that employees were protected from recognized hazards that are likely to cause serious physical harm. Employees were exposed to recognized crush-by hazards created by the use of storage racks in the following instances:

1. Approximately 4 sections of storage racks were damaged and loaded with rolls of flooring materials. Upright frame members and a cross brace of the storage racks had deformations including twists and bends. Additionally, the storage racks had horizontal beams that were separating or had separated from the adjoining column.
2. Approximately 7 storage rack baseplates were not anchored to the floor.

The storage racks were located throughout the entire warehouse area and were at risk of being tipped over or collapsing while flooring materials such as carpet were being loaded and unloaded with a forklift or had already collapsed. Employees operating forklifts and checking inventory near the damaged or unsecured storage racks were exposed to recognized crush-by hazards that are likely to cause death or serious physical harm in the event of a storage rack tipping or collapsing.

Reference ANSI MH 16.1 Specification for Design, Testing, and Utilization of Industrial Steel Storage Racks.

American National Standards Institute (ANSI) standard MH16.1-2012 (a revision of MH16.1-2008): Specifications for the Design, Testing and Utilization of Industrial Steel Storage Racks, which includes, among others, the following:

Section 1.4.7 Column Base Plates and Anchors:

The bottom of all columns shall be furnished with column base plates, as specified in 7.1. All rack columns shall be anchored to the floor with anchor bolts, which shall be designed in accordance with Section 7.3, to resist all applicable forces as described in Section 2.1 or Section 2.2.

Section 1.4.9 Rack Damage

Upon any visible damage, the pertinent portions of the rack shall be unloaded immediately by the user until the damaged portion is repaired or replaced.

Flooring Center USA, LLC DBA Half Price Flooring was previously cited for a violation of this occupational safety and health standard or its equivalent standard, which was contained in NVOSHA inspection number 1463710, citation number 1, item number 1, and was affirmed as final order on April 29, 2020, with respect to a workplace located at 4221 West Charleston Avenue , Las Vegas, NV 89102.

A feasible means of abatement would be for the employer to follow the requirements of American National Standards Institute (ANSI) MH16.1-2012. The employer must ensure that column base plates of each storage rack are properly anchored to the floor. Additionally, the employer must ensure that racks with visible damaged are unloaded immediately until the damaged portion is repaired or replaced.

Proposed Penalty \$14,564.00

7. Las Vegas Superstore Inc– Inspection 1783509

Nevada Revised Statute 618.375(1): Duties of employers. Every employer shall furnish employment and a place of employment which are free from recognized hazards that are causing or are likely to cause death or serious physical harm to his or her employees.

The employer did not ensure that employees were protected from recognized hazards that are likely to cause serious physical harm. In the receiving area, the employer utilized storage racks to store grocery products. The anchor plates were not secured by any means. The storage racks were at risk of being struck or tipped overdue to employees utilizing a Crown WP 3200 electric pallet jack and a Toyota Forklift Truck to unload delivery trucks near the unbolted storage racks. Employees operating the vehicles were exposed to serious injuries in the event of the storage racks tipping.

Reference: Section 1.4.7 of ANSI MH16.1 2012 Specification for the Design, Testing and Utilization of Industrial Steel Storage Racks.

Section 1.4.7 Column Base Plates and Anchors

The bottom of all columns shall be furnished with column base plates, as specified in Section 7.1. All rack columns shall be anchored to the floor with anchor bolts, which shall be designed in accordance with Section 7.3, to resist all applicable forces as described in Section 2.1 or Section 2.2.

A feasible means of abatement would be for the employer to follow the requirements of American National Standards Institute (ANSI) MH16.1-2012 and ensure that all rack columns are anchored to the floor with anchor bolts.

Penalty - \$8,276.00

8. Tymac Countertops, Inc. – Inspection 1783848

Nevada Revised Statute 618.375(1):Duties of employers. Every employer shall furnish employment and a place of employment which are free from recognized hazards that are causing or are likely to cause death or serious physical harm to his or her employees.

The employer did not furnish employment and a place of employment which were free from recognized hazards that were causing or likely to cause death or serious physical harm to the employees. Near the cutting area, employees are using the cantilever storage rack to store wooden pallets, carts, and remnants of acrylic plastic. The base of the cantilever storage rack was not anchored to the floor. The employees were potentially exposed to serious injuries in the event of the cantilever storage rack tipping over or materials being displaced.

Reference: ANSI MH 16.3 - 2016 Specification for the Design, Testing and Utilization of Industrial Steel Cantilevered Storage Racks. Section 1.4.7. Column Base Plates, Column Base, Column-Base Beams and Anchor Bolts.

The bottom of all cantilever columns shall be furnished with column bases, column-base beams or column base plates, or any combination thereof, capable of transferring loads to the floor slab, as specified in Section 8. All cantilevered storage rack column-base assemblies shall be anchored to the floor by a minimum of two anchors at or near each end of the base assembly. The anchors shall be capable of withstanding the forces caused by both horizontal and vertical loads on the cantilevered storage rack.

A feasible means of abatement is to anchor the racks in accordance with ANSI MH 16.3-2016.

Penalty - \$3,457.00

9. TAPSLV, LLC dba Trophy Performance – Inspection 1783873

Nevada Revised Statute 618.375(1): Duties of employers. Every employer shall furnish employment and a place of employment which are free from recognized hazards that are causing or are likely to cause death or serious physical harm to his or her employees.

Trophy Performance did not ensure employees were protected from recognized hazards likely to cause death or serious physical harm. The employees used an unanchored storage rack for storing various engines in the northwest corner of the shop. The storage racks were at risk of tipping over or collapsing due to being loaded with WR Forklift Walkie Pallet Stalker associated with serial number 6A170639. The employees were exposed to possible serious injuries in the event the storage were struck by the forklift walkie stalker.

Reference: ANSI MH16.1-2008 Specification for the Design, Testing, and Utilization of Industrial Steel Storage Racks.

Section 1.4.7 Column Base Plates and Anchors.

The bottom of all columns shall be furnished with column base plates, as specified in Section 7.2. In addition, all rack columns shall be anchored to the floor with anchor bolts capable of resisting the forces caused by the horizontal and vertical loads on the rack.

One feasible means of abatement is to follow the requirements of ANSI MH16.1-2008.

Penalty - \$4,020.00

10. Nevada Oil Solutions L.L.C. dba US Oil Solutions – Inspection 1784796

Nevada Revised Statute 618.375(1): Duties of employers. Every employer shall furnish employment and a place of employment which are free from recognized hazards that are causing or are likely to cause death or serious physical harm to his or her employees.

The employer did not ensure that employees were protected from recognized hazards that are likely to cause serious physical harm. Employees were exposed to recognized crush-by hazards presented by unanchored storage racks. A two-level storage rack system more than 6 feet in height was equipped with anchor plates. However, no storage rack was bolted down. The storage racks were loaded with a variety of food-grade oils which were loaded and unloaded from the racking system with a Yale forklift (model: GLP040AFNUAF084). Employees were exposed to possible serious injuries.

Reference: Section 1.4.7 of ANSI MH16.1-2012 Specification for the Design, Testing and Utilization of Industrial Steel Storage Racks.

Section 1.4.7 Column Base Plates and Anchors

The bottom of all columns shall be furnished with column base plates, as specified in Section 7.1. All rack columns shall be anchored to the floor with anchor bolts, which shall be designed in accordance with Section 7.3, to resist all applicable forces as described in Section 2.1 or 2.2.

One feasible means of abatement is to ensure that column base plates are anchored to the floor with anchor bolts capable of resisting the forces caused by horizontal and vertical loads on the rack.

Penalty - \$6,453.00

11. Containur Pools Inc.– Inspection 1785766

Nevada Revised Statute 618.375(1): Duties of employers. Every employer shall furnish employment and a place of employment which are free from recognized hazards that are causing or are likely to cause death or serious physical harm to his or her employees.

The employer failed to ensure employees were protected from recognized crushing hazards presented by forklift operation. Employees operated a forklift (brand: Yale, model: GLC050RCJUA083, type: LP) to move pallets and containers. The forklift was not equipped with a seatbelt that would protect the operator in the event of a tip-over that may dislodge or eject the operator. Employees were exposed to possible serious injuries.

Reference 1: Section 5.3.19 of ASME B56.1-2004 Safety Standard for Low and High Lift Trucks
Section 5.3 Traveling

5.3.19 An active operator protection device or system, when provided, shall be used. Operator protection in the event of tipover is intended to reduce the risk of entrapment of the head and torso between the truck and the ground but may not protect the operator against all possible injury (see para. 7.2.2).

A feasible means of abatement would be to ensure the seat of the forklift was equipped with a seatbelt which functioned properly and was worn by the operator during operation.

Penalty - \$3,457.00

12. The Kroger Co. dba Smith's Food and Drug Center #366– Inspection 1791659

Nevada Revised Statute 618.375(1): Duties of employers. Every employer shall furnish employment and a place of employment which are free from recognized hazards that are causing or are likely to cause death or serious physical harm to his or her employees.

The employer did not ensure that employees were protected from recognized hazards that are likely to cause serious physical harm. Employees were exposed to recognized crush-by hazards created using storage racks. A two and three level storage rack system ranging in heights from approximately 7 feet to 12 feet 2 inches were observed with damaged legs and missing anchor bolts and base

plates. The storage racks were loaded with a variety of food product storage and were loaded and unloaded with a Hyster Electric Lift Truck (model: W40ZA). Employees were exposed to possible serious injuries in the event of failure of the rack.

Reference: Section 1.4.7 of ANSI MH16.1-2012 Specification for the Design, Testing and Utilization of Industrial Steel Storage Racks.

Section 1.4.7 Column Base Plates and Anchors

The bottom of all columns shall be furnished with column base plates, as specified in Section 7.1. All rack columns shall be anchored to the floor with anchor bolts, which shall be designed in accordance with Section 7.3, to resist all applicable forces as described in Section 2.1 or 2.2.

Section 1.4.9 Rack Damage

Upon any visible damage, the pertinent portions of the rack shall be immediately isolated by the user until the damaged portion is evaluated by a storage rack design professional. Before allowing the rack to be placed back into service the design professional must certify that the rack system and/or the repaired components have been restored to at least their original design capacity.

One feasible means of abatement is to ensure that column base plates are anchored to the floor with anchor bolts capable of resisting the forces caused by horizontal and vertical loads on the rack, and to ensure visible damage is immediately isolated and restored to its original design capacity.

Penalty - \$11,585.00

13. Realm of Design – Inspection 1797938

Nevada Revised Statute 618.375(1): Duties of employers. Every employer shall furnish employment and a place of employment which are free from recognized hazards that are causing or are likely to cause death or serious physical harm to his or her employees.

The employer did not furnish employment and a place of employment free from recognized hazards that cause or likely to cause death or serious physical harm to an employee. Near the back of the warehouse, an employee used a storage rack to store molds weighing 30-60 pounds. The base of the storage rack was not anchored to the floor. An employee was potentially exposed to serious injuries such as struck by or crushing injuries in the event of the storage rack tipping over.

Reference: ANSI MH 16.1 - 2012 Specifications for the Design, Testing and Utilization of Industrial Steel Storage Racks. Section 1.4.7. Column Base Plates, Column Base, Column-Base Beams and Anchor Bolts. The bottom of all columns shall be furnished with column base plates, as specified in Section 7.1. All racks columns shall be anchored to the floor with anchor bolts, which shall be designed in accordance with Section 7.3, to resist all applicable forces as described in Section 2.1 or section 2.2.

A feasible means of abatement is to anchor the racks in accordance with ANSI MH 16.1-2012.

Penalty - \$3,547.00